

Tsuen Wan Bypass, Widening of Tsuen Wan Road between Tsuen Tsing Interchange and Kwai Tsing Interchange and Associated Junction Improvement Works

Environmental Impact Assessment

| Family | Species | Chinese name | Native/Exotic | W | PW | Str | UA | S | V&O | A |
|-----------------|-----------------------------------|--------------|---------------|----|----|-----|----|---|-----|---|
| Agavaceae | <i>Dracaena sp.</i> | 龍血樹 | Exotic | * | | | * | | * | |
| Aloeaceae | <i>Aloe vera var chinensis</i> | 蘆薈 | Exotic | | | | | | * | |
| Amaranthaceae | <i>Amaranthus viridis</i> | 野苋 | Native | | | * | | | * | * |
| Amaryllidaceae | <i>Crinum asiaticum</i> | 文殊蘭 | Native | | | | * | | | |
| Anacardiaceae | <i>Mangifera indica</i> | 芒果 | Exotic | | | | | | * | |
| Anacardiaceae | <i>Rhus hypoleuca</i> | 白背漆 | Native | | | | | * | | |
| Apocynaceae | <i>Thevetia peruviana</i> | 黃花夾竹桃 | Exotic | | | | * | | | |
| Apocynaceae | <i>Allamanda schottii</i> | 黃蟬 | Exotic | | | | * | | | |
| Aquifoliaceae | <i>Ilex asprella</i> | 梅葉冬青 | Native | * | | | | * | | |
| Araceae | <i>Alocasia odora</i> | 海芋 | Native | * | * | * | | | * | |
| Araliaceae | <i>Schefflera heptaphylla</i> | 鴨腳木 | Native | | | | | * | | |
| Araucariaceae | <i>Araucaria heterophylla</i> | 南洋杉 | Exotic | | | | * | | | |
| Arecaceae | <i>Chrysalidocarpus lutescens</i> | 散尾葵 | Exotic | * | | | * | | | |
| Asteraceae | <i>Mikania micrantha</i> | 薇甘菊 | Exotic | ** | | | | | * | * |
| Asteraceae | <i>Bidens alba</i> | 白花鬼針草 | Exotic | | | | | | * | |
| Asteraceae | <i>Emilia sonchifolia</i> | 一點紅 | Native | | | | | * | | * |
| Asteraceae | <i>Wedelia chinensis</i> | 蟛蜞菊 | Exotic | * | | | | | | |
| Brassicaceae | <i>Brassica parachinensis</i> | 菜心 | Exotic | | | | | | | * |
| Cactaceae | <i>Hylocereus undatus</i> | 量天尺 | Exotic | | | | | | * | |
| Caesalpiniaceae | <i>Delonix regia</i> | 鳳凰木 | Exotic | | | | * | | | |
| Caesalpiniaceae | <i>Bauhinia sp.</i> | 羊蹄甲 | — | ** | | | * | | | |
| Caricaceae | <i>Carica papaya</i> | 番木瓜 | Exotic | | | | | | * | |
| Casuarinaceae | <i>Casuarina equisetifolia</i> | 木麻黃 | Exotic | | | | * | | | |
| Convolvulaceae | <i>Ipomoea batatas</i> | 番薯 | Exotic | | | | | | * | |
| Convolvulaceae | <i>Ipomoea cairica</i> | 五爪金龍 | Exotic | * | | | | | * | |
| Cucurbitaceae | <i>Benincasa hispida</i> | 冬瓜 | Exotic | | | | | | * | * |
| Cupressaceae | <i>Thuja orientalis</i> | 側柏 | Exotic | | | | | | * | |
| Cyperaceae | <i>Kyllinga brevifolia</i> | 水蜈蚣 | Native | * | | | | | | * |
| Euphorbiaceae | <i>Euphorbia hirta</i> | 大飛揚草 | Exotic | * | | | | | | |
| Euphorbiaceae | <i>Macaranga tanarius</i> | 血桐 | Native | ** | * | * | | | * | * |
| Euphorbiaceae | <i>Aporosa dioica</i> | 銀柴 | Native | * | | | | * | | |
| Euphorbiaceae | <i>Mallotus paniculatus</i> | 白楸 | Native | * | | | | | * | |
| Euphorbiaceae | <i>Bridelia tomentosa</i> | 土密樹 | Native | * | | | | * | | |

Environmental Impact Assessment

| Family | Species | Chinese name | Native/Exotic | W | PW | Str | UA | S | V&O | A |
|-----------------|----------------------------------|--------------|---------------|----|-----|-----|----|----|-----|---|
| Euphorbiaceae | <i>Breynia fruticosa</i> | 黑面神 | Native | | | | | * | | |
| Euphorbiaceae | <i>Aleurites moluccana</i> | 石栗 | Exotic | * | | | ** | | | |
| Fabaceae | <i>Pueraria lobata</i> | 野葛 | Native | * | | | | | * | |
| Gleicheniaceae | <i>Dicranopteris pedata</i> | 芒萁 | Native | | | | | * | | |
| Gramineae | <i>Eleusine indica</i> | 牛筋草 | Native | | | | | | * | * |
| Gramineae | <i>Microstegium ciliatum</i> | 剛秀竹 | Native | ** | | * | | ** | | |
| Gramineae | <i>Rhynchelytrum repens</i> | 紅毛草 | Exotic | * | | | | | | |
| Gramineae | <i>Miscanthus sinensis</i> | 芒 | Native | * | | | | ** | | |
| Gramineae | <i>Lophatherum gracile</i> | 淡竹叶 | Native | * | | | | | * | |
| Lauraceae | <i>Litsea glutinosa</i> | 潺槁樹 | Native | * | | | | * | * | |
| Lauraceae | <i>Litsea rotundifolia</i> | 豺皮樟 | Native | | | | | * | | |
| Liliaceae | <i>Allium fistulosum</i> | 蔥 | Exotic | | | | | | | * |
| Lygodiaceae | <i>Lygodium japonicum</i> | 海金沙 | Native | | | | | * | | |
| Magnoliaceae | <i>Michelia alba</i> | 白蘭 | Exotic | | | | | | * | * |
| Melastomataceae | <i>Melastoma sanguineum</i> | 毛棧 | Native | | | | | * | | |
| Menispermaceae | <i>Stephania longa</i> | 糞箕篤 | Native | | | | | * | * | |
| Mimosaceae | <i>Leucaena leucocephala</i> | 銀合歡 | Exotic | * | | | * | | | |
| Mimosaceae | <i>Acacia confusa</i> | 台灣相思 | Exotic | | *** | | | | | |
| Mimosaceae | <i>Calliandra haematocephala</i> | 紅絨球 | Exotic | | | | * | | | |
| Moraceae | <i>Ficus microcarpa</i> | 細葉榕 | Native | * | | | ** | | * | |
| Moraceae | <i>Ficus elastica</i> | 印度橡樹 | Exotic | | | | * | | * | |
| Moraceae | <i>Ficus hispida</i> | 對葉榕 | Native | * | * | | | | * | |
| Moraceae | <i>Artocarpus macrocarpus</i> | 波羅蜜 | Exotic | | | | | | * | * |
| Moraceae | <i>Ficus simplicissima</i> | 五指毛桃 | Native | * | | | | * | | |
| Moraceae | <i>Ficus virens</i> | 大葉榕 | Native | * | | | * | | | |
| Moraceae | <i>Ficus pumila</i> | 薜荔 | Native | | | | | | * | |
| Musaceae | <i>Musa paradisiaca</i> | 大蕉 | Exotic | * | | | | | * | * |
| Myrtaceae | <i>Psidium guajava</i> | 番石榴 | Exotic | | | | | * | * | * |
| Myrtaceae | <i>Syzygium jambos</i> | 蒲桃 | Exotic | * | | | | | | |
| Myrtaceae | <i>Rhodomyrtus tomentosa</i> | 桃金娘 | Native | | | | | * | | |
| Nyctaginaceae | <i>Bougainvillea spectabilis</i> | 勒杜鵑 | Exotic | * | | | | | | |
| Oleaceae | <i>Ligustrum sinense</i> | 山指甲 | Native | | * | | * | | * | * |
| Oxalidaceae | <i>Oxalis corniculata</i> | 酢醬草 | Native | * | | | | | * | * |
| Oxalidaceae | <i>Averrhoa carambola</i> | 楊桃 | Exotic | | | | | | * | |

Tsuen Wan Bypass, Widening of Tsuen Wan Road between Tsuen Tsing Interchange and Kwai Tsing Interchange and Associated Junction Improvement Works

Environmental Impact Assessment

| Family | Species | Chinese name | Native/Exotic | W | PW | Str | UA | S | V&O | A |
|----------------|-----------------------------------|--------------|---------------|---|----|-----|----|---|-----|----|
| Pteridaceae | <i>Pteris semipinnata</i> | 半邊旗 | Native | * | | | | | | |
| Rosaceae | <i>Prunus persica</i> | 桃 | Exotic | | | | | | * | |
| Rosaceae | <i>Rhaphiolepis indica</i> | 車輪梅 | Native | | | | | * | | |
| Rosaceae | <i>Eriobotrya japonica</i> | 枇杷 | Exotic | * | | | | | * | |
| Rubiaceae | <i>Paederia scandens</i> | 雞矢藤 | Native | | | | | * | * | * |
| Rubiaceae | <i>Psychotria asiatica</i> | 九節 | Native | * | | | | * | | |
| Rutaceae | <i>Citrus maxima</i> | 柚 | Exotic | | | | | | * | |
| Rutaceae | <i>Clausena lansium</i> | 黃皮 | Exotic | | | ** | | | * | * |
| Rutaceae | <i>Citrus reticulata</i> | 柑 | Exotic | * | | | | | | |
| Sapindaceae | <i>Dimocarpus longan</i> | 龍眼 | Exotic | * | * | | | | * | * |
| Sapindaceae | <i>Litchi chinensis</i> | 荔枝 | Exotic | * | | | | | | |
| Smilacaceae | <i>Smilax china</i> | 金剛藤 | Native | | | | | * | | |
| Sterculiaceae | <i>Sterculia lanceolata</i> | 假蘋婆 | Native | * | | | | * | | |
| Sterculiaceae | <i>Helicteres angustifolia</i> | 山芝麻 | Native | | | | | * | | |
| Theaceae | <i>Eurya nitida</i> | 細齒葉柃 | Native | | | | | * | | |
| Tiliaceae | <i>Microcos paniculata</i> | 布渣葉 | Native | * | | | | | | |
| Ulmaceae | <i>Celtis sinensis</i> | 朴樹 | Native | * | | | * | * | * | |
| Urticaceae | <i>Boehmeria nivea</i> | 芋麻 | Exotic | * | * | * | | | | * |
| Verbenaceae | <i>Lantana camara</i> | 馬纓丹 | Exotic | * | * | | | * | | * |
| Vitaceae | <i>Ampelopsis cantoniensis</i> | 廣東蛇葡萄 | Native | | | | | * | | |
| Zingiberaceae | <i>Zingiber officinale</i> | 薑 | Exotic | | | | | | * | ** |
| Liliaceae | <i>Liriope spicata</i> | 麥門冬 | Native | * | | | | | | |
| Asteraceae | <i>Synedrella nodiflora</i> | 金腰箭 | Exotic | * | | | * | | | |
| Arecaceae | <i>Calamus rhabdocladus</i> | 華南省藤 | Exotic | * | | | | | | |
| Malvaceae | <i>Malvaviscus arboreus</i> | 懸鈴花 | Exotic | * | | | * | | * | |
| Fabaceae | <i>Dalbergia benthamii</i> | 兩粵黃檀 | Native | * | | | | | | |
| Hamamelidaceae | <i>Liquidambar formosana</i> | 楓香 | Native | * | | | | | | |
| Cyperaceae | <i>Scleria laevis</i> | 珍珠茅 | Native | * | | | | | | |
| Lauraceae | <i>Cassytha filiformis</i> | 無根藤 | Native | * | | | | | | |
| Ebenaceae | <i>Diospyros kaki</i> | 柿 | Native | * | | | | | | |
| Euphorbiaceae | <i>Phyllanthus emblica</i> | 油甘子 | Native | * | | | | * | | |
| Malvaceae | <i>Malvastrum coromandelianum</i> | 賽葵 | Native | * | | | | | | |
| Arecaceae | <i>Caryota mitis</i> | 短穗魚尾葵 | Exotic | | | | * | | | |
| Apocynaceae | <i>Plumeria rubra</i> | 雞蛋花 | Exotic | | | | * | | * | |

Tsuen Wan Bypass, Widening of Tsuen Wan Road between Tsuen Tsing Interchange and Kwai Tsing Interchange and Associated Junction Improvement Works

Environmental Impact Assessment

| Family | Species | Chinese name | Native/Exotic | W | PW | Str | UA | S | V&O | A |
|----------------|------------------------------------|--------------|---------------|---|----|-----|----|---|-----|---|
| Rubiaceae | <i>Diplospora dubia</i> | 狗骨柴 | Native | | | | | * | | |
| Fabaceae | <i>Tadehagi triquetrum</i> | 葫蘆茶 | Native | | | | | * | | |
| Rutaceae | <i>Zanthoxylum nitidum</i> | 兩面針 | Native | | | | | * | | |
| Myrsinaceae | <i>Embelia laeta</i> | 酸藤果 | Native | | | | | * | | |
| Asteraceae | <i>Aster baccharoides</i> | 白舌紫菀 | Native | | | | | * | | |
| Cucurbitaceae | <i>Solena amplexicaulis</i> | 茅瓜 | Native | | | | | * | | |
| Fabaceae | <i>Phyllodium pulchellum</i> | 排錢草 | Native | | | | | * | | |
| Asteraceae | <i>Inula cappa</i> | 白牛膽 | Native | | | | | * | | |
| Fabaceae | <i>Uraria crinita</i> | 貓尾草 | Native | | | | | * | * | |
| Gramineae | <i>Arundinella setosa</i> | 刺芒野古草 | Native | | | | | * | | |
| Asteraceae | <i>Gynura divaricata</i> | 白子菜 | Native | | | | | * | | * |
| Arecaceae | <i>Phoenix hanceana</i> | 刺葵 | Native | | | | | * | | |
| Asteraceae | <i>Elephantopus tomentosus</i> | 白花地胆草 | Native | | | | | * | * | |
| Theaceae | <i>Camellia japonica</i> | 山茶 | Native | | | | | | * | |
| Rutaceae | <i>Murraya paniculata</i> | 九里香 | Exotic | | | | | | * | |
| Asteraceae | <i>Vernonia cinerea</i> | 夜香牛 | Native | | | | | | * | |
| Moraceae | <i>Ficus variolosa</i> | 變葉榕 | Native | | | | | | * | |
| Acanthaceae | <i>Dicliptera chinensis</i> | 狗肝菜 | Native | * | | | | | | |
| Amaranthaceae | <i>Achyranthes aspera</i> | 倒扣草 | Native | * | | | | | | |
| Araliaceae | <i>Eleutherococcus trifoliatus</i> | 白勒花 | Native | * | | | | | | |
| Bombacaceae | <i>Pachira marrocarpa</i> | 馬拉巴栗 | Exotic | | | | | | * | |
| Dioscoreaceae | <i>Dioscorea alata</i> | 參薯 | Exotic | | | | | | * | |
| Rutaceae | <i>Citrus limonia</i> | 黎檬 | Exotic | | | | | | * | |
| Polygonaceae | <i>Polygonum chinense</i> | 火炭母 | Native | * | | | | | | |
| Araceae | <i>Colocasia esculenta</i> | 芋 | Native | * | | | | | | * |
| Araceae | <i>Syngonium podophyllum</i> | 合果芋 | Exotic | * | | * | | | * | |
| Asteraceae | <i>Ageratum conyzoides</i> | 勝紅薊 | Exotic | * | * | * | * | * | * | * |
| Menispermaceae | <i>Cocculus orbiculatus</i> | 木防己 | Native | | * | | | | | |
| Moraceae | <i>Ficus variegata</i> | 青果榕 | Native | | * | | | | | |
| Arecaceae | <i>Rhapis excelsa</i> | 棕竹 | Native | | | | * | | | |
| Cycadaceae | <i>Cycas revoluta</i> | 蘇鐵 | Exotic | | | | * | | | |
| Arecaceae | <i>Livistona chinensis</i> | 蒲葵 | Native | | | | * | | | |
| Arecaceae | <i>Phoenix roebelenii</i> | 日本葵 | Exotic | | | | * | | | |

Note: * - Species exist in the habitat; ** - Species is commonly recorded in the habitat; *** - Species is abundant in the habitat



V&O - Village and Orchard

Str - Stream

W - Woodlands

S - Shrubland

UA - Urbanised Area (i.e. Urban Development)

PW - Plantation Woodland

A - Agriculture Land