

Appendix 14.8

List of Intertidal Fauna Recorded during Recent Surveys

Appendix 14.8a - Intertidal Fauna Recorded Within the Project area (February and March 2007)

Survey Location	Intertidal Type	Site 1			Site 2			Site 3			Site 4			Site 5		
		Vertical boulder-mounted seawall	Vertical seawall	Sloping boulder-mounted seawall	Vertical	Vertical	Sloping									
Quadrat	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	
Periwinkle																
<i>Echinolittorina radiata</i>																
Planaxid Snail																
<i>Planaxis sulcatus</i>																
Topshell																
<i>Monodonta labio</i>																
Whelk																
<i>Thais clavigera</i>																
Limpet / False Limpet																
<i>Cellana glava</i>																
<i>Cellana toreuma</i>																
<i>Patelloida pygmaea</i>																
<i>Patelloida saccharina</i>																
<i>Siphonaria japonica</i>																
<i>Siphonaria laciniosa</i>																
Chiton																
<i>Acanthopleura japonica</i>																
Crabs																
Unidentified																
Bivalves																
<i>Septifer virgatus</i>																
<i>Saccostraea cucullata</i>																
Barnacles																
<i>Balanus amphitrite</i>																
<i>Terracita japonica</i>																
<i>Tetrarita squamosa</i>																
<i>Capitulum mirella</i>																
Cyanobacteria																
<i>Kylinthrix maculans</i>																
Encrusting Algae																
<i>Hildenbrandia rubra</i>																
<i>Chrysanthrix candelaris</i>																
Erect Algae																
<i>Hincksia mitchelliae</i>																
<i>Ulva lactuca</i>																

Note: high tide mark – quadrat 1
 (Code for Relative Abundance / Coverage: ++++=abundant; +++=frequent; ++=occasional; ++=scarce)

Appendix 14.8b - Intertidal Fauna Recorded Within the Project area (May 2007)

Species / Location	Site 1				Site 2				Site 3				Site 4				Site 5			
	Sloping bouldered seawall	Sloping bouldered seawall	Vertical seawall	Sloping bouldered seawall	Rockfill															
Quadrat	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	
Periwinkle																				
Echinolittorina trochoides																				
Echinolittorina radiata																				
Littoraria articulata																				
Topshell																				
Monodonta labio																				
Whelk																				
<i>Thais clavigera</i>																				
Limpet / False Limpet																				
<i>Collisella dorsuosa</i>																				
<i>Cellana toreuma</i>																				
<i>Nipponacmea concinna</i>																				
<i>Patelloidea nigra</i>																				
<i>Patelloidea saccharina</i>																				
<i>Siphonaria ladiniosa</i>																				
Chiton																				
<i>Acanthopleura japonica</i>																				
Bivalves																				
<i>Sepiifer virginicus</i>																				
<i>Saccostrea cucullata</i>																				
Barnacles																				
<i>Balanus amphitrite</i>																				
Tetractites japonica																				
Tetractites squammosa																				
<i>Capitulum millella</i>																				
Worms																				
<i>Hydrorides</i> sp.																				
Sea Slater																				
<i>Ligia exotica</i>																				
Encrusting Algae																				
<i>Hildenbrandia rubra</i>																				
<i>Pseudosiphonia applanata</i>																				
<i>Chrysothrix candelaris</i>																				
Encrusting coralline algae																				
Erect Algae																				
<i>Himanthalia mitchelliae</i>																				
<i>Gelidium pusillum</i>																				
<i>Corallina pilifera</i>																				

Note: high tide mark – quadrat 1
(Code for Relative Abundance / Coverage : ++++=abundant; +++=frequent; ++=occasional; ++=scarce)