

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1	<i>Ficus microcarpa</i>	細葉榕	1.70	2.80	150	F	F	L	L	Kadoorie Farm	Retain	Retain
1A	<i>Schefflera heptaphylla</i>	鵝掌柴	3.50	3.30	130	F	F	L	L	Kadoorie Farm	Retain	Retain
2	<i>Machilus pauhoi</i>	刨花潤楠	20.00	8.20	650	F	F	M	L	Kadoorie Farm	Retain	Retain
3	<i>Elaeocarpus sylvestris</i>	山杜英	18.00	7.60	650	F	F	M	L	Kadoorie Farm	Retain	Retain
4	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	HYD	N.A.	N.A.
5	<i>Ficus microcarpa</i>	細葉榕	5.00	3.40	130	F	F	L	L	HYD	Retain	Retain
6	<i>Symplocos cochinchinensis</i> var. <i>laurina</i>	黃牛奶樹	6.10	7.00	220	F	F	L	L	HYD	Retain	Retain
7	<i>Schima superba</i>	木荷	20.00	20.00	700	F	F	M	L	HYD	Retain	Retain
8	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	HYD	N.A.	N.A.
9	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	HYD	N.A.	N.A.
10	<i>Acacia confusa</i>	台灣相思	11.00	9.00	270	F	F	L	L	LCSD	Retain	Retain
11	<i>Acacia confusa</i>	台灣相思	13.00	7.00	300	F	F	L	L	LCSD	Retain	Retain
12	<i>Acacia confusa</i>	台灣相思	15.00	7.50	440	F	F	L	L	LCSD	Retain	Retain
13	<i>Celtis sinensis</i>	朴樹	15.00	10.00	580	F	F	M	L	HYD	Retain	Retain
14	<i>Celtis sinensis</i>	朴樹	8.50	4.20	210	F	F	L	L	HYD	Retain	Retain
15	<i>Aporosa dioica</i>	銀柴	4.00	3.50	280	F	F	L	L	HYD	Retain	Retain
16	<i>Sterculia lanceolata</i>	假蘋婆	9.00	6.00	280	F	F	L	L	HYD	Retain	Retain
17	<i>Celtis sinensis</i>	朴樹	10.00	7.30	390	F	F	M	L	HYD	Retain	Retain
18	<i>Celtis sinensis</i>	朴樹	8.00	8.00	280	F	F	L	L	HYD	Retain	Retain
19	<i>Ficus microcarpa</i>	細葉榕	6.00	3.00	160	F	F	L	L	HYD	Retain	Retain
20	<i>Acacia confusa</i>	台灣相思	12.00	11.00	300	F	F	L	L	HYD	Retain	Retain
21	<i>Acacia confusa</i>	台灣相思	12.00	8.00	330	F	F	L	L	HYD	Retain	Retain
22	<i>Acacia confusa</i>	台灣相思	13.00	9.00	350	F	F	L	L	HYD	Retain	Retain
23	<i>Acacia confusa</i>	台灣相思	14.00	13.50	350	F	F	L	L	HYD	Retain	Retain
24	<i>Acacia confusa</i>	台灣相思	14.00	10.00	200	F	F	L	L	HYD	Retain	Retain
25	<i>Acacia confusa</i>	台灣相思	12.00	6.50	220	F	F	L	L	HYD	Retain	Retain
26	<i>Celtis sinensis</i>	朴樹	8.00	11.00	148	F	F	M	L	HYD	Retain	Retain
27	<i>Acacia confusa</i>	台灣相思	9.00	13.00	460	F	F	L	L	HYD	Retain	Retain
28	<i>Celtis sinensis</i>	朴樹	6.00	5.00	280	F	F	L	L	HYD	Retain	Retain
29	<i>Casuarina equisetifolia</i>	木麻黃	20.00	10.00	500	F	F	L	L	LANDSD	Fell	Fell
30	<i>Casuarina equisetifolia</i>	木麻黃	18.00	6.00	500	F	F	L	L	LANDSD	Fell	Fell
31	<i>Bischofia javanica</i>	秋楓	15.00	9.00	400	F	F	L	L	LANDSD	Fell	Fell
32	<i>Casuarina equisetifolia</i>	木麻黃	22.00	10.00	850	F	F	L	L	LANDSD	Fell	Fell
33	<i>Celtis sinensis</i>	朴樹	10.00	8.00	400	F	F	L	L	HYD	Retain	Retain
34	<i>Acacia confusa</i>	台灣相思	13.00	7.00	480	F	F	M	L	HYD	Retain	Retain
35	<i>Macaranga tanarius</i>	血桐	5.00	7.00	200	F	F	L	L	HYD	Retain	Retain
35A	<i>Mallotus paniculatus</i>	白楸	15.00	12.00	150	F	F	L	L	LCSD	Retain	Retain
36	<i>Schima superba</i>	木荷	15.00	12.00	1100	F	F	M	L	HYD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
37	<i>Schima superba</i>	木荷	8.00	9.00	650	F	F	M	L	HYD	Retain	Retain
38	<i>Viburnum odoratissimum</i>	珊瑚樹	20.00	11.00	470	F	F	M	L	LCSD	Retain	Retain
39	<i>Casuarina equisetifolia</i>	木麻黃	8.00	8.00	300	F	F	L	M	HYD	Fell	Fell
40	<i>Casuarina equisetifolia</i>	木麻黃	20.00	12.00	750	F	F	L	L	HYD	Fell	Fell
41	<i>Casuarina equisetifolia</i>	木麻黃	20.00	8.00	650	F	F	L	L	HYD	Retain	Retain
42	<i>Casuarina equisetifolia</i>	木麻黃	8.00	4.50	480	F	P	L	L	HYD	Retain	Retain
43	<i>Casuarina equisetifolia</i>	木麻黃	16.00	8.00	700	F	F	L	L	HYD	Retain	Retain
44	<i>Casuarina equisetifolia</i>	木麻黃	18.00	8.00	600	F	F	L	L	LCSD	Fell	Fell
45	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
46	<i>Celtis sinensis</i>	朴樹	10.00	8.00	600	F	F	L	L	LCSD	Retain	Retain
47	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	HYD	Remove	Remove
48	<i>Casuarina equisetifolia</i>	木麻黃	18.00	5.00	680	F	F	L	L	HYD	Fell	Fell
49	<i>Casuarina equisetifolia</i>	木麻黃	12.00	6.00	430	F	F	L	L	HYD	Fell	Fell
50	<i>Casuarina equisetifolia</i>	木麻黃	15.00	8.00	600	F	F	L	L	LCSD	Fell	Fell
51	<i>Alangium chinense</i>	八角楓	8.00	5.00	300	F	F	L	L	LCSD	Fell	Fell
52	<i>Macaranga tanarius</i>	血桐	5.50	5.00	130	F	F	L	M	LCSD	Fell	Fell
53	<i>Ficus variegata</i>	青果榕	10.00	15.00	800	F	F	L	M	LCSD	Fell	Fell
54	<i>Ficus hispida</i>	對葉榕	6.50	5.00	200	F	F	L	M	HYD	Fell	Fell
55	<i>Celtis sinensis</i>	朴樹	5.00	3.00	180	F	F	L	M	HYD	Fell	Fell
56	<i>Casuarina equisetifolia</i>	木麻黃	15.00	4.00	550	P	P	L	L	HYD	Fell	Fell
57	<i>Litsea monopetala</i>	假柿樹	6.50	3.00	200	F	F	L	M	HYD	Fell	Fell
58	<i>Ficus variegata</i>	青果榕	10.00	8.00	280	F	F	L	M	HYD	Transplant	Transplant
59	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	3.00	400	F	F	L	L	HYD	Fell	Fell
60	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	4.00	550	F	F	L	L	HYD	Fell	Fell
61	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	8.00	900	F	F	L	L	HYD	Fell	Fell
62	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	5.50	650	F	F	L	L	HYD	Fell	Fell
62A	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	5.00	280	F	F	L	L	HYD	Fell	Fell
63	<i>Clausena lansium</i>	黃皮	6.50	3.50	130	F	F	L	L	HYD	Fell	Fell
64	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	5.00	350	F	F	L	L	HYD	Fell	Fell
65	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.00	8.00	500	F	F	L	L	HYD	Fell	Fell
66	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	8.00	600	F	F	L	L	HYD	Fell	Fell
67	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	6.00	350	F	F	L	L	HYD	Fell	Fell
68	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	7.00	780	F	F	L	L	HYD	Fell	Fell
69	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	7.00	600	F	F	L	L	HYD	Fell	Fell
70	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	5.00	480	F	F	L	L	HYD	Fell	Fell
71	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	5.00	580	F	F	L	L	HYD	Fell	Fell
72	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	2.00	350	F	F	L	L	HYD	Fell	Fell
73	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	2.00	480	F	F	L	L	HYD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
74	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	2.00	400	P	F	L	L	HYD	Fell	Fell
75	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	HYD	Remove	Remove
76	<i>Celtis sinensis</i>	朴樹	4.50	2.00	160	F	F	L	L	HYD	Retain	Fell
77	<i>Alangium chinense</i>	八角楓	8.00	4.00	300	F	F	L	L	HYD	Retain	Fell
78	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
79	<i>Celtis sinensis</i>	朴樹	12.00	8.00	400	F	F	L	M	LCSD	Retain	Retain
80	<i>Casuarina equisetifolia</i>	木麻黃	20.00	9.00	500	F	F	L	L	HYD	Fell	Fell
81	<i>Casuarina equisetifolia</i>	木麻黃	22.00	8.00	700	F	F	L	L	HYD	Retain	Fell
82	<i>Senna surattensis</i>	黃槐	13.00	9.00	600	F	P	L	L	LCSD	Fell	Fell
83	<i>Casuarina equisetifolia</i>	木麻黃	22.00	10.00	500	F	F	L	L	HYD	Fell	Fell
84	<i>Macaranga tanarius</i>	血桐	6.00	5.00	180	F	F	L	L	HYD	Fell	Fell
85	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	5.00	3.00	160	F	F	L	L	HYD	Fell	Fell
86	<i>Casuarina equisetifolia</i>	木麻黃	20.00	9.00	380	F	F	L	L	HYD	Fell	Fell
87	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	3.00	140	F	F	L	L	HYD	Fell	Fell
88	<i>Casuarina equisetifolia</i>	木麻黃	20.00	9.00	300	F	F	L	L	HYD	Fell	Fell
89	<i>Casuarina equisetifolia</i>	木麻黃	19.00	11.00	320	F	F	L	L	HYD	Fell	Fell
90	<i>Casuarina equisetifolia</i>	木麻黃	6.00	3.00	280	F	F	L	L	HYD	Fell	Fell
91	<i>Senna surattensis</i>	黃槐	6.00	4.00	200	F	P	L	L	HYD	Fell	Fell
92	<i>Celtis sinensis</i>	朴樹	7.00	4.00	180	F	F	L	L	LCSD	Retain	Retain
93	<i>Celtis sinensis</i>	朴樹	4.00	2.00	170	F	F	L	L	LCSD	Retain	Retain
94	<i>Choerospondias axillaris</i>	南酸棗	18.00	10.00	500	F	F	M	L	LCSD	Retain	Retain
95	<i>Sterculia lanceolata</i>	假蘋婆	10.00	5.00	300	F	F	L	L	LCSD	Retain	Retain
96	<i>Sterculia lanceolata</i>	假蘋婆	17.00	4.00	250	F	F	L	L	LCSD	Retain	Retain
97	<i>Rhus succedanea</i>	野漆樹	14.00	8.00	300	F	F	L	L	LCSD	Retain	Retain
98	<i>Casuarina equisetifolia</i>	木麻黃	20.00	5.00	350	F	F	L	L	LCSD	Retain	Retain
99	<i>Choerospondias axillaris</i>	南酸棗	23.00	7.00	600	F	F	L	L	LCSD	Retain	Retain
100	<i>Ficus hispida</i>	對葉榕	3.00	3.00	100	P	P	L	L	LCSD	Retain	Retain
101	<i>Ficus hispida</i>	對葉榕	3.00	3.00	150	P	P	L	L	LCSD	Retain	Retain
102	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	5.00	1.50	200	F	F	L	L	HYD	Fell	Fell
103	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	5.00	3.00	150	F	F	L	L	HYD	Fell	Fell
104	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	4.00	200	F	F	L	L	HYD	Fell	Fell
105	<i>Casuarina equisetifolia</i>	木麻黃	12.00	5.00	300	P	P	L	L	HYD	Fell	Fell
106	<i>Macaranga tanarius</i>	血桐	4.00	6.00	100	F	F	L	L	HYD	Fell	Fell
107	<i>Casuarina equisetifolia</i>	木麻黃	12.00	5.00	300	F	P	L	L	HYD	Fell	Fell
108	<i>Casuarina equisetifolia</i>	木麻黃	10.00	4.00	200	F	P	L	L	HYD	Fell	Fell
109	<i>Choerospondias axillaris</i>	南酸棗	10.00	8.00	350	F	F	M	L	LCSD	Retain	Retain
110	<i>Bridelia tomentosa</i>	土蜜樹	6.00	6.00	150	P	P	L	L	LCSD	Retain	Retain
111	<i>Bridelia tomentosa</i>	土蜜樹	8.00	7.00	200	P	P	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
112	<i>Acronychia pedunculata</i>	山油柑	7.00	4.00	200	F	F	M	L	HYD	Retain	Retain
113	<i>Aporosa dioica</i>	銀柴	8.00	8.00	700	F	F	L	L	HYD	Retain	Retain
114	<i>Schefflera heptaphylla</i>	鵝掌柴	10.00	8.00	700	F	F	L	L	HYD	Retain	Retain
115	<i>Schefflera heptaphylla</i>	鵝掌柴	6.00	3.00	150	F	F	L	L	HYD	Retain	Retain
116	<i>Schefflera heptaphylla</i>	鵝掌柴	4.00	5.00	200	F	F	L	L	HYD	Retain	Retain
117	<i>Alangium chinense</i>	八角楓	8.00	6.00	100	F	F	L	L	HYD	Retain	Retain
118	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	10.00	3.00	400	F	F	L	L	HYD	Retain	Retain
119	<i>Celtis sinensis</i>	朴樹	8.00	5.00	200	F	F	L	L	HYD	Retain	Retain
120	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	11.00	3.00	400	F	P	L	L	HYD	Retain	Retain
121	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	12.00	2.00	300	F	F	L	L	HYD	Retain	Retain
122	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	14.00	6.00	700	F	F	L	L	HYD	Retain	Retain
123	<i>Alangium chinense</i>	八角楓	8.00	5.00	200	F	F	L	L	HYD	Retain	Retain
124	<i>Ficus variegata</i>	青果榕	7.00	6.00	250	F	F	L	L	HYD	Fell	Retain
125	<i>Dimocarpus longan</i>	龍眼	17.00	4.00	300	F	F	L	L	HYD	Fell	Retain
126	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	17.00	7.00	650	F	F	L	L	HYD	Fell	Retain
127	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	16.00	4.00	400	F	F	L	L	HYD	Fell	Retain
128	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	12.00	2.50	250	F	F	L	L	HYD	Retain	Retain
129	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	13.00	4.00	300	F	F	L	L	HYD	Fell	Retain
130	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	14.00	4.00	300	F	F	L	L	HYD	Fell	Retain
131	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	16.00	4.50	350	F	F	L	L	HYD	Retain	Retain
132	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	15.00	5.00	600	F	F	L	L	HYD	Retain	Retain
133	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	13.00	3.00	300	F	F	L	L	HYD	Fell	Retain
134	<i>Scolopia saeva</i>	廣東刺柃	8.00	2.50	100	F	F	L	L	HYD	Fell	Retain
135	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	18.00	3.00	400	F	F	L	L	HYD	Retain	Retain
136	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	15.00	4.00	800	F	F	L	L	HYD	Fell	Retain
137	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	HYD	N.A.	N.A.
138	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	15.00	3.00	400	F	F	L	L	HYD	Fell	Retain
139	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	16.00	6.00	900	F	F	L	L	HYD	Fell	Retain
140	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	10.00	4.00	150	F	F	L	L	HYD	Retain	Retain
141	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	16.00	5.00	400	F	F	L	L	HYD	Retain	Retain
142	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	14.00	6.00	400	F	F	L	L	HYD	Retain	Retain
143	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	16.00	2.00	400	F	F	L	L	HYD	Retain	Retain
144	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	17.00	4.00	400	F	F	L	L	HYD	Retain	Retain
145	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	17.00	6.00	400	F	F	L	L	HYD	Retain	Retain
146	<i>Celtis sinensis</i>	朴樹	8.00	5.00	150	F	F	L	L	HYD	Retain	Retain
147	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	14.00	6.00	350	F	F	L	L	HYD	Retain	Retain
148	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	15.00	6.00	450	F	F	L	L	HYD	Retain	Retain
149	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	16.00	7.00	100	F	F	L	L	HYD	Fell	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
150	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	4.50	550	F	F	L	L	HYD	Retain	Retain
151	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	1.30	2.50	400	P	P	L	L	HYD	Fell	Retain
152	<i>Alangium chinense</i>	八角楓	10.00	6.00	150	F	F	L	L	HYD	Retain	Retain
153	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	5.00	500	F	F	L	L	HYD	Retain	Retain
154	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18.00	6.00	800	F	F	L	L	HYD	Retain	Retain
155	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	4.00	700	F	F	L	L	HYD	Fell	Retain
156	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.50	3.00	450	F	F	L	L	HYD	Fell	Retain
157	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	6.50	1.50	350	F	F	L	L	HYD	Retain	Retain
158	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	9.00	1.50	200	F	F	L	L	HYD	Retain	Retain
159	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	9.00	4.00	450	F	F	L	L	HYD	Retain	Retain
160	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	5.00	700	F	F	L	L	HYD	Retain	Retain
161	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	4.00	600	F	F	L	L	HYD	Retain	Retain
162	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14.00	6.00	700	F	F	L	L	HYD	Fell	Retain
163	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	6.00	700	F	F	L	L	HYD	Fell	Retain
164	<i>Celtis sinensis</i>	朴樹	7.00	4.00	300	F	F	L	L	HYD	Retain	Retain
165	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	2.00	550	F	F	L	L	HYD	Fell	Retain
166	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	2.00	650	F	F	L	L	HYD	Fell	Retain
167	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14.00	6.00	500	F	F	L	L	HYD	Fell	Retain
168	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	11.00	4.00	500	F	F	L	L	HYD	Fell	Retain
169	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	8.00	2.00	200	F	F	L	L	HYD	Retain	Retain
170	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	8.00	3.00	400	F	F	L	L	HYD	Fell	Retain
171	<i>Celtis sinensis</i>	朴樹	6.00	4.00	200	F	F	L	L	LCSD	Fell	Retain
172	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	3.00	400	F	F	L	L	LCSD	Fell	Retain
173	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	3.50	550	F	F	L	L	LCSD	Fell	Retain
174	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	3.00	800	F	F	L	L	LCSD	Retain	Retain
175	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	2.00	400	F	F	L	L	LCSD	Retain	Retain
176	<i>Cratoxylum cochinchinense</i>	黃牛木	4.00	5.00	100	F	P	L	L	LCSD	Retain	Fell
177	<i>Ficus hispida</i>	對葉榕	6.00	5.00	150	F	F	L	L	HYD	Fell	Fell
178	<i>Machilus pauhoi</i>	刨花潤楠	8.00	6.00	200	F	F	M	L	HYD	Fell	Fell
179	<i>Machilus pauhoi</i>	刨花潤楠	6.00	4.00	200	P	P	L	L	HYD	Fell	Fell
180	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	6.00	450	F	F	L	L	HYD	Fell	Fell
181	<i>Ficus hispida</i>	對葉榕	5.00	5.00	100	F	F	L	L	HYD	Fell	Fell
182	<i>Litsea monopetala</i>	假柿樹	7.00	4.00	200	F	F	L	L	HYD	Fell	Fell
183	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	6.00	700	F	F	L	L	HYD	Fell	Fell
184	<i>Ficus hispida</i>	對葉榕	10.00	7.00	300	F	F	L	L	HYD	Fell	Fell
185	<i>Machilus pauhoi</i>	刨花潤楠	5.00	6.00	100	F	F	L	L	HYD	Fell	Fell
186	<i>Celtis sinensis</i>	朴樹	8.00	6.00	150	F	F	L	L	HYD	Fell	Fell
187	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	6.00	700	F	F	L	L	HYD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
188	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	6.00	400	F	F	L	L	HYD	Fell	Fell
189	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	6.00	700	F	F	L	L	HYD	Fell	Fell
190	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	4.00	400	F	F	L	L	HYD	Fell	Fell
191	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	6.00	500	F	F	L	L	HYD	Fell	Fell
192	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	6.00	1200	F	F	L	L	HYD	Fell	Fell
193	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14.00	6.00	300	F	F	L	L	HYD	Fell	Fell
194	<i>Schefflera heptaphylla</i>	鵝掌柴	7.00	5.00	150	F	F	L	L	HYD	Fell	Fell
195	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	8.00	900	F	F	L	L	HYD	Fell	Fell
196	<i>Claoxylon indicum</i>	白桐樹	3.00	2.00	100	F	F	L	L	HYD	Fell	Fell
197	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	6.00	700	F	F	L	L	HYD	Fell	Fell
198	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	5.00	700	F	F	L	L	HYD	Fell	Fell
199	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14.00	4.00	400	F	F	L	L	HYD	Fell	Fell
200	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	4.00	400	F	F	L	L	HYD	Fell	Fell
201	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	5.00	800	F	P	L	L	HYD	Fell	Fell
202	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	3.00	500	F	P	L	L	HYD	Fell	Fell
203	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	7.00	400	F	F	L	L	HYD	Fell	Fell
204	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	3.00	500	F	P	L	L	HYD	Fell	Fell
205	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	3.00	800	F	F	L	L	HYD	Fell	Fell
206	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	10.00	4.00	500	F	P	L	L	HYD	Fell	Fell
207	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	17.00	2.00	300	F	F	L	L	HYD	Fell	Fell
208	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18.00	4.00	700	F	F	L	L	HYD	Fell	Fell
209	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	4.00	350	F	F	L	L	HYD	Fell	Fell
210	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	4.00	400	F	F	L	L	HYD	Fell	Fell
211	<i>Schefflera heptaphylla</i>	鵝掌柴	5.00	2.00	100	F	F	L	L	HYD	Fell	Fell
212	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	20.00	4.00	800	F	F	L	L	HYD	Fell	Fell
213	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	1.00	200	F	F	L	L	HYD	Fell	Fell
214	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	6.00	300	F	F	L	L	HYD	Fell	Fell
215	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	17.00	1.00	350	F	F	L	L	HYD	Fell	Fell
216	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	7.00	800	F	P	L	L	HYD	Fell	Fell
217	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18.00	6.00	800	F	P	L	L	HYD	Fell	Fell
218	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18.00	4.00	600	F	F	L	L	HYD	Fell	Fell
219	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	6.00	500	F	F	L	L	HYD	Fell	Fell
220	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14.00	4.00	300	F	F	L	L	HYD	Fell	Fell
221	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	3.00	400	F	P	L	L	HYD	Fell	Fell
222	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	10.00	2.00	150	F	F	L	L	HYD	Fell	Fell
223	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	3.00	400	F	F	L	L	HYD	Fell	Fell
224	<i>Machilus pauhoi</i>	刨花潤楠	5.00	3.00	100	F	F	L	L	HYD	Fell	Fell
225	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	7.00	600	F	F	L	L	HYD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
226	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	6.00	600	F	P	L	L	HYD	Fell	Fell
227	<i>Ficus subpispocarpa</i>	筆管榕	13.00	6.00	600	F	F	M	L	HYD	Fell	Fell
228	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	2.00	300	F	F	L	L	HYD	Fell	Fell
229	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	3.00	400	F	F	L	L	HYD	Fell	Fell
230	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	4.00	600	F	F	L	L	HYD	Fell	Fell
231	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	14.00	6.00	700	F	F	L	L	HYD	Fell	Fell
232	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	4.00	600	F	F	L	L	HYD	Fell	Fell
233	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	6.00	700	F	F	L	L	HYD	Fell	Fell
234	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	5.00	800	F	F	L	L	HYD	Fell	Fell
235	<i>Sterculia lanceolata</i>	假蘋婆	6.00	4.00	100	F	F	L	L	HYD	Fell	Fell
236	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	3.00	500	F	F	L	L	HYD	Fell	Fell
237	<i>Ficus variegata</i>	青果榕	9.00	4.00	150	P	P	L	L	HYD	Fell	Fell
238	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	4.00	500	F	F	L	L	HYD	Fell	Fell
239	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	10.00	1000	F	P	L	L	HYD	Fell	Fell
240	<i>Macaranga tanarius</i>	血桐	5.00	4.00	150	F	F	L	M	LCSD	Retain	Retain
241	<i>Macaranga tanarius</i>	血桐	2.00	5.00	200	P	P	L	L	LCSD	Retain	Retain
242	<i>Celtis sinensis</i>	朴樹	4.00	3.00	200	F	F	L	L	HYD	Retain	Retain
243	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	HYD	Remove	Remove
244	<i>Celtis sinensis</i>	朴樹	10.00	6.00	300	P	P	L	L	HYD	Retain	Retain
245	<i>Celtis sinensis</i>	朴樹	7.00	5.00	350	F	F	L	L	LCSD	Retain	Retain
246	<i>Schefflera heptaphylla</i>	鵝掌柴	3.00	4.00	100	F	F	L	M	LCSD	Retain	Retain
247	<i>Cratoxylum cochinchinense</i>	黃牛木	4.00	3.00	100	F	F	L	M	LCSD	Retain	Retain
248	<i>Microcos paniculata</i>	布渣葉	5.00	5.00	200	F	F	L	L	LCSD	Retain	Retain
249	<i>Claoxylon indicum</i>	白桐樹	5.00	3.00	100	F	F	L	M	LCSD	Retain	Retain
250	<i>Celtis sinensis</i>	朴樹	3.00	2.00	200	F	F	L	M	LCSD	Retain	Retain
251	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	2.00	300	P	P	L	L	LCSD	Retain	Retain
252	<i>Macaranga tanarius</i>	血桐	6.00	6.00	200	F	F	L	M	LCSD	Retain	Retain
253	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	8.00	700	F	F	L	L	LCSD	Retain	Retain
254	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	6.00	400	F	F	L	L	HYD	Fell	Retain
255	<i>Microcos paniculata</i>	布渣葉	5.00	3.00	150	F	F	L	L	HYD	Fell	Retain
256	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	3.00	500	F	F	L	L	HYD	Fell	Retain
257	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	5.00	500	F	F	L	L	HYD	Fell	Retain
258	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	5.00	700	F	F	L	L	HYD	Fell	Retain
259	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.00	500	F	F	L	L	HYD	Fell	Retain
260	<i>Dimocarpus longan</i>	龍眼	5.00	2.00	150	P	P	L	L	HYD	Fell	Retain
261	<i>Dimocarpus longan</i>	龍眼	3.00	1.00	100	F	F	L	M	HYD	Transplant	Retain
262	<i>Ficus hispida</i>	對葉榕	5.00	3.00	200	P	P	L	L	HYD	Fell	Retain
263	<i>Microcos paniculata</i>	布渣葉	7.00	5.00	150	F	F	L	M	HYD	Transplant	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
264	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	6.00	650	F	F	L	M	HYD	Transplant	Retain
265	<i>Macaranga tanarius</i>	血桐	8.00	5.00	100	F	F	L	L	HYD	Fell	Retain
267	<i>Celtis sinensis</i>	朴樹	10.00	6.00	300	F	F	L	L	HYD	Fell	Retain
268	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	10.00	4.00	400	F	F	L	L	HYD	Fell	Retain
269	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	3.00	400	F	F	L	L	HYD	Fell	Retain
270	<i>Litsea cubeba</i>	木薑子	6.00	6.00	100	F	F	L	M	HYD	Transplant	Retain
271	<i>Celtis sinensis</i>	朴樹	8.00	5.00	200	F	F	L	L	HYD	Fell	Retain
272	<i>Ficus hispida</i>	對葉榕	6.00	6.00	200	F	P	L	L	HYD	Fell	Retain
273	<i>Microcos paniculata</i>	布渣葉	7.00	6.00	200	F	F	L	M	HYD	Transplant	Retain
274	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	5.00	700	P	P	L	L	HYD	Fell	Retain
275	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14.00	6.00	700	P	P	L	L	HYD	Retain	Fell
276	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	10.00	2.00	250	F	F	L	M	HYD	Retain	Fell
277	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	14.00	3.00	600	F	F	L	M	HYD	Retain	Fell
278	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	3.00	550	F	F	L	M	HYD	Retain	Fell
279	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	6.00	700	F	F	L	M	HYD	Retain	Fell
280	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	10.00	3.00	500	F	P	L	M	HYD	Retain	Fell
281	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	16.00	4.00	700	F	F	L	M	HYD	Retain	Retain
282	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	3.00	300	F	F	L	M	HYD	Retain	Retain
283	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	11.00	2.00	300	F	F	L	M	HYD	Retain	Retain
284	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	5.00	800	F	F	L	M	HYD	Retain	Retain
285	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	3.00	900	F	F	L	M	HYD	Retain	Retain
286	<i>Celtis sinensis</i>	朴樹	11.00	10.00	300	F	F	L	M	HYD	Retain	Retain
287	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	5.00	400	F	F	L	M	LCSD	Retain	Retain
288	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	13.00	6.00	300	F	F	L	M	LCSD	Retain	Retain
289	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	11.00	4.00	300	F	F	L	M	LCSD	Retain	Retain
290	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	5.00	3.00	200	F	F	L	M	LCSD	Retain	Retain
291	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	4.00	300	F	F	L	M	LCSD	Retain	Retain
292	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	12.00	5.00	450	F	F	L	M	LCSD	Retain	Retain
293	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	11.00	4.00	600	F	F	L	M	LCSD	Retain	Retain
294	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	8.00	4.00	400	F	F	L	M	LCSD	Retain	Retain
295	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	18.00	6.00	600	F	F	L	M	LCSD	Retain	Retain
296	<i>Celtis sinensis</i>	朴樹	12.00	15.00	700	F	F	M	M	LCSD	Transplant	Retain
297	<i>Celtis sinensis</i>	朴樹	14.00	15.00	700	F	F	M	M	LCSD	Transplant	Retain
298	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	17.00	7.00	1000	F	F	L	M	LCSD	Transplant	Retain
299	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	17.00	8.00	1000	F	F	L	M	LCSD	Transplant	Retain
300	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	15.00	6.00	900	F	F	M	M	HYD	Fell	Fell
301	<i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i>	白千層	7.00	6.00	600	P	P	L	L	LCSD	Retain	Fell
302	<i>Ficus hispida</i>	對葉榕	4.00	4.00	100	P	P	L	L	LCSD	Retain	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
303	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	3.00	650	P	P	L	L	HYD	Retain	Fell
304	<i>Sapium sebiferum</i>	烏柏	8.00	8.00	350	P	P	L	L	LCSD	Retain	Fell
305	<i>Celtis sinensis</i>	朴樹	8.00	8.00	400	F	F	M	M	LCSD	Retain	Fell
306	<i>Sapium sebiferum</i>	烏柏	9.00	5.00	350	F	P	L	L	LCSD	Retain	Fell
307	<i>Litchi chinensis</i>	荔枝	7.00	6.00	300	P	P	L	L	LANDSD	Fell	Fell
308	<i>Litsea glutinosa</i>	潺槁樹	7.00	6.00	200	P	P	L	L	LANDSD	Fell	Fell
309	<i>Macaranga tanarius</i>	血桐	6.00	3.00	200	F	P	L	L	LANDSD	Fell	Fell
310	<i>Litsea glutinosa</i>	潺槁樹	11.00	6.00	550	F	P	L	L	LCSD	Fell	Fell
311	<i>Litsea monopetala</i>	假柿樹	10.00	4.00	400	F	F	L	L	LCSD	Retain	Retain
312	<i>Macaranga tanarius</i>	血桐	4.00	6.00	100	F	P	L	M	LANDSD	Fell	Fell
313	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	6.00	900	F	P	L	L	LCSD	Fell	Retain
314	<i>Celtis sinensis</i>	朴樹	9.00	10.00	800	F	F	M	M	LCSD	Transplant	Retain
315	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	4.00	900	F	F	L	M	LCSD	Transplant	Retain
316	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	6.00	600	F	F	L	M	LCSD	Transplant	Retain
317	<i>Microcos paniculata</i>	布渣葉	9.00	5.00	250	F	F	L	M	LCSD	Retain	Retain
318	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	6.00	500	F	P	L	M	LCSD	Retain	Retain
319	<i>Celtis sinensis</i>	朴樹	12.00	15.00	700	F	F	M	M	LCSD	Transplant	Retain
320	<i>Scolopia saeva</i>	廣東刺柃	6.00	4.00	150	F	F	L	M	LCSD	Transplant	Retain
321	<i>Ligustrum sinense</i>	山指甲	5.00	4.00	100	F	F	L	M	LCSD	Transplant	Retain
322	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	7.00	450	F	F	L	M	LCSD	Retain	Retain
323	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	10.00	900	F	F	L	M	LCSD	Retain	Retain
324	<i>Celtis sinensis</i>	朴樹	5.00	4.00	150	F	F	L	M	LCSD	Retain	Retain
325	<i>Ficus hispida</i>	對葉榕	8.00	6.00	200	F	F	L	M	LCSD	Transplant	Retain
326	<i>Ficus hispida</i>	對葉榕	8.00	4.00	150	F	F	L	M	LCSD	Transplant	Retain
327	<i>Ligustrum sinense</i>	山指甲	7.00	3.00	100	F	F	L	M	LCSD	Transplant	Retain
328	<i>Ficus hispida</i>	對葉榕	7.00	3.00	100	F	F	L	M	LCSD	Transplant	Retain
329	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	2.00	350	F	F	L	M	LCSD	Transplant	Retain
330	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	4.00	3.00	100	F	F	L	M	HYD	Transplant	Transplant
331	<i>Sterculia lanceolata</i>	假蘋婆	16.00	8.00	800	F	F	M	M	HYD	Transplant	Transplant
332	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	6.00	450	F	F	L	L	HYD	Fell	Fell
333	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	8.00	350	F	F	L	L	HYD	Fell	Fell
334	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	4.00	450	F	F	L	L	HYD	Fell	Fell
335	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	5.00	500	F	F	L	L	HYD	Fell	Fell
336	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	7.00	600	F	F	L	L	HYD	Retain	Fell
337	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	6.00	700	F	F	M	L	HYD	Fell	Fell
338	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	4.00	450	F	F	M	L	HYD	Fell	Fell
339	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	4.00	550	F	F	M	M	LCSD	Retain	Retain
340	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	6.00	450	F	F	M	M	LCSD	Transplant	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
341	<i>Ficus microcarpa</i>	細葉榕	10.00	4.00	600	F	F	M	M	LCSD	Retain	Retain
342	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	4.00	650	F	F	L	M	LCSD	Transplant	Retain
343	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	14.00	4.00	600	F	F	M	M	LCSD	Retain	Retain
344	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	5.00	500	F	F	L	M	LCSD	Transplant	Retain
345	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.00	8.00	700	F	F	M	M	HYD	Retain	Retain
346	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	6.00	400	F	F	L	M	HYD	Retain	Retain
347	<i>Celtis sinensis</i>	朴樹	8.00	7.00	400	F	F	L	M	HYD	Retain	Retain
348	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	6.00	450	F	F	L	M	HYD	Retain	Retain
349	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	6.00	800	F	F	L	L	HYD	Retain	Retain
350	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	6.00	400	F	F	L	M	HYD	Retain	Retain
351	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.00	400	F	F	L	L	HYD	Retain	Retain
352	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	4.00	450	F	F	L	M	HYD	Retain	Retain
353	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	8.00	600	F	F	L	L	HYD	Retain	Retain
354	<i>Celtis sinensis</i>	朴樹	14.00	10.00	500	F	F	L	L	HYD	Retain	Retain
355	<i>Sapium sebiferum</i>	烏桕	10.00	6.00	400	F	F	L	L	HYD	Fell	Fell
356	<i>Ligustrum sinense</i>	山指甲	6.00	4.00	150	F	F	L	L	HYD	Fell	Fell
357	<i>Macaranga tanarius</i>	血桐	5.00	3.00	200	F	F	L	L	HYD	Fell	Fell
358	<i>Ficus microcarpa</i>	細葉榕	14.00	10.00	400	F	F	M	L	HYD	Fell	Fell
359	<i>Celtis sinensis</i>	朴樹	8.50	10.00	300	F	F	L	L	HYD	Fell	Fell
360	<i>Celtis sinensis</i>	朴樹	8.80	8.00	340	F	F	M	L	HYD	Fell	Fell
360A	<i>Litsea glutinosa</i>	潺槁樹	7.00	5.50	210	F	F	M	L	HYD	Fell	Fell
361	<i>Macaranga tanarius</i>	血桐	8.00	7.00	180	F	F	L	L	HYD	Fell	Fell
362	<i>Macaranga tanarius</i>	血桐	5.00	6.00	200	F	F	L	L	HYD	Fell	Fell
363	<i>Litsea glutinosa</i>	潺槁樹	5.50	4.00	150	F	F	L	L	HYD	Fell	Fell
364	<i>Litsea glutinosa</i>	潺槁樹	7.50	6.00	200	F	F	L	L	HYD	Fell	Fell
365	<i>Celtis sinensis</i>	朴樹	11.00	10.00	800	F	F	M	L	HYD	Fell	Fell
366	<i>Machilus pauhoi</i>	刨花潤楠	7.50	7.50	250	F	F	L	L	HYD	Fell	Fell
367	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	10.00	900	F	F	L	M	LCSD	Retain	Retain
368	<i>Macaranga tanarius</i>	血桐	5.00	4.00	150	F	F	L	L	LCSD	Retain	Retain
369	<i>Macaranga tanarius</i>	血桐	6.00	5.00	180	F	F	L	L	LCSD	Retain	Retain
370	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	22.00	7.00	830	F	F	M	L	HYD	Retain	Retain
371	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	23.00	8.00	1000	F	F	M	L	HYD	Retain	Retain
372	<i>Celtis sinensis</i>	朴樹	8.00	4.00	410	F	F	L	M	HYD	Retain	Retain
373	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	6.00	250	F	F	L	L	HYD	Fell	Fell
374	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.50	5.00	700	F	F	L	L	HYD	Retain	Retain
375	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	22.00	6.00	800	F	F	L	L	HYD	Retain	Retain
376	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	6.00	400	F	F	L	L	HYD	Retain	Retain
377	<i>Macaranga tanarius</i>	血桐	5.00	4.00	150	P	P	L	L	HYD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
378	<i>Dimocarpus longan</i>	龍眼	7.00	4.00	170	F	F	L	M	HYD	Retain	Retain
379	<i>Celtis sinensis</i>	朴樹	12.00	6.00	220	F	F	L	M	HYD	Transplant	Transplant
380	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	22.00	11.00	900	F	F	L	L	HYD	Fell	Retain
381	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	6.00	700	F	F	L	L	HYD	Fell	Fell
382	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	12.00	600	F	F	L	L	HYD	Fell	Fell
383	<i>Celtis sinensis</i>	朴樹	7.00	10.00	400	F	F	L	M	HYD	Transplant	Transplant
384	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	5.00	600	F	F	L	L	HYD	Fell	Fell
385	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.00	6.00	650	P	P	L	L	HYD	Fell	Fell
386	<i>Bridelia tomentosa</i>	土蜜樹	8.00	6.00	250	P	P	L	L	HYD	Fell	Fell
387	<i>Ficus microcarpa</i>	細葉榕	4.00	13.00	550	F	P	L	L	HYD	Fell	Fell
388	<i>Macaranga tanarius</i>	血桐	10.00	12.00	250	P	P	L	L	HYD	Fell	Fell
389	<i>Celtis sinensis</i>	朴樹	13.00	15.00	1000	F	F	M	M	LCSD	Retain	Retain
390	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
391	<i>Celtis sinensis</i>	朴樹	12.00	8.00	640	F	F	M	L	LCSD	Retain	Retain
392	<i>Celtis sinensis</i>	朴樹	11.00	5.00	400	F	F	L	L	LCSD	Retain	Retain
393	<i>Celtis sinensis</i>	朴樹	5.50	4.00	330	F	P	L	M	LCSD	Retain	Retain
394	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	7.60	800	F	F	L	M	LCSD	Retain	Retain
395	<i>Celtis sinensis</i>	朴樹	8.50	9.00	580	F	F	M	M	LCSD	Retain	Retain
396	<i>Celtis sinensis</i>	朴樹	8.50	7.50	900	F	P	L	M	LCSD	Retain	Retain
397	<i>Celtis sinensis</i>	朴樹	10.00	12.00	600	F	F	M	M	LCSD	Retain	Retain
398	<i>Delonix regia</i>	鳳凰木	14.00	16.00	700	F	F	M	M	LCSD	Retain	Retain
400	<i>Sapium sebiferum</i>	烏柏	4.50	3.50	200	F	P	L	L	HYD	Fell	Fell
401	<i>Celtis sinensis</i>	朴樹	2.20	8.70	230	P	P	L	L	LCSD	Fell	Fell
402	<i>Celtis sinensis</i>	朴樹	7.00	8.50	220	F	F	L	M	LCSD	Retain	Retain
403	<i>Sapium sebiferum</i>	烏柏	5.50	6.00	240	P	P	L	L	LCSD	Retain	Retain
404	<i>Sapium sebiferum</i>	烏柏	4.50	3.00	220	P	P	L	L	LCSD	Retain	Retain
405	<i>Bauhinia variegata</i>	宮粉羊蹄甲	6.00	5.20	300	P	P	L	L	LCSD	Retain	Retain
406	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.50	4.50	280	P	P	L	L	LCSD	Retain	Retain
407	<i>Ficus microcarpa</i>	細葉榕	10.00	9.00	550	F	P	L	M	LCSD	Retain	Retain
408	<i>Celtis sinensis</i>	朴樹	8.50	13.00	500	P	P	L	L	LCSD	Retain	Retain
409	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	6.80	300	P	P	L	L	LCSD	Retain	Retain
410	<i>Bombax ceiba</i>	木棉	13.00	14.00	600	F	F	M	M	LCSD	Retain	Retain
411	<i>Celtis sinensis</i>	朴樹	8.00	9.00	400	F	F	M	M	LCSD	Retain	Retain
412	<i>Bauhinia blakeana</i>	洋紫荊	7.00	8.00	340	P	P	L	L	LCSD	Fell	Fell
412A	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	8.00	750	F	F	M	M	LCSD	Retain	Retain
413	<i>Microcos paniculata</i>	布渣葉	12.00	9.00	180	F	F	L	M	LCSD	Retain	Retain
414	<i>Sapium sebiferum</i>	烏柏	12.00	10.00	280	F	F	L	M	LCSD	Retain	Retain
415	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
416	<i>Bischofia javanica</i>	秋楓	13.00	9.00	650	F	F	G	M	LCSD	Retain	Retain
417	<i>Delonix regia</i>	鳳凰木	14.00	17.00	900	F	F	M	M	Private Land Owner	Retain	Retain
418	<i>Delonix regia</i>	鳳凰木	15.00	10.00	550	F	F	M	M	Private Land Owner	Retain	Retain
419	<i>Ficus microcarpa</i>	細葉榕	16.00	10.00	550	F	F	M	M	LCSD	Retain	Retain
420	<i>Ficus microcarpa</i>	細葉榕	12.00	7.00	200	F	P	L	M	LCSD	Retain	Retain
421	<i>Ficus microcarpa</i>	細葉榕	15.00	9.00	650	F	F	M	M	LCSD	Retain	Retain
422	<i>Ficus microcarpa</i>	細葉榕	7.00	3.50	200	F	P	L	M	LCSD	Retain	Retain
423	<i>Ficus microcarpa</i>	細葉榕	12.00	13.00	300	F	F	M	M	LCSD	Retain	Retain
424	<i>Ficus microcarpa</i>	細葉榕	13.00	13.00	300	F	F	L	M	LCSD	Retain	Retain
425	<i>Ficus microcarpa</i>	細葉榕	17.00	15.00	550	F	F	M	M	LCSD	Retain	Retain
426	<i>Ficus microcarpa</i>	細葉榕	11.00	8.00	250	F	F	L	M	LCSD	Retain	Retain
427	<i>Ficus microcarpa</i>	細葉榕	12.00	10.00	350	F	F	M	M	LCSD	Retain	Retain
428	<i>Delonix regia</i>	鳳凰木	10.00	13.00	400	F	F	M	M	LCSD	Retain	Retain
429	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	8.00	200	F	P	L	M	LCSD	Retain	Retain
430	<i>Ficus microcarpa</i>	細葉榕	7.00	10.00	600	F	F	M	M	LCSD	Retain	Retain
431	<i>Ficus microcarpa</i>	細葉榕	7.00	11.00	550	F	P	L	M	LCSD	Retain	Retain
432	<i>Ficus microcarpa</i>	細葉榕	8.00	13.00	700	F	F	M	M	LCSD	Retain	Retain
433	<i>Machilus velutina</i>	絨毛潤楠	4.50	2.50	120	F	F	M	M	LCSD	Retain	Retain
434	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	4.00	550	F	F	M	M	LCSD	Retain	Retain
435	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
436	<i>Celtis sinensis</i>	朴樹	5.00	4.00	400	F	F	L	M	Private Land Owner	Retain	Retain
437	<i>Celtis sinensis</i>	朴樹	6.00	4.00	200	F	F	L	M	Private Land Owner	Retain	Retain
438	<i>Casuarina equisetifolia</i>	木麻黃	8.50	5.00	250	F	F	L	M	Private Land Owner	Retain	Retain
439	<i>Casuarina equisetifolia</i>	木麻黃	16.00	10.00	900	F	F	M	L	LCSD	Retain	Retain
440	<i>Casuarina equisetifolia</i>	木麻黃	8.00	6.00	890	F	F	M	M	LCSD	Retain	Retain
441	<i>Bombax ceiba</i>	木棉	10.00	5.00	300	F	F	M	M	Private Land Owner	Retain	Retain
442	<i>Araucaria heterophylla</i>	異葉南洋杉	8.00	2.00	160	F	F	L	L	LCSD	Retain	Retain
443	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
444	<i>Celtis sinensis</i>	朴樹	9.00	10.00	500	F	F	M	L	LCSD	Retain	Retain
445	<i>Macaranga tanarius</i>	血桐	5.50	4.00	280	F	F	L	M	LCSD	Retain	Retain
446	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.00	320	F	F	L	M	LCSD	Retain	Retain
447	<i>Ficus microcarpa</i>	細葉榕	8.00	7.00	650	F	F	M	M	LCSD	Retain	Retain
448	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
449	<i>Bauhinia blakeana</i>	洋紫荊	5.50	5.00	200	P	P	L	L	LCSD	Retain	Retain
450	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
451	<i>Roystonea regia</i>	王棕	13.00	7.00	420	F	F	M	M	LCSD	Retain	Retain
452	<i>Macaranga tanarius</i>	血桐	5.00	4.00	250	F	F	L	M	LCSD	Retain	Retain
453	<i>Macaranga tanarius</i>	血桐	4.50	5.00	270	F	F	L	M	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
454	<i>Roystonea regia</i>	王棕	10.00	4.50	300	F	F	M	M	LCSD	Retain	Retain
455	<i>Roystonea regia</i>	王棕	10.00	4.50	300	F	F	M	M	LCSD	Retain	Retain
456	<i>Bauhinia variegata</i>	宮粉羊蹄甲	12.00	9.00	450	F	F	L	L	LCSD	Retain	Retain
457	<i>Bauhinia variegata</i>	宮粉羊蹄甲	10.00	5.00	280	F	F	L	M	LCSD	Retain	Retain
458	<i>Macaranga tanarius</i>	血桐	8.00	5.00	300	F	F	L	M	LCSD	Retain	Retain
458A	<i>Macaranga tanarius</i>	血桐	7.00	4.00	200	F	F	L	M	LCSD	Retain	Retain
459	<i>Lophostemon confertus</i>	紅膠木	12.00	10.00	620	F	F	L	M	LCSD	Retain	Retain
460	<i>Ficus microcarpa</i>	細葉榕	11.00	9.00	450	F	F	M	M	LCSD	Retain	Retain
461	<i>Ficus microcarpa</i>	細葉榕	12.00	10.00	550	F	F	M	M	LCSD	Retain	Retain
462	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	3.50	250	F	F	L	M	LCSD	Retain	Retain
463	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	4.00	280	P	P	L	L	LCSD	Retain	Retain
464	<i>Roystonea regia</i>	王棕	9.00	5.00	330	F	F	M	M	LCSD	Retain	Retain
465	<i>Hibiscus tiliaceus</i>	黃槿	7.00	8.00	300	F	P	L	M	LCSD	Retain	Retain
466	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	5.00	300	F	F	L	M	LCSD	Retain	Retain
467	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	3.00	220	F	F	L	M	LCSD	Retain	Retain
468	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	7.00	1100	F	P	L	M	HYD	Retain	Retain
469	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	8.00	1500	F	F	L	M	HYD	Retain	Retain
470	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	5.00	500	F	F	L	M	HYD	Retain	Retain
471	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	5.00	320	F	F	L	M	HYD	Retain	Retain
471A	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	4.00	250	F	F	L	M	HYD	Retain	Retain
471B	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	4.00	250	F	F	L	M	HYD	Retain	Retain
472	<i>Ficus microcarpa</i>	細葉榕	15.00	16.00	600	F	F	L	M	HYD	Retain	Retain
473	<i>Casuarina equisetifolia</i>	木麻黃	12.00	8.00	300	F	F	L	M	Private Land Owner	Retain	Retain
474	<i>Celtis sinensis</i>	朴樹	8.00	7.00	400	F	F	L	M	Private Land Owner	Retain	Retain
475	<i>Celtis sinensis</i>	朴樹	10.00	11.00	650	F	F	M	M	LCSD	Retain	Retain
476	<i>Celtis sinensis</i>	朴樹	9.00	11.00	800	F	F	M	M	LCSD	Retain	Retain
477	<i>Celtis sinensis</i>	朴樹	10.00	5.00	300	F	F	M	M	LCSD	Retain	Retain
478	<i>Litsea glutinosa</i>	潺槁樹	7.00	6.00	320	F	F	M	M	LCSD	Retain	Retain
479	<i>Casuarina equisetifolia</i>	木麻黃	15.00	8.00	350	F	F	L	M	LCSD	Retain	Retain
480	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
481	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
482	<i>Araucaria heterophylla</i>	異葉南洋杉	6.00	3.00	200	F	F	M	M	LCSD	Retain	Retain
483	<i>Acacia auriculiformis</i>	耳果相思	10.00	8.00	300	F	F	M	M	LCSD	Retain	Retain
484	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	3.00	200	F	F	M	M	LCSD	Retain	Retain
485	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.00	250	F	F	M	M	LCSD	Retain	Retain
486	<i>Celtis sinensis</i>	朴樹	16.00	5.00	350	F	F	M	M	LCSD	Retain	Retain
487	<i>Celtis sinensis</i>	朴樹	16.00	10.00	500	F	F	M	M	LCSD	Retain	Retain
488	<i>Microcos paniculata</i>	布渣葉	10.00	6.00	120	F	P	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
489	<i>Celtis sinensis</i>	朴樹	16.00	10.00	350	F	P	L	M	LCSD	Retain	Retain
490	<i>Macaranga tanarius</i>	血桐	10.00	8.00	300	P	P	L	L	LCSD	Retain	Retain
491	<i>Macaranga tanarius</i>	血桐	9.00	8.00	320	F	P	L	L	LCSD	Retain	Retain
492	<i>Spathodea campanulata</i>	火焰木	8.00	6.00	320	P	P	L	L	LCSD	Retain	Retain
494	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
495	<i>Spathodea campanulata</i>	火焰木	12.00	8.00	350	F	F	L	L	LCSD	Retain	Retain
496	<i>Celtis sinensis</i>	朴樹	6.00	3.00	230	P	P	L	L	LCSD	Retain	Retain
497	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
498	<i>Celtis sinensis</i>	朴樹	9.00	8.00	400	P	P	L	L	HYD	Retain	Retain
499	<i>Celtis sinensis</i>	朴樹	9.00	10.00	700	F	F	M	M	HYD	Retain	Retain
500	<i>Celtis sinensis</i>	朴樹	9.00	10.00	300	F	F	M	M	HYD	Retain	Retain
501	<i>Celtis sinensis</i>	朴樹	8.00	10.00	250	F	F	M	M	HYD	Retain	Retain
502	<i>Acacia confusa</i>	台灣相思	11.00	12.00	350	F	F	L	M	HYD	Retain	Retain
503	<i>Acacia confusa</i>	台灣相思	11.00	12.00	600	F	F	L	M	HYD	Retain	Retain
504	<i>Acacia confusa</i>	台灣相思	11.00	10.00	700	P	P	L	L	HYD	Retain	Retain
505	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	HYD	Remove	Remove
506	<i>Acacia confusa</i>	台灣相思	7.00	3.00	250	P	P	L	L	HYD	Retain	Retain
507	<i>Ficus microcarpa</i>	細葉榕	5.00	4.00	300	P	P	L	L	HYD	Retain	Retain
508	<i>Cratoxylum cochinchinense</i>	黃牛木	6.00	2.00	100	P	P	L	L	LCSD	Retain	Retain
509	<i>Celtis sinensis</i>	朴樹	8.00	8.00	250	F	F	L	L	LCSD	Retain	Retain
510	<i>Celtis sinensis</i>	朴樹	8.00	10.00	500	F	F	L	L	HYD	Retain	Retain
511	<i>Macaranga tanarius</i>	血桐	6.00	4.00	120	F	P	L	L	HYD	Retain	Retain
512	<i>Leucaena leucocephala</i>	銀合歡	6.00	5.00	250	P	P	L	L	HYD	Retain	Retain
513	<i>Celtis sinensis</i>	朴樹	9.00	6.00	380	F	F	M	L	HYD	Retain	Retain
514	<i>Leucaena leucocephala</i>	銀合歡	8.00	3.00	160	P	P	L	L	LCSD	Retain	Retain
515	<i>Acacia confusa</i>	台灣相思	13.00	12.00	500	F	F	L	L	LCSD	Retain	Retain
516	<i>Acacia confusa</i>	台灣相思	5.00	15.00	400	P	P	L	L	LCSD	Retain	Retain
516A	<i>Bridelia tomentosa</i>	土蜜樹	7.50	6.40	200	P	P	L	L	LCSD	Retain	Retain
516B	<i>Celtis sinensis</i>	朴樹	8.00	5.20	200	P	P	L	L	LCSD	Retain	Retain
517	<i>Acacia confusa</i>	台灣相思	14.00	10.00	520	P	P	L	L	LCSD	Retain	Retain
517A	<i>Acacia confusa</i>	台灣相思	12.00	6.00	360	P	P	L	L	LCSD	Retain	Retain
517B	<i>Acacia confusa</i>	台灣相思	16.00	12.00	650	P	P	L	L	LCSD	Retain	Retain
517C	<i>Acacia confusa</i>	台灣相思	16.20	5.00	600	P	P	L	L	LCSD	Retain	Retain
518	<i>Celtis sinensis</i>	朴樹	6.00	5.50	170	P	P	L	L	LCSD	Retain	Retain
519	<i>Macaranga tanarius</i>	血桐	8.00	10.00	450	P	P	L	L	LCSD	Retain	Retain
519A	<i>Macaranga tanarius</i>	血桐	6.00	5.00	140	P	P	L	L	LCSD	Retain	Retain
520	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
521	<i>Bauhinia variegata</i>	宮粉羊蹄甲	11.00	5.30	260	P	P	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
522	<i>Bauhinia variegata</i>	宮粉羊蹄甲	12.00	5.80	380	P	P	L	L	LCSD	Retain	Retain
523	<i>Bauhinia variegata</i>	宮粉羊蹄甲	10.00	6.00	250	P	P	L	L	LCSD	Retain	Retain
524	<i>Bauhinia variegata</i>	宮粉羊蹄甲	9.00	3.50	200	P	P	L	L	LCSD	Retain	Retain
525	<i>Bauhinia variegata</i>	宮粉羊蹄甲	9.50	4.50	220	P	P	L	L	LCSD	Retain	Retain
526	<i>Livistona chinensis</i>	蒲葵	9.80	6.50	500	F	F	L	L	LCSD	Retain	Retain
527	<i>Livistona chinensis</i>	蒲葵	9.00	4.60	290	F	F	L	M	LCSD	Retain	Retain
527A	<i>Livistona chinensis</i>	蒲葵	9.00	5.00	270	F	F	L	M	Private Land Owner	Retain	Retain
527B	<i>Ficus microcarpa</i>	細葉榕	12.00	18.80	700	F	F	L	M	Private Land Owner	Retain	Retain
528	<i>Litsea glutinosa</i>	潺槁樹	5.00	3.00	200	F	F	M	M	LCSD	Retain	Retain
529	<i>Cratoxylum cochinchinense</i>	黃牛木	5.00	3.00	200	F	F	L	L	LCSD	Retain	Retain
530	<i>Diospyros morrisiana</i>	羅浮柿	8.00	4.00	280	F	F	L	M	LCSD	Retain	Retain
531	<i>Bridelia tomentosa</i>	土蜜樹	4.00	5.00	400	F	F	L	L	LCSD	Retain	Retain
532	<i>Cratoxylum cochinchinense</i>	黃牛木	6.00	6.00	400	F	F	L	L	LCSD	Retain	Retain
533	<i>Cratoxylum cochinchinense</i>	黃牛木	5.50	4.00	130	F	F	L	L	LCSD	Retain	Retain
534	<i>Celtis sinensis</i>	朴樹	7.00	5.20	200	F	P	L	L	LCSD	Retain	Retain
535	<i>Senna siamea</i>	鐵刀木	6.00	5.00	200	F	F	M	L	HYD	Fell	Fell
536	<i>Ficus hispida</i>	對葉榕	5.00	5.00	100	P	P	L	L	HYD	Fell	Fell
537	<i>Cratoxylum cochinchinense</i>	黃牛木	5.00	6.50	120	F	F	L	L	LCSD	Retain	Retain
538	<i>Cratoxylum cochinchinense</i>	黃牛木	6.50	4.50	150	F	P	L	L	LCSD	Retain	Retain
538A	<i>Cratoxylum cochinchinense</i>	黃牛木	6.00	3.00	130	F	P	L	L	LCSD	Retain	Retain
539	<i>Cratoxylum cochinchinense</i>	黃牛木	6.00	4.80	180	F	P	L	L	LCSD	Retain	Retain
539A	<i>Cratoxylum cochinchinense</i>	黃牛木	8.00	3.00	180	F	P	L	L	LCSD	Retain	Retain
539B	<i>Cratoxylum cochinchinense</i>	黃牛木	7.00	4.00	160	F	P	L	L	LCSD	Retain	Retain
539C	<i>Cratoxylum cochinchinense</i>	黃牛木	5.00	0.00	130	F	P	L	L	LCSD	Retain	Retain
540	<i>Cratoxylum cochinchinense</i>	黃牛木	6.00	4.70	120	F	P	L	L	LCSD	Retain	Retain
541	<i>Cratoxylum cochinchinense</i>	黃牛木	6.00	4.50	140	F	P	L	L	LCSD	Retain	Retain
542	<i>Bridelia tomentosa</i>	土蜜樹	5.50	7.00	120	P	P	L	L	LCSD	Retain	Retain
542A	<i>Cratoxylum cochinchinense</i>	黃牛木	7.00	6.00	160	F	P	L	L	LCSD	Retain	Retain
542B	<i>Cratoxylum cochinchinense</i>	黃牛木	7.00	4.80	120	F	P	L	L	LCSD	Retain	Retain
543	<i>Macaranga tanarius</i>	血桐	6.50	8.00	200	F	F	L	L	LCSD	Retain	Retain
544	<i>Ficus elastica</i>	印度榕	15.00	17.00	1300	F	F	M	M	LCSD	Retain	Retain
545	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
546	<i>Delonix regia</i>	鳳凰木	5.00	4.00	200	F	F	M	M	LCSD	Retain	Retain
547	<i>Cleistocalyx operculatus</i>	水翁	9.60	7.70	380	F	F	L	L	LCSD	Retain	Retain
548	<i>Bridelia tomentosa</i>	土蜜樹	9.00	4.00	380	F	F	L	L	LCSD	Retain	Retain
549	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	5.40	600	F	P	L	L	LCSD	Retain	Retain
550	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	14.00	10.00	750	F	P	L	L	LCSD	Retain	Retain
551	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	7.50	500	F	P	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
552	<i>Araucaria heterophylla</i>	異葉南洋杉	5.20	3.40	120	F	F	M	M	LCSD	Retain	Retain
553	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	4.10	280	F	P	L	M	LCSD	Retain	Retain
554	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.50	6.50	430	F	F	L	M	LCSD	Retain	Retain
555	<i>Bombax ceiba</i>	木棉	7.00	3.00	120	F	F	L	M	LCSD	Retain	Retain
556	<i>Crateva trifoliata</i>	鈍葉魚木	15.00	11.00	750	P	P	L	L	LCSD	Retain	Retain
557	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	11.30	1100	P	P	L	L	LCSD	Retain	Retain
558	<i>Bauhinia variegata</i>	宮粉羊蹄甲	8.20	5.60	250	F	P	L	M	LCSD	Retain	Retain
559	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.50	8.50	300	P	P	L	L	LCSD	Retain	Retain
560	<i>Ficus benjamina</i>	垂葉榕	9.00	7.60	550	F	F	M	M	Private Land Owner	Retain	Retain
561	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.50	12.20	1000	F	F	L	M	LCSD	Retain	Retain
562	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	8.60	700	F	F	L	M	LCSD	Retain	Retain
562A	<i>Celtis sinensis</i>	朴樹	15.00	8.00	400	F	P	L	L	LCSD	Retain	Retain
562B	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	7.00	350	F	F	L	L	LCSD	Retain	Retain
563	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.50	13.10	900	F	F	L	L	LCSD	Retain	Retain
564	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.50	12.50	600	F	F	L	L	LCSD	Retain	Retain
565	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.50	9.00	950	F	F	L	M	LCSD	Retain	Retain
566	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	5.00	850	F	F	L	M	LCSD	Retain	Retain
567	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	14.50	900	F	F	M	M	LCSD	Retain	Retain
568	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	10.00	1000	F	P	L	L	LCSD	Retain	Retain
569	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.50	10.40	1200	F	F	M	M	LCSD	Retain	Retain
570	<i>Celtis sinensis</i>	朴樹	12.00	17.00	1000	F	F	M	M	LCSD	Retain	Retain
571	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
572	<i>Macaranga tanarius</i>	血桐	6.50	8.40	400	F	P	L	L	LCSD	Retain	Retain
573	<i>Lophostemon confertus</i>	紅膠木	13.00	9.40	750	P	P	L	L	LCSD	Retain	Retain
574	<i>Celtis sinensis</i>	朴樹	6.50	11.60	900	F	F	M	M	LCSD	Retain	Retain
575	T574 & T575 are same Tree	N.A.				N.A.	N.A.	N.A.	N.A.	LCSD	N.A.	N.A.
576	<i>Celtis sinensis</i>	朴樹	9.00	7.00	300	F	F	L	M	LCSD	Retain	Retain
577	<i>Celtis sinensis</i>	朴樹	10.00	11.50	500	F	F	M	M	LCSD	Retain	Retain
578	<i>Casuarina equisetifolia</i>	木麻黃	17.00	9.00	500	F	F	L	L	HYD	Retain	Retain
579	<i>Macaranga tanarius</i>	血桐	6.50	6.50	200	F	P	L	L	HYD	Retain	Retain
580	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.50	10.00	1000	P	P	L	L	HYD	Retain	Retain
581	<i>Casuarina equisetifolia</i>	木麻黃	16.50	4.50	280	P	P	L	L	HYD	Retain	Retain
582	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	5.20	600	F	F	L	L	HYD	Retain	Retain
582A	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.00	500	F	P	L	L	HYD	Retain	Retain
583	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	14.00	7.50	550	P	P	L	L	HYD	Retain	Retain
584	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	8.00	650	F	P	L	L	HYD	Retain	Retain
584A	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	4.00	330	P	P	L	L	HYD	Retain	Retain
585	<i>Celtis sinensis</i>	朴樹	3.80	6.00	180	P	P	L	L	HYD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
586	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	10.00	1350	F	P	L	L	HYD	Retain	Retain
586A	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	5.50	3.00	300	F	P	L	L	HYD	Retain	Retain
587	<i>Celtis sinensis</i>	朴樹	6.00	6.00	220	P	P	L	L	HYD	Retain	Retain
588	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	9.50	1000	P	P	L	L	HYD	Retain	Retain
589	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	14.00	11.00	750	P	P	L	L	HYD	Retain	Retain
590	<i>Celtis sinensis</i>	朴樹	10.00	12.00	400	P	P	L	L	HYD	Retain	Retain
591	<i>Acacia confusa</i>	台灣相思	9.00	10.20	340	P	P	L	L	HYD	Retain	Retain
592	<i>Acacia confusa</i>	台灣相思	7.50	4.50	240	P	P	L	L	HYD	Retain	Retain
593	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	12.40	1200	F	F	M	M	HYD	Retain	Retain
594	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.50	4.00	190	F	F	L	M	LCSD	Retain	Retain
595	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	5.00	270	F	F	L	M	LCSD	Retain	Retain
596	<i>Glochidion wrightii</i>	白背算盤子	3.60	8.20	380	F	P	L	L	HYD	Fell	Fell
597	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	3.20	260	F	F	L	M	LCSD	Retain	Retain
598	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	3.10	330	F	F	L	M	LCSD	Retain	Retain
599	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.50	3.00	300	P	P	L	M	LCSD	Retain	Retain
600	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.80	3.00	430	F	F	L	M	LCSD	Retain	Retain
601	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.50	2.80	260	F	F	L	M	LCSD	Retain	Retain
602	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.50	3.30	310	F	F	L	M	LCSD	Retain	Retain
603	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.50	3.00	320	F	F	L	M	LCSD	Retain	Retain
604	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.20	2.80	260	F	F	L	M	LCSD	Retain	Retain
605	<i>Senna surattensis</i>	黃槐	9.50	3.60	160	P	P	L	L	LCSD	Retain	Retain
606	<i>Senna surattensis</i>	黃槐	8.80	3.20	270	F	F	L	M	LCSD	Retain	Retain
607	<i>Senna surattensis</i>	黃槐	8.80	4.00	320	F	F	L	M	LCSD	Retain	Retain
608	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	LCSD	N.A.	N.A.
609	<i>Acacia auriculiformis</i>	耳果相思	6.00	7.70	240	P	P	L	L	LCSD	Retain	Retain
610	<i>Acacia auriculiformis</i>	耳果相思	10.00	8.80	320	F	P	L	M	LCSD	Retain	Retain
611	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.50	3.90	240	F	F	L	M	LCSD	Retain	Retain
612	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.50	2.90	220	F	F	L	M	LCSD	Retain	Retain
613	<i>Bombax ceiba</i>	木棉	8.50	6.06	350	F	F	L	M	LCSD	Retain	Retain
614	<i>Bridelia tomentosa</i>	土蜜樹	5.00	4.00	120	P	P	L	L	LCSD	Retain	Retain
615	<i>Bridelia tomentosa</i>	土蜜樹	6.00	4.00	170	P	P	L	L	LCSD	Retain	Retain
616	<i>Acacia confusa</i>	台灣相思	6.50	4.50	180	P	P	L	L	LCSD	Retain	Retain
617	<i>Celtis sinensis</i>	朴樹	4.00	3.00	190	P	P	L	L	HYD	Retain	Retain
618	<i>Acacia confusa</i>	台灣相思	7.50	8.00	450	P	P	L	L	HYD	Retain	Retain
619	<i>Hibiscus tiliaceus</i>	黃槿	12.50	7.20	350	F	P	L	M	LCSD	Retain	Retain
620	<i>Hibiscus tiliaceus</i>	黃槿	11.00	5.40	250	F	P	L	M	LCSD	Retain	Retain
621	<i>Hibiscus tiliaceus</i>	黃槿	13.00	11.60	420	P	P	L	L	LCSD	Retain	Retain
622	<i>Celtis sinensis</i>	朴樹	11.00	10.06	500	F	P	L	L	LCSD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
623	<i>Ficus variegata</i>	青果榕	6.00	5.60	260	P	P	L	L	LCSD	Retain	Retain
624	<i>Leucaena leucocephala</i>	銀合歡	11.50	5.00	380	F	P	L	L	Private Land Owner	Retain	Retain
625	<i>Lagerstroemia speciosa</i>	大花紫薇	9.00	5.00	250	F	F	M	M	LCSD	Retain	Retain
626	<i>Saraca indica</i>	無憂樹	9.00	6.00	450	F	F	M	M	LCSD	Retain	Retain
627	<i>Saraca indica</i>	無憂樹	7.00	2.00	240	F	F	M	M	LCSD	Retain	Retain
628	<i>Celtis sinensis</i>	朴樹	8.50	7.80	800	F	P	L	L	LCSD	Retain	Retain
629	<i>Roystonea regia</i>	王棕	10.00	4.00	340	F	F	M	M	LCSD	Retain	Retain
630	<i>Hibiscus tiliaceus</i>	黃槿	13.00	8.00	580	P	P	L	L	LCSD	Retain	Retain
631	<i>Microcos paniculata</i>	布渣葉	8.00	6.00	600	P	P	L	L	LCSD	Retain	Retain
632	<i>Macaranga tanarius</i>	血桐	7.00	8.00	250	P	P	L	L	LCSD	Retain	Retain
633	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
634	<i>Celtis sinensis</i>	朴樹	15.00	6.00	240	P	P	L	L	LCSD	Retain	Retain
635	<i>Celtis sinensis</i>	朴樹	10.00	10.00	400	P	P	L	L	LCSD	Retain	Retain
636	<i>Bridelia tomentosa</i>	土蜜樹	9.00	6.00	130	P	P	L	L	LCSD	Retain	Retain
637	<i>Bridelia tomentosa</i>	土蜜樹	7.00	4.00	110	F	P	L	L	LCSD	Retain	Retain
638	<i>Litsea glutinosa</i>	潺槁樹	6.00	3.00	100	F	P	L	L	LCSD	Retain	Retain
639	<i>Litsea glutinosa</i>	潺槁樹	5.00	3.00	130	P	P	L	L	LCSD	Retain	Retain
640	<i>Delonix regia</i>	鳳凰木	12.00	9.00	500	P	P	L	L	LCSD	Retain	Retain
641	<i>Hibiscus tiliaceus</i>	黃槿	9.00	6.00	400	F	P	L	L	LCSD	Retain	Retain
642	<i>Hibiscus tiliaceus</i>	黃槿	9.00	7.00	220	F	P	L	L	LCSD	Retain	Retain
643	<i>Roystonea regia</i>	王棕	11.00	6.00	320	F	F	M	M	LCSD	Retain	Retain
644	<i>Roystonea regia</i>	王棕	10.00	5.00	300	F	F	M	M	LCSD	Retain	Retain
645	<i>Hibiscus tiliaceus</i>	黃槿	8.50	9.00	300	F	P	L	L	LCSD	Retain	Retain
646	<i>Roystonea regia</i>	王棕	9.00	4.00	500	F	F	M	M	LCSD	Retain	Retain
647	<i>Aleurites moluccana</i>	石栗	15.00	7.00	450	P	P	L	L	LCSD	Retain	Retain
648	<i>Lagerstroemia speciosa</i>	大花紫薇	20.00	11.00	350	F	F	L	M	LCSD	Retain	Retain
648A	<i>Acacia confusa</i>	台灣相思	6.00	4.00	120	F	F	L	M	LCSD	Retain	Retain
649	<i>Acacia confusa</i>	台灣相思	20.00	10.00	120	F	F	L	M	LCSD	Retain	Retain
650	<i>Acacia confusa</i>	台灣相思	19.00	10.00	450	F	F	L	M	LCSD	Retain	Retain
651	<i>Acacia confusa</i>	台灣相思	17.00	8.00	250	F	F	L	M	LCSD	Retain	Retain
652	<i>Acacia confusa</i>	台灣相思	13.00	5.00	220	F	F	L	M	LCSD	Retain	Retain
653	<i>Acacia confusa</i>	台灣相思	18.00	4.00	200	F	F	L	M	LCSD	Retain	Retain
654	<i>Acacia confusa</i>	台灣相思	19.00	5.00	280	F	F	L	M	LCSD	Retain	Retain
655	<i>Lagerstroemia speciosa</i>	大花紫薇	7.00	3.50	150	F	F	L	M	LCSD	Retain	Retain
656	<i>Acacia confusa</i>	台灣相思	19.00	5.00	300	F	F	L	M	LCSD	Retain	Retain
657	<i>Acacia confusa</i>	台灣相思	18.00	5.00	240	F	F	L	M	LCSD	Retain	Retain
658	<i>Acacia confusa</i>	台灣相思	20.00	8.00	280	F	F	L	M	LCSD	Retain	Retain
660	<i>Acacia confusa</i>	台灣相思	16.00	9.00	450	F	F	L	M	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
661	<i>Acacia confusa</i>	台灣相思	20.00	7.00	450	F	F	L	M	LCSD	Retain	Retain
662	<i>Acacia confusa</i>	台灣相思	20.00	9.00	300	F	F	L	M	LCSD	Retain	Retain
663	<i>Aleurites moluccana</i>	石栗	18.00	9.00	400	F	F	M	M	LCSD	Retain	Retain
664	<i>Ficus microcarpa</i>	細葉榕	15.00	10.00	350	F	F	M	M	LCSD	Retain	Retain
665	<i>Ficus microcarpa</i>	細葉榕	16.00	11.00	700	F	F	M	M	LCSD	Retain	Retain
666	<i>Ficus microcarpa</i>	細葉榕	13.00	9.00	300	F	F	M	M	LCSD	Retain	Retain
667	<i>Ficus microcarpa</i>	細葉榕	6.00	3.00	250	F	F	M	M	LCSD	Retain	Retain
668	<i>Ficus microcarpa</i>	細葉榕	13.00	8.00	400	F	F	M	M	LCSD	Retain	Retain
669	<i>Ficus microcarpa</i>	細葉榕	13.00	9.00	300	F	F	M	M	LCSD	Retain	Retain
670	<i>Ficus subpispocarpa</i>	筆管榕	7.00	6.00	500	F	F	M	M	LCSD	Retain	Retain
671	<i>Spathodea campanulata</i>	火焰木	6.00	1.00	150	F	F	L	M	LCSD	Retain	Retain
672	<i>Araucaria heterophylla</i>	異葉南洋杉	7.00	2.00	140	F	F	M	M	LCSD	Retain	Retain
673	<i>Araucaria heterophylla</i>	異葉南洋杉	5.50	2.00	100	F	F	M	M	LCSD	Retain	Retain
674	<i>Araucaria heterophylla</i>	異葉南洋杉	7.00	2.50	160	F	F	L	M	LCSD	Retain	Retain
675	<i>Spathodea campanulata</i>	火焰木	12.00	5.00	400	F	F	M	M	LCSD	Retain	Retain
676	<i>Araucaria heterophylla</i>	異葉南洋杉	5.00	2.00	120	F	F	L	M	LCSD	Retain	Retain
677	<i>Araucaria heterophylla</i>	異葉南洋杉	6.00	3.00	150	F	F	L	M	LCSD	Retain	Retain
678	<i>Hibiscus tiliaceus</i>	黃槿	10.00	8.00	400	F	F	L	M	LCSD	Retain	Retain
679	<i>Hibiscus tiliaceus</i>	黃槿	10.00	6.00	300	F	F	L	M	LCSD	Retain	Retain
680	<i>Ficus benjamina</i>	垂葉榕	7.00	2.00	120	F	F	M	M	LCSD	Retain	Retain
681	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	3.00	300	F	F	L	M	LCSD	Retain	Retain
682	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	3.00	400	F	F	L	M	LCSD	Retain	Retain
683	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	4.00	280	F	F	L	M	LCSD	Retain	Retain
684	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	4.00	0.00	190	P	P	L	L	LCSD	Retain	Retain
685	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	6.00	420	F	F	L	M	LCSD	Retain	Retain
686	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	5.00	280	F	F	L	M	LCSD	Retain	Retain
687	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	4.00	300	F	F	L	M	LCSD	Retain	Retain
688	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	3.00	250	F	F	L	M	LCSD	Retain	Retain
689	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	2.00	250	F	F	L	M	LCSD	Retain	Retain
690	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	5.00	300	F	F	L	M	LCSD	Retain	Retain
691	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.00	200	F	F	L	M	LCSD	Retain	Retain
692	<i>Mangifera indica</i>	芒果	8.00	8.00	450	F	F	L	L	LCSD	Retain	Retain
693	<i>Macaranga tanarius</i>	血桐	8.00	6.00	300	P	P	L	L	LCSD	Retain	Retain
694	<i>Mangifera indica</i>	芒果	8.50	6.00	400	F	F	L	L	LCSD	Retain	Retain
695	<i>Michelia x alba</i>	白蘭	12.00	5.00	280	F	F	L	L	LCSD	Retain	Retain
696	<i>Dimocarpus longan</i>	龍眼	8.00	8.00	250	F	F	L	L	LCSD	Retain	Retain
697	<i>Macaranga tanarius</i>	血桐	7.00	7.00	450	F	F	L	L	LCSD	Retain	Retain
698	<i>Celtis sinensis</i>	朴樹	13.00	12.00	700	F	P	L	M	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
699	<i>Dimocarpus longan</i>	龍眼	9.00	10.00	500	F	P	L	L	LCSD	Retain	Retain
700	<i>Macaranga tanarius</i>	血桐	7.00	4.00	250	F	F	L	L	LCSD	Retain	Retain
701	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	4.00	400	F	P	L	L	LCSD	Retain	Retain
702	<i>Macaranga tanarius</i>	血桐	6.00	4.00	350	F	P	L	L	LCSD	Retain	Retain
703	<i>Acacia confusa</i>	台灣相思	8.00	7.00	500	F	F	L	L	LCSD	Retain	Retain
704	<i>Celtis sinensis</i>	朴樹	6.00	10.00	280	P	P	L	L	LCSD	Retain	Retain
705	<i>Celtis sinensis</i>	朴樹	10.00	5.00	300	P	P	L	L	LCSD	Retain	Retain
706	<i>Celtis sinensis</i>	朴樹	10.00	5.00	450	F	P	L	L	LCSD	Retain	Retain
707	<i>Celtis sinensis</i>	朴樹	6.00	5.00	480	F	P	L	M	LCSD	Retain	Retain
708	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	4.00	330	F	F	L	M	LCSD	Retain	Retain
709	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	2.00	180	F	F	L	L	LCSD	Retain	Retain
710	<i>Celtis sinensis</i>	朴樹	7.00	5.00	380	F	P	L	L	LCSD	Retain	Retain
711	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	8.00	720	F	P	L	M	LCSD	Retain	Retain
712	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	4.00	380	F	F	L	M	LCSD	Retain	Retain
713	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	3.50	340	F	F	L	M	LCSD	Retain	Retain
714	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	4.00	300	F	F	L	M	LCSD	Retain	Retain
715	<i>Araucaria heterophylla</i>	異葉南洋杉	9.00	2.00	150	F	F	M	M	LCSD	Retain	Retain
716	<i>Araucaria heterophylla</i>	異葉南洋杉	9.00	3.00	180	F	F	M	M	LCSD	Retain	Retain
717	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.50	3.00	220	F	F	L	M	LCSD	Retain	Retain
718	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	4.00	250	F	F	L	M	LCSD	Retain	Retain
719	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	2.00	170	F	F	L	M	LCSD	Retain	Retain
720	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	3.00	210	F	F	L	M	LCSD	Retain	Retain
721	<i>Pterocarpus indicus</i>	紫檀	10.00	5.00	230	F	F	L	M	LCSD	Retain	Retain
722	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.50	3.00	200	F	F	L	M	LCSD	Retain	Retain
723	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	3.50	240	F	F	L	M	LCSD	Retain	Retain
724	<i>Celtis sinensis</i>	朴樹	8.00	5.00	600	F	F	M	M	LCSD	Retain	Retain
725	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	3.00	250	F	F	L	M	LCSD	Retain	Retain
726	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	3.00	220	F	F	L	M	LCSD	Retain	Retain
727	<i>Livistona chinensis</i>	蒲葵	4.00	2.00	330	F	P	L	M	LCSD	Retain	Retain
728	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	5.00	470	F	P	L	M	LCSD	Retain	Retain
729	<i>Livistona chinensis</i>	蒲葵	2.50	2.00	230	F	P	L	M	LCSD	Retain	Retain
730	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.50	7.00	740	F	P	L	M	LCSD	Retain	Retain
731	<i>Livistona chinensis</i>	蒲葵	4.50	3.00	350	F	F	L	M	LCSD	Retain	Retain
732	<i>Livistona chinensis</i>	蒲葵	4.50	3.00	420	F	F	L	M	LCSD	Retain	Retain
733	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	3.50	230	F	F	L	L	LCSD	Retain	Retain
734	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.50	4.00	280	F	F	L	L	LCSD	Retain	Retain
735	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	4.00	280	F	F	L	L	LCSD	Retain	Retain
736	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	3.00	300	F	F	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
737	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	3.00	250	F	F	L	L	LCSD	Retain	Retain
738	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	3.50	330	F	F	L	L	LCSD	Retain	Retain
739	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	4.00	360	F	F	L	L	LCSD	Retain	Retain
740	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	4.00	300	F	F	L	L	LCSD	Retain	Retain
741	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	3.00	240	F	F	L	L	LCSD	Retain	Retain
742	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	3.00	390	F	F	L	L	LCSD	Retain	Retain
743	<i>Bombax ceiba</i>	木棉	10.00	8.00	460	F	F	L	L	LCSD	Retain	Retain
744	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	6.00	300	F	F	L	L	LCSD	Retain	Retain
745	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.10	3.50	320	F	F	L	L	LCSD	Retain	Retain
746	<i>Senna siamea</i>	鐵刀木	9.00	5.00	300	P	F	L	L	LCSD	Retain	Retain
747	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.50	3.50	280	F	F	L	L	LCSD	Retain	Retain
748	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	2.00	190	F	F	L	L	LCSD	Retain	Retain
749	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	5.00	320	F	F	L	L	LCSD	Retain	Retain
750	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	4.00	300	F	F	L	L	LCSD	Retain	Retain
751	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	4.00	350	F	F	L	L	LCSD	Retain	Retain
752	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	4.00	350	F	F	L	L	LCSD	Retain	Retain
753	<i>Dimocarpus longan</i>	龍眼	6.00	7.00	210	F	P	L	L	Private Land Owner	Retain	Retain
754	<i>Macaranga tanarius</i>	血桐	6.00	8.00	300	F	P	L	L	LCSD	Retain	Retain
755	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	3.50	300	F	F	L	L	LCSD	Retain	Retain
756	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	5.00	380	F	F	L	L	LCSD	Retain	Retain
758	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.00	300	F	F	L	L	LCSD	Retain	Retain
759	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.50	350	F	F	L	L	LCSD	Retain	Retain
760	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	Private Land Owner	Remove	Remove
761	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	Private Land Owner	Remove	Remove
762	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	Private Land Owner	Remove	Remove
763	<i>Celtis sinensis</i>	朴樹	8.00	5.00	330	F	P	L	L	Private Land Owner	Retain	Retain
764	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	2.00	270	F	F	L	L	LCSD	Retain	Retain
765	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	3.00	330	F	F	L	L	LCSD	Retain	Retain
766	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	3.00	210	F	F	L	L	LCSD	Retain	Retain
767	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	4.00	200	F	F	L	L	LCSD	Retain	Retain
768	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	3.00	290	F	F	L	L	LCSD	Retain	Retain
769	<i>Ficus virens</i>	大葉榕	10.00	4.00	300	F	P	L	L	LCSD	Retain	Retain
770	<i>Bombax ceiba</i>	木棉	8.00	7.00	250	F	P	L	L	LCSD	Retain	Retain
771	<i>Ficus virens</i>	大葉榕	10.50	8.00	580	F	F	L	L	LCSD	Retain	Retain
772	<i>Senna siamea</i>	鐵刀木	9.00	7.00	350	F	P	L	L	LCSD	Retain	Retain
773	<i>Senna siamea</i>	鐵刀木	10.00	8.00	280	F	P	L	L	LCSD	Retain	Retain
775	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
776	<i>Crateva trifoliata</i>	鈍葉魚木	13.00	10.00	740	F	F	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
777	<i>Eucalyptus citriodora</i>	檸檬桉	14.00	7.00	820	F	P	L	L	LCSD	Retain	Retain
778	<i>Bombax ceiba</i>	木棉	14.00	6.00	530	F	F	L	L	LCSD	Retain	Retain
779	<i>Macaranga tanarius</i>	血桐	4.00	3.00	120	F	P	L	L	LCSD	Retain	Retain
780	<i>Bischofia polycarpa</i>	重陽木	10.00	5.00	250	F	P	L	L	LCSD	Retain	Retain
781	<i>Ficus virens</i>	大葉榕	12.00	10.00	620	F	F	L	L	Private Land Owner	Retain	Retain
782	<i>Bischofia polycarpa</i>	重陽木	6.00	4.00	230	F	F	L	L	Private Land Owner	Retain	Retain
783	<i>Ficus virens</i>	大葉榕	12.00	10.00	520	F	F	L	L	Private Land Owner	Retain	Retain
784	<i>Ficus virens</i>	大葉榕	8.00	4.00	280	F	F	L	L	Private Land Owner	Retain	Retain
785	<i>Bischofia polycarpa</i>	重陽木	11.00	7.00	510	F	P	L	L	Private Land Owner	Retain	Retain
786	<i>Celtis sinensis</i>	朴樹	5.00	3.00	220	F	F	L	L	LCSD	Retain	Retain
787	<i>Araucaria heterophylla</i>	異葉南洋杉	7.00	2.00	180	P	F	L	L	LCSD	Retain	Retain
788	<i>Dracaena draco</i>	龍血樹	5.00	0.50	110	F	P	L	L	LCSD	Retain	Retain
789	<i>Dracaena draco</i>	龍血樹	4.50	0.50	130	F	P	L	L	LCSD	Retain	Retain
790	<i>Dracaena draco</i>	龍血樹	4.50	0.50	140	F	P	L	L	LCSD	Retain	Retain
791	<i>Celtis sinensis</i>	朴樹	9.00	3.00	410	F	P	L	L	LCSD	Retain	Retain
792	<i>Bauhinia variegata</i>	宮粉羊蹄甲	11.00	5.00	470	F	P	L	L	LCSD	Retain	Retain
793	<i>Senna siamea</i>	鐵刀木	5.50	2.00	210	F	P	L	L	LCSD	Fell	Fell
794	<i>Bauhinia variegata</i>	宮粉羊蹄甲	5.00	4.00	220	F	P	L	L	LCSD	Retain	Retain
795	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
796	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
797	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	5.50	1.50	120	F	P	L	L	LCSD	Retain	Retain
798	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	1.50	130	P	P	L	L	LCSD	Retain	Retain
799	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	2.00	140	F	P	L	L	LCSD	Retain	Retain
800	<i>Delonix regia</i>	鳳凰木	9.00	10.00	430	F	G	M	L	Fire Station	Retain	Retain
801	<i>Macaranga tanarius</i>	血桐	4.00	3.65	110	F	P	L	L	Fire Station	Retain	Retain
802	<i>Acacia confusa</i>	台灣相思	11.00	7.00	600	F	P	L	L	Fire Station	Retain	Retain
803	<i>Callistemon viminalis</i>	串錢柳	6.00	3.50	230	F	F	L	L	LCSD	Retain	Retain
804	<i>Callistemon viminalis</i>	串錢柳	6.00	4.50	260	F	P	L	L	LCSD	Retain	Retain
805	<i>Callistemon viminalis</i>	串錢柳	4.00	2.00	200	P	P	L	L	LCSD	Retain	Retain
806	<i>Callistemon viminalis</i>	串錢柳	4.00	2.00	180	P	P	L	L	LCSD	Retain	Retain
807	<i>Callistemon viminalis</i>	串錢柳	7.00	4.00	250	F	F	L	L	LCSD	Retain	Retain
808	<i>Araucaria heterophylla</i>	異葉南洋杉	9.00	3.00	320	F	P	L	L	LCSD	Retain	Retain
809	<i>Delonix regia</i>	鳳凰木	6.00	11.00	320	F	G	M	L	LCSD	Retain	Retain
810	<i>Ficus benjamina</i>	垂葉榕	13.00	10.00	700	F	P	L	L	LCSD	Retain	Retain
811	<i>Eucalyptus robusta</i>	大葉桉	13.00	8.00	600	F	F	L	L	LCSD	Retain	Retain
812	<i>Bombax ceiba</i>	木棉	16.00	10.00	800	G	G	L	L	LCSD	Retain	Retain
813	<i>Eucalyptus robusta</i>	大葉桉	10.00	5.00	500	P	P	L	L	LCSD	Retain	Retain
814	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	3.00	130	F	F	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
815	<i>Roystonea regia</i>	王棕	5.00	2.00	180	F	F	L	L	LCSD	Retain	Retain
816	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	2.00	180	F	P	L	L	LCSD	Retain	Retain
817	<i>Roystonea regia</i>	王棕	8.00	3.00	260	F	F	L	L	LCSD	Retain	Retain
818	<i>Aleurites moluccana</i>	石栗	12.00	8.00	400	F	F	L	L	LCSD	Retain	Retain
819	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	3.00	200	F	P	L	L	LCSD	Retain	Retain
820	<i>Casuarina equisetifolia</i>	木麻黃	18.00	7.00	590	F	P	L	L	LCSD	Retain	Retain
821	<i>Ficus hispida</i>	對葉榕	5.50	3.00	110	F	P	L	L	LCSD	Retain	Retain
822	<i>Lophostemon confertus</i>	紅膠木	10.00	6.00	500	F	F	L	L	LCSD	Retain	Retain
823	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	4.00	270	F	P	L	L	LCSD	Retain	Retain
824	<i>Bauhinia variegata</i>	宮粉羊蹄甲	8.00	8.00	330	F	P	L	L	LCSD	Retain	Retain
825	<i>Ficus benjamina</i>	垂葉榕	13.00	8.00	880	F	F	L	L	LCSD	Retain	Retain
826	<i>Ficus benjamina</i>	垂葉榕	13.00	9.00	900	F	F	L	L	LCSD	Retain	Retain
827	<i>Terminalia catappa</i>	欖仁樹	7.00	6.00	250	F	P	L	L	LCSD	Retain	Retain
828	<i>Plumeria rubra</i>	雞蛋花	5.00	4.00	160	P	P	L	L	LCSD	Retain	Retain
829	<i>Schefflera heptaphylla</i>	鵝掌柴	4.50	3.00	170	F	F	L	L	LCSD	Retain	Retain
830	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	8.00	1000	F	P	L	L	LCSD	Retain	Retain
831	<i>Bombax ceiba</i>	木棉	12.00	9.00	500	F	F	L	L	LCSD	Retain	Retain
832	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
833	<i>Araucaria heterophylla</i>	異葉南洋杉	5.00	3.00	120	P	P	L	L	LCSD	Retain	Retain
834	<i>Araucaria heterophylla</i>	異葉南洋杉	6.00	3.00	150	P	P	L	L	LCSD	Retain	Retain
835	<i>Bombax ceiba</i>	木棉	12.00	7.00	450	F	F	L	L	LCSD	Retain	Retain
836	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.50	300	F	F	L	L	LCSD	Retain	Retain
837	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.00	280	F	F	L	L	LCSD	Retain	Retain
838	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	3.50	270	F	F	L	L	LCSD	Retain	Retain
839	<i>Bombax ceiba</i>	木棉	9.00	6.00	400	F	F	L	L	LCSD	Retain	Retain
840	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	3.00	280	F	P	L	L	LCSD	Retain	Retain
841	<i>Bombax ceiba</i>	木棉	7.50	4.00	280	F	F	L	L	LCSD	Retain	Retain
842	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	9.00	1000	F	F	L	L	HYD	Retain	Retain
843	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	5.00	800	F	F	L	L	HYD	Retain	Retain
844	<i>Bombax ceiba</i>	木棉	13.00	7.00	500	F	F	L	L	LCSD	Retain	Retain
845	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	8.00	900	F	P	L	L	LCSD	Retain	Retain
846	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	7.00	1200	F	P	L	L	LCSD	Retain	Retain
847	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	8.00	170	F	P	L	L	LCSD	Retain	Retain
848	<i>Celtis sinensis</i>	朴樹	8.00	3.00	400	F	P	L	L	LCSD	Retain	Retain
849	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	6.00	750	F	F	L	L	LCSD	Retain	Retain
850	<i>Ficus benjamina</i>	垂葉榕	10.00	9.00	400	F	F	L	L	HYD	Fell	Fell
851	<i>Ficus benjamina</i>	垂葉榕	12.00	8.00	350	F	F	L	L	HYD	Fell	Fell
852	<i>Chrysalidocarpus lutescens</i>	散尾葵	5.00	1.00	100	F	F	L	L	HYD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
853	<i>Michelia x alba</i>	白蘭	6.00	2.00	180	F	P	L	L	HYD	Retain	Retain
854	<i>Macaranga tanarius</i>	血桐	8.00	8.00	300	F	F	L	L	HYD	Fell	Fell
855	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	7.00	1000	F	P	L	L	HYD	Retain	Retain
856	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	6.00	1350	F	P	L	L	HYD	Retain	Retain
857	<i>Ficus microcarpa</i>	細葉榕	8.00	9.00	1200	F	P	L	L	HYD	Retain	Retain
858	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	6.00	800	F	F	L	L	HYD	Retain	Retain
859	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	5.00	800	F	P	L	L	HYD	Retain	Retain
860	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	6.00	650	F	P	L	L	HYD	Retain	Retain
861	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	7.00	950	F	P	L	L	HYD	Retain	Retain
862	<i>Ficus subpispocarpa</i>	筆管榕	7.00	5.00	400	P	P	L	L	Private Land Owner	Retain	Retain
863	<i>Celtis sinensis</i>	朴樹	6.00	4.00	260	F	P	L	L	Private Land Owner	Retain	Retain
864	<i>Bauhinia variegata</i>	宮粉羊蹄甲	5.00	2.00	500	F	P	L	L	HYD	Fell	Fell
865	<i>Hibiscus tiliaceus</i>	黃槿	6.00	4.00	400	F	P	L	L	LCSD	Retain	Retain
866	<i>Hibiscus tiliaceus</i>	黃槿	6.00	2.00	600	F	P	L	L	LCSD	Retain	Retain
867	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	14.00	6.00	1000	F	P	L	L	HYD	Fell	Fell
868	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	7.00	1000	P	P	L	L	HYD	Retain	Retain
869	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	4.00	1000	P	P	L	L	HYD	Retain	Retain
870	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	6.00	500	F	F	L	L	Private Land Owner	Retain	Retain
871	<i>Bombax ceiba</i>	木棉	7.00	5.00	280	F	F	L	L	Private Land Owner	Retain	Retain
872	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	14.00	2.00	400	F	F	L	L	LCSD	Retain	Retain
873	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	2.00	220	F	F	L	L	LCSD	Retain	Retain
874	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	4.00	350	F	F	L	L	LCSD	Fell	Fell
875	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	2.50	300	F	F	L	L	LCSD	Fell	Fell
876	<i>Spathodea campanulata</i>	火焰木	3.50	2.00	100	F	F	L	L	LCSD	Retain	Retain
877	<i>Spathodea campanulata</i>	火焰木	5.00	2.00	110	F	F	L	L	LCSD	Retain	Retain
878	<i>Spathodea campanulata</i>	火焰木	4.00	2.00	200	F	F	L	L	LCSD	Retain	Retain
879	<i>Spathodea campanulata</i>	火焰木	5.00	2.00	120	F	F	L	L	LCSD	Retain	Retain
880	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
881	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	3.00	300	F	F	L	L	LCSD	Retain	Retain
882	<i>Dimocarpus longan</i>	龍眼	6.00	3.00	290	F	F	L	L	HYD	Retain	Retain
883	<i>Macaranga tanarius</i>	血桐	3.00	2.00	200	F	F	L	L	HYD	Retain	Retain
884	<i>Ficus microcarpa</i>	細葉榕	11.00	12.00	1100	F	F	L	L	HYD	Retain	Retain
885	<i>Bauhinia variegata</i>	宮粉羊蹄甲	4.00	3.00	170	P	P	L	L	HYD	Fell	Fell
886	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	3.00	280	P	P	L	L	HYD	Fell	Fell
887	<i>Bauhinia variegata</i>	宮粉羊蹄甲	5.00	2.00	100	F	F	L	L	HYD	Fell	Fell
888	<i>Bauhinia variegata</i>	宮粉羊蹄甲	2.00	2.00	250	P	P	L	L	HYD	Fell	Fell
889	<i>Clausena lansium</i>	黃皮	5.00	3.00	80	P	P	L	L	HYD	Fell	Fell
890	<i>Clausena lansium</i>	黃皮	6.00	4.00	120	P	P	L	L	HYD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
891	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	4.00	280	P	P	L	L	HYD	Fell	Fell
892	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	5.00	300	P	P	L	L	HYD	Fell	Fell
893	<i>Bauhinia variegata</i>	宮粉羊蹄甲	8.00	4.00	220	P	P	L	L	HYD	Fell	Fell
894	<i>Bauhinia variegata</i>	宮粉羊蹄甲	9.00	5.00	310	P	P	L	L	HYD	Fell	Fell
895	<i>Bauhinia variegata</i>	宮粉羊蹄甲	4.00	2.00	130	P	P	L	L	HYD	Fell	Fell
896	<i>Clausena lansium</i>	黃皮	5.00	3.00	110	P	P	L	L	HYD	Fell	Fell
897	<i>Dimocarpus longan</i>	龍眼	6.00	6.00	400	P	P	L	L	HYD	Fell	Fell
898	<i>Dimocarpus longan</i>	龍眼	4.50	2.00	130	P	P	L	L	HYD	Fell	Fell
899	<i>Ficus hispida</i>	對葉榕	4.00	2.00	150	P	P	L	L	HYD	Fell	Fell
900	<i>Bombax ceiba</i>	木棉	4.00	2.00	190	P	P	L	L	HYD	Retain	Retain
901	<i>Bombax ceiba</i>	木棉	13.00	8.00	380	F	P	L	L	HYD	Retain	Retain
902	<i>Bombax ceiba</i>	木棉	8.00	4.00	220	F	P	L	L	HYD	Retain	Retain
903	<i>Bauhinia variegata</i>	宮粉羊蹄甲	6.00	4.00	180	F	P	L	L	HYD	Retain	Retain
904	<i>Bauhinia variegata</i>	宮粉羊蹄甲	5.00	3.00	150	P	P	L	L	HYD	Retain	Retain
905	<i>Bauhinia variegata</i>	宮粉羊蹄甲	6.00	5.00	480	P	P	L	L	HYD	Fell	Fell
906	<i>Bauhinia variegata</i>	宮粉羊蹄甲	8.00	5.00	370	P	P	L	L	HYD	Retain	Retain
907	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	2.00	150	F	P	L	L	HYD	Fell	Fell
908	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	4.00	180	P	P	L	L	HYD	Fell	Fell
909	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	2.00	190	P	P	L	L	HYD	Fell	Fell
910	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	1.00	180	F	F	L	L	HYD	Fell	Fell
911	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	2.00	200	F	F	L	L	HYD	Fell	Fell
912	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	2.00	150	F	P	L	L	HYD	Fell	Fell
913	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	3.00	250	P	P	L	L	HYD	Fell	Fell
914	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	2.00	160	F	F	L	L	HYD	Fell	Fell
915	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	5.00	450	F	F	L	L	HYD	Fell	Fell
916	<i>Bauhinia variegata</i>	宮粉羊蹄甲	7.00	5.00	1000	F	P	L	L	HYD	Retain	Retain
917	<i>Bauhinia variegata</i>	宮粉羊蹄甲	5.00	3.00	730	P	P	L	L	HYD	Retain	Retain
918	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	2.00	200	F	F	L	L	HYD	Fell	Fell
919	<i>Ficus hispida</i>	對葉榕	5.00	4.00	170	P	P	L	L	HYD	Retain	Retain
920	<i>Bauhinia variegata</i>	宮粉羊蹄甲	4.00	3.00	150	P	P	L	L	HYD	Retain	Retain
921	<i>Leucaena leucocephala</i>	銀合歡	7.00	5.00	120	P	P	L	L	HYD	Retain	Retain
922	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	3.00	180	F	P	L	L	HYD	Retain	Retain
923	<i>Albizia lebbek</i>	大葉合歡	10.00	8.00	340	F	F	L	L	HYD	Retain	Retain
924	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	2.00	220	F	P	L	L	HYD	Retain	Retain
925	<i>Bombax ceiba</i>	木棉	6.00	3.00	180	F	F	L	L	LCSD	Fell	Fell
926	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
927	<i>Eriobotrya japonica</i>	枇杷	6.00	3.00	180	F	P	L	L	LCSD	Fell	Fell
928	<i>Crateva trifoliata</i>	鈍葉魚木	10.00	5.00	500	F	P	L	L	LCSD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
929	<i>Eriobotrya japonica</i>	枇杷	5.00	3.00	130	F	P	L	L	LCSD	Fell	Fell
930	<i>Eriobotrya japonica</i>	枇杷	6.00	5.00	300	F	P	L	L	LCSD	Fell	Fell
931	<i>Macaranga tanarius</i>	血桐	6.00	5.00	280	P	P	L	L	LCSD	Retain	Retain
932	<i>Bauhinia variegata</i>	宮粉羊蹄甲	4.00	2.00	100	P	P	L	L	LCSD	Retain	Retain
933	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	14.00	5.00	800	F	P	L	L	HYD	Retain	Retain
934	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	7.00	1300	F	P	L	L	HYD	Retain	Retain
935	<i>Celtis sinensis</i>	朴樹	12.00	7.00	760	F	P	L	L	LCSD	Retain	Retain
936	<i>Litsea glutinosa</i>	潺槁樹	5.00	3.00	280	F	P	L	L	LCSD	Retain	Retain
937	<i>Celtis sinensis</i>	朴樹	6.00	3.00	170	P	F	L	L	LCSD	Retain	Retain
938	<i>Celtis sinensis</i>	朴樹	9.00	5.00	510	F	P	L	L	LCSD	Retain	Retain
939	<i>Celtis sinensis</i>	朴樹	6.00	4.00	350	F	P	L	L	LCSD	Retain	Retain
940	<i>Ficus microcarpa</i>	細葉榕	12.00	8.00	540	F	F	L	L	LCSD	Retain	Retain
941	<i>Celtis sinensis</i>	朴樹	10.00	10.00	620	F	F	L	L	LCSD	Retain	Retain
942	<i>Senna siamea</i>	鐵刀木	15.00	5.00	320	F	F	L	L	LCSD	Fell	Fell
943	<i>Peltophorum pterocarpum</i>	盾柱木	15.00	8.00	710	F	F	L	L	LCSD	Fell	Fell
944	<i>Senna siamea</i>	鐵刀木	12.00	6.00	360	F	F	L	L	LCSD	Fell	Fell
945	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	8.00	500	F	F	L	L	LCSD	Retain	Retain
946	<i>Acacia confusa</i>	台灣相思	8.00	6.00	280	F	F	L	L	LCSD	Retain	Retain
947	<i>Delonix regia</i>	鳳凰木	12.00	15.00	1100	F	P	L	L	LCSD	Retain	Retain
948	<i>Crateva trifoliata</i>	鈍葉魚木	9.00	8.00	270	F	P	L	L	LCSD	Retain	Retain
949	<i>Celtis sinensis</i>	朴樹	8.00	6.00	350	F	F	L	L	LCSD	Retain	Retain
950	<i>Ficus microcarpa</i>	細葉榕	10.00	7.00	500	F	F	L	L	HYD	Fell	Fell
951	<i>Ficus microcarpa</i>	細葉榕	9.50	2.00	130	F	F	L	L	LCSD	Retain	Retain
952	<i>Celtis sinensis</i>	朴樹	13.00	8.00	340	F	P	L	L	LCSD	Retain	Retain
953	<i>Crateva trifoliata</i>	鈍葉魚木	13.50	10.00	600	P	P	L	L	HYD	Fell	Fell
954	<i>Litsea glutinosa</i>	潺槁樹	10.00	9.00	550	F	P	L	L	HYD	Fell	Fell
955	<i>Litsea glutinosa</i>	潺槁樹	10.00	5.00	230	F	P	L	L	HYD	Fell	Fell
956	<i>Celtis sinensis</i>	朴樹	9.50	7.00	250	F	P	L	L	HYD	Fell	Fell
957	<i>Celtis sinensis</i>	朴樹	12.00	10.00	350	F	F	L	L	HYD	Fell	Fell
958	<i>Litsea glutinosa</i>	潺槁樹	6.00	7.00	300	F	F	L	L	HYD	Fell	Fell
959	<i>Celtis sinensis</i>	朴樹	2.50	1.00	150	P	P	L	L	HYD	Fell	Fell
960	<i>Celtis sinensis</i>	朴樹	4.00	3.00	130	P	P	L	L	HYD	Fell	Fell
961	<i>Celtis sinensis</i>	朴樹	8.00	8.00	350	F	F	L	L	HYD	Fell	Fell
962	<i>Celtis sinensis</i>	朴樹	8.00	6.00	200	P	P	L	L	HYD	Fell	Fell
963	<i>Celtis sinensis</i>	朴樹	3.50	2.50	130	P	P	L	L	HYD	Fell	Fell
964	<i>Celtis sinensis</i>	朴樹	5.00	4.00	460	F	P	L	L	HYD	Fell	Fell
965	<i>Litsea glutinosa</i>	潺槁樹	9.00	5.00	220	F	P	L	L	LCSD	Fell	Fell
966	<i>Celtis sinensis</i>	朴樹	7.00	4.00	150	P	P	L	L	LCSD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
967	<i>Senna siamea</i>	鐵刀木	8.50	4.00	120	F	P	L	L	LCSD	Fell	Fell
968	<i>Celtis sinensis</i>	朴樹	8.00	5.00	220	F	P	L	L	LCSD	Fell	Fell
969	<i>Senna siamea</i>	鐵刀木	5.00	3.00	100	P	P	L	L	LCSD	Fell	Fell
970	<i>Celtis sinensis</i>	朴樹	7.00	5.00	180	P	P	L	L	HYD	Fell	Fell
971	<i>Celtis sinensis</i>	朴樹	7.00	4.00	200	F	P	L	L	HYD	Fell	Fell
972	<i>Celtis sinensis</i>	朴樹	6.00	4.00	150	P	P	L	L	HYD	Fell	Fell
973	<i>Macaranga tanarius</i>	血桐	6.00	3.00	100	P	P	L	L	HYD	Fell	Fell
974	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
975	Felled / Removed	N.A.				N.A.	N.A.	N.A.	N.A.	N.A.	N.A.	N.A.
976	<i>Celtis sinensis</i>	朴樹	8.00	5.00	180	P	P	L	L	HYD	Fell	Fell
977	<i>Litsea glutinosa</i>	潺槁樹	9.00	5.00	160	P	P	L	L	HYD	Fell	Fell
978	<i>Diospyros kaki</i>	柿	7.00	4.50	200	F	P	L	L	HYD	Fell	Fell
979	<i>Litsea glutinosa</i>	潺槁樹	7.00	4.00	160	P	P	L	L	HYD	Fell	Fell
980	<i>Litsea glutinosa</i>	潺槁樹	5.50	4.00	150	P	P	L	L	HYD	Fell	Fell
981	<i>Dimocarpus longan</i>	龍眼	6.00	4.00	120	P	P	L	L	HYD	Fell	Fell
982	<i>Litsea glutinosa</i>	潺槁樹	5.00	3.00	100	F	P	L	L	HYD	Fell	Fell
983	<i>Celtis sinensis</i>	朴樹	5.00	4.00	140	F	P	L	L	HYD	Fell	Fell
984	<i>Melia azedarach</i>	苦楝	13.00	10.00	600	F	P	L	L	HYD	Fell	Fell
985	<i>Celtis sinensis</i>	朴樹	5.00	7.00	280	P	P	L	L	LCSD	Retain	Retain
986	<i>Celtis sinensis</i>	朴樹	15.00	11.00	670	F	P	L	L	LCSD	Fell	Fell
987	<i>Celtis sinensis</i>	朴樹	13.00	6.00	220	F	P	L	L	LCSD	Retain	Retain
988	<i>Roystonea regia</i>	王棕	13.50	6.00	460	F	F	L	L	HYD	Retain	Retain
989	<i>Roystonea regia</i>	王棕	13.00	5.00	450	F	F	L	L	LCSD	Retain	Retain
990	<i>Livistona chinensis</i>	蒲葵	3.00	2.00	200	P	F	L	L	LCSD	Retain	Retain
991	<i>Roystonea regia</i>	王棕	13.00	5.00	520	F	F	L	L	LCSD	Retain	Retain
992	<i>Roystonea regia</i>	王棕	13.00	5.00	430	F	F	L	L	LCSD	Retain	Retain
993	<i>Leucaena leucocephala</i>	銀合歡	5.50	4.50	120	F	P	L	L	HYD	Remove	Remove
994	<i>Leucaena leucocephala</i>	銀合歡	6.00	4.00	120	F	P	L	L	HYD	Remove	Remove
995	<i>Leucaena leucocephala</i>	銀合歡	6.00	4.50	130	F	P	L	L	HYD	Remove	Remove
996	<i>Bombax ceiba</i>	木棉	5.50	3.00	130	F	P	L	L	LCSD	Retain	Retain
997	<i>Leucaena leucocephala</i>	銀合歡	7.00	4.00	100	F	P	L	L	LCSD	Retain	Retain
998	<i>Leucaena leucocephala</i>	銀合歡	6.00	3.00	80	P	P	L	L	LCSD	Retain	Retain
999	<i>Macaranga tanarius</i>	血桐	6.00	4.00	130	F	P	L	L	LCSD	Retain	Retain
1000	<i>Leucaena leucocephala</i>	銀合歡	7.50	4.00	110	F	P	L	L	DD1 10 LOT524	Remove	Remove
1001	<i>Leucaena leucocephala</i>	銀合歡	7.00	9.00	360	F	P	L	L	HYD	Remove	Remove
1002	<i>Macaranga tanarius</i>	血桐	8.00	3.00	150	F	P	L	L	LCSD	Retain	Retain
1003	<i>Macaranga tanarius</i>	血桐	9.00	9.00	260	F	P	L	L	HYD	Fell	Fell
1004	<i>Macaranga tanarius</i>	血桐	5.00	3.00	130	F	P	L	L	HYD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1005	<i>Litsea glutinosa</i>	潺槁樹	4.00	3.00	100	F	P	L	L	LCSD	Retain	Retain
1006	<i>Ficus variegata</i>	青果榕	11.00	10.00	500	F	P	L	L	LCSD	Retain	Retain
1007	<i>Sterculia lanceolata</i>	假蘋婆	5.00	2.00	120	F	P	L	L	LCSD	Retain	Retain
1008	<i>Aporosa dioica</i>	銀柴	6.00	3.00	110	F	F	L	L	LCSD	Retain	Retain
1009	<i>Celtis sinensis</i>	朴樹	11.00	8.00	380	P	P	L	L	HYD	Fell	Fell
1010	<i>Celtis sinensis</i>	朴樹	12.00	12.00	900	F	F	L	L	HYD	Fell	Fell
1011	<i>Celtis sinensis</i>	朴樹	5.00	2.00	600	F	P	L	L	HYD	Fell	Fell
1012	<i>Senna siamea</i>	鐵刀木	10.00	10.00	670	P	P	L	L	HYD	Fell	Fell
1013	<i>Sterculia lanceolata</i>	假蘋婆	5.50	3.00	240	F	P	L	L	HYD	Fell	Fell
1014	<i>Dimocarpus longan</i>	龍眼	7.00	4.00	160	F	P	L	L	HYD	Fell	Fell
1015	<i>Dimocarpus longan</i>	龍眼	5.00	4.00	180	F	P	L	L	HYD	Fell	Fell
1016	<i>Celtis sinensis</i>	朴樹	7.00	5.00	330	F	P	L	L	HYD	Fell	Fell
1017	<i>Celtis sinensis</i>	朴樹	4.50	2.00	180	F	P	L	L	HYD	Fell	Fell
1018	<i>Dimocarpus longan</i>	龍眼	2.50	2.00	150	F	P	L	L	HYD	Fell	Fell
1019	<i>Crateva trifoliata</i>	鈍葉魚木	10.00	8.00	700	F	P	L	L	HYD	Retain	Retain
1020	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	9.00	980	F	F	L	L	LCSD	Retain	Retain
1021	<i>Bombax ceiba</i>	木棉	5.50	2.50	200	F	F	L	L	HYD	Retain	Retain
1022	<i>Celtis sinensis</i>	朴樹	8.00	5.00	400	F	F	L	L	Private Land Owner	Retain	Retain
1023	<i>Aleurites moluccana</i>	石栗	9.00	5.00	430	P	F	L	L	Private Land Owner	Retain	Retain
1024	<i>Eriobotrya japonica</i>	枇杷	7.00	5.00	310	F	P	L	L	Private Land Owner	Retain	Retain
1025	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	2.00	380	F	F	L	L	HYD	Retain	Retain
1026	<i>Bombax ceiba</i>	木棉	8.00	4.50	410	F	F	L	L	LCSD	Retain	Retain
1027	<i>Lagerstroemia speciosa</i>	大花紫薇	6.00	2.00	200	F	F	L	L	LCSD	Retain	Retain
1028	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	0.50	180	F	F	L	L	LCSD	Retain	Retain
1029	<i>Hibiscus tiliaceus</i>	黃槿	10.00	9.00	320	P	P	L	L	Private Land Owner	Retain	Retain
1030	<i>Hibiscus tiliaceus</i>	黃槿	6.00	4.00	230	P	P	L	L	Private Land Owner	Retain	Retain
1031	<i>Hibiscus tiliaceus</i>	黃槿	7.00	5.00	310	P	P	L	L	Private Land Owner	Retain	Retain
1032	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	2.00	300	F	F	L	L	LCSD	Retain	Retain
1033	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	2.00	240	F	F	L	L	LCSD	Retain	Retain
1034	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	6.00	2.00	200	P	P	L	L	Private Land Owner	Retain	Retain
1035	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	2.00	300	F	F	L	L	LCSD	Retain	Retain
1036	<i>Delonix regia</i>	鳳凰木	11.00	7.00	420	F	P	L	L	Private Land Owner	Retain	Retain
1037	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	2.00	220	P	F	L	L	Private Land Owner	Retain	Retain
1038	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	2.00	300	F	F	L	L	LCSD	Retain	Retain
1039	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	5.00	410	F	F	L	L	LCSD	Retain	Retain
1040	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	3.00	450	F	F	L	L	LCSD	Retain	Retain
1041	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	2.00	230	F	F	L	L	Private Land Owner	Retain	Retain
1042	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	3.00	340	F	P	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height	Average crown spread	Trunk (diameter)							
			(m)	(m)	(mm)	<u>Good</u> <u>Fair</u> <u>Poor</u>	<u>Good</u> <u>Fair</u> <u>Poor</u>	<u>High</u> <u>Medium</u> <u>Low</u>	<u>High</u> <u>Medium</u> <u>Low</u>	<u>Retain</u> <u>Transplant</u> <u>Fell</u> <u>Remove</u>	<u>Retain</u> <u>Transplant</u> <u>Fell</u> <u>Remove</u>	
1043	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	2.00	230	F	P	L	L	Private Land Owner	Retain	Retain
1044	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	2.00	230	F	P	L	L	LCSD	Retain	Retain
1045	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	3.00	240	F	P	L	L	Private Land Owner	Retain	Retain
1046	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	3.00	330	F	P	L	L	LCSD	Retain	Retain
1047	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	2.00	160	P	F	L	L	Private Land Owner	Retain	Retain
1048	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	3.00	320	F	F	L	L	LCSD	Retain	Retain
1049	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	2.00	170	P	P	L	L	LCSD	Retain	Retain
1050	<i>Hibiscus tiliaceus</i>	黃槿	7.00	6.00	300	P	P	L	L	Private Land Owner	Retain	Retain
1051	<i>Hibiscus tiliaceus</i>	黃槿	7.00	5.00	150	P	P	L	L	Private Land Owner	Retain	Retain
1052	<i>Hibiscus tiliaceus</i>	黃槿	9.00	5.00	290	P	P	L	L	Private Land Owner	Retain	Retain
1053	<i>Hibiscus tiliaceus</i>	黃槿	9.00	6.00	200	P	P	L	L	Private Land Owner	Retain	Retain
1054	<i>Hibiscus tiliaceus</i>	黃槿	5.00	2.00	210	P	P	L	L	Private Land Owner	Retain	Retain
1055	<i>Hibiscus tiliaceus</i>	黃槿	4.00	3.00	220	P	P	L	L	Private Land Owner	Retain	Retain
1056	<i>Hibiscus tiliaceus</i>	黃槿	7.00	5.00	270	P	P	L	L	Private Land Owner	Retain	Retain
1057	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	5.00	1.00	100	P	P	L	L	LCSD	Retain	Retain
1058	<i>Hibiscus tiliaceus</i>	黃槿	8.00	6.00	230	P	P	L	L	Private Land Owner	Retain	Retain
1059	<i>Hibiscus tiliaceus</i>	黃槿	11.00	4.00	170	P	P	L	L	Private Land Owner	Retain	Retain
1060	<i>Hibiscus tiliaceus</i>	黃槿	11.00	5.00	170	P	P	L	L	Private Land Owner	Retain	Retain
1061	<i>Hibiscus tiliaceus</i>	黃槿	10.00	2.00	130	P	P	L	L	Private Land Owner	Retain	Retain
1062	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	2.00	160	P	P	L	L	LCSD	Retain	Retain
1063	<i>Hibiscus tiliaceus</i>	黃槿	12.00	4.00	240	P	P	L	L	Private Land Owner	Retain	Retain
1064	<i>Hibiscus tiliaceus</i>	黃槿	12.00	3.00	200	P	P	L	L	Private Land Owner	Retain	Retain
1065	<i>Hibiscus tiliaceus</i>	黃槿	12.00	4.00	240	P	P	L	L	Private Land Owner	Retain	Retain
1066	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.00	3.00	150	P	P	L	L	LCSD	Retain	Retain
1067	<i>Hibiscus tiliaceus</i>	黃槿	12.00	5.00	300	P	P	L	L	Private Land Owner	Retain	Retain
1068	<i>Hibiscus tiliaceus</i>	黃槿	13.00	10.00	460	P	P	L	L	Private Land Owner	Retain	Retain
1069	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	5.00	1.00	150	P	P	L	L	LCSD	Retain	Retain
1070	<i>Celtis sinensis</i>	朴樹	6.00	4.00	350	P	P	L	L	Barracks	Retain	Retain
1071	<i>Dracaena draco</i>	龍血樹	3.50	0.50	90	F	P	L	L	LCSD	Retain	Retain
1072	<i>Dracaena draco</i>	龍血樹	4.00	0.50	100	P	P	L	L	LCSD	Retain	Retain
1073	<i>Dracaena draco</i>	龍血樹	4.00	0.50	100	F	P	L	L	LCSD	Retain	Retain
1074	<i>Dracaena draco</i>	龍血樹	4.00	0.70	120	F	P	L	L	LCSD	Retain	Retain
1075	<i>Dracaena draco</i>	龍血樹	4.00	1.00	120	F	P	L	L	LCSD	Retain	Retain
1076	<i>Dracaena draco</i>	龍血樹	4.50	1.00	130	F	P	L	L	LCSD	Retain	Retain
1077	<i>Dracaena draco</i>	龍血樹	3.50	0.50	90	F	P	L	L	LCSD	Retain	Retain
1078	<i>Dracaena draco</i>	龍血樹	4.00	0.50	90	P	P	L	L	LCSD	Retain	Retain
1079	<i>Celtis sinensis</i>	朴樹	10.00	9.00	600	F	P	L	L	LCSD	Retain	Retain
1080	<i>Celtis sinensis</i>	朴樹	9.00	8.00	700	F	P	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1081	<i>Celtis sinensis</i>	朴樹	10.00	8.00	600	F	P	L	L	LCSD	Retain	Retain
1082	<i>Dracaena draco</i>	龍血樹	5.00	0.50	130	P	P	L	L	LCSD	Retain	Retain
1083	<i>Dracaena draco</i>	龍血樹	4.50	0.50	130	P	P	L	L	LCSD	Retain	Retain
1084	<i>Dracaena draco</i>	龍血樹	3.50	0.50	90	P	P	L	L	LCSD	Retain	Retain
1085	<i>Leucaena leucocephala</i>	銀合歡	5.00	2.00	110	F	P	L	L	LCSD	Retain	Retain
1086	<i>Leucaena leucocephala</i>	銀合歡	5.50	2.00	120	F	P	L	L	LCSD	Retain	Retain
1087	<i>Dracaena draco</i>	龍血樹	4.50	0.50	120	F	P	L	L	LCSD	Retain	Retain
1088	<i>Celtis sinensis</i>	朴樹	10.00	8.00	500	F	P	L	L	LCSD	Retain	Retain
1089	<i>Celtis sinensis</i>	朴樹	12.00	9.00	600	F	P	L	L	LCSD	Retain	Retain
1090	<i>Celtis sinensis</i>	朴樹	12.00	9.00	500	F	P	L	L	LCSD	Retain	Retain
1091	<i>Celtis sinensis</i>	朴樹	6.00	4.00	210	F	P	L	L	LCSD	Retain	Retain
1092	<i>Celtis sinensis</i>	朴樹	3.00	1.00	200	P	P	L	L	LCSD	Retain	Retain
1093	<i>Dracaena draco</i>	龍血樹	4.00	0.50	100	P	P	L	L	LCSD	Retain	Retain
1094	<i>Celtis sinensis</i>	朴樹	11.00	9.00	600	F	P	L	L	LCSD	Retain	Retain
1095	<i>Dracaena draco</i>	龍血樹	4.00	0.50	120	F	P	L	L	LCSD	Retain	Retain
1096	<i>Dracaena draco</i>	龍血樹	4.00	0.50	100	F	P	L	L	LCSD	Retain	Retain
1097	<i>Celtis sinensis</i>	朴樹	12.00	10.00	720	P	P	L	L	LCSD	Retain	Retain
1098	<i>Dracaena draco</i>	龍血樹	4.00	0.50	90	P	F	L	L	LCSD	Retain	Retain
1099	<i>Celtis sinensis</i>	朴樹	10.00	8.00	470	F	P	L	L	LCSD	Retain	Retain
1100	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
1101	<i>Celtis sinensis</i>	朴樹	10.00	9.00	400	F	F	L	L	LCSD	Retain	Retain
1102	<i>Celtis sinensis</i>	朴樹	4.50	3.00	120	F	P	L	L	LCSD	Retain	Retain
1103	<i>Celtis sinensis</i>	朴樹	10.00	9.00	350	F	F	L	L	LCSD	Retain	Retain
1104	<i>Celtis sinensis</i>	朴樹	10.00	7.00	320	F	F	L	L	LCSD	Retain	Retain
1105	<i>Celtis sinensis</i>	朴樹	9.00	7.00	500	F	P	L	L	LCSD	Retain	Retain
1106	<i>Celtis sinensis</i>	朴樹	11.00	10.00	750	F	F	L	L	LCSD	Retain	Retain
1107	<i>Bauhinia blakeana</i>	洋紫荊	5.00	4.00	110	F	F	L	M	HYD	Retain	Retain
1108	<i>Bauhinia blakeana</i>	洋紫荊	4.50	2.00	100	F	F	L	M	HYD	Retain	Retain
1109	<i>Bauhinia blakeana</i>	洋紫荊	4.50	2.50	110	F	F	L	M	HYD	Retain	Retain
1110	<i>Bauhinia blakeana</i>	洋紫荊	5.00	2.00	100	F	F	L	M	HYD	Retain	Retain
1111	<i>Bauhinia blakeana</i>	洋紫荊	4.00	2.50	100	F	F	L	M	HYD	Retain	Retain
1151	<i>Ficus benjamina</i>	垂葉榕	11.00	12.00	400	F	F	L	L	LCSD	Retain	Retain
1152	<i>Ficus benjamina</i>	垂葉榕	11.50	10.00	400	F	F	L	L	LCSD	Retain	Retain
1153	<i>Ficus benjamina</i>	垂葉榕	12.00	10.00	400	F	F	L	L	LCSD	Retain	Retain
1154	<i>Celtis sinensis</i>	朴樹	4.00	3.50	150	F	P	L	L	LCSD	Fell	Fell
1155	<i>Mallotus paniculatus</i>	白楸	6.00	5.50	100	F	F	L	M	HYD	Transplant	Transplant
1156	<i>Celtis sinensis</i>	朴樹	10.00	13.00	600	F	F	M	L	LCSD	Fell	Fell
1157	<i>Celtis sinensis</i>	朴樹	4.50	6.00	160	F	P	L	L	LCSD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1158	<i>Macaranga tanarius</i>	血桐	3.80	5.50	200	F	P	L	L	LCSD	Fell	Fell
1159	<i>Clausena lansium</i>	黃皮	6.00	7.00	160	F	P	L	L	LCSD	Retain	Fell
1160	<i>Clausena lansium</i>	黃皮	4.50	2.00	70	F	P	L	L	LCSD	Retain	Fell
1161	<i>Clausena lansium</i>	黃皮	4.00	3.00	200	F	P	L	L	LCSD	Fell	Fell
1162	<i>Eriobotrya japonica</i>	枇杷	5.50	4.00	260	F	P	L	L	LCSD	Fell	Fell
1163	<i>Clausena lansium</i>	黃皮	5.00	7.00	150	F	P	L	L	LCSD	Fell	Fell
1164	<i>Dimocarpus longan</i>	龍眼	7.00	5.00	130	F	P	L	L	LCSD	Fell	Fell
1165	<i>Clausena lansium</i>	黃皮	7.50	7.00	180	F	P	L	L	LCSD	Fell	Fell
1166	<i>Eriobotrya japonica</i>	枇杷	5.00	3.50	130	P	P	L	L	LCSD	Fell	Fell
1167	<i>Mangifera indica</i>	芒果	3.00	2.50	60	F	F	L	L	LCSD	Retain	Retain
1168	<i>Citrus maxima</i>	柚	4.80	3.00	100	F	F	L	L	LCSD	Retain	Retain
1169	<i>Dimocarpus longan</i>	龍眼	5.50	6.00	200	F	P	L	L	LCSD	Fell	Fell
1170	<i>Dimocarpus longan</i>	龍眼	6.00	5.00	220	F	P	L	L	LCSD	Fell	Fell
1171	<i>Dimocarpus longan</i>	龍眼	5.00	4.00	210	F	P	L	L	LCSD	Fell	Fell
1172	<i>Morus alba</i>	桑	4.00	5.00	210	F	P	L	L	LCSD	Fell	Fell
1173	<i>Dimocarpus longan</i>	龍眼	5.50	5.00	380	F	P	L	L	LCSD	Fell	Fell
1174	<i>Morus alba</i>	桑	5.00	6.00	400	F	P	L	L	LCSD	Fell	Fell
1175	<i>Dimocarpus longan</i>	龍眼	5.00	6.50	210	F	P	L	L	LCSD	Retain	Retain
1176	<i>Acacia confusa</i>	台灣相思	9.0	8.0	240	F	F	L	L	HYD	Retain	Retain
1177	<i>Mallotus paniculatus</i>	白楸	5.0	3.0	110	F	P	L	L	HYD	Retain	Retain
1178	<i>Celtis sinensis</i>	朴樹	6.0	4.5	190	F	F	L	L	HYD	Retain	Retain
1179	<i>Acacia confusa</i>	台灣相思	6.5	7.0	200	F	F	L	L	HYD	Retain	Retain
1180	<i>Mallotus paniculatus</i>	白楸	5.0	5.0	130	F	P	L	L	HYD	Retain	Retain
1181	<i>Mallotus paniculatus</i>	白楸	5.0	4.5	100	F	P	L	L	HYD	Retain	Retain
1182	<i>Ficus variegata</i>	青果榕	4.5	3.0	120	F	P	L	L	HYD	Retain	Retain
1183	<i>Mallotus paniculatus</i>	白楸	6.0	4.5	190	F	P	L	L	HYD	Retain	Retain
1184	<i>Acacia confusa</i>	台灣相思	8.0	7.0	200	F	P	L	L	LCSD	Retain	Retain
1185	<i>Acacia confusa</i>	台灣相思	12.0	5.0	120	F	F	L	L	LCSD	Retain	Retain
1186	<i>Acacia confusa</i>	台灣相思	4.5	5.0	210	F	F	L	L	LCSD	Retain	Retain
1187	<i>Sterculia lanceolata</i>	假蘋婆	4.8	4.5	130	F	F	L	L	LCSD	Retain	Retain
1188	<i>Alangium chinense</i>	八角楓	7.0	4.0	150	F	F	L	L	LCSD	Retain	Retain
1189	<i>Macaranga tanarius</i>	血桐	5.0	3.5	100	F	F	L	L	LCSD	Retain	Retain
1190	<i>Acacia confusa</i>	台灣相思	8.0	5.0	170	F	P	L	L	LCSD	Retain	Retain
1191	<i>Macaranga tanarius</i>	血桐	6.5	6.0	160	F	P	L	L	LCSD	Retain	Retain
1192	<i>Alangium chinense</i>	八角楓	8.0	6.5	200	F	F	L	L	LCSD	Retain	Retain
1193	<i>Alangium chinense</i>	八角楓	5.0	5.0	120	F	F	L	L	LCSD	Retain	Retain
1194	<i>Acacia confusa</i>	台灣相思	16.0	11.0	350	F	F	L	L	LCSD	Retain	Retain
1195	<i>Acacia confusa</i>	台灣相思	10.0	8.0	220	F	P	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1196	<i>Acacia confusa</i>	台灣相思	5.5	3.5	140	P	P	L	L	LCSD	Retain	Retain
1197	<i>Acacia confusa</i>	台灣相思	4.8	3.0	110	F	F	L	L	LCSD	Retain	Retain
1198	<i>Acacia confusa</i>	台灣相思	5.0	3.5	100	F	F	L	L	LCSD	Retain	Retain
1199	<i>Acacia confusa</i>	台灣相思	6.0	3.0	130	F	F	L	L	LCSD	Retain	Retain
1200	<i>Acacia confusa</i>	台灣相思	17.0	12.0	470	F	P	L	L	LCSD	Retain	Retain
1201	<i>Acacia confusa</i>	台灣相思	8.0	3.5	150	F	P	L	L	LCSD	Retain	Retain
1202	<i>Acacia confusa</i>	台灣相思	11.0	9.0	160	F	P	L	L	LCSD	Retain	Retain
1203	<i>Acacia confusa</i>	台灣相思	5.0	3.0	100	F	P	L	L	LCSD	Retain	Retain
1204	<i>Acacia confusa</i>	台灣相思	17.0	10.0	500	F	F	L	L	LCSD	Retain	Retain
1205	<i>Acacia confusa</i>	台灣相思	6.0	4.0	120	F	F	L	L	LCSD	Retain	Retain
1206	<i>Sterculia lanceolata</i>	假蘋婆	5.0	3.5	140	F	F	L	L	LCSD	Retain	Retain
1207	<i>Machilus pauhoi</i>	刨花潤楠	5.5	4.5	110	F	F	L	L	LCSD	Retain	Retain
1208	<i>Machilus pauhoi</i>	刨花潤楠	8.0	5.0	180	F	F	L	L	LCSD	Retain	Retain
1209	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.50	4.50	300	F	F	L	L	LCSD	Retain	Retain
1210	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	5.00	260	F	F	L	L	HYD	Fell	Fell
1211	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.50	5.00	280	F	F	L	L	HYD	Fell	Fell
1212	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	14.00	3.50	370	F	F	L	L	HYD	Fell	Fell
1213	<i>Ficus variegata</i>	青果榕	8.00	7.50	210	F	F	L	L	HYD	Fell	Fell
1214	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	3.00	460	F	F	L	L	HYD	Fell	Fell
1215	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	14.00	4.00	400	F	F	L	L	HYD	Retain	Fell
1216	<i>Celtis sinensis</i>	朴樹	5.50	3.00	170	F	F	L	L	HYD	Retain	Fell
1217	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	4.50	500	F	F	L	L	HYD	Retain	Fell
1218	<i>Alangium chinense</i>	八角楓	10.00	2.00	170	F	F	L	L	HYD	Retain	Fell
1219	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	3.00	370	F	F	L	L	HYD	Retain	Fell
1220	<i>Celtis sinensis</i>	朴樹	5.50	4.00	120	F	F	L	L	HYD	Retain	Fell
1221	<i>Ficus variegata</i>	青果榕	4.50	3.00	120	F	F	L	L	HYD	Retain	Fell
1222	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.00	2.00	250	F	F	L	L	HYD	Retain	Retain
1223	<i>Ficus hispida</i>	對葉榕	5.00	4.00	100	F	F	L	L	HYD	Retain	Fell
1224	<i>Celtis sinensis</i>	朴樹	10.00	8.50	500	F	F	L	L	LCSD	Retain	Retain
1225	<i>Alangium chinense</i>	八角楓	12.00	2.50	180	F	F	L	L	LCSD	Retain	Retain
1226	<i>Sterculia lanceolata</i>	假蘋婆	7.00	3.50	130	F	F	L	L	HYD	Retain	Fell
1227	<i>Machilus pauhoi</i>	刨花潤楠	13.00	7.00	190	F	F	L	L	LCSD	Retain	Retain
1228	<i>Litsea glutinosa</i>	潺槁樹	4.50	5.00	100	F	F	L	L	HYD	Retain	Fell
1229	<i>Alangium chinense</i>	八角楓	9.00	4.00	210	F	F	L	L	LCSD	Retain	Retain
1230	<i>Macaranga tanarius</i>	血桐	9.00	7.00	220	F	F	L	L	LCSD	Retain	Fell
1231	<i>Alangium chinense</i>	八角楓	9.00	2.00	110	F	F	L	L	HYD	Retain	Fell
1232	<i>Dimocarpus longan</i>	龍眼	6.80	4.00	190	P	P	L	L	HYD	Retain	Fell
1233	<i>Claoxylon indicum</i>	白桐樹	8.80	6.90	200	F	F	L	L	HYD	Retain	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1234	<i>Litsea glutinosa</i>	潺槁樹	11.00	4.00	290	F	F	L	L	HYD	Retain	Fell
1235	<i>Casuarina equisetifolia</i>	木麻黃	10.00	8.00	500	F	F	L	L	LCSD	Retain	Retain
1236	<i>Ficus variegata</i>	青果榕	7.00	4.00	140	F	F	L	L	LCSD	Retain	Retain
1237	<i>Casuarina equisetifolia</i>	木麻黃	14.00	8.00	340	F	F	L	L	LCSD	Retain	Retain
1238	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.00	6.00	530	F	F	L	L	LCSD	Retain	Retain
1239	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LANDSD	Remove	Remove
1240	<i>Albizia lebbek</i>	大葉合歡	7.00	8.00	320	P	P	L	L	LANDSD	Retain	Retain
1241	<i>Schefflera heptaphylla</i>	鵝掌柴	5.00	2.00	140	F	F	L	L	LANDSD	Retain	Retain
1242	<i>Albizia lebbek</i>	大葉合歡	6.00	3.00	120	F	F	L	L	LANDSD	Retain	Retain
1243	<i>Casuarina equisetifolia</i>	木麻黃	13.00	6.00	220	F	F	L	L	LCSD	Retain	Retain
1244	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LANDSD	Remove	Remove
1245	<i>Alangium chinense</i>	八角楓	3.40	1.00	160	F	F	L	L	LANDSD	Retain	Retain
1246	<i>Celtis sinensis</i>	朴樹	3.50	2.50	160	F	F	L	L	LCSD	Retain	Retain
1247	<i>Casuarina equisetifolia</i>	木麻黃	15.00	4.00	240	F	F	L	L	LANDSD	Retain	Retain
1248	<i>Schefflera heptaphylla</i>	鵝掌柴	9.00	7.00	260	F	F	L	L	LANDSD	Retain	Retain
1249	<i>Albizia lebbek</i>	大葉合歡	16.00	8.00	380	F	F	M	L	LANDSD	Retain	Retain
1250	<i>Mallotus paniculatus</i>	白楸	7.00	4.00	140	F	F	M	L	LANDSD	Retain	Retain
1251	<i>Machilus pauhoi</i>	刨花潤楠	5.00	2.00	210	F	F	M	L	LANDSD	Retain	Retain
1252	<i>Casuarina equisetifolia</i>	木麻黃	7.00	4.00	140	F	F	L	L	LANDSD	Retain	Retain
1253	<i>Casuarina equisetifolia</i>	木麻黃	16.00	8.00	380	F	F	L	L	LANDSD	Retain	Retain
1254	<i>Casuarina equisetifolia</i>	木麻黃	18.00	10.00	560	F	F	L	L	LANDSD	Retain	Retain
1255	<i>Casuarina equisetifolia</i>	木麻黃	18.00	7.00	300	F	F	L	L	LCSD	Retain	Retain
1256	<i>Albizia lebbek</i>	大葉合歡	7.00	4.00	200	F	F	L	L	LCSD	Retain	Retain
1257	<i>Casuarina equisetifolia</i>	木麻黃	10.00	2.00	130	F	F	L	L	LANDSD	Retain	Retain
1258	<i>Casuarina equisetifolia</i>	木麻黃	12.00	3.00	200	F	F	L	L	LANDSD	Retain	Retain
1259	<i>Casuarina equisetifolia</i>	木麻黃	13.00	3.00	210	F	F	L	L	LANDSD	Retain	Retain
1260	<i>Casuarina equisetifolia</i>	木麻黃	8.00	7.00	340	F	F	L	L	LANDSD	Retain	Retain
1261	<i>Casuarina equisetifolia</i>	木麻黃	9.00	2.00	140	F	F	L	L	LCSD	Retain	Retain
1262	<i>Casuarina equisetifolia</i>	木麻黃	15.00	4.00	330	F	F	L	L	LCSD	Retain	Retain
1263	<i>Casuarina equisetifolia</i>	木麻黃	8.00	2.00	180	F	F	L	L	LCSD	Retain	Retain
1264	<i>Casuarina equisetifolia</i>	木麻黃	19.00	4.00	430	F	F	L	L	LANDSD	Retain	Retain
1265	<i>Casuarina equisetifolia</i>	木麻黃	19.00	5.00	470	F	F	L	L	LANDSD	Retain	Retain
1266	<i>Casuarina equisetifolia</i>	木麻黃	11.00	3.00	260	F	F	L	L	LANDSD	Retain	Retain
1267	<i>Casuarina equisetifolia</i>	木麻黃	10.00	7.00	280	F	F	L	L	LANDSD	Retain	Retain
1268	<i>Casuarina equisetifolia</i>	木麻黃	14.00	8.00	350	F	F	L	L	LANDSD	Retain	Retain
1269	<i>Casuarina equisetifolia</i>	木麻黃	6.00	4.00	220	F	F	L	L	LANDSD	Retain	Retain
1270	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LANDSD	Remove	Remove
1271	<i>Ficus hispida</i>	對葉榕	7.50	5.00	240	F	F	L	L	HYD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1272	<i>Celtis sinensis</i>	朴樹	6.50	4.00	240	F	F	L	L	HYD	Retain	Retain
1273	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	7.00	1300	F	F	L	L	HYD	Fell	Fell
1274	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.00	6.00	450	F	F	L	L	HYD	Fell	Fell
1275	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	19.00	10.00	700	F	F	L	L	LCSD	Retain	Retain
1276	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.00	6.00	300	F	F	L	L	HYD	Fell	Fell
1277	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	3.00	170	F	F	L	L	HYD	Retain	Fell
1278	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.50	2.00	170	F	F	L	L	LCSD	Retain	Retain
1279	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.00	8.00	400	F	F	L	L	HYD	Fell	Fell
1280	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	8.00	4.00	260	F	F	L	L	HYD	Fell	Fell
1281	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.00	2.00	270	F	F	L	L	HYD	Fell	Fell
1282	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	3.00	420	F	F	L	L	HYD	Fell	Fell
1283	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.50	5.00	590	F	F	L	L	HYD	Fell	Fell
1284	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.00	4.00	360	F	F	L	L	HYD	Fell	Fell
1285	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.50	3.00	380	F	F	L	L	HYD	Fell	Fell
1286	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	4.00	250	F	F	L	L	HYD	Fell	Fell
1287	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	5.00	370	F	F	L	L	HYD	Fell	Fell
1288	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.00	8.00	450	F	F	L	L	HYD	Fell	Fell
1289	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.00	3.00	220	F	F	L	L	HYD	Fell	Fell
1290	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	4.00	400	F	F	L	L	HYD	Fell	Fell
1291	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	5.00	380	F	F	L	L	HYD	Fell	Fell
1292	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.00	6.00	410	F	F	L	L	HYD	Fell	Fell
1293	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	7.00	750	F	F	L	L	HYD	Fell	Fell
1294	<i>Microcos paniculata</i>	布渣葉	10.00	4.00	160	F	F	L	L	HYD	Fell	Fell
1295	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	7.00	550	F	F	L	L	HYD	Fell	Fell
1296	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	3.00	470	F	F	L	L	HYD	Fell	Fell
1297	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.00	4.00	480	F	F	L	L	HYD	Fell	Fell
1298	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.0	4.0	300	F	F	L	L	HYD	Fell	Fell
1299	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	3.0	310	F	F	L	L	HYD	Fell	Fell
1300	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.0	3.0	500	F	F	L	L	HYD	Fell	Fell
1301	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.0	6.0	540	F	F	L	L	HYD	Fell	Fell
1302	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.0	2.0	370	F	F	L	L	HYD	Fell	Fell
1303	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.0	2.0	280	F	F	L	L	HYD	Fell	Fell
1304	<i>Macaranga tanarius</i>	血桐	7.0	6.0	290	P	P	L	L	LCSD	Retain	Retain
1305	<i>Ficus variegata</i>	青果榕	6.0	3.0	200	P	P	L	L	HYD	Retain	Fell
1306	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	6.0	490	F	F	L	L	HYD	Fell	Fell
1307	<i>Microcos paniculata</i>	布渣葉	6.0	4.0	100	F	P	L	L	HYD	Fell	Fell
1308	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.0	3.0	470	F	F	L	L	HYD	Fell	Fell
1309	<i>Ficus hispida</i>	對葉榕	5.0	4.0	180	P	P	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1310	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	3.0	570	F	F	L	L	HYD	Fell	Fell
1311	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.0	3.0	390	F	F	L	L	HYD	Fell	Fell
1312	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	7.0	2.0	100	F	F	L	L	HYD	Fell	Fell
1313	<i>Ficus hispida</i>	對葉榕	4.0	3.0	110	P	P	L	L	HYD	Fell	Fell
1314	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.0	7.0	600	P	P	L	L	HYD	Fell	Fell
1315	<i>Litsea glutinosa</i>	潺槁樹	6.5	4.0	130	F	P	L	L	HYD	Fell	Fell
1316	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	5.0	540	F	P	L	L	HYD	Fell	Fell
1317	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	4.0	440	F	F	L	L	HYD	Fell	Fell
1318	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.0	5.0	500	F	F	L	L	HYD	Fell	Fell
1319	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.0	8.0	440	F	F	L	L	HYD	Fell	Fell
1320	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.0	4.0	350	F	P	L	L	HYD	Fell	Fell
1321	<i>Litsea glutinosa</i>	潺槁樹	12.0	7.0	150	F	P	L	L	HYD	Fell	Fell
1322	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.0	5.0	440	P	P	L	L	HYD	Fell	Fell
1323	<i>Syzygium jambos</i>	蒲桃	7.0	7.0	330	F	P	L	L	HYD	Fell	Fell
1324	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.0	4.0	440	P	P	L	L	HYD	Fell	Fell
1325	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.0	6.0	460	P	P	L	L	HYD	Fell	Fell
1326	<i>Macaranga tanarius</i>	血桐	5.0	3.0	130	P	P	L	L	HYD	Fell	Fell
1327	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.0	2.0	260	F	F	L	L	LCSD	Retain	Retain
1328	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.0	3.0	360	F	F	L	L	LCSD	Retain	Retain
1329	<i>Casuarina equisetifolia</i>	木麻黃	18.0	13.0	1400	F	F	L	L	LCSD	Retain	Retain
1330	<i>Casuarina equisetifolia</i>	木麻黃	16.0	12.0	580	F	F	L	L	LCSD	Retain	Retain
1331	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	7.0	650	F	F	L	L	LCSD	Retain	Retain
1332	<i>Mallotus paniculatus</i>	白楸	9.0	3.0	200	F	F	L	L	LCSD	Retain	Retain
1333	<i>Macaranga tanarius</i>	血桐	5.0	4.0	110	F	F	L	L	LCSD	Retain	Retain
1334	Dead Tree	死樹	5.0	2.0	100	P	P	L	L	LCSD	Remove	Remove
1335	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.0	6.0	450	F	P	L	L	LCSD	Retain	Retain
1336	<i>Sterculia lanceolata</i>	假蘋婆	6.0	2.0	100	F	P	L	L	LCSD	Retain	Retain
1337	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.0	3.0	360	P	P	L	L	LCSD	Retain	Retain
1338	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	3.0	300	F	P	L	L	HYD	Fell	Retain
1339	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.0	4.0	580	F	F	L	L	HYD	Retain	Retain
1340	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.0	3.0	700	F	F	L	L	HYD	Retain	Retain
1341	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	4.0	480	F	F	L	L	HYD	Fell	Retain
1342	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	19.0	3.0	600	F	F	L	L	HYD	Fell	Retain
1343	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	19.0	4.0	600	F	F	L	L	HYD	Fell	Retain
1344	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.0	4.0	650	F	F	L	L	HYD	Fell	Retain
1345	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	HYD	Remove	Remove
1346	<i>Sterculia lanceolata</i>	假蘋婆	9.0	4.0	120	F	P	L	L	HYD	Fell	Retain
1347	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	4.0	500	F	F	L	L	HYD	Fell	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1348	<i>Ficus variegata</i>	青果榕	9.0	4.0	250	P	P	L	L	HYD	Retain	Retain
1349	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	5.0	600	P	P	L	L	HYD	Retain	Retain
1350	<i>Aporosa dioica</i>	銀柴	6.0	2.0	100	F	P	L	L	HYD	Fell	Retain
1351	<i>Microcos paniculata</i>	布渣葉	7.0	3.0	170	F	P	L	L	HYD	Fell	Retain
1353	<i>Macaranga tanarius</i>	血桐	9.0	5.0	210	F	F	L	L	HYD	Fell	Retain
1354	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	19.0	2.0	330	P	P	L	L	HYD	Retain	Retain
1355	<i>Microcos paniculata</i>	布渣葉	10.0	4.0	160	F	P	L	L	HYD	Retain	Retain
1356	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.0	2.0	310	P	P	L	L	HYD	Retain	Retain
1357	<i>Schefflera heptaphylla</i>	鵝掌柴	8.5	4.0	180	F	P	L	L	HYD	Fell	Retain
1358	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	19.0	4.0	550	F	P	L	L	HYD	Fell	Retain
1359	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	20.0	5.0	500	F	P	L	L	HYD	Fell	Retain
1360	<i>Dimocarpus longan</i>	龍眼	8.0	3.0	130	F	P	L	L	HYD	Fell	Retain
1361	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	HYD	Remove	Remove
1362	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.0	3.0	230	P	P	L	L	HYD	Fell	Retain
1363	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.0	5.0	480	F	P	L	L	HYD	Fell	Retain
1364	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	7.0	520	F	P	L	L	HYD	Retain	Retain
1365	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	15.0	8.0	600	P	P	L	L	LCSD	Retain	Retain
1366	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	16.0	6.0	580	F	P	L	L	LCSD	Retain	Retain
1367	<i>Ficus hispida</i>	對葉榕	4.5	1.0	200	P	P	L	L	LCSD	Retain	Retain
1368	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	12.0	4.0	680	F	F	L	L	LCSD	Retain	Retain
1369	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	13.0	0.0	300	F	P	L	L	HYD	Retain	Retain
1370	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.0	3.0	500	F	P	L	L	LCSD	Retain	Retain
1371	<i>Ficus variegata</i>	青果榕	10.0	4.0	200	F	P	L	L	HYD	Fell	Retain
1372	<i>Dimocarpus longan</i>	龍眼	9.0	5.0	180	F	P	L	L	HYD	Fell	Retain
1373	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	10.0	2.0	190	F	F	L	L	LCSD	Retain	Retain
1374	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.0	4.0	240	F	F	L	L	LCSD	Retain	Retain
1375	<i>Dimocarpus longan</i>	龍眼	9.0	6.0	290	F	P	L	L	LCSD	Retain	Retain
1376	<i>Schefflera heptaphylla</i>	鵝掌柴	6.0	6.0	100	F	P	L	L	LCSD	Retain	Retain
1377	<i>Microcos paniculata</i>	布渣葉	9.0	5.0	160	F	P	L	L	LCSD	Retain	Retain
1378	<i>Litsea glutinosa</i>	潺槁樹	8.0	5.0	140	F	F	L	L	LCSD	Retain	Retain
1379	<i>Artocarpus macrocarpon</i>	菠蘿蜜	7.00	4.00	230	F	P	L	L	LANDSD	Retain	Fell
1380	<i>Macaranga tanarius</i>	血桐	7.00	2.00	180	P	P	L	L	LANDSD	Retain	Retain
1381	<i>Dimocarpus longan</i>	龍眼	9.00	5.00	260	P	P	L	L	LCSD	Retain	Retain
1382	<i>Dimocarpus longan</i>	龍眼	9.00	4.00	180	P	P	L	L	LCSD	Retain	Retain
1383	<i>Dimocarpus longan</i>	龍眼	10.00	9.00	280	F	P	L	L	LCSD	Retain	Retain
1384	<i>Dimocarpus longan</i>	龍眼	9.00	3.00	120	P	P	L	L	LCSD	Retain	Retain
1385	<i>Ficus hispida</i>	對葉榕	5.00	3.00	190	P	P	L	L	LCSD	Retain	Retain
1386	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	9.00	4.00	700	P	P	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1387	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.00	5.00	580	P	P	L	L	LCSD	Fell	Fell
1388	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	11.00	1.50	250	P	P	L	L	HYD	Fell	Fell
1389	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	17.00	5.00	790	P	P	L	L	LCSD	Retain	Retain
1390	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	HYD	Remove	Remove
1391	<i>Bombax ceiba</i>	木棉	5.00	3.00	150	P	P	L	L	HYD	Fell	Fell
1392	<i>Celtis sinensis</i>	朴樹	3.50	3.00	110	P	P	L	L	HYD	Fell	Fell
1393	<i>Ficus hispida</i>	對葉榕	5.00	4.00	110	P	P	L	L	HYD	Fell	Fell
1394	<i>Ficus hispida</i>	對葉榕	6.00	3.00	120	P	P	L	L	HYD	Fell	Fell
1395	<i>Dalbergia benthamii</i>	兩廣黃檀	5.00	5.00	160	F	F	L	L	LCSD	Retain	Retain
1396	<i>Dimocarpus longan</i>	龍眼	6.00	4.00	240	F	P	L	L	LCSD	Fell	Fell
1397	<i>Dimocarpus longan</i>	龍眼	7.00	5.00	220	F	P	L	L	LCSD	Fell	Fell
1398	<i>Mangifera indica</i>	芒果	7.00	4.00	260	F	P	L	L	LCSD	Retain	Retain
1399	<i>Clausena lansium</i>	黃皮	5.00	3.00	130	F	P	L	L	LCSD	Fell	Fell
1400	<i>Dimocarpus longan</i>	龍眼	6.00	5.00	280	F	P	L	L	LCSD	Fell	Fell
1401	<i>Clausena lansium</i>	黃皮	3.80	2.00	120	F	P	L	L	LCSD	Fell	Fell
1402	<i>Clausena lansium</i>	黃皮	6.00	2.00	100	F	P	L	L	LCSD	Fell	Fell
1403	<i>Clausena lansium</i>	黃皮	6.00	3.00	180	F	P	L	L	LCSD	Fell	Fell
1404	<i>Dimocarpus longan</i>	龍眼	6.00	2.50	140	F	P	L	L	LCSD	Fell	Fell
1405	<i>Diospyros kaki</i>	柿	7.00	3.00	200	P	P	L	L	LCSD	Retain	Retain
1406	<i>Dimocarpus longan</i>	龍眼	6.00	4.00	230	P	P	L	L	LCSD	Retain	Retain
1407	<i>Dimocarpus longan</i>	龍眼	6.00	3.00	130	P	P	L	L	LCSD	Retain	Retain
1408	<i>Dimocarpus longan</i>	龍眼	6.00	4.00	140	F	F	L	L	LCSD	Retain	Retain
1409	<i>Dimocarpus longan</i>	龍眼	7.50	6.00	240	F	F	L	L	LCSD	Fell	Fell
1410	<i>Dimocarpus longan</i>	龍眼	5.50	4.00	120	F	P	L	L	LCSD	Retain	Retain
1411	<i>Dimocarpus longan</i>	龍眼	6.00	4.00	170	P	P	L	L	LCSD	Retain	Retain
1412	<i>Dimocarpus longan</i>	龍眼	6.00	2.00	100	P	P	L	L	LCSD	Retain	Retain
1413	<i>Eriobotrya japonica</i>	枇杷	5.00	3.00	110	P	P	L	L	LCSD	Retain	Retain
1414	<i>Eriobotrya japonica</i>	枇杷	5.00	2.00	130	F	P	L	L	LCSD	Retain	Retain
1415	<i>Dimocarpus longan</i>	龍眼	6.00	3.00	130	P	P	L	L	LCSD	Retain	Retain
1416	<i>Bombax ceiba</i>	木棉	5.50	2.00	140	P	P	L	L	LCSD	Retain	Retain
1417	<i>Clausena lansium</i>	黃皮	4.80	1.50	100	F	P	L	L	LCSD	Retain	Retain
1418	<i>Artocarpus macrocarpon</i>	菠蘿蜜	5.00	3.00	120	F	P	L	L	LCSD	Retain	Retain
1419	<i>Musa acuminata</i>	香蕉	3.40	2.00	170	P	P	L	L	LCSD	Retain	Retain
1420	<i>Musa acuminata</i>	香蕉	3.00	1.00	110	P	P	L	L	LCSD	Retain	Retain
1421	<i>Musa acuminata</i>	香蕉	3.00	1.50	130	P	P	L	L	HYD	Retain	Retain
1422	<i>Musa acuminata</i>	香蕉	2.90	2.00	100	P	P	L	L	LCSD	Retain	Retain
1423	<i>Musa acuminata</i>	香蕉	3.40	1.50	130	P	P	L	L	HYD	Retain	Retain
1424	<i>Musa acuminata</i>	香蕉	3.40	2.00	130	P	P	L	L	LCSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height	Average crown spread	Trunk (diameter)							
			(m)	(m)	(mm)	<u>Good</u> <u>Fair</u> <u>Poor</u>	<u>Good</u> <u>Fair</u> <u>Poor</u>	<u>High</u> <u>Medium</u> <u>Low</u>	<u>High</u> <u>Medium</u> <u>Low</u>	<u>Retain</u> <u>Transplant</u> <u>Fell</u> <u>Remove</u>	<u>Retain</u> <u>Transplant</u> <u>Fell</u> <u>Remove</u>	
1425	<i>Musa acuminata</i>	香蕉	4.00	2.00	140	P	P	L	L	LCSD	Retain	Retain
1426	<i>Celtis sinensis</i>	朴樹	8.00	12.00	450	F	F	L	L	LCSD	Retain	Retain
1427	<i>Phoenix hanceana</i>	刺葵	6.50	4.00	240	P	P	L	L	LCSD	Retain	Retain
1428	<i>Phoenix hanceana</i>	刺葵	6.50	3.00	180	P	P	L	L	LCSD	Retain	Retain
1429	<i>Phoenix hanceana</i>	刺葵	5.00	2.00	130	P	P	L	L	LCSD	Retain	Retain
1430	<i>Phoenix hanceana</i>	刺葵	5.50	3.00	140	P	P	L	L	LCSD	Retain	Retain
1431	Dead Tree	死樹(血桐)				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
1432	<i>Celtis sinensis</i>	朴樹	8.00	10.00	470	P	P	L	L	LCSD	Retain	Retain
1433	<i>Macaranga tanarius</i>	血桐	5.00	8.00	200	P	P	L	L	LCSD	Retain	Retain
1434	<i>Crateva unilocularis</i>	樹頭菜	5.50	4.00	110	P	P	L	L	LCSD	Retain	Retain
1435	<i>Ficus hispida</i>	對葉榕	5.00	3.00	120	P	P	L	L	LCSD	Retain	Retain
1436	<i>Macaranga tanarius</i>	血桐	4.00	3.00	110	P	P	L	L	HYD	Retain	Retain
1437	<i>Macaranga tanarius</i>	血桐	5.00	5.00	130	P	P	L	L	HYD	Fell	Fell
1438	<i>Macaranga tanarius</i>	血桐	4.50	3.00	110	P	P	L	L	LCSD	Retain	Retain
1439	<i>Macaranga tanarius</i>	血桐	2.00	2.00	100	P	P	L	L	LCSD	Fell	Fell
1440	<i>Leucaena leucocephala</i>	銀合歡	5.50	2.00	110	P	P	L	L	LCSD	Remove	Remove
1441	<i>Macaranga tanarius</i>	血桐	3.50	3.00	140	P	P	L	L	LCSD	Retain	Retain
1442	<i>Leucaena leucocephala</i>	銀合歡	6.50	4.00	120	P	P	L	L	LCSD	Remove	Remove
1443	<i>Leucaena leucocephala</i>	銀合歡	6.50	3.00	150	P	P	L	L	LCSD	Retain	Retain
1444	<i>Albizia lebbek</i>	大葉合歡	12.00	12.00	420	P	P	L	L	LCSD	Fell	Fell
1445	<i>Macaranga tanarius</i>	血桐	5.00	6.00	170	P	P	L	L	LCSD	Retain	Retain
1446	<i>Celtis sinensis</i>	朴樹	7.00	10.00	400	F	P	L	L	LCSD	Retain	Retain
1447	<i>Macaranga tanarius</i>	血桐	5.00	4.50	100	P	P	L	L	DD1 10 LOT524	Fell	Fell
1448	<i>Ficus variegata</i>	青果榕	8.00	3.00	230	F	F	L	L	HYD	Fell	Fell
1449	<i>Ficus microcarpa</i>	細葉榕	17.00	19.00	1300	F	F	L	L	HYD	Fell	Fell
1450	<i>Macaranga tanarius</i>	血桐	2.00	3.00	110	P	P	L	L	HYD	Fell	Fell
1451	<i>Celtis sinensis</i>	朴樹	8.00	5.00	300	F	F	L	L	WSD	Fell	Fell
1452	<i>Cleistocalyx operculatus</i>	水翁	6.00	4.00	140	F	F	L	L	LCSD	Retain	Retain
1453	<i>Macaranga tanarius</i>	血桐	5.50	3.00	150	P	P	L	L	LCSD	Retain	Retain
1454	<i>Acacia confusa</i>	台灣相思	6.0	4.0	150	F	P	L	L	HYD	Retain	Retain
1455	<i>Sterculia lanceolata</i>	假蘋婆	5.0	3.0	140	F	P	L	L	HYD	Retain	Retain
1456	<i>Sterculia lanceolata</i>	假蘋婆	8.0	10.0	470	F	P	L	L	HYD	Retain	Retain
1457	<i>Acacia confusa</i>	台灣相思	9.0	6.0	420	F	F	L	L	HYD	Retain	Retain
1458	<i>Sterculia lanceolata</i>	假蘋婆	7.0	7.0	240	F	P	L	L	HYD	Retain	Retain
1459	<i>Acacia confusa</i>	台灣相思	5.5	2.5	180	F	P	L	L	HYD	Retain	Retain
1460	<i>Schefflera heptaphylla</i>	鵝掌柴	6.0	2.5	160	F	P	L	L	HYD	Retain	Retain
1461	<i>Sterculia lanceolata</i>	假蘋婆	4.5	3.0	100	P	P	L	L	HYD	Retain	Retain
1462	<i>Sterculia lanceolata</i>	假蘋婆	6.0	4.0	170	P	P	L	L	HYD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1463	<i>Sterculia lanceolata</i>	假蘋婆	5.5	3.0	190	F	P	L	L	HYD	Retain	Retain
1464	<i>Schefflera heptaphylla</i>	鵝掌柴	6.5	3.0	130	F	P	L	L	HYD	Retain	Retain
1465	<i>Schefflera heptaphylla</i>	鵝掌柴	5.0	4.0	150	F	P	L	L	HYD	Retain	Retain
1466	<i>Schefflera heptaphylla</i>	鵝掌柴	6.5	3.0	130	F	P	L	L	HYD	Retain	Retain
1467	<i>Schefflera heptaphylla</i>	鵝掌柴	4.0	2.0	100	F	P	L	L	HYD	Retain	Retain
1468	<i>Acacia confusa</i>	台灣相思	10.0	9.0	420	F	F	L	L	HYD	Retain	Retain
1469	<i>Acacia confusa</i>	台灣相思	8.0	10.0	320	P	P	L	L	HYD	Retain	Retain
1470	<i>Acacia confusa</i>	台灣相思	9.0	3.0	1700	P	P	L	L	HYD	Retain	Retain
1471	<i>Acacia confusa</i>	台灣相思	9.0	3.0	220	P	P	L	L	HYD	Retain	Retain
1472	<i>Acacia confusa</i>	台灣相思	8.0	8.0	350	P	P	L	L	HYD	Retain	Retain
1473	<i>Acacia confusa</i>	台灣相思	9.5	4.0	260	P	P	L	L	HYD	Retain	Retain
1474	<i>Acacia confusa</i>	台灣相思	11.0	5.0	310	P	P	L	L	HYD	Retain	Retain
1475	<i>Acacia confusa</i>	台灣相思	11.0	5.0	300	P	P	L	L	HYD	Retain	Retain
1476	<i>Acacia confusa</i>	台灣相思	6.5	3.0	130	P	P	L	L	HYD	Retain	Retain
1477	<i>Acacia confusa</i>	台灣相思	8.0	3.0	180	P	P	L	L	HYD	Retain	Retain
1478	<i>Acacia confusa</i>	台灣相思	9.0	9.0	180	F	P	L	L	HYD	Retain	Retain
1479	<i>Acacia confusa</i>	台灣相思	6.0	4.0	250	F	P	L	L	HYD	Retain	Retain
1480	<i>Acacia confusa</i>	台灣相思	4.0	4.5	360	F	P	L	L	HYD	Retain	Retain
1481	<i>Acacia confusa</i>	台灣相思	7.5	5.5	250	F	P	L	L	HYD	Retain	Retain
1482	<i>Acacia confusa</i>	台灣相思	6.0	5.0	750	F	P	L	L	HYD	Retain	Retain
1483	<i>Acacia confusa</i>	台灣相思	11.0	6.0	460	F	P	L	L	HYD	Retain	Retain
1484	<i>Acacia confusa</i>	台灣相思	10.0	6.5	550	F	P	L	L	HYD	Retain	Retain
1485	<i>Acacia confusa</i>	台灣相思	12.0	7.0	450	F	P	L	L	HYD	Retain	Retain
1486	<i>Acacia confusa</i>	台灣相思	11.5	6.5	230	F	P	L	L	HYD	Retain	Retain
1487	<i>Acacia confusa</i>	台灣相思	12.0	5.5	250	F	P	L	L	HYD	Retain	Retain
1488	<i>Acacia confusa</i>	台灣相思	13.0	6.0	900	F	P	L	L	HYD	Retain	Retain
1488A	<i>Acacia confusa</i>	台灣相思	12.5	7.0	150	F	P	L	L	HYD	Retain	Retain
1489	<i>Acacia confusa</i>	台灣相思	11.5	7.0	250	F	P	L	L	HYD	Retain	Retain
1490	<i>Acacia confusa</i>	台灣相思	9.0	7.5	850	F	P	L	L	HYD	Retain	Retain
1491	<i>Acacia confusa</i>	台灣相思	10.0	8.0	500	F	P	L	L	HYD	Retain	Retain
1492	<i>Acacia confusa</i>	台灣相思	9.5	6.0	600	F	P	L	L	HYD	Retain	Retain
1493	<i>Acacia confusa</i>	台灣相思	9.5	8.5	420	F	P	L	L	HYD	Retain	Retain
1494	<i>Acacia confusa</i>	台灣相思	13.0	10.5	730	F	P	L	L	HYD	Retain	Retain
1495	<i>Acacia confusa</i>	台灣相思	10.0	8.0	460	F	P	L	L	HYD	Retain	Retain
1496	<i>Acacia confusa</i>	台灣相思	10.0	9.5	580	F	P	L	L	HYD	Retain	Retain
1497	<i>Acacia confusa</i>	台灣相思	9.5	10.5	620	F	P	L	L	HYD	Retain	Retain
1498	<i>Acacia confusa</i>	台灣相思	10.5	9.5	850	F	P	L	L	HYD	Retain	Retain
1499	<i>Acacia confusa</i>	台灣相思	8.5	5.5	320	F	P	L	L	HYD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1500	<i>Acacia confusa</i>	台灣相思	7.5	5.0	210	F	P	L	L	HYD	Retain	Retain
1501	<i>Acacia confusa</i>	台灣相思	7.0	4.5	200	F	P	L	L	HYD	Retain	Retain
1502	<i>Acacia confusa</i>	台灣相思	6.0	6.0	180	F	P	L	L	HYD	Retain	Retain
1503	<i>Acacia confusa</i>	台灣相思	9.0	8.0	650	F	P	L	L	HYD	Retain	Retain
1504	<i>Acacia confusa</i>	台灣相思	7.0	8.0	400	F	P	L	L	HYD	Retain	Retain
1505	<i>Acacia confusa</i>	台灣相思	10.0	1.0	660	F	P	L	L	HYD	Retain	Retain
1506	<i>Acacia confusa</i>	台灣相思	9.5	6.0	360	F	P	L	L	HYD	Retain	Retain
1507	<i>Acacia confusa</i>	台灣相思	12.2	6.0	520	F	P	L	L	HYD	Retain	Retain
1508	<i>Acacia confusa</i>	台灣相思	11.5	8.0	550	F	P	L	L	HYD	Retain	Retain
1509	<i>Machilus pauhoi</i>	刨花潤楠	6.0	3.0	130	F	F	M	L	HYD	Retain	Retain
1510	<i>Sterculia lanceolata</i>	假蘋婆	6.0	2.0	110	P	P	L	L	LCSD	Retain	Retain
1511	<i>Acacia confusa</i>	台灣相思	5.0	2.0	110	F	P	L	L	LCSD	Retain	Retain
1512	<i>Acacia confusa</i>	台灣相思	7.0	4.0	120	F	P	L	L	LCSD	Retain	Retain
1513	<i>Celtis sinensis</i>	朴樹	5.5	3.0	140	P	P	L	L	LCSD	Retain	Retain
1514	<i>Celtis sinensis</i>	朴樹	3.5	2.0	110	F	P	L	L	LCSD	Retain	Retain
1515	<i>Alangium chinense</i>	八角楓	14.0	10.0	420	F	F	M	L	LANDSD	Fell	Fell
1516	<i>Celtis sinensis</i>	朴樹	5.0	12.0	480	P	P	L	L	LANDSD	Fell	Fell
1517	<i>Celtis sinensis</i>	朴樹	16.0	15.0	850	F	F	M	L	LANDSD	Fell	Fell
1518	<i>Ficus hispida</i>	對葉榕	5.0	3.0	110	P	P	L	L	LANDSD	Fell	Fell
1519	<i>Celtis sinensis</i>	朴樹	5.5	3.0	250	F	P	L	L	LCSD	Fell	Fell
1520	<i>Litsea glutinosa</i>	潺槁樹	6.00	2.50	140	P	P	L	L	LANDSD	Fell	Fell
1521	<i>Bambusa ventricosa</i>	佛肚竹	6.00	4.00	0	P	P	L	L	LCSD	Fell	Fell
1522	<i>Alangium chinense</i>	八角楓	6.00	5.00	160	P	P	L	L	LCSD	Fell	Fell
1523	<i>Machilus pauhoi</i>	刨花潤楠	12.00	10.00	340	F	P	L	L	LCSD	Retain	Retain
1524	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LCSD	Remove	Remove
1525	<i>Ficus hispida</i>	對葉榕	5.00	2.00	100	P	P	L	L	LCSD	Retain	Retain
1526	<i>Casuarina equisetifolia</i>	木麻黃	10.00	7.00	350	P	P	L	L	LCSD	Retain	Retain
1527	<i>Alangium chinense</i>	八角楓	5.50	2.50	130	F	P	L	L	LCSD	Retain	Retain
1528	<i>Viburnum odoratissimum</i>	珊瑚樹	7.00	5.00	160	P	P	L	L	LCSD	Retain	Retain
1529	<i>Macaranga tanarius</i>	血桐	7.00	5.00	160	P	P	L	L	LCSD	Fell	Fell
1530	<i>Casuarina equisetifolia</i>	木麻黃	7.50	0.50	240	P	P	L	L	LCSD	Fell	Fell
1531	<i>Acacia confusa</i>	台灣相思	13.0	7.0	290	P	P	L	L	LCSD	Fell	Fell
1532	<i>Alangium chinense</i>	八角楓	10.0	10.0	380	F	F	L	L	LCSD	Fell	Fell
1533	<i>Casuarina equisetifolia</i>	木麻黃	9.00	4.00	160	P	P	L	L	LANDSD	Retain	Retain
1534	<i>Casuarina equisetifolia</i>	木麻黃	20.00	13.00	400	F	F	L	L	LANDSD	Retain	Retain
1535	<i>Casuarina equisetifolia</i>	木麻黃	23.00	12.00	420	F	F	L	L	LANDSD	Retain	Retain
1536	<i>Alangium chinense</i>	八角楓	9.00	4.00	200	F	F	L	L	LANDSD	Retain	Retain
1537	<i>Ficus hispida</i>	對葉榕	7.00	3.00	110	F	P	L	L	LANDSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1538	<i>Casuarina equisetifolia</i>	木麻黃	10.00	3.00	100	P	P	L	L	LANDSD	Retain	Retain
1539	<i>Casuarina equisetifolia</i>	木麻黃	15.00	8.00	430	F	P	L	L	LANDSD	Retain	Retain
1540	<i>Casuarina equisetifolia</i>	木麻黃	18.00	10.00	500	F	F	L	L	LANDSD	Retain	Retain
1541	<i>Casuarina equisetifolia</i>	木麻黃	7.00	2.00	110	P	P	L	L	LANDSD	Retain	Retain
1542	<i>Celtis sinensis</i>	朴樹	6.00	2.00	140	F	F	L	L	LANDSD	Retain	Retain
1543	<i>Mallotus paniculatus</i>	白楸	5.00	2.00	100	F	F	L	L	LANDSD	Retain	Retain
1544	<i>Celtis sinensis</i>	朴樹	8.00	5.00	120	F	F	L	L	LANDSD	Retain	Retain
1545	<i>Casuarina equisetifolia</i>	木麻黃	25.00	10.00	390	F	F	L	L	LANDSD	Retain	Retain
1546	<i>Mallotus paniculatus</i>	白楸	9.00	3.00	130	F	P	L	L	LANDSD	Retain	Retain
1547	<i>Schefflera heptaphylla</i>	鵝掌柴	7.00	4.00	300	F	F	L	L	LANDSD	Retain	Retain
1548	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	13.00	4.00	210	F	P	L	L	LANDSD	Retain	Retain
1549	<i>Mallotus paniculatus</i>	白楸	8.00	5.00	180	F	F	M	L	LANDSD	Retain	Retain
1550	<i>Mallotus paniculatus</i>	白楸	8.00	4.00	140	F	F	L	L	LANDSD	Retain	Retain
1551	<i>Albizia lebbek</i>	大葉合歡	12.00	10.00	310	F	F	M	L	LANDSD	Retain	Retain
1552	<i>Celtis sinensis</i>	朴樹	11.00	8.00	200	F	F	L	L	LANDSD	Retain	Retain
1553	<i>Casuarina equisetifolia</i>	木麻黃	12.00	6.00	150	F	F	L	L	LANDSD	Retain	Retain
1554	<i>Casuarina equisetifolia</i>	木麻黃	14.00	10.00	400	F	F	L	L	LANDSD	Retain	Retain
1555	<i>Casuarina equisetifolia</i>	木麻黃	12.00	6.00	270	F	F	L	L	LANDSD	Retain	Retain
1556	<i>Bridelia tomentosa</i>	土蜜樹	6.00	4.00	120	F	F	L	L	LANDSD	Retain	Retain
1557	<i>Casuarina equisetifolia</i>	木麻黃	14.00	7.00	350	F	F	L	L	LANDSD	Retain	Retain
1558	<i>Itea chinensis</i>	老鼠刺	6.00	4.00	110	F	F	L	L	LANDSD	Retain	Retain
1559	<i>Casuarina equisetifolia</i>	木麻黃	18.00	3.00	300	F	F	L	L	LANDSD	Retain	Retain
1560	<i>Casuarina equisetifolia</i>	木麻黃	17.00	4.00	320	F	F	L	L	LANDSD	Retain	Retain
1561	<i>Casuarina equisetifolia</i>	木麻黃	14.00	3.00	200	F	F	L	L	LANDSD	Retain	Retain
1562	<i>Casuarina equisetifolia</i>	木麻黃	14.00	7.00	320	F	F	L	L	LANDSD	Retain	Retain
1563	<i>Mallotus paniculatus</i>	白楸	8.00	7.00	150	F	F	L	L	LANDSD	Retain	Retain
1564	<i>Casuarina equisetifolia</i>	木麻黃	18.00	6.00	280	F	F	L	L	LANDSD	Retain	Retain
1565	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LANDSD	Remove	Remove
1566	<i>Casuarina equisetifolia</i>	木麻黃	7.00	4.00	210	P	P	L	L	LANDSD	Retain	Retain
1567	<i>Mallotus paniculatus</i>	白楸	8.00	8.00	190	F	F	L	L	LANDSD	Retain	Retain
1568	<i>Alangium chinense</i>	八角楓	8.00	7.00	160	F	F	L	L	LANDSD	Retain	Retain
1569	<i>Casuarina equisetifolia</i>	木麻黃	20.00	7.00	380	F	F	L	L	LANDSD	Retain	Retain
1570	<i>Acacia confusa</i>	台灣相思	18.00	9.00	460	F	F	L	L	LANDSD	Retain	Retain
1571	<i>Casuarina equisetifolia</i>	木麻黃	18.00	7.00	300	F	F	L	L	LANDSD	Retain	Retain
1572	<i>Machilus pauhoi</i>	刨花潤楠	7.00	3.50	100	F	F	M	L	LANDSD	Retain	Retain
1573	<i>Melicope pteleifolia</i>	蜜茱萸	7.00	3.00	110	F	F	L	L	LANDSD	Retain	Retain
1574	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	15.00	4.00	280	F	P	L	L	LANDSD	Retain	Retain
1575	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	12.00	4.00	340	F	P	L	L	LANDSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1576	<i>Schefflera heptaphylla</i>	鵝掌柴	6.00	4.00	180	F	F	L	L	LANDSD	Retain	Retain
1577	<i>Celtis sinensis</i>	朴樹	7.00	5.00	180	F	P	L	L	LANDSD	Retain	Retain
1578	<i>Ficus hispida</i>	對葉榕	7.00	5.00	110	F	F	L	L	LANDSD	Retain	Retain
1579	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	10.00	3.00	190	F	P	L	L	LANDSD	Retain	Retain
1580	<i>Mallotus paniculatus</i>	白楸	6.00	6.00	150	F	F	L	L	LANDSD	Retain	Retain
1581	<i>Melicope pteleifolia</i>	蜜茱萸	4.00	5.00	100	F	F	L	L	LANDSD	Retain	Retain
1582	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	17.00	4.00	320	F	P	L	L	LANDSD	Retain	Retain
1583	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	13.00	4.00	230	F	P	L	L	LANDSD	Retain	Retain
1584	<i>Ficus hispida</i>	對葉榕	8.00	4.00	160	F	F	L	L	LANDSD	Retain	Retain
1585	<i>Ficus hispida</i>	對葉榕	9.00	5.00	360	F	F	L	L	LANDSD	Retain	Retain
1586	<i>Mallotus paniculatus</i>	白楸	9.00	5.00	130	F	F	M	L	LANDSD	Retain	Retain
1587	<i>Ficus hispida</i>	對葉榕	7.00	4.00	230	F	F	L	L	LANDSD	Retain	Retain
1588	<i>Macaranga tanarius</i>	血桐	9.00	3.00	150	F	F	L	L	LANDSD	Retain	Retain
1589	<i>Ficus hispida</i>	對葉榕	6.00	3.00	100	F	P	L	L	LANDSD	Retain	Retain
1590	<i>Ficus hispida</i>	對葉榕	6.00	4.00	110	P	P	L	L	LCSD	Retain	Retain
1591	<i>Ficus variegata</i>	青果榕	6.00	5.00	150	P	P	L	L	LCSD	Retain	Retain
1592	<i>Erythrina variegata</i>	刺桐	5.50	5.00	170	P	P	L	L	LCSD	Retain	Retain
1593	<i>Erythrina variegata</i>	刺桐	7.00	6.00	150	P	P	L	L	LCSD	Retain	Retain
1594	<i>Erythrina variegata</i>	刺桐	5.00	3.00	100	P	P	L	L	LCSD	Retain	Retain
1595	<i>Erythrina variegata</i>	刺桐	9.00	8.50	360	P	P	L	L	LCSD	Retain	Retain
1596	<i>Erythrina variegata</i>	刺桐	4.50	7.00	110	P	P	L	L	LCSD	Retain	Retain
1597	<i>Erythrina variegata</i>	刺桐	5.50	6.00	230	P	P	L	L	LCSD	Retain	Retain
1598	<i>Erythrina variegata</i>	刺桐	10.00	5.00	220	P	P	L	L	LCSD	Retain	Retain
1599	<i>Erythrina variegata</i>	刺桐	4.50	2.00	100	P	P	L	L	LCSD	Retain	Retain
1600	<i>Celtis sinensis</i>	朴樹	12.00	13.00	500	F	P	L	L	LCSD	Retain	Retain
1601	<i>Alangium chinense</i>	八角楓	4.50	3.00	200	F	P	L	L	LCSD	Retain	Retain
1602	<i>Celtis sinensis</i>	朴樹	8.00	8.00	280	P	P	L	L	LANDSD	Retain	Retain
1603	<i>Sapium sebiferum</i>	烏柏	10.50	8.00	380	P	P	L	L	LANDSD	Retain	Retain
1604	<i>Celtis sinensis</i>	朴樹	7.00	4.00	120	F	P	L	L	LANDSD	Retain	Retain
1605	<i>Celtis sinensis</i>	朴樹	12.00	9.00	260	F	P	L	L	LANDSD	Retain	Retain
1606	<i>Celtis sinensis</i>	朴樹	7.00	3.00	200	F	P	L	L	LANDSD	Retain	Retain
1607	<i>Celtis sinensis</i>	朴樹	12.00	8.00	220	F	P	L	L	LANDSD	Retain	Retain
1608	<i>Celtis sinensis</i>	朴樹	10.00	8.00	200	F	P	L	L	LANDSD	Retain	Retain
1609	<i>Celtis sinensis</i>	朴樹	10.00	3.00	170	F	P	L	L	LANDSD	Retain	Retain
1610	<i>Celtis sinensis</i>	朴樹	13.00	10.00	850	F	P	L	L	LANDSD	Retain	Retain
1611	<i>Ficus variegata</i>	青果榕	6.00	5.00	120	F	P	L	L	LANDSD	Retain	Retain
1612	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LANDSD	Remove	Remove
1613	<i>Mallotus paniculatus</i>	白楸	6.50	4.00	110	F	F	L	L	LANDSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1614	<i>Dead Tree</i>	死樹				N.A.	N.A.	N.A.	N.A.	LANDSD	Remove	Remove
1615	<i>Casuarina equisetifolia</i>	木麻黃	15.00	4.00	300	F	F	L	L	LANDSD	Retain	Retain
1616	<i>Albizia lebbek</i>	大葉合歡	13.00	8.00	400	F	F	L	L	LANDSD	Retain	Retain
1617	<i>Albizia lebbek</i>	大葉合歡	7.00	3.50	110	F	F	L	L	LANDSD	Retain	Retain
1618	<i>Casuarina equisetifolia</i>	木麻黃	15.00	8.00	620	F	P	L	L	LANDSD	Retain	Retain
1619	<i>Albizia lebbek</i>	大葉合歡	19.00	17.00	910	F	F	L	L	LANDSD	Retain	Retain
1620	<i>Albizia lebbek</i>	大葉合歡	20.00	10.00	380	F	F	L	L	LANDSD	Retain	Retain
1621	<i>Albizia lebbek</i>	大葉合歡	10.00	8.00	270	F	F	L	L	LANDSD	Retain	Retain
1622	<i>Albizia lebbek</i>	大葉合歡	2.50	4.50	120	F	F	L	L	LANDSD	Retain	Retain
1623	<i>Casuarina equisetifolia</i>	木麻黃	20.00	9.00	500	F	F	L	L	LANDSD	Retain	Retain
1624	<i>Casuarina equisetifolia</i>	木麻黃	12.00	7.00	300	F	P	L	L	LANDSD	Retain	Retain
1625	<i>Casuarina equisetifolia</i>	木麻黃	20.00	4.00	280	F	P	L	L	LANDSD	Retain	Retain
1626	<i>Litsea glutinosa</i>	潺槁樹	10.00	3.00	160	F	P	L	L	LANDSD	Retain	Retain
1627	<i>Macaranga tanarius</i>	血桐	8.00	4.00	140	F	P	L	L	LANDSD	Retain	Retain
1628	<i>Macaranga tanarius</i>	血桐	7.00	3.00	110	F	P	L	L	LANDSD	Retain	Retain
1629	<i>Macaranga tanarius</i>	血桐	6.00	4.00	140	P	P	L	L	LANDSD	Retain	Retain
1630	<i>Ficus hispida</i>	對葉榕	9.00	5.00	130	F	P	L	L	LANDSD	Retain	Retain
1631	<i>Ficus hispida</i>	對葉榕	8.00	5.00	240	F	P	L	L	LANDSD	Retain	Retain
1632	<i>Erythrina variegata</i>	刺桐	8.00	3.00	160	P	P	L	L	LANDSD	Retain	Retain
1633	<i>Bauhinia blakeana</i>	洋紫荊	7.00	10.00	370	P	P	L	L	LCSD	Fell	Fell
1634	<i>Bauhinia blakeana</i>	洋紫荊	5.50	5.50	120	P	P	L	L	HYD	Fell	Fell
1635	<i>Macaranga tanarius</i>	血桐	5.50	7.00	160	P	P	L	L	LCSD	Retain	Retain
1636	<i>Casuarina equisetifolia</i>	木麻黃	12.00	3.00	240	P	P	L	L	LANDSD	Retain	Retain
1637	<i>Casuarina equisetifolia</i>	木麻黃	6.50	3.00	100	P	P	L	L	LANDSD	Retain	Retain
1638	<i>Casuarina equisetifolia</i>	木麻黃	16.00	10.00	900	F	P	L	L	LANDSD	Retain	Retain
1639	<i>Casuarina equisetifolia</i>	木麻黃	22.00	13.00	430	P	P	L	L	LANDSD	Retain	Retain
1640	<i>Macaranga tanarius</i>	血桐	8.00	8.00	200	P	P	L	L	LANDSD	Retain	Retain
1641	<i>Casuarina equisetifolia</i>	木麻黃	12.00	10.00	300	P	P	L	L	LANDSD	Retain	Retain
1642	<i>Casuarina equisetifolia</i>	木麻黃	10.00	5.00	130	P	P	L	L	LANDSD	Retain	Retain
1643	<i>Sterculia lanceolata</i>	假蘋婆	6.0	3.0	130	P	P	L	L	LANDSD	Retain	Retain
1644	<i>Acacia confusa</i>	台灣相思	8.0	3.0	200	P	P	L	L	HYD	Retain	Retain
1645	<i>Sterculia lanceolata</i>	假蘋婆	12.0	4.0	160	F	P	L	L	HYD	Retain	Retain
1646	<i>Alangium chinense</i>	八角楓	10.0	6.0	210	F	P	L	L	HYD	Retain	Retain
1647	<i>Schefflera heptaphylla</i>	鵝掌柴	5.5	3.5	130	F	P	L	L	HYD	Retain	Retain
1648	<i>Schefflera heptaphylla</i>	鵝掌柴	6.5	4.0	140	F	P	L	L	HYD	Retain	Retain
1649	<i>Alangium chinense</i>	八角楓	10.0	7.0	260	F	P	L	L	HYD	Retain	Retain
1650	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	12.0	4.0	350	F	P	L	L	HYD	Retain	Retain
1651	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	15.0	4.0	330	F	P	L	L	HYD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1652	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	15.0	5.0	470	F	P	L	L	HYD	Retain	Retain
1653	<i>Schima superba</i>	木荷	12.0	8.0	410	F	F	L	L	HYD	Retain	Retain
1654	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	8.0	3.0	230	F	P	L	L	HYD	Retain	Retain
1655	<i>Celtis sinensis</i>	朴樹	6.5	5.0	170	F	F	L	L	HYD	Retain	Retain
1656	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	9.0	4.0	230	F	P	L	L	HYD	Retain	Retain
1657	<i>Ficus variegata</i>	青果榕	13.0	7.0	350	F	P	L	L	HYD	Fell	Fell
1658	<i>Ficus variegata</i>	青果榕	10.0	5.5	390	F	P	L	L	HYD	Fell	Fell
1659	<i>Sterculia lanceolata</i>	假蘋婆	9.0	8.0	300	F	P	L	L	HYD	Fell	Fell
1660	<i>Macaranga tanarius</i>	血桐	6.0	7.0	190	F	P	L	L	LANDSD	Retain	Retain
1661	<i>Macaranga tanarius</i>	血桐	5.0	6.0	200	P	P	L	L	LANDSD	Retain	Retain
1662	<i>Macaranga tanarius</i>	血桐	5.5	7.0	220	P	P	L	L	LANDSD	Retain	Retain
1663	<i>Sapium sebiferum</i>	烏柏	7.0	5.0	160	P	P	L	L	LANDSD	Retain	Retain
1664	<i>Ficus hispida</i>	對葉榕	5.0	4.0	190	P	P	L	L	LANDSD	Fell	Fell
1665	<i>Schima superba</i>	木荷	12.0	6.0	320	F	F	M	L	LANDSD	Retain	Retain
1666	<i>Bridelia tomentosa</i>	土蜜樹	8.0	7.0	250	P	P	L	L	LANDSD	Retain	Retain
1667	<i>Ficus hispida</i>	對葉榕	5.0	5.0	100	P	P	L	L	LANDSD	Retain	Retain
1668	<i>Machilus pauhoi</i>	刨花潤楠	8.0	6.0	130	F	F	L	L	LANDSD	Fell	Fell
1669	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	13.0	5.5	230	F	P	L	L	LANDSD	Fell	Fell
1670	<i>Machilus pauhoi</i>	刨花潤楠	7.0	5.0	140	F	F	L	L	LANDSD	Fell	Fell
1671	<i>Acacia confusa</i>	台灣相思	10.0	13.0	850	F	F	L	L	LANDSD	Retain	Retain
1672	<i>Macaranga tanarius</i>	血桐	8.0	9.0	220	F	F	L	L	LANDSD	Retain	Retain
1673	<i>Ficus Microcarpa</i>	細葉榕	6.0	6.0	360	F	F	L	L	HYD	Fell	Fell
1674	<i>Aporusa dioica</i>	銀柴	5.0	4.5	170	F	P	L	L	LCSD	Fell	Fell
1675	<i>Aporusa dioica</i>	銀柴	5.5	2.5	140	F	P	L	L	LCSD	Fell	Fell
1676	<i>Celtis sinensis</i>	朴樹	8.0	5.0	150	F	F	L	L	LCSD	Fell	Fell
1677	<i>Celtis sinensis</i>	朴樹	5.5	4.0	120	F	F	L	L	HYD	Fell	Fell
1678	<i>Litsea glutinosa</i>	潺槁樹	5.0	2.5	120	F	F	L	L	HYD	Fell	Fell
1679	<i>Celtis sinensis</i>	朴樹	7.0	6.0	140	F	P	L	L	HYD	Fell	Fell
1680	<i>Cratoxylum cochinchinense</i>	黃牛木	8.0	5.0	190	F	F	L	L	HYD	Fell	Fell
1681	<i>Acacia confusa</i>	台灣相思	10.0	8.0	250	F	F	L	L	HYD	Fell	Fell
1682	<i>Cratoxylum cochinchinense</i>	黃牛木	5.5	4.0	130	F	P	L	L	HYD	Fell	Fell
1683	<i>Celtis sinensis</i>	朴樹	7.0	4.0	170	F	P	L	L	HYD	Fell	Fell
1684	<i>Acacia confusa</i>	台灣相思	7.0	4.0	140	F	F	L	L	HYD	Fell	Fell
1685	<i>Acacia confusa</i>	台灣相思	8.0	4.0	140	F	F	L	L	HYD	Fell	Fell
1686	<i>Acacia confusa</i>	台灣相思	9.0	5.0	130	F	F	L	L	HYD	Fell	Fell
1687	<i>Acacia confusa</i>	台灣相思	9.0	3.5	120	F	F	L	L	HYD	Fell	Fell
1688	<i>Acacia confusa</i>	台灣相思	8.0	4.5	160	F	F	L	L	HYD	Fell	Fell
1689	<i>Acacia confusa</i>	台灣相思	8.0	5.0	150	F	F	L	L	HYD	Fell	Fell

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1690	<i>Acacia confusa</i>	台灣相思	11.0	6.0	150	F	F	L	L	HYD	Fell	Fell
1691	<i>Acacia confusa</i>	台灣相思	11.0	7.0	140	F	F	L	L	HYD	Fell	Fell
1692	<i>Acacia confusa</i>	台灣相思	10.0	5.0	160	F	F	L	L	HYD	Fell	Fell
1693	<i>Acacia confusa</i>	台灣相思	10.0	4.0	140	F	F	L	L	HYD	Fell	Fell
1694	<i>Ficus hispida</i>	對葉榕	4.0	5.0	130	F	P	L	L	HYD	Fell	Fell
1695	<i>Schefflera heptaphylla</i>	鵝掌柴	6.5	5.0	160	P	P	L	L	LCSD	Fell	Fell
1696	<i>Cratoxylum cochinchinense</i>	黃牛木	8.0	3.0	120	F	F	L	L	LCSD	Fell	Fell
1697	<i>Machilus pauhoi</i>	刨花潤楠	12.0	10.0	1400	F	F	L	L	LCSD	Fell	Fell
1698	<i>Aporusa dioica</i>	銀柴	6.0	5.0	450	P	P	L	L	LCSD	Fell	Fell
1699	<i>Schefflera heptaphylla</i>	鵝掌柴	8.0	7.0	760	P	P	L	L	LCSD	Fell	Fell
1700	<i>Aporusa dioica</i>	銀柴	9.0	10.0	640	F	P	L	L	LCSD	Fell	Fell
1701	<i>Aporusa dioica</i>	銀柴	6.0	3.5	140	P	P	L	L	LCSD	Fell	Fell
1702	<i>Schefflera heptaphylla</i>	鵝掌柴	6.0	5.0	1030	F	P	L	L	LCSD	Fell	Fell
1703	<i>Machilus pauhoi</i>	刨花潤楠	9.0	8.0	670	P	P	L	L	LCSD	Fell	Fell
1704	<i>Machilus pauhoi</i>	刨花潤楠	10.0	8.0	500	F	P	L	L	LCSD	Fell	Fell
1705	<i>Litsea glutinosa</i>	潺槁樹	7.0	2.0	140	F	P	L	L	LCSD	Fell	Fell
1706	<i>Litsea glutinosa</i>	潺槁樹	8.0	7.0	190	F	P	L	L	LCSD	Fell	Fell
1707	<i>Schefflera heptaphylla</i>	鵝掌柴	6.0	4.0	140	F	P	L	L	LCSD	Fell	Fell
1708	<i>Machilus pauhoi</i>	刨花潤楠	12.0	10.0	370	F	F	L	L	AFCD	Fell	Fell
1709	<i>Litsea glutinosa</i>	潺槁樹	8.5	6.0	240	F	F	L	L	AFCD	Fell	Fell
1710	<i>Celtis sinensis</i>	朴樹	7.0	4.0	240	F	P	L	L	AFCD	Retain	Retain
1711	<i>Aporusa dioica</i>	銀柴	6.0	5.0	500	P	P	L	L	AFCD	Fell	Fell
1712	<i>Acacia confusa</i>	台灣相思	12.5	7.0	270	F	F	L	L	LANDSD	Retain	Retain
1713	<i>Machilus pauhoi</i>	刨花潤楠	7.5	5.0	100	F	P	L	L	LANDSD	Retain	Retain
1714	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	12.0	5.0	260	F	F	L	L	LANDSD	Retain	Retain
1715	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	10.0	4.0	170	F	F	L	L	LANDSD	Retain	Retain
1716	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	13.0	5.5	330	F	F	L	L	LANDSD	Retain	Retain
1717	<i>Aquilaria sinensis</i>	土沉香	8.0	6.0	220	F	P	L	L	LANDSD	Retain	Retain
1718	<i>Celtis sinensis</i>	朴樹	7.0	3.0	110	F	P	L	L	LANDSD	Retain	Retain
1719	<i>Viburnum odoratissimum</i>	珊瑚樹	5.0	4.0	160	F	P	L	L	LANDSD	Retain	Retain
1720	Dead Tree	死樹				N.A.	N.A.	N.A.	N.A.	LANDSD	Remove	Remove
1721	<i>Celtis sinensis</i>	朴樹	6.0	3.0	260	F	P	L	L	LANDSD	Retain	Retain
1722	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	7.5	5.0	230	F	F	L	L	LANDSD	Retain	Retain
1723	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	13.0	8.0	530	F	F	L	L	LANDSD	Retain	Retain
1724	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	6.5	4.0	140	F	F	L	L	LANDSD	Retain	Retain
1725	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	13.0	4.0	560	F	F	L	L	LANDSD	Retain	Retain
1726	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	11.0	7.0	460	F	F	L	L	LANDSD	Retain	Retain
1727	<i>Machilus pauhoi</i>	刨花潤楠	10.0	6.0	180	F	F	M	L	LANDSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1728	<i>Schefflera heptaphylla</i>	鵝掌柴	5.5	6.0	260	F	P	L	L	AFCD	Retain	Retain
1729	<i>Aporosa dioica</i>	銀柴	7.0	4.0	130	P	P	L	L	AFCD	Retain	Retain
1730	<i>Celtis sinensis</i>	朴樹	8.0	5.0	170	F	P	L	L	AFCD	Retain	Retain
1731	<i>Aporosa dioica</i>	銀柴	6.0	4.0	150	F	P	L	L	AFCD	Retain	Retain
1732	<i>Acacia confusa</i>	台灣相思	8.0	7.0	220	F	P	L	L	AFCD	Retain	Retain
1733	<i>Machilus pauhoi</i>	刨花潤楠	8.0	4.0	160	F	F	L	L	AFCD	Retain	Retain
1734	<i>Machilus pauhoi</i>	刨花潤楠	7.0	6.0	210	F	F	L	L	AFCD	Retain	Retain
1735	<i>Machilus pauhoi</i>	刨花潤楠	7.5	5.5	130	F	F	L	L	AFCD	Retain	Retain
1736	<i>Machilus pauhoi</i>	刨花潤楠	7.5	5.0	170	F	F	L	L	AFCD	Retain	Retain
1737	<i>Machilus pauhoi</i>	刨花潤楠	9.0	7.0	260	F	F	L	L	LANDSD	Retain	Retain
1738	<i>Machilus pauhoi</i>	刨花潤楠	8.0	6.0	280	F	F	L	L	LANDSD	Retain	Retain
1739	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	8.0	4.0	280	F	F	L	L	LANDSD	Retain	Retain
1740	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	12.0	5.0	340	F	F	L	L	LANDSD	Retain	Retain
1741	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	8.5	3.5	120	F	F	L	L	LANDSD	Retain	Retain
1742	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	11.0	6.0	230	F	F	L	L	LANDSD	Retain	Retain
1743	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	10.0	6.0	220	F	F	L	L	LANDSD	Retain	Retain
1744	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	11.0	5.0	230	F	F	L	L	LANDSD	Retain	Retain
1745	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	13.5	6.0	250	F	F	L	L	LANDSD	Retain	Retain
1746	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	11.0	5.0	330	F	F	L	L	LANDSD	Retain	Retain
1747	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	7.5	3.0	190	F	F	L	L	LANDSD	Retain	Retain
1748	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	11.0	8.0	650	F	F	L	L	LANDSD	Retain	Retain
1749	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	12.0	5.0	220	F	F	L	L	LANDSD	Retain	Retain
1750	<i>Melaleuca cajuputi subsp.cumingiana</i>	白千層	10.0	4.0	300	F	P	L	L	LANDSD	Retain	Retain
1751	<i>Dimocarpus longan</i>	龍眼	12.0	8.0	300	F	P	L	L	LANDSD	Retain	Retain
1752	<i>Dimocarpus longan</i>	龍眼	12.0	12.0	290	F	P	L	L	LANDSD	Retain	Retain
1753	<i>Dimocarpus longan</i>	龍眼	11.0	7.0	160	F	P	L	L	LANDSD	Retain	Retain
1754	<i>Dimocarpus longan</i>	龍眼	14.0	10.0	550	F	F	L	L	LANDSD	Retain	Retain
1755	<i>Dimocarpus longan</i>	龍眼	14.5	8.0	330	F	F	L	L	LANDSD	Retain	Retain
1756	<i>Citrus maxima</i>	柚	3.2	2.0	140	F	F	L	L	LANDSD	Retain	Retain
1757	<i>Musa acuminata</i>	香蕉	5.0	4.6	170	F	P	L	L	LANDSD	Retain	Retain
1758	<i>Musa acuminata</i>	香蕉	4.4	3.0	130	F	P	L	L	LANDSD	Retain	Retain
1759	<i>Musa acuminata</i>	香蕉	5.0	5.0	200	F	P	L	L	LANDSD	Retain	Retain
1760	<i>Psidium guajava</i>	番石榴	3.7	2.0	110	F	P	L	L	LANDSD	Retain	Retain
1761	<i>Musa acuminata</i>	香蕉	5.0	5.0	150	F	P	L	L	LANDSD	Retain	Retain
1762	<i>Musa acuminata</i>	香蕉	5.0	4.5	140	F	P	L	L	LANDSD	Retain	Retain
1763	<i>Musa acuminata</i>	香蕉	5.0	6.0	150	F	P	L	L	LANDSD	Retain	Retain
1764	<i>Musa acuminata</i>	香蕉	4.7	3.5	140	F	P	L	L	LANDSD	Retain	Retain
1765	<i>Musa acuminata</i>	香蕉	5.5	4.5	160	F	P	L	L	LANDSD	Retain	Retain

Tree no.	Tree Species (Botanical name)	Tree Species (Chinese Common Name)	Tree Size			Health	Form	Amenity Value	Survival Rate After Transplanting	Maintenance Department	Recommendation Under Option A	Recommendation Under Option B
			Height (m)	Average crown spread (m)	Trunk (diameter) (mm)							
1766	<i>Musa acuminata</i>	香蕉	5.5	5.0	130	F	P	L	L	LANDSD	Retain	Retain
1767	<i>Musa acuminata</i>	香蕉	5.0	4.5	210	F	P	L	L	LANDSD	Retain	Retain
1768	<i>Musa acuminata</i>	香蕉	4.0	3.5	150	F	P	L	L	LANDSD	Retain	Retain
1769	<i>Melaleuca cajuputi</i> subsp.cumingiana	白千層	18.0	12.0	1200	F	F	L	L	LANDSD	Retain	Retain
1770	<i>Musa acuminata</i>	香蕉	5.0	4.0	160	F	P	L	L	LANDSD	Retain	Retain
1771	<i>Celtis sinensis</i>	朴樹	4.0	2.5	400	F	P	L	L	LCSD	Retain	Retain
1772	<i>Celtis sinensis</i>	朴樹	8.0	6.0	450	F	P	L	L	LCSD	Retain	Retain
1773	<i>Celtis sinensis</i>	朴樹	9.0	7.0	500	F	P	L	L	LCSD	Retain	Retain
1774	<i>Dracaena draco</i>	龍血樹	3.0	0.5	160	F	P	L	L	LCSD	Retain	Retain
1775	<i>Leucaena leucocephala</i>	銀合歡	9.0	4.5	140	F	P	L	L	LCSD	Retain	Retain
1776	<i>Leucaena leucocephala</i>	銀合歡	12.0	5.3	280	F	P	L	L	LCSD	Retain	Retain
1777	<i>Leucaena leucocephala</i>	銀合歡	11.0	3.5	180	F	P	L	L	LCSD	Retain	Retain
1778	<i>Celtis sinensis</i>	朴樹	7.0	4.0	200	F	P	L	L	LCSD	Retain	Retain
1779	<i>Leucaena leucocephala</i>	銀合歡	12.0	9.0	500	F	P	L	L	LCSD	Retain	Retain
1780	<i>Leucaena leucocephala</i>	銀合歡	11.0	4.5	150	F	P	L	L	LCSD	Retain	Retain
1781	<i>Leucaena leucocephala</i>	銀合歡	11.0	6.0	150	F	P	L	L	LCSD	Retain	Retain
1782	<i>Leucaena leucocephala</i>	銀合歡	8.0	5.0	170	F	P	L	L	Private Land Owner	Retain	Retain
1783	<i>Leucaena leucocephala</i>	銀合歡	8.0	5.0	180	F	P	L	L	LCSD	Retain	Retain
1784	<i>Leucaena leucocephala</i>	銀合歡	8.0	3.0	200	F	P	L	L	LCSD	Retain	Retain
1785	<i>Leucaena leucocephala</i>	銀合歡	9.0	5.0	150	F	P	L	L	LCSD	Retain	Retain
1786	<i>Leucaena leucocephala</i>	銀合歡	10.0	5.5	150	F	P	L	L	LCSD	Retain	Retain
1787	<i>Leucaena leucocephala</i>	銀合歡	12.0	5.5	210	F	P	L	L	LCSD	Retain	Retain
1788	<i>Leucaena leucocephala</i>	銀合歡	12.0	5.0	150	F	P	L	L	LCSD	Retain	Retain
1789	<i>Leucaena leucocephala</i>	銀合歡	12.0	6.0	240	F	P	L	L	LCSD	Retain	Retain
1790	<i>Leucaena leucocephala</i>	銀合歡	12.0	6.0	200	F	P	L	L	LCSD	Retain	Retain
1791	<i>Leucaena leucocephala</i>	銀合歡	10.0	6.0	420	F	P	L	L	LCSD	Retain	Retain
1792	<i>Leucaena leucocephala</i>	銀合歡	11.0	6.0	160	F	P	L	L	LCSD	Retain	Retain
1793	<i>Leucaena leucocephala</i>	銀合歡	11.0	5.0	210	F	P	L	L	LCSD	Retain	Retain
1794	<i>Leucaena leucocephala</i>	銀合歡	11.0	5.0	170	F	P	L	L	LCSD	Retain	Retain
1795	<i>Leucaena leucocephala</i>	銀合歡	10.0	5.0	150	F	P	L	L	LCSD	Retain	Retain
1796	<i>Leucaena leucocephala</i>	銀合歡	10.0	4.0	120	F	P	L	L	LCSD	Retain	Retain
1797	<i>Leucaena leucocephala</i>	銀合歡	10.0	5.0	130	F	P	L	L	LCSD	Retain	Retain
1798	<i>Leucaena leucocephala</i>	銀合歡	10.0	6.0	190	F	P	L	L	LCSD	Retain	Retain