

Appendix G5: Bird Species Recorded for Avifauna Survey

| Common Name | Scientific name | Chinese Name | Status | Distribution | Location | | | | | Remarks |
|-------------------------|----------------------------|--------------|---|--------------------|----------|----|----|----|--|--|
| | | | | | #1 | #2 | #3 | #4 | Transect Survey (area outside sampling locations) | |
| Barn Swallow | <i>Hirundo rustica</i> | 家燕 | Abundant passage migrant and summer visitor | Widely distributed | | | + | ++ | + | Cap 170 |
| Black-collared Starling | <i>Sturnus nigricollis</i> | 黑領椋鳥 | Common resident | Widely distributed | | | + | ++ | | Cap 170 |
| Black Kite | <i>Milvus migrans</i> | 黑鳶 | Common resident and winter visitor | Widely distributed | + | | | | + | Cap 170, Cap 586, Regional Concern Fellowes <i>et al.</i> (2002) |
| Chinese Bulbul | <i>Pycnonotus sinensis</i> | 白頭鶇 | Abundant resident | Widely distributed | +++ | + | ++ | + | + | Cap 170 |
| Chinese Pond Heron | <i>Ardeola bacchus</i> | 池鷺 | Common resident | Widely distributed | + | | + | | | Cap 170, Regional Concern Fellowes <i>et al.</i> (2002) |

| Common Name | Scientific name | Chinese Name | Status | Distribution | Location | | | | | Remarks |
|-----------------------|----------------------------------|--------------|-------------------|--|----------|----|----|-----|--|---|
| | | | | | #1 | #2 | #3 | #4 | Transect Survey (area outside sampling locations) | |
| Common Koel | <i>Eudynamys scolopacea</i> | 噪鵲 | Common resident | Widely distributed | | | + | + | | Cap 170 |
| Common Magpie | <i>Pica pica</i> | 喜鵲 | Common resident | Widely distributed | | | + | + | | Cap 170 |
| Common Myna | <i>Acridotheres tristis</i> | 家八哥 | Uncommon resident | Found in Mai Po, Sheung Uk Tsuen, Sheung Shui, Kam Tin, Shek Kong, Ping Shan, Mong Tseng | | | | + | | Cap 170 |
| Common Tailorbird | <i>Orthotomus sutorius</i> | 長尾縫葉鶯 | Common resident | Widely distributed | ++ | ++ | ++ | + | | Cap 170 |
| Crested Goshawk | <i>Accipiter Trivirgatus</i> | 鳳頭鷹 | Uncommon resident | Widely distributed in woodlands and shrublands | | | | + | | China Red Data Book Status-Rare, Cap 170, Cap 586 |
| Crested Myna | <i>Acridotheres cristatellus</i> | 八哥 | Common resident | Widely distributed | | | ++ | + | + | Cap 170 |
| Eurasian Tree Sparrow | <i>Passer montanus</i> | 麻雀 | Abundant resident | Widely distributed | ++ | + | ++ | +++ | +++ | Cap 170 |
| Fork-tailed Sunbird | <i>Aetopyga christinae</i> | 叉尾太陽鳥 | Common resident | Widely distributed | + | + | | | + | Cap 170 |

| Common Name | Scientific name | Chinese Name | Status | Distribution | Location | | | | | Remarks |
|--------------------|---------------------------------|--------------|---|--------------------------------|----------|-----|-----|-----|--|--|
| | | | | | #1 | #2 | #3 | #4 | Transect Survey (area outside sampling locations) | |
| Great Tit | <i>Parus Major</i> | 大山雀 | Common resident | Widely distributed | ++ | + | | + | + | Cap 170 |
| Greater Coucal | <i>Centropus sinensis</i> | 褐翅鴉鵂 | Common resident | Widely distributed | | | | + | | China Red Data Book Status-Vulnerable, Cap 170 |
| Hwamei | <i>Garrulax canorus</i> | 畫眉 | Common resident | Widely distributed | + | | | | | Cap 170 |
| Japanese White-eye | <i>Zosterops japonica</i> | 暗綠繡眼鳥 | Abundant resident | Widely distributed | +++ | +++ | +++ | +++ | +++ | Cap 170 |
| Large Hawk Cuckoo | <i>Hierococcyx sparveroides</i> | 鷹鵂 | Common passage migrant and summer visitor | Widely distributed in woodland | + | + | | | | Cap 170 |
| Large-billed Crow | <i>Corvus macrorhynchus</i> | 大嘴烏鴉 | Common resident | Widely distributed | + | | | | | Cap 170 |
| Little Egret | <i>Egretta garzetta</i> | 小白鷺 | Common resident | Widely distributed | | | | + | | Cap 170 |
| Little Swift | <i>Apus affinis</i> | 小雨燕 | Abundant spring migrant and locally common resident | Widely distributed | | | + | + | | Cap 170 |
| Long-tailed Shrike | <i>Lanius schach</i> | 棕背伯勞 | Common resident | Widely distributed | | | | + | | Cap 170 |

| Common Name | Scientific name | Chinese Name | Status | Distribution | Location | | | | | Remarks |
|-------------------------|--------------------------------|--------------|--|---|----------|-----|-----|----|--|---|
| | | | | | #1 | #2 | #3 | #4 | Transect Survey (area outside sampling locations) | |
| | | | | in open areas | | | | | | |
| Masked Laughingthrush | <i>Garrulax perspicillatus</i> | 黑臉噪 | Abundant resident | Widely distributed in shrubland | | | ++ | ++ | | Cap 170 |
| Orange-bellied Leafbird | <i>Chloropsis hardwickii</i> | 橙腹葉鶯 | Uncommon resident and winter visitor | Widely distributed in woodland | + | | | | | Cap 170, Local Concern Fellowes <i>et al.</i> (2002) |
| Oriental Magpie Robin | <i>Copsychus saularis</i> | 鶉鴂 | Abundant resident | Widely distributed | + | + | + | + | | Cap 170 |
| Red-whiskered Bulbul | <i>Pycnonotus jocosus</i> | 紅耳鶉 | Abundant resident | Widely distributed | +++ | +++ | +++ | ++ | ++ | Cap 170 |
| Rufous-capped Babbler | <i>Stachyris ruficeps</i> | 紅頭穗 | Uncommon resident | Found in Shing Mun, Tai Po Kau, Tai Mek Tuk, Ng Tung Chai, Fo Tan, Tai Mo Shan, The Peak and Kadoorie Agricultural | + | | | | | Cap 170, Local Concern Fellowes <i>et al.</i> (2002) |

| Common Name | Scientific name | Chinese Name | Status | Distribution | Location | | | | | Remarks |
|-----------------------------|-------------------------------|--------------|-----------------------------------|---|----------|----|----|----|--|---------|
| | | | | | #1 | #2 | #3 | #4 | Transect Survey (area outside sampling locations) | |
| | | | | Research Centre | | | | | | |
| Scaly-breasted Munia | <i>Lonchura punctulata</i> | 斑文鳥 | Common resident | Widely distributed | | | + | | + | Cap 170 |
| Scarlet Minivet | <i>Perocrocotus flammeus</i> | 赤紅山椒鳥 | Common resident | Found in Tai Po Kau, the Peak, Lam Tsuen, Cape D'Aguilar Road, Peel Rise, Shing Mun | ++ | ++ | | | | Cap 170 |
| Scarlet-backed Flowerpecker | <i>Dicaeum cruentatum</i> | 朱背啄花鳥 | Common resident | Widely distributed in wooded area | + | | | | | Cap 170 |
| Spotted Dove | <i>Streptopelia chinensis</i> | 珠頸斑鳩 | Abundant resident | Widely distributed | | + | + | ++ | ++ | Cap 170 |
| White Wagtail | <i>Motacilla alba</i> | 白鶺鴒 | Common passage migrant and winter | Widely distributed | | + | | + | | Cap 170 |

| Common Name | Scientific name | Chinese Name | Status | Distribution | Location | | | | | Remarks |
|-------------------------|------------------------------|--------------|-----------------|--------------------|----------|----|----|----|--|---|
| | | | | | #1 | #2 | #3 | #4 | Transect Survey (area outside sampling locations) | |
| | | | visitor | | | | | | | |
| White-breasted Waterhen | <i>Amauronia phoenicurus</i> | 白胸苦惡鳥 | Common resident | Widely distributed | | | + | + | | Cap 170, Regional Concern Fellowes <i>et al.</i> (2002) |
| White-rumped Munia | <i>Lonchura striata</i> | 白腰文鳥 | Common resident | Widely distributed | | | | ++ | + | Cap 170 |
| Yellow-bellied Prinia | <i>Prinia flaviventris</i> | 黃腹山鷓鴣 | Common resident | Widely distributed | + | + | + | + | + | Cap 170 |

References:

Hong Kong Biodiversity Database - <http://www.afcd.gov.hk/english/conservation/hkbiodiversity/database/search.asp>

Fellowes, J.R., Lau, M.W.N., Dudgeon, D., Reels, G.T., Ades, G.W.J., Wilson, K.D.P. & Yu, Y.T. (2002). Fauna of Conservation Concern. Memoirs of the Hong Kong Natural History Society, 25:123 – 159.