



King Tsui Court



Staff Quarters of Cape Collinson Crematorium



Staff Quarters of Tai Tam Gap Correctional Institution



Staff Quarters of Hong Kong Buddhist Cemetery (3/F)

本署檔號  
OUR REF:  
來函檔號  
YOUR REF:  
電話  
TEL. NO.:  
圖文傳真  
FAX NO.:  
電子郵件  
E-MAIL:  
網址  
HOME PAGE: <http://www.epd.gov.hk/>

(27) in Ax(1) to EP2/H20/N/04  
2835 1155  
2591 0558

**Environmental Protection Department  
Headquarters**  
26th Floor, Southorn Centre,  
130 Hennessy Road,  
Wan Chai, Hong Kong.



環境保護署總部  
香港灣仔  
軒尼詩道  
一百三十號  
修頓中心廿八樓

4 March 2008

**By Fax (2891 0305)**

ENSR Asia (HK) Limited  
(Attn. Mr. Derek LAM)

Dear Mr. Lam,

**Phased Reprovisioning of Cape Collinson Crematorium  
Environmental Impact Assessment Study  
(EIA Study Brief No. : ESB - 177/2008)**

**Agreement on Representative Noise Assessment Points**

We refer to your letter (ref. 60028568/C/dcf1802131) dated 13 February 2008 seeking our comment on the proposed assessment points for noise impact assessment for the captioned project under Section (iii) (b) in Appendix C of the EIA Study Brief.

We have no major comment on the proposed noise assessment points and you may proceed further with your assessment. Nevertheless, you suggest that Fung Wah Estate, Tai Tam Country Park and Shek O Country Park will not be identified as noise assessment points in the EIA study, the reasons for them not being selected as noise assessment points should be stated in the EIA report. Furthermore, if there is any change in the project details and surrounding environment during the course of EIA study, please check to see if the proposed noise assessment points are still appropriate.

Should you have any further queries, please feel free to contact the undersigned.

Yours faithfully,

(Victor YEUNG)

Senior Environmental Protection Officer  
for Director of Environmental Protection

c.c. ArchSD (Attn. Mr. W K LAI) Fax: 2290 2216

Internal  
S(MA)4

**ENSR Asia (HK) Ltd.**

(formerly Maunsell Environmental Management Consultants Ltd)

11/F Grand Central Plaza, Tower 2, 138 Shatin Rural Committee Road, Shatin, N.T., Hong Kong

**安社亞洲(香港)有限公司**

(前茂盛環境管理顧問有限公司)

香港新界沙田鄉事會路 138 號新城市中央廣場 2 座 11 樓

T +852 2893 1551 F +852 2891 0305 www.ensr.aecom.com www.maunsell.aecom.com

Your Ref:

Our Ref: 60028568/C/dcf1802131

**By Post & Fax (2591 0558)**

Environmental Protection Department

27/F Southorn Centre

130 Hennessy Road

Wan Chai

Hong Kong

Attn: Ms. Mable Chan

13 February 2008

Dear Madam,

**Phased Re provisioning of Cape Collison Crematorium  
Environmental Impact Assessment Study****Agreement on Representative Noise Assessment Points**

In accordance with Section (iii) (b) in Appendix C of the EIA Study Brief No. ESB-177/2008, we are pleased to enclose herewith a figure showing the locations and descriptions of the selected representative noise assessment points for your agreement. Photographs of these selected noise assessment points are also enclosed for your information.

A relevant Outline Zoning Plan (OZP) No. S/H20/17, which was gazetted on 18 November 2005, has been studied. No planned/committed noise sensitive developments are identified based on the relevant OZP. Noise sensitive uses in the close vicinity of the Project sites, as shown in the relevant OZP, have been duly represented by the existing representative noise sensitive receivers.

According to Annex 13 of the TM on EIA Process, Tai Tam Country Park and Shek O Country Park are the potential noise sensitive receivers. However, in view of the transient nature of visitors to the Country Park, the noise impact on the visitors would not be considered insurmountable and hence these two Country Parks would not be identified as noise assessment points in this EIA Study.

We would be grateful to receive your reply on or before 27 February 2008. Should you have any queries, please feel free to contact the undersigned at 3105 8513.

Yours faithfully,  
For and on behalf of  
**ENSR Asia (HK) Ltd**

A handwritten signature in black ink, appearing to be 'Derek Lam', written in a cursive style.

Derek Lam  
Senior Environmental Consultant

Encl.

cc ASD – Mr. W.K. Lai (w/encl.)

Fax: 2290 2216




NSR ID	NSR Description	No. of Storey	Type
KTC	King Tsui Court	34F	Residential
SQ1	Staff Quarters of Cape Collinson Crematorium	2F	Staff Quarters
SQ2	Staff Quarters of Tai Tam Gap Correctional Institution	4F	Staff Quarters
SQ3	Staff Quarters of Hong Kong Buddhist Cemetery	3F	Staff Quarters

Phased Reprovisioning of Cope Collinson Crematorium

## LOCATIONS OF REPRESENTATIVE NOISE ASSESSMENT POINTS

ENSR MAUNSELL ENSR Assess. & Eng. Ltd.	AECOM		SCALE	A3 1:3000	DATE	FEB 08
			CHECK	DCFL	DRAWN	SPM
		JOB No.	60028568		DRAWING No.	
		REV				


P:\60028568\1.01\CAD\DRAWING\SKETCH\NOISE\NSR.DWG




King Tsui Court



Staff Quarters of Cape Collinson Crematorium



Staff Quarters of Tai Tam Gap Correctional Institution



Staff Quarters of Hong Kong Buddhist Cemetery (3/F)