

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
1	1a	G/F	60.0	60.2	0.2
		1/F	63.2	63.3	0.1
	1b	G/F	66.2	66.4	0.2
		1/F	67.3	67.5	0.2
	1c	G/F	71.7	71.9	0.2
		1/F	71.7	71.9	0.2
	1d	G/F	71.2	71.4	0.2
	2	2	G/F	57.2	57.3
3	3a	G/F	61.3	61.5	0.2
	3b	1/F	52.7	52.9	0.2
4	4a	G/F	61.4	61.6	0.2
	4b	1/F	50.3	50.4	0.1
5	5a	G/F	68.0	68.2	0.2
		1/F	68.2	68.3	0.1
	5b	G/F	73.1	73.3	0.2
	5c	G/F	67.7	67.8	0.1
	5d	G/F	70.3	70.5	0.2
	5e	G/F	67.2	67.3	0.1
		1/F	67.4	67.5	0.1
	5f	G/F	68.7	68.9	0.2
		1/F	68.7	68.9	0.2
	5g	G/F	67.7	67.8	0.1
		1/F	67.6	67.7	0.1
	5h	G/F	66.2	66.3	0.1
	5i	G/F	68.1	68.2	0.1
	5j	G/F	64.1	64.2	0.1
	5k	G/F	60.0	60.2	0.2
		1/F	60.0	60.2	0.2
	5l	G/F	68.4	68.5	0.1
	5m	G/F	68.0	68.1	0.1
		1/F	68.7	68.8	0.1
	5n	G/F	53.5	53.6	0.1
		1/F	55.7	55.8	0.1
	5o	G/F	60.5	60.6	0.1
		1/F	60.5	60.7	0.2
	5p	G/F	65.0	65.1	0.1
		1/F	64.9	65.1	0.2
		2/F	64.9	65.0	0.1
	5q	G/F	58.5	58.6	0.1
		1/F	59.4	59.6	0.2
	5r	G/F	62.4	62.6	0.2
		1/F	62.5	62.7	0.2
		2/F	62.9	63.0	0.1
	5s	G/F	64.7	64.8	0.1
	5t	G/F	58.2	58.3	0.1
		1/F	58.6	58.7	0.1
	5u	G/F	61.5	61.6	0.1
		1/F	61.6	61.7	0.1
		2/F	62.1	62.3	0.2
	5v	G/F	54.7	54.8	0.1
		1/F	55.6	55.7	0.1
	5w	G/F	62.5	62.6	0.1
		1/F	60.1	60.3	0.2
	5x	G/F	60.1	60.3	0.2
		1/F	61.2	61.3	0.1
	5y	G/F	57.8	57.9	0.1
	5z	G/F	61.9	62.0	0.1
	5aa	G/F	50.7	50.8	0.1
	5ab	G/F	64.7	64.8	0.1
	5ac	G/F	62.0	62.1	0.1
	5ad	G/F	59.1	59.2	0.1
	5ae	G/F	60.6	60.7	0.1
1/F		60.8	60.9	0.1	
5af	G/F	62.1	62.2	0.1	
	1/F	62.2	62.3	0.1	
5ag	G/F	67.8	68.0	0.2	
5ah	G/F	60.0	60.1	0.1	
	1/F	60.1	60.2	0.1	
5ai	G/F	63.0	63.2	0.2	
	1/F	63.1	63.2	0.1	
5aj	G/F	58.3	58.5	0.2	
	1/F	58.6	58.7	0.1	
5ak	G/F	61.6	61.7	0.1	
	1/F	61.5	61.7	0.2	
5al	G/F	63.9	64.0	0.1	
	1/F	63.9	64.0	0.1	
5am	G/F	64.1	64.3	0.2	
	1/F	64.1	64.3	0.2	
5an	G/F	56.1	56.3	0.2	
	1/F	56.8	57.0	0.2	
5ao	G/F	61.0	61.2	0.2	
	1/F	61.8	62.0	0.2	

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
6	6a	G/F	65.5	65.7	0.2
		1/F	65.5	65.7	0.2
	6b	G/F	67.8	68.0	0.2
	6c	G/F	71.3	71.5	0.2
	6d	G/F	73.6	73.8	0.2
	6e	G/F	68.5	68.7	0.2
		1/F	68.6	68.8	0.2
	6f	G/F	68.9	69.1	0.2
	6g	G/F	67.5	67.7	0.2
	6h	G/F	68.9	69.1	0.2
	6i	G/F	68.8	68.9	0.1
		1/F	68.8	69.0	0.2
	6j	G/F	68.5	68.6	0.1
	6k	G/F	67.0	67.2	0.2
		1/F	67.0	67.2	0.2
	6l	G/F	67.4	67.5	0.1
		G/F	66.0	66.2	0.2
	6m	1/F	66.1	66.3	0.2
		G/F	57.9	58.1	0.2
	6n	1/F	61.0	61.2	0.2
		G/F	52.9	53.1	0.2
	6o	1/F	55.2	55.4	0.2
		G/F	62.4	62.6	0.2
	6p	1/F	62.7	62.9	0.2
		G/F	64.3	64.5	0.2
	6q	1/F	65.0	65.1	0.1
		G/F	62.7	62.9	0.2
	6r	1/F	64.4	64.6	0.2
		G/F	64.3	64.4	0.1
	6s	G/F	66.2	66.4	0.2
		1/F	66.5	66.7	0.2
	6t	G/F	48.5	48.7	0.2
		1/F	57.1	57.2	0.1
	6u	G/F	66.9	67.1	0.2
		1/F	67.1	67.3	0.2
	6v	G/F	58.4	58.6	0.2
		1/F	65.3	65.4	0.1
	6x	G/F	58.9	59.0	0.1
		1/F	63.4	63.6	0.2
	6y	G/F	63.6	63.7	0.1
		1/F	64.6	64.8	0.2
	6z	G/F	65.9	66.1	0.2
1/F		66.3	66.5	0.2	
6aa	G/F	60.7	60.9	0.2	
	1/F	60.8	60.9	0.1	
6ab	G/F	61.5	61.6	0.1	
	1/F	61.5	61.7	0.2	
6ac	G/F	62.7	62.9	0.2	
	1/F	62.8	63.0	0.2	
6ad	G/F	61.8	62.0	0.2	
	1/F	61.9	62.1	0.2	
6ae	G/F	60.8	61.0	0.2	
	1/F	61.0	61.1	0.1	
6af	G/F	60.1	60.2	0.1	
	1/F	60.3	60.5	0.2	
6ag	G/F	59.0	59.1	0.1	
	1/F	59.2	59.4	0.2	
6ah	G/F	61.2	61.4	0.2	
	1/F	61.3	61.4	0.1	
6ai	G/F	60.0	60.1	0.1	
	1/F	60.0	60.2	0.2	
6aj	G/F	66.2	66.4	0.2	
6ak	G/F	59.9	60.0	0.1	
6al	G/F	58.9	59.0	0.1	
6am	G/F	63.0	63.1	0.1	

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
7	7a	G/F	68.6	68.7	0.1
		1/F	68.8	68.9	0.1
		2/F	69.0	69.1	0.1
	7b	G/F	71.7	71.8	0.1
		1/F	72.1	72.3	0.2
		2/F	72.2	72.3	0.1
	7c	G/F	64.4	64.5	0.1
		1/F	64.4	64.6	0.2
		2/F	64.5	64.7	0.2
	7d	G/F	61.6	61.7	0.1
		1/F	62.1	62.2	0.1
		2/F	62.5	62.6	0.1
	7e	G/F	67.9	68.0	0.1
		1/F	68.3	68.4	0.1
		2/F	68.7	68.8	0.1
	7f	G/F	52.9	53.1	0.2
		1/F	53.8	54.0	0.2
		2/F	55.4	55.5	0.1
	7g	G/F	55.1	55.2	0.1
		1/F	55.7	55.8	0.1
		2/F	56.9	57.0	0.1
7h	G/F	61.5	61.6	0.1	
	1/F	61.9	62.0	0.1	
	2/F	62.5	62.6	0.1	
7i	G/F	65.2	65.3	0.1	
	1/F	65.5	65.6	0.1	
	2/F	66.0	66.1	0.1	
7j	G/F	55.8	56.0	0.2	
	1/F	56.4	56.5	0.1	
	2/F	57.5	57.6	0.1	
7k	G/F	60.5	60.6	0.1	
	1/F	60.8	60.9	0.1	
	2/F	61.3	61.5	0.2	
7l	G/F	58.3	58.4	0.1	
	1/F	58.6	58.7	0.1	
	2/F	59.2	59.3	0.1	
8	8a	G/F	68.4	68.5	0.1
		1/F	68.8	68.9	0.1
		2/F	69.2	69.3	0.1
	8b	G/F	72.9	73.1	0.2
		1/F	73.4	73.6	0.2
		2/F	73.5	73.6	0.1
	8c	G/F	68.6	68.8	0.2
		1/F	69.0	69.2	0.2
		2/F	69.6	69.7	0.1
	8d	G/F	59.8	59.9	0.1
		1/F	60.0	60.2	0.2
		2/F	60.3	60.5	0.2
	8e	G/F	60.0	60.1	0.1
		1/F	60.3	60.4	0.1
		2/F	60.5	60.6	0.1
	8f	G/F	56.8	56.9	0.1
		1/F	57.2	57.3	0.1
		2/F	57.5	57.7	0.2
	8g	G/F	60.0	60.1	0.1
		1/F	60.2	60.3	0.1
		2/F	60.3	60.5	0.2
8h	G/F	58.6	58.7	0.1	
	1/F	58.9	59.0	0.1	
	2/F	59.1	59.2	0.1	
8i	G/F	54.0	54.1	0.1	
	1/F	54.5	54.6	0.1	
	2/F	55.0	55.1	0.1	
8j	G/F	48.8	49.0	0.2	
	1/F	49.9	50.1	0.2	
	2/F	51.4	51.6	0.2	
8k	G/F	55.7	55.8	0.1	
	1/F	56.4	56.5	0.1	
	2/F	58.1	58.2	0.1	

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
9	9a	G/F	70.2	70.5	0.3
		1/F	70.6	70.9	0.3
	9b	G/F	71.9	72.0	0.1
		1/F	72.3	72.5	0.2
	9c	G/F	72.2	72.3	0.1
		9d	G/F	61.6	61.8
	1/F		62.3	62.5	0.2
	2/F		64.3	64.5	0.2
	9e	G/F	55.8	56.0	0.2
		1/F	56.8	56.9	0.1
		2/F	58.7	58.9	0.2
	9f	G/F	62.8	63.0	0.2
		1/F	63.3	63.5	0.2
		2/F	64.9	65.1	0.2
	9g	G/F	60.4	60.6	0.2
		1/F	61.0	61.2	0.2
		2/F	62.4	62.5	0.1
	9h	G/F	50.3	50.5	0.2
		1/F	52.6	52.8	0.2
		2/F	56.2	56.4	0.2
	9i	G/F	49.8	49.9	0.1
		1/F	51.1	51.3	0.2
		2/F	54.0	54.1	0.1
	9j	G/F	59.0	59.2	0.2
		1/F	59.5	59.6	0.1
		2/F	60.3	60.5	0.2
	9k	G/F	49.1	49.2	0.1
		1/F	51.3	51.5	0.2
		2/F	55.6	55.7	0.1
	9l	G/F	56.8	57.0	0.2
1/F		58.1	58.2	0.1	
2/F		63.8	63.9	0.1	
9m	G/F	49.3	49.4	0.1	
	1/F	54.1	54.2	0.1	
	2/F	63.5	63.6	0.1	
9n	G/F	65.3	65.4	0.1	
	1/F	65.7	65.8	0.1	
	2/F	66.8	66.9	0.1	
10	10a	G/F	66.0	66.2	0.2
		1/F	69.3	69.4	0.1
	10b	1/F	69.7	69.8	0.1
		2/F	70.1	70.2	0.1
	10c	G/F	68.8	68.9	0.1
		10d	G/F	63.9	64.0
	1/F		65.4	65.5	0.1
	2/F		66.5	66.6	0.1
	10e	G/F	48.6	48.7	0.1
		1/F	52.6	52.7	0.1
		2/F	58.9	59.0	0.1
	10f	G/F	62.6	62.7	0.1
		10g	G/F	64.3	64.4
	1/F		64.7	64.8	0.1
	2/F		65.1	65.2	0.1
	10i	G/F	57.8	57.9	0.1
		1/F	58.4	58.5	0.1
		2/F	59.2	59.3	0.1
	10j	G/F	49.5	49.6	0.1
		1/F	57.6	57.8	0.2
		2/F	59.6	59.7	0.1
	10k	G/F	45.9	46.0	0.1
		1/F	48.8	49.0	0.2
		2/F	53.5	53.6	0.1
	10l	G/F	52.2	52.3	0.1
		1/F	60.1	60.3	0.2
		2/F	63.1	63.2	0.1
	10m	G/F	63.0	63.1	0.1
		1/F	63.3	63.4	0.1
		2/F	63.8	64.0	0.2
10n	G/F	55.9	56.0	0.1	
	1/F	56.2	56.3	0.1	
10o	G/F	64.8	64.9	0.1	
	1/F	65.0	65.1	0.1	
10p	G/F	45.3	45.4	0.1	
	1/F	48.2	48.3	0.1	
	2/F	52.2	52.3	0.1	
10q	G/F	59.8	59.9	0.1	
	1/F	60.1	60.2	0.1	
	2/F	60.4	60.5	0.1	
10r	G/F	66.2	66.3	0.1	
	10s	G/F	65.8	65.9	0.1
1/F		66.1	66.2	0.1	
2/F		66.5	66.6	0.1	
10t	G/F	42.8	43.0	0.2	
	1/F	45.9	46.1	0.2	
	2/F	50.9	51.0	0.1	
11	11	G/F	69.4	69.6	0.2
		1/F	69.9	70.1	0.2

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
12	12a	G/F	74.5	74.6	0.1
		1/F	74.9	75.0	0.1
		2/F	74.5	74.6	0.1
	12b	G/F	68.2	68.3	0.1
		1/F	68.6	68.7	0.1
	12c	G/F	69.8	69.9	0.1
		1/F	69.8	69.9	0.1
		2/F	69.8	70.0	0.2
	12d	G/F	70.3	70.5	0.2
		1/F	70.3	70.4	0.1
		2/F	70.3	70.4	0.1
	12e	G/F	58.5	58.6	0.1
		1/F	58.7	58.8	0.1
		2/F	59.4	59.5	0.1
	12f	G/F	65.3	65.4	0.1
		1/F	65.4	65.5	0.1
		2/F	65.7	65.8	0.1
	12g	G/F	61.5	61.6	0.1
		1/F	61.6	61.7	0.1
		2/F	61.9	62.0	0.1
	12h	G/F	47.7	47.8	0.1
		1/F	50.9	51.0	0.1
		2/F	55.3	55.4	0.1
	12i	G/F	66.3	66.5	0.2
		1/F	66.4	66.5	0.1
		2/F	66.3	66.5	0.2
	12j	G/F	64.1	64.3	0.2
1/F		64.8	64.9	0.1	
2/F		65.8	65.9	0.1	
12k	G/F	49.2	49.3	0.1	
	1/F	53.7	53.9	0.2	
	2/F	64.5	64.6	0.1	
12l	G/F	62.9	63.0	0.1	
	1/F	63.0	63.1	0.1	
	2/F	63.3	63.5	0.2	
12m	G/F	64.0	64.1	0.1	
	1/F	64.1	64.3	0.2	
	2/F	64.5	64.6	0.1	
12n	G/F	45.7	45.9	0.2	
	1/F	48.5	48.7	0.2	
12o	G/F	59.1	59.3	0.2	
	1/F	59.8	59.9	0.1	
12p	G/F	74.9	75.0	0.1	
	1/F	75.4	75.5	0.1	
	2/F	75.0	75.1	0.1	
13	13a	G/F	61.9	62.0	0.1
		1/F	62.4	62.5	0.1
	13b	G/F	68.3	68.4	0.1
		1/F	68.9	69.0	0.1
	13c	G/F	63.3	63.5	0.2
		1/F	63.6	63.7	0.1
		2/F	64.0	64.1	0.1
	13d	G/F	69.1	69.2	0.1
		1/F	69.5	69.7	0.2
	13e	G/F	61.7	61.8	0.1
		1/F	62.4	62.5	0.1
	13f	G/F	58.4	58.5	0.1
		1/F	59.8	59.9	0.1
	13g	G/F	58.7	58.8	0.1
		1/F	59.5	59.6	0.1
	13h	G/F	65.3	65.4	0.1
		1/F	65.6	65.8	0.2
	13i	G/F	57.3	57.4	0.1
		1/F	57.7	57.9	0.2
	13j	G/F	62.6	62.7	0.1
		1/F	62.8	62.9	0.1
		2/F	63.0	63.2	0.2
	13k	G/F	67.8	68.0	0.2
		1/F	68.3	68.4	0.1
	13l	G/F	61.9	62.0	0.1
		1/F	62.8	62.9	0.1
	13m	G/F	57.7	57.8	0.1
1/F		58.4	58.5	0.1	
13n	G/F	60.0	60.1	0.1	
	1/F	60.2	60.3	0.1	
	2/F	60.5	60.6	0.1	
13o	G/F	56.8	56.9	0.1	
	1/F	57.0	57.2	0.2	
13p	2/F	57.3	57.4	0.1	
	G/F	60.1	60.2	0.1	
13q	1/F	60.3	60.5	0.2	
	2/F	60.5	60.6	0.1	
	G/F	56.7	56.8	0.1	
14	14	1/F	57.0	57.1	0.1
		2/F	57.1	57.3	0.2
		G/F	72.1	72.3	0.2
		1/F	72.6	72.8	0.2
		2/F	72.9	73.0	0.1
14	14	3/F	72.8	72.9	0.1
		4/F	72.6	72.8	0.2

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)	
			Without PSPP	With PSPP		
15	15a	2/F	62.1	62.2	0.1	
		3/F	62.3	62.4	0.1	
		4/F	62.5	62.7	0.2	
		5/F	62.9	63.0	0.1	
		6/F	63.2	63.3	0.1	
		7/F	63.3	63.4	0.1	
	15b	8/F	63.4	63.6	0.2	
		2/F	62.3	62.4	0.1	
		3/F	62.6	62.7	0.1	
		4/F	62.9	63.0	0.1	
		5/F	63.4	63.5	0.1	
		6/F	63.8	64.0	0.2	
	15c	7/F	64.1	64.3	0.2	
		8/F	64.3	64.5	0.2	
		2/F	60.2	60.4	0.2	
		3/F	60.4	60.6	0.2	
		4/F	60.6	60.7	0.1	
		5/F	60.8	61.0	0.2	
	15d	6/F	61.1	61.3	0.2	
		7/F	61.4	61.5	0.1	
		8/F	61.6	61.7	0.1	
		2/F	69.0	69.1	0.1	
		3/F	69.3	69.5	0.2	
		4/F	69.7	69.8	0.1	
	15e	5/F	69.8	70.0	0.2	
		6/F	69.9	70.1	0.2	
		7/F	69.9	70.0	0.1	
		8/F	69.9	70.0	0.1	
		2/F	59.3	59.5	0.2	
		3/F	59.6	59.7	0.1	
	15f	4/F	59.7	59.8	0.1	
		5/F	60.0	60.1	0.1	
		6/F	60.3	60.4	0.1	
		7/F	60.5	60.6	0.1	
		8/F	60.7	60.8	0.1	
		2/F	67.0	67.1	0.1	
	16	16	3/F	67.0	67.2	0.2
			4/F	67.2	67.3	0.1
			5/F	67.3	67.5	0.2
			6/F	67.5	67.6	0.1
			7/F	67.5	67.7	0.2
			8/F	67.5	67.7	0.2
			2/F	61.0	61.1	0.1
			3/F	61.1	61.2	0.1
			4/F	61.2	61.3	0.1
			5/F	61.5	61.6	0.1
			6/F	61.9	62.0	0.1
			7/F	62.1	62.2	0.1
8/F			62.4	62.5	0.1	
9/F			62.5	62.6	0.1	
10/F			62.6	62.7	0.1	
11/F			62.6	62.7	0.1	
12/F			62.6	62.7	0.1	
13/F			62.6	62.7	0.1	
14/F			62.6	62.7	0.1	
15/F			62.6	62.7	0.1	
16/F			62.6	62.7	0.1	
17/F			62.6	62.7	0.1	
18/F			62.7	62.8	0.1	
19/F			62.8	62.9	0.1	
20/F	62.8	62.9	0.1			
21/F	62.9	63.0	0.1			
22/F	62.9	63.0	0.1			
23/F	63.0	63.1	0.1			
24/F	63.0	63.1	0.1			
25/F	63.0	63.1	0.1			
26/F	63.0	63.1	0.1			
27/F	63.0	63.1	0.1			
28/F	63.0	63.1	0.1			
29/F	63.0	63.1	0.1			
17	17	G/F	71.6	71.7	0.1	
		1/F	71.6	71.7	0.1	
		2/F	71.5	71.6	0.1	
18	18	G/F	71.6	71.8	0.2	
19	19	G/F	68.8	68.9	0.1	
20	20	G/F	56.5	56.6	0.1	
21	21	G/F	67.6	67.7	0.1	
22	22	G/F	66.2	66.3	0.1	
23	23	G/F	72.5	72.7	0.2	
		1/F	72.4	72.5	0.1	
24	24	G/F	70.2	70.4	0.2	
		1/F	70.2	70.4	0.2	
25	25	G/F	68.9	69.1	0.2	
		1/F	68.9	69.1	0.2	
		2/F	68.9	69.1	0.2	