

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
1	1a	G/F	61.7	61.8	0.1
		1/F	64.9	64.9	0.0
	1b	G/F	67.9	68.0	0.1
		1/F	69.0	69.1	0.1
	1c	G/F	73.5	73.6	0.1
		1/F	73.5	73.5	0.0
1d	G/F	73.0	73.1	0.1	
2	2	G/F	58.9	58.9	0.0
3	3a	G/F	63.0	63.1	0.1
	3b	1/F	54.4	54.5	0.1
4	4a	G/F	63.1	63.2	0.1
	4b	1/F	52.0	52.1	0.1
5	5a	G/F	69.7	69.8	0.1
		1/F	69.9	70.0	0.1
	5b	G/F	75.1	75.1	0.0
	5c	G/F	69.4	69.5	0.1
	5d	G/F	72.1	72.1	0.0
	5e	G/F	68.9	69.0	0.1
		1/F	69.1	69.1	0.0
	5f	G/F	70.4	70.5	0.1
		1/F	70.4	70.5	0.1
	5g	G/F	69.4	69.4	0.0
		1/F	69.3	69.3	0.0
	5h	G/F	67.9	67.9	0.0
	5i	G/F	69.8	69.9	0.1
	5j	G/F	65.8	65.9	0.1
	5k	G/F	61.7	61.8	0.1
		1/F	61.7	61.8	0.1
	5l	G/F	70.1	70.1	0.0
	5m	G/F	69.7	69.8	0.1
		1/F	70.4	70.5	0.1
	5n	G/F	55.1	55.2	0.1
		1/F	57.4	57.4	0.0
	5o	G/F	62.2	62.2	0.0
		1/F	62.2	62.3	0.1
	5p	G/F	66.6	66.7	0.1
		1/F	66.6	66.7	0.1
		2/F	66.6	66.6	0.0
	5q	G/F	60.2	60.2	0.0
		1/F	61.1	61.2	0.1
	5r	G/F	64.1	64.2	0.1
		1/F	64.2	64.3	0.1
		2/F	64.6	64.7	0.1
	5s	G/F	66.4	66.5	0.1
	5t	G/F	59.9	59.9	0.0
		1/F	60.3	60.4	0.1
	5u	G/F	63.1	63.2	0.1
		1/F	63.3	63.3	0.0
		2/F	63.8	63.9	0.1
	5v	G/F	56.4	56.4	0.0
	5w	G/F	57.3	57.3	0.0
		1/F	64.2	64.3	0.1
	5x	G/F	61.8	61.9	0.1
		1/F	62.9	62.9	0.0
	5y	G/F	59.5	59.5	0.0
	5z	G/F	63.6	63.7	0.1
	5aa	G/F	52.4	52.5	0.1
	5ab	G/F	66.3	66.4	0.1
	5ac	G/F	63.7	63.7	0.0
	5ad	G/F	60.8	60.8	0.0
		G/F	62.3	62.3	0.0
	5ae	1/F	62.5	62.5	0.0
G/F		63.7	63.8	0.1	
5af	1/F	63.9	64.0	0.1	
	G/F	69.5	69.6	0.1	
5ag	G/F	61.7	61.7	0.0	
5ah	1/F	61.8	61.9	0.1	
	G/F	64.7	64.8	0.1	
5ai	1/F	64.8	64.8	0.0	
	G/F	60.0	60.1	0.1	
5aj	1/F	60.3	60.3	0.0	
	G/F	63.3	63.3	0.0	
5ak	1/F	63.2	63.3	0.1	
	G/F	65.6	65.6	0.0	
5al	1/F	65.6	65.6	0.0	
	G/F	65.8	65.9	0.1	
5am	1/F	65.8	65.9	0.1	
	G/F	57.8	57.9	0.1	
5an	1/F	58.5	58.6	0.1	
	G/F	62.7	62.8	0.1	
5ao	1/F	63.5	63.6	0.1	

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
6	6a	G/F	67.2	67.2	0.0
		1/F	67.2	67.3	0.1
	6b	G/F	69.5	69.6	0.1
		G/F	73.1	73.2	0.1
	6d	G/F	75.5	75.6	0.1
	6e	G/F	70.2	70.2	0.0
		1/F	70.3	70.4	0.1
	6f	G/F	70.6	70.6	0.0
	6g	G/F	69.2	69.3	0.1
		G/F	70.6	70.7	0.1
	6i	G/F	70.5	70.5	0.0
		1/F	70.5	70.6	0.1
	6j	G/F	70.2	70.2	0.0
		G/F	68.7	68.8	0.1
	6k	1/F	68.7	68.8	0.1
		G/F	69.1	69.1	0.0
	6l	G/F	67.7	67.8	0.1
		1/F	67.8	67.9	0.1
	6n	G/F	59.6	59.6	0.0
		1/F	62.7	62.8	0.1
	6o	G/F	54.6	54.7	0.1
		1/F	56.9	57.0	0.1
	6p	G/F	64.1	64.2	0.1
		1/F	64.4	64.5	0.1
	6q	G/F	66.0	66.0	0.0
		1/F	66.6	66.7	0.1
	6r	G/F	64.4	64.5	0.1
		1/F	66.1	66.2	0.1
	6s	G/F	65.9	66.0	0.1
	6t	G/F	67.9	68.0	0.1
		1/F	68.2	68.3	0.1
	6u	G/F	50.2	50.3	0.1
		1/F	58.7	58.8	0.1
	6v	G/F	68.6	68.7	0.1
		1/F	68.8	68.8	0.0
	6w	G/F	60.1	60.2	0.1
		1/F	67.0	67.0	0.0
	6x	G/F	60.6	60.6	0.0
		1/F	65.1	65.2	0.1
	6y	G/F	65.2	65.3	0.1
		1/F	66.3	66.4	0.1
	6z	G/F	67.6	67.7	0.1
		1/F	68.0	68.1	0.1
	6aa	G/F	62.4	62.5	0.1
		1/F	62.5	62.5	0.0
	6ab	G/F	63.1	63.2	0.1
1/F		63.2	63.3	0.1	
6ac	G/F	64.4	64.5	0.1	
	1/F	64.5	64.6	0.1	
6ad	G/F	63.5	63.6	0.1	
	1/F	63.6	63.7	0.1	
6ae	G/F	62.5	62.6	0.1	
	1/F	62.7	62.7	0.0	
6af	G/F	61.8	61.8	0.0	
	1/F	62.0	62.1	0.1	
6ag	G/F	60.7	60.7	0.0	
	1/F	60.9	61.0	0.1	
6ah	G/F	62.9	63.0	0.1	
	1/F	63.0	63.0	0.0	
6ai	G/F	61.7	61.7	0.0	
	1/F	61.7	61.8	0.1	
6aj	G/F	67.9	68.0	0.1	
6ak	G/F	61.6	61.6	0.0	
6al	G/F	60.6	60.6	0.0	
6am	G/F	64.7	64.7	0.0	

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
7	7a	G/F	70.3	70.4	0.1
		1/F	70.5	70.5	0.0
		2/F	70.7	70.8	0.1
	7b	G/F	73.6	73.7	0.1
		1/F	74.0	74.1	0.1
		2/F	74.0	74.1	0.1
	7c	G/F	66.1	66.2	0.1
		1/F	66.1	66.2	0.1
		2/F	66.3	66.3	0.0
	7d	G/F	63.4	63.5	0.1
		1/F	63.8	63.9	0.1
		2/F	64.2	64.3	0.1
	7e	G/F	69.6	69.7	0.1
		1/F	70.0	70.1	0.1
		2/F	70.4	70.5	0.1
	7f	G/F	54.6	54.7	0.1
		1/F	55.5	55.6	0.1
		2/F	57.1	57.1	0.0
	7g	G/F	56.8	56.9	0.1
		1/F	57.3	57.4	0.1
		2/F	58.6	58.7	0.1
	7h	G/F	63.2	63.2	0.0
		1/F	63.6	63.7	0.1
		2/F	64.2	64.2	0.0
	7i	G/F	66.9	67.0	0.1
		1/F	67.2	67.3	0.1
		2/F	67.7	67.8	0.1
7j	G/F	57.5	57.6	0.1	
	1/F	58.1	58.2	0.1	
	2/F	59.2	59.3	0.1	
7k	G/F	62.2	62.2	0.0	
	1/F	62.5	62.6	0.1	
	2/F	63.0	63.1	0.1	
7l	G/F	60.0	60.1	0.1	
	1/F	60.3	60.4	0.1	
	2/F	60.9	61.0	0.1	
8	8a	G/F	70.1	70.2	0.1
		1/F	70.5	70.6	0.1
		2/F	70.9	71.0	0.1
	8b	G/F	74.9	75.0	0.1
		1/F	75.4	75.5	0.1
		2/F	75.4	75.4	0.0
	8c	G/F	70.4	70.5	0.1
		1/F	70.8	70.9	0.1
		2/F	71.3	71.4	0.1
	8d	G/F	61.5	61.5	0.0
		1/F	61.7	61.8	0.1
		2/F	62.0	62.1	0.1
	8e	G/F	61.7	61.8	0.1
		1/F	62.0	62.0	0.0
		2/F	62.2	62.2	0.0
	8f	G/F	58.5	58.6	0.1
		1/F	58.9	59.0	0.1
		2/F	59.2	59.3	0.1
	8g	G/F	61.6	61.7	0.1
		1/F	61.9	62.0	0.1
		2/F	62.0	62.1	0.1
	8h	G/F	60.3	60.4	0.1
		1/F	60.6	60.7	0.1
		2/F	60.8	60.8	0.0
	8i	G/F	55.7	55.8	0.1
		1/F	56.2	56.3	0.1
		2/F	56.7	56.8	0.1
8j	G/F	50.5	50.6	0.1	
	1/F	51.6	51.7	0.1	
	2/F	53.1	53.2	0.1	
8k	G/F	57.4	57.4	0.0	
	1/F	58.1	58.1	0.0	
	2/F	59.8	59.9	0.1	

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
9	9a	G/F	72.1	72.2	0.1
		1/F	72.5	72.6	0.1
	9b	G/F	73.8	73.8	0.0
		1/F	74.2	74.3	0.1
	9c	G/F	74.0	74.1	0.1
		G/F	63.3	63.4	0.1
	9d	1/F	64.0	64.1	0.1
		2/F	66.0	66.1	0.1
		G/F	57.5	57.6	0.1
	9e	1/F	58.4	58.5	0.1
		2/F	60.4	60.5	0.1
		G/F	64.5	64.6	0.1
	9f	1/F	65.0	65.2	0.2
		2/F	66.6	66.7	0.1
		G/F	62.1	62.2	0.1
	9g	1/F	62.7	62.8	0.1
		2/F	64.1	64.1	0.0
		G/F	52.1	52.2	0.1
	9h	1/F	54.3	54.4	0.1
		2/F	57.9	58.0	0.1
		G/F	51.5	51.6	0.1
	9i	1/F	52.8	52.9	0.1
		2/F	55.7	55.7	0.0
		G/F	60.7	60.8	0.1
	9j	1/F	61.2	61.2	0.0
		2/F	62.0	62.1	0.1
		G/F	50.8	50.8	0.0
9k	1/F	53.0	53.1	0.1	
	2/F	57.3	57.3	0.0	
	G/F	58.5	58.6	0.1	
9l	1/F	59.8	59.9	0.1	
	2/F	65.5	65.5	0.0	
	G/F	51.0	51.0	0.0	
9m	1/F	55.8	55.9	0.1	
	2/F	65.2	65.3	0.1	
	G/F	67.0	67.1	0.1	
9n	1/F	67.4	67.5	0.1	
	2/F	68.5	68.6	0.1	
	G/F	67.7	67.8	0.1	
10a	G/F	71.0	71.1	0.1	
	1/F	71.4	71.5	0.1	
10b	2/F	71.8	71.9	0.1	
	G/F	70.5	70.6	0.1	
10c	G/F	65.6	65.7	0.1	
	1/F	67.1	67.2	0.1	
	2/F	68.2	68.3	0.1	
10d	G/F	50.3	50.4	0.1	
	1/F	54.3	54.3	0.0	
	2/F	60.6	60.7	0.1	
10e	G/F	64.3	64.4	0.1	
	G/F	66.0	66.1	0.1	
10f	1/F	66.3	66.5	0.2	
	2/F	66.8	66.9	0.1	
	G/F	59.5	59.6	0.1	
10g	1/F	60.1	60.2	0.1	
	2/F	60.9	61.0	0.1	
	G/F	51.2	51.3	0.1	
10h	1/F	59.3	59.4	0.1	
	2/F	61.3	61.4	0.1	
	G/F	47.6	47.7	0.1	
10i	1/F	50.5	50.7	0.2	
	2/F	55.2	55.3	0.1	
	G/F	53.9	54.0	0.1	
10j	1/F	61.8	61.9	0.1	
	2/F	64.7	64.9	0.2	
	G/F	64.7	64.8	0.1	
10k	1/F	65.0	65.1	0.1	
	2/F	65.5	65.7	0.2	
	G/F	57.6	57.7	0.1	
10l	1/F	57.9	58.0	0.1	
	G/F	66.5	66.6	0.1	
10m	1/F	66.7	66.8	0.1	
	G/F	47.0	47.1	0.1	
	1/F	49.9	50.0	0.1	
10n	2/F	53.9	54.0	0.1	
	G/F	61.5	61.6	0.1	
	1/F	61.8	61.9	0.1	
10o	2/F	62.1	62.2	0.1	
	G/F	67.9	68.0	0.1	
	G/F	67.4	67.6	0.2	
10p	1/F	67.8	67.9	0.1	
	2/F	68.2	68.3	0.1	
	G/F	44.6	44.7	0.1	
10q	1/F	47.7	47.8	0.1	
	2/F	52.6	52.7	0.1	

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
11	11	G/F	71.1	71.2	0.1
		1/F	71.7	71.8	0.1
		2/F	72.2	72.3	0.1
12	12a	G/F	76.2	76.3	0.1
		1/F	76.6	76.7	0.1
		2/F	76.2	76.3	0.1
	12b	G/F	69.9	70.0	0.1
		1/F	70.3	70.4	0.1
	12c	G/F	71.5	71.6	0.1
		1/F	71.6	71.7	0.1
		2/F	71.6	71.7	0.1
	12d	G/F	72.1	72.2	0.1
		1/F	72.1	72.2	0.1
		2/F	72.1	72.2	0.1
	12e	G/F	60.2	60.3	0.1
		1/F	60.4	60.5	0.1
		2/F	61.1	61.2	0.1
	12f	G/F	67.1	67.2	0.1
		1/F	67.2	67.3	0.1
		2/F	67.5	67.5	0.0
	12g	G/F	63.3	63.4	0.1
		1/F	63.4	63.5	0.1
		2/F	63.7	63.8	0.1
	12h	G/F	49.5	49.6	0.1
		1/F	52.7	52.8	0.1
		2/F	57.0	57.2	0.2
	12i	G/F	68.2	68.3	0.1
		1/F	68.2	68.3	0.1
		2/F	68.2	68.3	0.1
	12j	G/F	65.8	65.9	0.1
		1/F	66.5	66.6	0.1
		2/F	67.5	67.6	0.1
	12k	G/F	50.9	51.0	0.1
		1/F	55.4	55.6	0.2
		2/F	66.2	66.3	0.1
	12l	G/F	64.6	64.7	0.1
		1/F	64.8	64.9	0.1
		2/F	65.1	65.2	0.1
	12m	G/F	65.8	65.9	0.1
1/F		65.9	66.0	0.1	
2/F		66.2	66.3	0.1	
12n	G/F	47.4	47.6	0.2	
	1/F	50.2	50.4	0.2	
12o	G/F	60.8	60.9	0.1	
	1/F	61.5	61.6	0.1	
12p	G/F	76.6	76.7	0.1	
	1/F	77.1	77.2	0.1	
	2/F	76.7	76.8	0.1	
13	13a	G/F	63.6	63.6	0.0
		1/F	64.1	64.1	0.0
	13b	G/F	70.2	70.2	0.0
		1/F	70.7	70.8	0.1
	13c	G/F	65.0	65.1	0.1
		1/F	65.2	65.3	0.1
	13d	G/F	65.7	65.7	0.0
		1/F	65.7	65.7	0.0
	13e	G/F	70.9	70.9	0.0
		1/F	71.3	71.4	0.1
	13f	G/F	63.3	63.4	0.1
		1/F	64.1	64.1	0.0
	13g	G/F	60.1	60.1	0.0
		1/F	61.5	61.5	0.0
	13h	G/F	60.4	60.4	0.0
		1/F	61.2	61.2	0.0
	13i	G/F	66.9	67.0	0.1
		1/F	67.3	67.4	0.1
	13j	G/F	59.0	59.0	0.0
		1/F	59.4	59.5	0.1
		G/F	64.2	64.3	0.1
	13k	1/F	64.5	64.5	0.0
		2/F	64.7	64.8	0.1
	13l	G/F	69.5	69.6	0.1
		1/F	70.0	70.1	0.1
	13m	G/F	63.6	63.6	0.0
		1/F	64.5	64.6	0.1
	13n	G/F	59.4	59.5	0.1
		1/F	60.1	60.1	0.0
		G/F	61.6	61.7	0.1
	13o	1/F	61.9	61.9	0.0
		2/F	62.2	62.2	0.0
		G/F	58.5	58.5	0.0
	13p	1/F	58.7	58.8	0.1
		2/F	58.9	59.0	0.1
		G/F	61.8	61.8	0.0
13q	1/F	62.0	62.1	0.1	
	2/F	62.1	62.2	0.1	
	G/F	58.3	58.4	0.1	
14	14	1/F	58.6	58.7	0.1
		2/F	58.8	58.8	0.0
		G/F	73.9	74.0	0.1
		1/F	74.4	74.5	0.1
		2/F	74.6	74.8	0.2
14	14	3/F	74.5	74.7	0.2
		4/F	74.3	74.4	0.1

NSR ID	Assessment Point ID	Storey	Predicted Noise Levels, dB(A)		PSPP Contribution, dB(A)
			Without PSPP	With PSPP	
15	15a	2/F	63.7	63.9	0.2
		3/F	63.9	64.1	0.2
		4/F	64.2	64.3	0.1
		5/F	64.6	64.7	0.1
		6/F	64.8	65.0	0.2
		7/F	65.0	65.1	0.1
	15b	8/F	65.1	65.2	0.1
		2/F	64.0	64.1	0.1
		3/F	64.2	64.4	0.2
		4/F	64.5	64.7	0.2
		5/F	65.0	65.2	0.2
		6/F	65.5	65.6	0.1
	15c	7/F	65.8	65.9	0.1
		8/F	66.0	66.1	0.1
		2/F	62.0	62.1	0.1
		3/F	62.1	62.3	0.2
		4/F	62.3	62.4	0.1
		5/F	62.5	62.7	0.2
	15d	6/F	62.8	63.0	0.2
		7/F	63.1	63.2	0.1
		8/F	63.3	63.4	0.1
		2/F	70.7	70.9	0.2
		3/F	71.1	71.2	0.1
		4/F	71.4	71.5	0.1
	15e	5/F	71.6	71.7	0.1
		6/F	71.7	71.8	0.1
		7/F	71.6	71.7	0.1
		8/F	71.6	71.7	0.1
		2/F	61.0	61.1	0.1
		3/F	61.2	61.4	0.2
15f	4/F	61.4	61.5	0.1	
	5/F	61.7	61.8	0.1	
	6/F	62.0	62.1	0.1	
	7/F	62.2	62.3	0.1	
	8/F	62.4	62.5	0.1	
	2/F	68.8	68.9	0.1	
16	16	3/F	68.8	68.9	0.1
		4/F	69.0	69.1	0.1
		5/F	69.1	69.2	0.1
		6/F	69.3	69.3	0.0
		7/F	69.3	69.4	0.1
		8/F	69.3	69.4	0.1
		2/F	62.9	63.0	0.1
		3/F	63.0	63.0	0.0
		4/F	63.1	63.2	0.1
		5/F	63.4	63.5	0.1
		6/F	63.7	63.8	0.1
		7/F	64.0	64.1	0.1
		8/F	64.2	64.3	0.1
		9/F	64.4	64.5	0.1
		10/F	64.4	64.5	0.1
		11/F	64.5	64.5	0.0
		12/F	64.5	64.6	0.1
		13/F	64.5	64.6	0.1
		14/F	64.5	64.6	0.1
		15/F	64.5	64.5	0.0
16/F	64.5	64.6	0.1		
17/F	64.5	64.6	0.1		
18/F	64.5	64.6	0.1		
19/F	64.6	64.7	0.1		
20/F	64.7	64.7	0.0		
21/F	64.7	64.8	0.1		
22/F	64.7	64.8	0.1		
23/F	64.8	64.9	0.1		
24/F	64.8	64.9	0.1		
25/F	64.8	64.9	0.1		
26/F	64.8	64.9	0.1		
27/F	64.8	64.9	0.1		
28/F	64.8	64.9	0.1		
29/F	64.8	64.9	0.1		
17	17	G/F	73.6	73.7	0.1
		1/F	73.6	73.7	0.1
		2/F	73.5	73.6	0.1
18	18	G/F	73.5	73.5	0.0
19	19	G/F	70.5	70.5	0.0
20	20	G/F	58.2	58.2	0.0
21	21	G/F	69.3	69.3	0.0
22	22	G/F	67.9	67.9	0.0
23	23	G/F	74.4	74.4	0.0
		1/F	74.2	74.3	0.1
24	24	G/F	71.9	72.0	0.1
		1/F	71.9	72.0	0.1
25	25	G/F	70.7	70.8	0.1
		1/F	70.7	70.8	0.1
		2/F	70.7	70.8	0.1