

APPENDIX 10.3

**Avifauna Recorded in
the Study Area**

Common name	Latin Name	UD	AL	W	MS	S	Cu	GS	Commonness & Distribution
Little Grebe *	<i>Tachybaptus ruficollis</i>		42						CW
Little Egret	<i>Egretta garzetta</i>		84		3	1	1		CW
Chinese Pond Heron	<i>Ardeola bacchus</i>		6				1		CW
Great Egret	<i>Casmerodius albus</i>		1						CL
Grey Heron	<i>Ardea cinerea</i>		1		1				CL
Black Kite	<i>Milvus lineatus</i>	1	1			1		1	CW
Common Buzzard	<i>Buteo buteo</i>							1	CL
White-bellied Sea Eagle	<i>Haliaeetus leucogaster</i>		1					1	CL
Chinese Francolin	<i>Francolinus pintadeanus</i>	1							CW
Eurasian Woodcock **	<i>Scolopax rusticola</i>		1						R
Little Ringed Plover	<i>Charadrius dubius</i>				3				CW
Common Sandpiper	<i>Actitis hypoleucos</i>		1						CW
Common Redshank	<i>Tringa totanus</i>		3						CL
White-breasted Waterhen	<i>Amaurornis phoenicurus</i>					1			CW
Common Moorhen	<i>Gallinula chloropus</i>		3						CL
Eurasian Coot	<i>Fulica atra</i>		2						CL
Common Koel	<i>Eudynamis scolopacea</i>			2					CW
Greater Coucal	<i>Centropus sinensis</i>	1							CW
Collared Scops Owl **	<i>Otus lettia</i>			1					CL
Savanna Nightjar **	<i>Caprimulgus affinis</i>	1	1						CL
Common Kingfisher	<i>Alcedo atthis</i>		2				1		CW
White-throated Kingfisher	<i>Halcyon smyrnensis</i>		1						CW
Black-capped Kingfisher	<i>Halcyon pileata</i>		1						CL
Pied Kingfisher	<i>Ceryle rudis</i>		2						CL
Emerald Dove	<i>Chalcophaps indica</i>					1			R
Spotted Dove	<i>Streptopelia chinensis</i>	2	4	2				1	CW
House Swift	<i>Apus nipalensis</i>		2						CW
Barn Swallow	<i>Hirundo rustica</i>	3		15					CW
Olive-backed Pipit	<i>Anthus hodgsoni</i>	1	2	1		1			CW
White Wagtail	<i>Motacilla alba</i>	1	5			1			CW
Chinese Bulbul *	<i>Pycnonotus sinensis</i>	1	12	7		3		2	CW
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	1		8		11			CW
Red-vented Bulbul	<i>Pycnonotus aurigaster</i>		6	3		1		1	CW
Magpie Robin	<i>Copsychus saularis</i>	2	1	2					CW
Daurian Redstart **	<i>Phoenicurus aureus</i>		1						CL
Siberian Rubythroat	<i>Luscinia calliope</i>					1			CL
Grey-backed Thrush	<i>Turdus hortulorum</i>	1		1					CL
Blue Whistling Thrush	<i>Myiophonus caeruleus</i>					1			CW
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	2	3						CW
Plain Prinia	<i>Prinia inornata</i>		6						CL
Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	1		1					CW
Dusky Warbler	<i>Phylloscopus fuscatus</i>	1	2						CL

Common name	Latin Name	UD	AL	W	MS	S	Cu	GS	Commonness & Distribution
Common Tailorbird *	<i>Orthotomus sutorius</i>	1	2			3			CW
Chinese Bush Warbler	<i>Cettia diphone</i>			1					CL
Great Tit	<i>Parus major</i>			3		1			CW
Japanese White-eye	<i>Zosterops japonica</i>		12			9			CW
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	3	2			1			CW
Black-throated Laughingthrush	<i>Garrulax chinensis</i>							1	CL
Black Drongo	<i>Dicrurus macrocercus</i>		5				1	1	CW
Long-tailed Shrike *	<i>Lanius schach</i>	1	1					1	CW
Common Magpie	<i>Pica pica</i>							2	CW
Large-billed Crow	<i>Corvus macrorhynchus</i>				2				CW
Black-necked Starling	<i>Sturnus nigricollis</i>	1	1					2	CW
Crested Myna *	<i>Acridotheres cristatellus</i>	28	6	2					CW
Eurasian Tree Sparrow *	<i>Passer montanus</i>	6		2					CW
Spotted Munia *	<i>Lonchura punctulata</i>					3			CL
Total birds		60	226	51	9	40	4	14	
Total species		21	35	15	4	16	4	11	

Commonness: CW = common and widespread, CL = common/uncommon and localised, R = uncommon/rare and localised.

Habitats: UD = urbanized/disturbed, AL = ash lagoon, W = natural woodland, plantation woodland, MS = mangroves/mudflat, S = stream, Cu = orchard/village and fishpond, GS = grassland/shrubland

* with confirmed breeding (i.e., recent fledged juveniles)

** recorded during night surveys