



**Agreement No. CE 57/2005 (EP)
Integration of Siu Ho Wan and
Silver Mine Bay Water Treatment Works –
Environmental Impact Assessment
Investigation**

**Final Environmental Impact Assessment Report
(382715/B&V/0040/Issue 1)**

**Water Supplies Department
Consultants Management Division
6/F., Sha Tin Government Offices
No. 1, Sheung Wo Che Road
Sha Tin, New Territories
Hong Kong**

**Black & Veatch Hong Kong Limited
25/F, Millennium City 6
392 Kwun Tong Road
Kowloon
Hong Kong**

January 2010

CONTENTS

		Page
1.	INTRODUCTION	1-1
1.1	Background	1-1
1.2	Elements of the Project	1-1
1.3	Details of the Project	1-1
1.4	Environmental Impact Assessment Ordinance (EIAO) Requirements	1-2
1.5	Purpose and Objective of EIA Study	1-2
1.6	Approach of EIA Study	1-2
1.7	Structure of EIA Report	1-4
2.	PROJECT DESCRIPTION	2-1
2.1	General Description of the Site and Proposed Works	2-1
2.2	Need for the Project	2-2
2.3	Consideration of Different Alignment Options	2-2
2.4	Consideration of Alternative Construction Methods and Sequences of Work	2-5
2.5	Consideration of Environmental Issues	2-8
2.6	Selection of Preferred Scenario	2-10
2.7	Project Implementation Programme	2-11
2.8	Project Interface	2-12
2.9	Continue Project Involvement	2-12
3.	AIR QUALITY IMPACT ASSESSMENT	3-1
3.1	Background	3-1
3.2	Environmental Legislation, Policies, Plans, Standards and Criteria	3-1
3.3	Description of Environment	3-2
3.4	Air Sensitive Receivers	3-2
3.5	Assessment Methodology	3-4
3.6	Impact Evaluation	3-6
3.7	Mitigation Measures	3-9
3.8	Residual Impact	3-13
3.9	Cumulative Impact	3-13
3.10	Environmental Monitoring and Audit Requirement	3-14
3.11	Conclusions	3-14

	Name	Signature	Date
Prepared	Various compiled by Esther Tong		
Checked	Manuel Chua		
Reviewed	Justin Searle		

4.	CONSTRUCTION NOISE IMPACT ASSESSMENT	4-1
4.1	Background	4-1
4.2	Legislation, Standards, Guidelines and Criteria	4-1
4.3	Identification of Noise Sensitive Receivers	4-3
4.4	Assessment Methodology	4-4
4.5	Impact Assessment	4-7
4.6	Recommended Mitigation Measures	4-10
4.7	Residual Impact	4-12
4.8	Cumulative Impact	4-12
4.9	Environmental Monitoring and Audit	4-12
4.10	Conclusions	4-12
5.	Water Quality Impact Assessment	5-1
5.1	Introduction	5-1
5.2	Relevant Legislation and Guidelines	5-1
5.3	Inland Water Quality Objectives	5-1
5.4	Water Quality Sensitive Receivers	5-6
5.5	Assessment Methodology	5-8
5.6	Identification and Evaluation of Environmental Impacts	5-8
5.7	Mitigation Measures	5-10
5.8	Residual Impacts	5-13
5.9	Cumulative Impacts	5-13
5.10	Environmental Monitoring and Audit	5-13
5.11	Conclusions	5-13
6.	WASTE MANAGEMENT	6-1
6.1	Background	6-1
6.2	Environmental Legislation, Policies, Plans, Standards and Criteria	6-1
6.3	Assessment Methodology	6-2
6.4	Waste Arising	6-3
6.5	Proposed Mitigation Measures	6-5
6.6	Residual Impact	6-8
6.7	Conclusions	6-9
7.	ECOLOGICAL IMPACT ASSESSMENT	7-1
7.1	Introduction	7-1
7.2	Relevant Legislation and Guidelines	7-1
7.3	Field Survey Scope and Methodology	7-1
7.4	Recognised Site of Conservation Importance	7-3
7.5	Results	7-5
7.6	Evaluation of Habitats and Species	7-10
7.7	Impact Identification and Evaluation	7-14
7.8	Impact Avoidance and Mitigation Measures	7-18
7.9	Residual Ecological Impacts	7-18
7.10	Ecological Monitoring and Audits	7-19
7.11	Conclusions	7-19

8.	LANDSCAPE AND VISUAL IMPACT ASSESSMENT	8-1
8.1	Introduction	8-1
8.2	Relevant Legislation and Guidelines	8-2
8.3	LVIA Assessment Methodology	8-2
8.4	Review of Planning and Development Control Framework	8-9
8.5	Existing Landscape Baseline Conditions	8-10
8.6	Landscape Impact Assessment	8-22
8.7	Visual Baseline Conditions	8-29
8.8	Visual Impact Assessment	8-36
8.9	Recommended Landscape and Visual Impact Mitigation Measures	8-43
8.10	Residual Landscape Impacts	8-45
8.11	Residual Visual Impacts	8-48
8.12	Environmental Monitoring and Audit Manual	8-50
8.13	Provisional Programme of Landscape Works	8-53
8.14	Funding, Implementation, Management and Maintenance of Landscape Works	8-53
8.15	Conclusions	8-53
9.	HAZARD ASSESSMENT	9-1
9.1	Introduction	9-1
9.2	Details of the Project	9-2
9.3	Assessment Methodology	9-5
9.4	Hazard Identification	9-7
9.5	Additional Hazard initiated by Construction Activities	9-15
9.6	Event Frequency Estimation	9-23
9.7	Consequence Analysis	9-25
9.8	Population Data	9-27
9.9	Meteorological Conditions	9-31
9.10	Quantitative Risk Assessment Results	9-31
9.11	Conclusion	9-33
10.	ENVIRONMENTAL MONITORING AND AUDIT REQUIREMENTS	10-1
10.1	Introduction	10-1
10.2	Implementation of EIA Findings and Recommendations	10-1
10.3	Statutory Requirements	10-1
10.4	Environmental Management Plan	10-1
10.5	EM&A Manual	10-2
10.6	Objectives of EM&A	10-3
10.7	Air Quality	10-3
10.8	Noise	10-3
10.9	Water Quality	10-4
10.10	Waste Management	10-4
10.11	Ecology	10-5
10.12	Landscape and Visual	10-5
10.13	Hazard Assessment	10-5
11.	ENVIRONMENTAL OUTCOMES	11-1
11.1	Justification and Benefits of the Project	11-1
11.2	Environmental Sensitive Areas Protected and Public Disturbance Avoidance	11-1
11.3	Excavation Spoil Management	11-2
11.4	Compensatory Tree Planting at Water Treatment Works	11-2
11.5	Construction Method Selection and Advantages	11-2

12.	CONCLUSIONS & RECOMMENDATIONS	12-1
12.1	Introduction	12-1
12.2	Proposed Project	12-1
12.3	Air Quality	12-1
12.4	Noise	12-1
12.5	Water Quality	12-2
12.6	Waste Management	12-2
12.7	Ecology	12-2
12.8	Hazard to Life	12-2
12.9	Environmental Monitoring and Audit (EM&A)	12-3
12.10	Overall Conclusions	12-3

APPENDICES

Appendix 3.1	Emission Factors for the Construction Activities
Appendix 3.2	Dust Removal Efficiency
Appendix 4.1	Inventory of Powered Mechanical Equipment
Appendix 4.2	Detailed Calculation of Air-borne Noise
Appendix 4.3	Detailed Calculation of Ground-borne Noise
Appendix 4.4	Detailed Calculation of Ground-borne Noise – Minimum Distance required for Compliance with Evening and Nighttime Criteria
Appendix 4.5	Section View for the Selected NSRs
Appendix 7.1	Plant Species Recorded within the Assessment Area
Appendix 7.2	Bird Species and their Abundance Recorded in the Study Area
Appendix 7.3	Butterfly Species and their Abundance Recorded in the Study Area
Appendix 7.4	Dragonfly Species and their Abundance Recorded in the Study Area
Appendix 8.1	Summary of Tree Survey Report and Landscape Proposal
Appendix 8.2	Photo of Landscape Resource
Appendix 8.3	Photo of Landscape Character Area
Appendix 8.4	Photo of Visual Sensitive Receiver
Appendix 8.5	Plan and Section of Proposed Tunnel Portal and Shaft
Appendix 9.1	The works programme for different stage of works for Scheme A and Scheme B
Appendix 9.2	Details of the generic frequency estimations using the results of historical incidents search
Appendix 9.3	The Variation of Distance against the Peak Particle Velocity for the TBM
Appendix 9.4	The Plume Dimensions at different Release Scenarios for the SHW WTW
Appendix 9.5	The Plume Dimensions at different Release Scenarios for the SMB WTW
Appendix 9.6	The Transient Population Calculation
Appendix 9.7	Meteorological Data for SHW WTW and SMB WTW
Appendix 10.1	Implementation Schedule

LIST OF TABLES

Table 1.1	Environmental Issues Addressed in this EIA Report
Table 2.1	Summary of the Four Tunnel Alignment Options
Table 2.2	Pros and Cons of Construction Methods
Table 2.3	Summary of Benefits and Dis-benefits for Portal / Shaft Location
Table 3.1	Hong Kong Air Quality Objectives
Table 3.2	Five Year Average Pollutants Concentrations at EPD's Tung Chung Station
Table 3.3	Identified Representative Air Sensitive Receivers within the Study Area
Table 3.4	Representative Assessment Points for Identified Air Sensitive Receivers
Table 3.5a	Unmitigated TSP Concentrations at Representative ASRs at Siu Ho Wan (without Background)

Table 3.5b	Unmitigated TSP Concentrations at Representative ASRs at Siu Ho Wan (Background Included)
Table 3.6a	Unmitigated TSP Concentrations at Representative ASRs for Site Formation Works at Silver Mine Bay (without Background)
Table 3.6b	Unmitigated TSP Concentrations at Representative ASRs for Site Formation Works at Silver Mine Bay (Background Included)
Table 3.7a	Unmitigated TSP Concentrations at Representative ASRs for Construction of Vertical Shaft at Silver Mine Bay (without Background)
Table 3.7b	Unmitigated TSP Concentrations at Representative ASRs for Construction of Vertical Shaft at Silver Mine Bay (Background Included)
Table 3.8	Dust Removal Efficiency for Different Watering Frequencies
Table 3.9a	Mitigated TSP Concentrations at the Representative ASRs at Siu Ho Wan (without Background)
Table 3.9b	Mitigated TSP Concentrations at the Representative ASRs at Siu Ho Wan (Background Included)
Table 3.10a	Mitigated TSP Concentrations at Representative ASRs for Site Formation Works at Silver Mine Bay (without Background)
Table 3.10b	Mitigated TSP Concentrations at Representative ASRs for Site Formation Works at Silver Mine Bay (Background Included)
Table 3.11a	Mitigated TSP Concentrations at Representative ASRs for Construction of Vertical Shaft at Silver Mine Bay (without Background)
Table 3.11b	Mitigated TSP Concentrations at Representative ASRs for Construction of Vertical Shaft at Silver Mine Bay (Background Included)
Table 4.1	TM-EIA Daytime Construction Noise Limit
Table 4.2	Acceptable Noise Levels (ANL, Leq 5min dB(A))
Table 4.3	Daytime Ground-borne Construction Noise Limit
Table 4.4	Air-borne Noise Sensitive Receivers
Table 4.5	Identified Noise Sensitive Receivers
Table 4.6	Typical Values of Wave Speed and Loss Factor for Different Soil Class
Table 4.7	Loss Factor for Coupling into Building Foundation
Table 4.8	Unmitigated Construction Noise Levels at Representative NSRs
Table 4.9	Ground-borne Construction Noise Levels at Representative NSRs
Table 4.10	Listing of Quiet PME Items
Table 4.11	Construction Noise Levels at Representative NSR with Adoption of Level 1 Mitigation Measures
Table 4.12	Construction Noise Levels at Representative NSR with Adoption of Level 2 Mitigation Measures
Table 5.1	Water Quality Objectives for North Western Water Control Zone
Table 5.2	Water Quality Objectives for Southern Water Control Zone
Table 5.3	Water Quality at Mui Wo River Water Quality Monitoring Stations
Table 6.1	Estimated Quantities of C&D Materials
Table 6.2	Method and Programme of Disposal of C&D Materials and Import of Fill Material
Table 7.1	Habitats recorded within the assessment area
Table 7.2	Evaluation of woodland habitat within the assessment area
Table 7.3	Evaluation of plantation habitat within the assessment area
Table 7.4	Evaluation of grassland/shrubland habitat within the assessment area
Table 7.5	Evaluation of agricultural land within the assessment area
Table 7.6	Evaluation of ponds within the assessment area
Table 7.7	Evaluation of marsh/mangrove within the assessment area
Table 7.8	Evaluation of stream/channel within the assessment area
Table 7.9	Evaluation of urbanised/disturbed habitat within the assessment area
Table 7.10	Evaluation of floral species of conservation importance within the assessment area
Table 7.11	Evaluation of faunal species of conservation importance within the assessment area

Table 7.12	Estimated Habitat Loss
Table 7.13	Summary of Ecological Impacts and Mitigation Measures
Table 8.1	The Significance Threshold Matrix
Table 8.2	Impact definitions
Table 8.5.2.1a	SHWLR 1: Sensitivity to Potential Change
Table 8.5.2.2a	SHWLR 2: Sensitivity to Potential Change
Table 8.5.2.3a	SHWLR 3: Sensitivity to Potential Change
Table 8.5.2.4a	SHWLR 4: Sensitivity to Potential Change
Table 8.5.2.5a	SHWLR 5: Sensitivity to Potential Change
Table 8.5.2.6a	SHWLR 6: Sensitivity to Potential Change
Table 8.5.2.7a	SHWLR 7: Sensitivity to Potential Change
Table 8.5.2.8a	SMBLR 1: Sensitivity to Potential Change
Table 8.5.2.9a	SMBLR 2: Sensitivity to Potential Change
Table 8.5.2.10a	SMBLR 3: Sensitivity to Potential Change
Table 8.5.2.11a	SMBLR 4: Sensitivity to Potential Change
Table 8.5.2.12a	SMBLR 5: Sensitivity to Potential Change
Table 8.5.2.13a	SMBLR 6: Sensitivity to Potential Change
Table 8.5.2.14a	SMBLR 7: Sensitivity to Potential Change
Table 8.5.2.15a	SMBLR 8: Sensitivity to Potential Change
Table 8.5.2.16a	SMBLR 9: Sensitivity to Potential Change
Table 8.5.2.17a	SMBLR 10: Sensitivity to Potential Change
Table 8.5.3.1a	SHWLCA 1: Sensitivity to Potential Change
Table 8.5.3.2a	SHWLCA 2: Sensitivity to Potential Change
Table 8.5.3.3a	SMBLCA 1: Sensitivity to Potential Change
Table 8.5.3.4a	SMBLCA 2: Sensitivity to Potential Change
Table 8.5.3.5a	SMBLCA 3: Sensitivity to Potential Change
Table 8.6.1a	Impact on Landscape Resources
Table 8.6.2a	Impact on Landscape Character Area
Table 8.7.2.1a	SHWVSR 1: Sensitivity to Potential Change
Table 8.7.2.2a	SHWVSR 2: Sensitivity to Potential Change
Table 8.7.2.3a	SHWVSR 3: Sensitivity to Potential Change
Table 8.7.2.4a	SHWVSR 4: Sensitivity to Potential Change
Table 8.7.2.5a	SHWVSR 5: Sensitivity to Potential Change
Table 8.7.2.6a	SMBVSR 1: Sensitivity to Potential Change
Table 8.7.2.7a	SMBVSR 2: Sensitivity to Potential Change
Table 8.7.2.8a	SMBVSR 3: Sensitivity to Potential Change
Table 8.7.2.9a	SMBVSR 4: Sensitivity to Potential Change
Table 8.8.1a	Impact on Visual Sensitive Receiver
Table 8.8.1b	Impact on Visual Sensitive Receiver
Table 8.10.2a	Residual Impact on Landscape Resources
Table 8.10.3a	Residual Impact on Landscape Character Area
Table 8.11.2a	Residual Impact on Visual Sensitive Receiver
Table 8.12.1	Environmental management and audit criteria
Table 9.4.1	Chlorine Outflow Rates from the Building – SHW WTW
Table 9.4.2	Summary of Release Sizes from Releases during Chlorine Transportation
Table 9.4.3	Summary of Release Frequencies to Outside Building or Release from the Road
Table 9.5.1	Construction Activities and Corresponding Plants/equipment for the Project
Table 9.5.2	Potential Interface Problems and Solutions between Construction Activities and Chlorine Plant
Table 9.5.3	Summary of Identified Possible Deviation Causes
Table 9.5.4	Summary of Good Practices to Avoid Occurrence of Deviations and Corresponding Responsible Parties
Table 9.5.5	Mitigation Measures to be Adopted for the Project

Table 9.6.1	Summary of Release Frequencies to Outside Building – SHW WTW
Table 9.6.2	Chlorine Outflow Rates from the Access Road - SHW WTW3
Table 9.6.3	Summary of Events Frequency for the Operation of SMB WTW
Table 9.7.1	Toxic Effects of Chlorine
Table 9.7.2	Fatality Rate for Indoor and Outdoor Population
Table 9.7.3	Fatality Rate for Indoor and Outdoor Vulnerable Population
Table 9.8.1	Definition of Time Mode for Temporal Variation of Construction Workers
Table 9.8.2	Background Population for SHW WTW
Table 9.8.3	Background Population for SMB WTW
Table 9.8.4	Planned Average No. of Workers for Different Stage of Works
Table 9.10.1	Breakdown of PLL by Construction Area for the Most Critical Year (Mitigated Case)

LIST OF FIGURES

- Figure 1.1a General Tunnel Alignment of Proposed Fresh Water Transfer Tunnel
- Figure 1.1b Geological Features Identified for the Proposed Fresh Water Transfer Tunnel
- Figure 1.1b-1 Longitudinal Profile and Rock Mass Classification along Tunnel Alignment (Sheet 1 of7)
- Figure 1.1b-2 Longitudinal Profile and Rock Mass Classification along Tunnel Alignment (Sheet 2 of7)
- Figure 1.1b-3 Longitudinal Profile and Rock Mass Classification along Tunnel Alignment (Sheet 3 of7)
- Figure 1.1b-4 Longitudinal Profile and Rock Mass Classification along Tunnel Alignment (Sheet 4 of7)
- Figure 1.1b-5 Longitudinal Profile and Rock Mass Classification along Tunnel Alignment (Sheet 5 of7)
- Figure 1.1b-6 Longitudinal Profile and Rock Mass Classification along Tunnel Alignment (Sheet 6 of7)
- Figure 1.1b-7 Longitudinal Profile and Rock Mass Classification along Tunnel Alignment (Sheet 7 of7)
- Figure 1.2 Proposed Tunnel Alignment near Siu Ho Wan Water Treatment Works (Original Proposal)
- Figure 1.3 Proposed Tunnel Alignment near Silver Mine Bay Water Treatment Works (Original Proposal)
- Figure 1.4 Proposed Tunnel Alignment near Siu Ho Wan Water Treatment Works
- Figure 1.5 Proposed Tunnel Alignment near Silver Mine Bay Water Treatment Works
- Figure 2.1 Alignment Options (Preliminary Project Feasibility Study)
- Figure 2.2 Proposed Site Works Arrangement for Proposed Tunnel Portal Location in Siu Ho Wan Water Treatment Works
- Figure 2.3 Proposed Site Works Arrangement for Proposed Tunnel Shaft Location near Silver Mine Bay Water Treatment Works
- Figure 3.1a Locations of Representative Air Sensitive Receivers at Siu Ho Wan
- Figure 3.1b Locations of Representative Air Sensitive Receivers at Silver Mine Bay
- Figure 3.2a Locations of Dust Emission Sources at Siu Ho Wan
- Figure 3.2b Locations of Dust Emission Sources at Silver Mine Bay
- Figure 3.3 Contours of 1-hour TSP Concentration at Level 1.5m Above Local Ground at Siu Ho Wan
- Figure 3.4 Contours of 24-hour TSP Concentration at Level 1.5m Above Local Ground at Siu Ho Wan
- Figure 3.5 Contours of Annual TSP Concentration (Background Included) at Level 1.5m Above Local Ground at Siu Ho Wan
- Figure 3.6 Contours of 1-hour TSP Concentration at Level 5m above Local Ground at Siu Ho Wan
- Figure 3.7 Contours of 24-hour TSP Concentration at Level 5m above Local Ground at Siu Ho Wan
- Figure 3.8 Contours of Annual TSP Concentration at Level 5m above Local Ground at Siu Ho Wan
- Figure 3.9 Contours of 1-hour TSP Concentration (Background Included) at Level 1.5m above Local Ground at Silver Mine Bay (Site Formation)
- Figure 3.10 Contours of 1-hour TSP Concentration (Background Included) at Level 1.5m above Local Ground at Silver Mine Bay (Construction of Vertical Shaft)
- Figure 3.11 Contours of 24-hour TSP Concentration (Background Included) at Level 1.5m above Local Ground at Silver Mine Bay (Site Formation)
- Figure 3.12 Contours of 24-hour TSP Concentration (Background Included) at Level 1.5m above Local Ground at Silver Mine Bay (Construction of Vertical Shaft)
- Figure 3.13 Contours of Annual TSP Concentration (Background Included) at Level 1.5m above Local Ground at Silver Mine Bay (Construction of Vertical Shaft)
- Figure 3.14 Contours of Annual TSP Concentration (Background Included) at Level 1.5m above Local Ground at Silver Mine Bay (Construction of Vertical Shaft)
- Figure 3.15 Contours of 1-hour TSP Concentration (Background Included) at Level 5m above Local Ground at Silver Mine Bay (Site Formation)

Figure 3.16	Contours of 1-hour TSP Concentration (Background Included) at Level 5m Above Local Ground at Silver Mine Bay (Construction of Vertical Shaft)
Figure 3.17	Contours of 24-hour TSP Concentration (Background Included) at Level 5m above Local Ground at Silver Mine Bay (Site Formation)
Figure 3.18	Contours of 24-hour TSP Concentration (Background Included) at Level 5m above Local Ground at Silver Mine Bay (Construction of Vertical Shaft)
Figure 3.19	Contours of Annual TSP Concentration (Background Included) at Level 5m above Local Ground at Silver Mine Bay (Site Formation)
Figure 3.20	Contours of Annual TSP Concentration (Background Included) at Level 5m above Local Ground at Silver Mine Bay (Construction of Vertical Shaft)
Figure 4.1	Layout Plan of the Tunnel Alignment and it's Portal and Shaft
Figure 4.1a	Locations of Representative Noise Sensitive Receivers at Silver Mine Bay
Figure 4.1b	Locations of Representative Noise Sensitive Receivers at Lung Mei Tsuen, Lung Mei Hang & Mui Wo Kau Tsuen
Figure 5.1	Water Sensitive Receivers at Siu Ho Wan Water Treatment Works
Figure 5.2	Water Sensitive Receivers at Silver Mine Bay Water Treatment Works
Figure 7.1	Sites of Conservation Importance
Figure 7.2a	Habitat Map (Overview and Index)
Figure 7.2b	Habitat Map (Close-up at Silver Mine Bay)
Figure 7.2c	Habitat Map (Close-up at Siu Ho Wan)
Figure 7.3	Photos of Habitats and Species of Conservation Interest
Figure 7.4	Comparison of the Original Alignment versus the Alternative (Preferred) Alignment in relation to encroachment to woodland habitats
Figure 8.1	Study Area (Siu Ho Wan)
Figure 8.2	Study Area (Silver Mine Bay)
Figure 8.3	Baseline Study - Landscape Resources (Siu Ho Wan)
Figure 8.4	Baseline Study - Landscape Resources (Silver Mine Bay)
Figure 8.5	Residue Impact on Landscape Resources (Siu Ho Wan)
Figure 8.6	Residue Impact on Landscape Resources (Silver Mine Bay)
Figure 8.7	Tree Survey Plan (Siu Ho Wan)
Figure 8.7B	Tree Survey Plan (Siu Ho Wan)
Figure 8.8	Tree Survey Plan (Silver Mine Bay)
Figure 8.8 B	Tree Survey Plan (Silver Mine Bay)
Figure 8.9	Compensatory Planting Plan (Siu Ho Wan)
Figure 8.10	Compensatory Planting Plan (Silver Mien Bay)
Figure 8.11	Baseline Study - Landscape Character Area (Siu Ho Wan)
Figure 8.12	Baseline Study - Landscape Character Area (Silver Mine Bay)
Figure 8.13	Residue Impact on Landscape Character Area (Siu Ho Wan)
Figure 8.14	Residue Impact on Landscape Character Area (Silver Mine Bay)
Figure 8.15A	Baseline Study - Visual Sensitive Receivers - Construction Phase (Siu Ho Wan)
Figure 8.15B	Baseline Study - Visual Sensitive Receivers - Operation Phase (Siu Ho Wan)
Figure 8.16A	Baseline Study - Visual Sensitive Receivers - Construction Phase (Silver Mine Bay)
Figure 8.16B	Baseline Study - Visual Sensitive Receivers - Operation Phase (Silver Mine Bay)
Figure 8.17	Photomontage - SHWVSR1
Figure 8.18	Photomontage - SHWVSR2
Figure 8.19	Photomontage - SHWVSR3
Figure 8.20	Photomontage - SMBVSR1
Figure 8.21	Photomontage - SMBVSR2
Figure 8.22	Photomontage - SMBVSR3
Figure 8.23	Photomontage - SMBVSR4
Figure 8.24A	Residue Impact on Visual Sensitive Receivers Construction Phase (Siu Ho Wan)
Figure 8.24B	Residue Impact on Visual Sensitive Receivers Operation Phase (Siu Ho Wan)
Figure 8.25A	Residue Impact on Visual Sensitive Receivers Construction Phase (Silver Mine Bay)

Figure 8.25B	Residue Impact on Visual Sensitive Receivers Operation Phase (Silver Mine Bay)
Figure 8.26	Mitigation Plan (Siu Ho Wan)
Figure 8.26a	Construction Stage Mitigation Plan (Siu Ho Wan)
Figure 8.26b	Operation Stage Mitigation Plan (Siu Ho Wan)
Figure 8.27	Mitigation Plan (Silver Mine Bay)
Figure 8.27a	Construction Stage Mitigation Plan (Silver Mine Bay)
Figure 8.27b	Operation Stage Mitigation Plan (Silver Mine Bay)
Figure 9.2.1	Location of Fresh Water Tunnel between SHW WTW and SMB WTW
Figure 9.2.2	The Tunnel Portal Location, Routings for Chlorine Delivery, Chlorine Solution Pipe and Proposed Water Mains in SHW WTW
Figure 9.2.3	The Tunnel Shaft Location, Routings for Chlorine Delivery and Proposed Water Mains in SMB WTW
Figure 9.2.4	The Work Locations for Different Construction Activities in SHW WTW
Figure 9.2.5	The Work Locations for Different Activities at SMB WTW
Figure 9.2.6	The Reference Tunnel Alignment and Portal Locations in EIA Project Profile
Figure 9.3	The Work Locations for Different Construction Activities in SMB WTW
Figure 9.3.1	Societal Risk Guideline
Figure 9.4	Individual Risk Plot for Silver Mine Bay Water Treatment Works
Figure 9.5	Individual Risk Plot for Siu Ho Wan Water Treatment Works
Figure 9.6	Mitigated Societal Risk Plot for the Most Critical Year in SMB WTW
Figure 9.7	Mitigated Societal Risk Plot for the Most Critical Year in SHW WTW
Figure 9.8.1	Location Plan for Background Population within 1km CZ – SHW WTW
Figure 9.8.2a	Location Plan for Background Population within 1km CZ – SMB WTW
Figure 9.8.2b	Location Plan for Background Population within 1km CZ – SMB WTW (Sheet 1 of 2)
Figure 9.8.2c	Location Plan for Background Population within 1km CZ – SMB WTW (Sheet 1 of 2)
Figure 9.10.1	Individual Risk Plot for SMB WTW
Figure 9.10.2	Individual Risk Plot for SHW WTW
Figure 9.10.3	Mitigated Societal Risk Plot for the Most Critical Construction Year in SMB WTW
Figure 9.10.4	Mitigated Societal Risk Plot for the Most Critical Construction Year in SHW WTW