

本署檔號
OUR REF: f(15) in AX(1) to EP2/N7/A/52 Pt.2
來函檔號
YOUR REF: PEJ/HTC/IL/il/T255228/06.116/L1286
電話
TEL NO.: 2835 1581
圖文傳真
FAX NO.: 2591 0558
電子郵件
E-MAIL:
網址
HOMEPAGE: <http://www.epd.gov.hk>

**Environmental Protection Department
Branch Office**

28th Floor, Southern Centre,
130 Hennessy Road,
Wan Chai, Hong Kong.



環境保護署分處

香港灣仔
軒尼詩道
一百三十一號
修頓中心廿八樓

By Post & Fax : 2827 1823

12 October 2010

Mott MacDonald
7/F West Wing Office Building, New World Centre
20 Salisbury Road
Tsimshatsui
Kowloon, Hong Kong
(Attn : H.T. CHENG)

Dear Sir/Madam,

Environmental Impact Assessment (EIA) Ordinance, Cap. 499

Liantang/Heung Yuen Wai Boundary Crossing Point and Associated Works
(EIA Study Brief No. ESB-199/2008)

Submission of Contamination Assessment Plan (Revised)

I refer to your referenced letter dated 14 July 2010 enclosing the captioned plan submitted under Clause 3.4.8.1(iv) of the captioned EIA Study Brief.

Please note that the captioned Contamination Assessment Plan (Revised) is acceptable to us. Please be reminded the finding and conclusions of the said contamination assessment plan should be fully documented in the EIA Report

Should you have any further queries, please contact our Mr. K.H. TO at 2835 1123.

Yours sincerely,

A handwritten signature in black ink, appearing to read 'Maurice YEUNG'.

(Maurice YEUNG)

Principal Environmental Protection Officer
for Director of Environmental Protection

c.c. Internal – S(RA)4