

Appendix 9.5 Summary of Predicted Construction Noise Levels - Unmitigated Scenario

NSR	Noise Criteria	2013												2014												2015													
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec		
HH9	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	64	69	69	71	67	64	64	64	64	64	64	64	64	62	74	75	
CH1	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	71	71	71	71	66	66	80	80	80	77	77	78	80	82	84	84	84	85	82	82	82	82	
CH2	75	-	-	-	-	-	-	-	-	-	-	-	-	-	59	60	75	75	75	69	70	83	83	83	80	80	81	82	84	86	86	86	86	86	85	85	85	85	
CH3	75	-	-	-	-	-	-	-	-	-	-	-	-	-	67	68	80	80	80	80	75	76	79	79	79	77	77	77	80	81	83	83	83	84	82	82	82	82	
CH4	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63	63	63	73	73	73	73	61	61	61	61	
EX1	75	-	-	-	-	64	77	87	84	84	84	84	81	80	80	80	81	81	86	86	82	82	83	83	83	79	81	75	75	80	80	80	80	80	79	79	79	80	
EX5	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72	79	78	81	84	81	84	83	83	83	83	83	79	79	79	79	79	79	79	79	79	79	79	
AD1	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73	73	73	73	73	73
AD2	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81	81	81	81	81	81
AD3	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78	78	78	78	78	78
TW1	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52	52	52	52	

NSR	Noise Criteria	2016												2017												2018											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
HH9	75	75	75	74	74	65	65	63	63	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70	70	70	62	62	62	62	62	62	-	-	-
CH1	75	82	82	82	82	76	76	74	75	75	73	73	69	69	69	75	75	75	75	70	70	70	75	75	68	68	68	68	70	71	71	71	69	69	70	64	64
CH2	75	85	85	85	85	80	80	77	78	78	76	76	72	72	72	77	77	77	77	72	72	72	77	77	70	70	70	70	72	72	72	72	72	72	72	73	67
CH3	75	82	82	82	83	81	81	78	76	76	71	70	66	66	66	71	71	71	71	66	66	66	71	71	64	64	64	64	66	66	66	66	66	66	66	67	62
CH4	75	62	62	62	62	-	-	-	-	-	-	-	-	-	-	68	68	68	68	64	64	64	63	63	63	63	63	63	67	67	-	-	-	-	-	-	-
EX1	75	80	79	79	79	82	80	80	80	80	81	80	81	72	70	70	70	71	71	76	75	75	74	76	76	76	76	75	74	75	75	71	67	-	-	-	
EX5	75	79	79	79	79	79	79	79	79	80	80	80	70	79	79	79	79	79	79	79	79	79	79	69	69	-	-	-	-	-	-	-	-	-	-	-	-
AD1	75	73	73	73	73	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71	71	71	71	71
AD2	75	81	81	81	81	81	81	81	81	81	81	69	69	69	69	69	69	85	85	85	85	85	85	85	85	85	85	85	-	-	-	-	-	-	-	-	-
AD3	75	78	78	78	78	78	78	78	78	78	78	67	67	67	67	67	67	82	82	82	82	82	82	82	82	82	82	82	-	-	-	-	-	-	-	-	-
TW1	75	52	52	52	52	52	52	52	52	52	52	52	52	52	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

NSR	Noise Criteria	2019											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
HH9	75	-	-	-	-	-	-	-	-	-	-	-	-
CH1	75	64	64	64	64	64	64	67	-	-	-	-	-
CH2	75	67	67	67	67	67	67	69	-	-	-	-	-
CH3	75	62	62	62	62	62	62	64	-	-	-	-	-
CH4	75	-	-	-	-	-	-	-	-	-	-	-	-
EX1	75	-	-	-	-	-	-	-	-	-	-	-	-
EX5	75	-	-	-	-	-	-	-	-	-	-	-	-
AD1	75	70	70	70	70	70	70	-	-	-	-	-	-
AD2	75	-	-	-	-	-	-	-	-	-	-	-	-
AD3	75	-	-	-	-	-	-	-	-	-	-	-	-
TW1	75	-	-	-	-	-	-	-	-	-	-	-	-