



**NOTES:**  
 1. THE ANNUAL AVERAGE RSP ADD CRITERION IS 55  $\mu\text{g}/\text{m}^3$ .  
 2. FOR EXCEEDANCE AREA, PLEASE REFER TO SECTION 4.7.7 FOR DETAILED DISCUSSION.

**LEGEND:**  
 - - - - - SITE BOUNDARY  
 - - - - - 500m STUDY AREA  
 ● A1 AIR SENSITIVE RECEIVER

**TRAFFIC NOISE MITIGATION MEASURES:**  
 ——— LANDSCAPED DECK  
 ——— VERTICAL BARRIER (CONNECTED TO THE DECK)

REV.	DESCRIPTION	DATE

**CEDD** 土木工程拓展署  
 Civil Engineering and Development Department

**KAI TAK DEVELOPMENT**

KAI TAK DEVELOPMENT - INFRASTRUCTURE AT FORMER RUNWAY AND REMAINING AREAS OF NORTH APRON AND IMPROVEMENT OF ADJACENT WATERWAYS - DESIGN AND CONSTRUCTION  
**CONTOURS OF CUMULATIVE ANNUAL AVERAGE RSP CONCENTRATION IN  $\mu\text{G}/\text{m}^3$  (AT 1.5m ABOVE GROUND)**

**AECOM**

DRG.NO. 圖紙編號 **60102100/FIGURE 4.7a**

DESIGNED BY 設計人	CONTRACT NO. 合約編號	P. O.C. APPROVED 負責人
DATE 日期	STATUS 階段	
SCALE 比例尺	DIMENSIONS ARE IN 尺寸單位	
A1 : 4000 A3 : 8000	© COPYRIGHT RESERVED 版權所有	