


TKO-LLT

Scale 1 : 8000.0

15:21:20 02/11/2012



NoisetMap 2000




TKO-LLT

Scale 1 : 8000.0

15:22:21 02/11/2012



NoiseMap 2000




TKO-LLT

Scale 1 : 8000.0

15:22:36 02/11/2012



NoisetMap 2000



+++ ROADNOISE 2000 +++

+++ WS Atkins Noise and Vibration

+++ Session started 17:38:04 29/01/2013

+++ Calculation Run 1 started at 17:38:10
Method: L10 Calculation.

The following barriers will have their heights adjusted as follows:

ID	H ADJ.	ID	H ADJ.	ID	H ADJ.	ID	H ADJ.	ID	H ADJ.
25845	9.0	25846	9.0	25847	9.0	25848	9.0	25849	9.0
25850	9.0	25856	6.0	20002	4.0	20003	4.0	20004	4.0
20005	4.0	20006	4.0	20007	4.0	20008	4.0	20009	4.0
41	5.0	42	5.0	43	5.0	44	5.0	45	5.0
71	5.0	72	5.0	73	5.0	74	5.0	75	5.0
76	5.0	77	5.0	11	5.0	12	5.0	13	5.0
14	5.0	21	5.0	22	5.0	23	5.0	24	5.0
31	5.0	32	5.0	33	5.0	25844	5.0		

Any barriers chained to adjusted ones will not be altered.

N1102

HEIGHT OF RECEIVER ABOVE DATUM= 39.7 HEIGHT ABOVE LOCAL GROUND
LEVEL= 39.7

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT

VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL

27.0		0.1 ANGLE CUT-OFF
28.0	1583.	DISTANCE CUT-OFF
29.0	2005.	DISTANCE CUT-OFF
30.0	1346.	DISTANCE CUT-OFF

31.0	1439.	DISTANCE CUT-OFF
32.0	1667.	DISTANCE CUT-OFF
33.0	1965.	DISTANCE CUT-OFF
34.0	2072.	DISTANCE CUT-OFF
35.0	2056.	DISTANCE CUT-OFF
36.0	2048.	DISTANCE CUT-OFF
37.0	1914.	DISTANCE CUT-OFF
38.0	1532.	DISTANCE CUT-OFF
39.0	810.	DISTANCE CUT-OFF
40.0		0.0 ANGLE CUT-OFF
41.0	619.	DISTANCE CUT-OFF
42.0	1182.	DISTANCE CUT-OFF
43.0	1453.	DISTANCE CUT-OFF
44.0	1569.	DISTANCE CUT-OFF
45.0	1604.	DISTANCE CUT-OFF
46.0	1680.	DISTANCE CUT-OFF
47.0	1591.	DISTANCE CUT-OFF
48.0	1459.	DISTANCE CUT-OFF
49.0	1272.	DISTANCE CUT-OFF
50.0	1250.	DISTANCE CUT-OFF
51.0	1236.	DISTANCE CUT-OFF
52.0	1177.	DISTANCE CUT-OFF
53.0	999.	DISTANCE CUT-OFF
54.0	962.	DISTANCE CUT-OFF
55.0	1023.	DISTANCE CUT-OFF
56.0	1063.	DISTANCE CUT-OFF
57.0	1043.	DISTANCE CUT-OFF
58.0	1047.	DISTANCE CUT-OFF
59.0	971.	DISTANCE CUT-OFF
60.0	788.	DISTANCE CUT-OFF
61.0	554.	DISTANCE CUT-OFF
62.0		0.2 ANGLE CUT-OFF
63.0		0.0 ANGLE CUT-OFF
64.0	360.	DISTANCE CUT-OFF
65.0	608.	DISTANCE CUT-OFF
66.0	855.	DISTANCE CUT-OFF
67.0	982.	DISTANCE CUT-OFF
68.0	994.	DISTANCE CUT-OFF
69.0	1001.	DISTANCE CUT-OFF
70.0	1145.	DISTANCE CUT-OFF
71.0	1269.	DISTANCE CUT-OFF
72.0	1264.	DISTANCE CUT-OFF

73.0	1220.	DISTANCE CUT-OFF	143.0		0.0 ANGLE CUT-OFF
74.0	1137.	DISTANCE CUT-OFF	144.0	399.	DISTANCE CUT-OFF
75.0	1013.	DISTANCE CUT-OFF	145.0	459.	DISTANCE CUT-OFF
76.0	1013.	DISTANCE CUT-OFF	146.0	421.	DISTANCE CUT-OFF
77.0	1019.	DISTANCE CUT-OFF	147.0	407.	DISTANCE CUT-OFF
78.0	1081.	DISTANCE CUT-OFF	148.0	320.	DISTANCE CUT-OFF
79.0	1125.	DISTANCE CUT-OFF	149.0		0.1 ANGLE CUT-OFF
80.0	1195.	DISTANCE CUT-OFF	150.0	371.	DISTANCE CUT-OFF
100.0	1525.	DISTANCE CUT-OFF	151.0	471.	DISTANCE CUT-OFF
101.0	1558.	DISTANCE CUT-OFF	152.0	922.	DISTANCE CUT-OFF
102.0	1598.	DISTANCE CUT-OFF	153.0	1168.	DISTANCE CUT-OFF
103.0	1625.	DISTANCE CUT-OFF	154.0	980.	DISTANCE CUT-OFF
104.0		0.2 ANGLE CUT-OFF	155.0	1804.	DISTANCE CUT-OFF
105.0		0.3 ANGLE CUT-OFF	156.0	2127.	DISTANCE CUT-OFF
106.0	327.	DISTANCE CUT-OFF	157.0	2367.	DISTANCE CUT-OFF
107.0	459.	DISTANCE CUT-OFF	158.0	2365.	DISTANCE CUT-OFF
108.0	567.	DISTANCE CUT-OFF	159.0	2660.	DISTANCE CUT-OFF
109.0	627.	DISTANCE CUT-OFF	160.0	2842.	DISTANCE CUT-OFF
110.0	636.	DISTANCE CUT-OFF	161.0	2949.	DISTANCE CUT-OFF
111.0	795.	DISTANCE CUT-OFF	162.0	2957.	DISTANCE CUT-OFF
112.0	835.	DISTANCE CUT-OFF	163.0	2693.	DISTANCE CUT-OFF
113.0	880.	DISTANCE CUT-OFF	164.0	2424.	DISTANCE CUT-OFF
114.0	881.	DISTANCE CUT-OFF	165.0	2182.	DISTANCE CUT-OFF
115.0	714.	DISTANCE CUT-OFF	166.0	1635.	DISTANCE CUT-OFF
116.0	588.	DISTANCE CUT-OFF	167.0	1379.	DISTANCE CUT-OFF
117.0	416.	DISTANCE CUT-OFF	168.0	2894.	DISTANCE CUT-OFF
126.0		0.5 ANGLE CUT-OFF	169.0	2908.	DISTANCE CUT-OFF
127.0		0.3 ANGLE CUT-OFF	170.0	2874.	DISTANCE CUT-OFF
129.0	2639.	DISTANCE CUT-OFF	171.0	2827.	DISTANCE CUT-OFF
130.0	2632.	DISTANCE CUT-OFF	172.0	2899.	DISTANCE CUT-OFF
131.0	2644.	DISTANCE CUT-OFF	173.0	2890.	DISTANCE CUT-OFF
132.0	371.	DISTANCE CUT-OFF	174.0	2854.	DISTANCE CUT-OFF
133.0	384.	DISTANCE CUT-OFF	175.0	2860.	DISTANCE CUT-OFF
134.0	381.	DISTANCE CUT-OFF	176.0	2805.	DISTANCE CUT-OFF
135.0	349.	DISTANCE CUT-OFF	177.0	1778.	DISTANCE CUT-OFF
136.0	368.	DISTANCE CUT-OFF	178.0	2869.	DISTANCE CUT-OFF
137.0	337.	DISTANCE CUT-OFF	179.0	2418.	DISTANCE CUT-OFF
138.0	547.	DISTANCE CUT-OFF	180.0		0.0 ANGLE CUT-OFF
139.0	443.	DISTANCE CUT-OFF	181.0	1523.	DISTANCE CUT-OFF
140.0	452.	DISTANCE CUT-OFF	182.0	2705.	DISTANCE CUT-OFF
141.0	433.	DISTANCE CUT-OFF	183.0	2881.	DISTANCE CUT-OFF
142.0		0.0 ANGLE CUT-OFF	184.0	2093.	DISTANCE CUT-OFF

185.0	410.	DISTANCE CUT-OFF	316.0	0.0	ANGLE CUT-OFF
188.0	1367.	DISTANCE CUT-OFF	317.0	994.	DISTANCE CUT-OFF
189.0		0.1 ANGLE CUT-OFF	318.0	970.	DISTANCE CUT-OFF
190.0		0.0 ANGLE CUT-OFF	319.0	825.	DISTANCE CUT-OFF
191.0		0.0 ANGLE CUT-OFF	320.0	608.	DISTANCE CUT-OFF
192.0	909.	DISTANCE CUT-OFF	321.0	608.	DISTANCE CUT-OFF
193.0	1672.	DISTANCE CUT-OFF	322.0	405.	DISTANCE CUT-OFF
194.0	2254.	DISTANCE CUT-OFF	323.0	316.	DISTANCE CUT-OFF
195.0	2336.	DISTANCE CUT-OFF	341.0	720.	DISTANCE CUT-OFF
196.0	2338.	DISTANCE CUT-OFF	342.0	706.	DISTANCE CUT-OFF
197.0	2333.	DISTANCE CUT-OFF	343.0	865.	DISTANCE CUT-OFF
198.0	2326.	DISTANCE CUT-OFF	344.0	1022.	DISTANCE CUT-OFF
199.0	2357.	DISTANCE CUT-OFF	345.0		0.0 ANGLE CUT-OFF
200.0	2373.	DISTANCE CUT-OFF	346.0	304.	DISTANCE CUT-OFF
201.0	2325.	DISTANCE CUT-OFF	347.0	380.	DISTANCE CUT-OFF
202.0	2346.	DISTANCE CUT-OFF	348.0	329.	DISTANCE CUT-OFF
203.0	2341.	DISTANCE CUT-OFF	349.0	425.	DISTANCE CUT-OFF
209.0		0.6 ANGLE CUT-OFF	432.0	2046.	DISTANCE CUT-OFF
210.0	2663.	DISTANCE CUT-OFF	433.0	1771.	DISTANCE CUT-OFF
211.0	2662.	DISTANCE CUT-OFF	434.0	931.	DISTANCE CUT-OFF
212.0	2643.	DISTANCE CUT-OFF	445.0	2343.	DISTANCE CUT-OFF
213.0	2621.	DISTANCE CUT-OFF	446.0	2348.	DISTANCE CUT-OFF
214.0	2621.	DISTANCE CUT-OFF	447.0	2338.	DISTANCE CUT-OFF
215.0	2624.	DISTANCE CUT-OFF	448.0	2342.	DISTANCE CUT-OFF
216.0	2613.	DISTANCE CUT-OFF	449.0	2340.	DISTANCE CUT-OFF
217.0	2613.	DISTANCE CUT-OFF	450.0	2294.	DISTANCE CUT-OFF
218.0	2627.	DISTANCE CUT-OFF	451.0	1790.	DISTANCE CUT-OFF
219.0	2623.	DISTANCE CUT-OFF	452.0	1568.	DISTANCE CUT-OFF
220.0	2624.	DISTANCE CUT-OFF	453.0	2312.	DISTANCE CUT-OFF
221.0	2652.	DISTANCE CUT-OFF	454.0	2348.	DISTANCE CUT-OFF
222.0	2652.	DISTANCE CUT-OFF	455.0	2348.	DISTANCE CUT-OFF
223.0	2618.	DISTANCE CUT-OFF	456.0	2352.	DISTANCE CUT-OFF
306.0	358.	DISTANCE CUT-OFF	457.0	2342.	DISTANCE CUT-OFF
307.0	343.	DISTANCE CUT-OFF	458.0	2034.	DISTANCE CUT-OFF
308.0	308.	DISTANCE CUT-OFF	459.0	1983.	DISTANCE CUT-OFF
309.0	328.	DISTANCE CUT-OFF	460.0	1985.	DISTANCE CUT-OFF
310.0	346.	DISTANCE CUT-OFF	461.0	2018.	DISTANCE CUT-OFF
311.0	360.	DISTANCE CUT-OFF	462.0	2010.	DISTANCE CUT-OFF
312.0	333.	DISTANCE CUT-OFF	463.0	2104.	DISTANCE CUT-OFF
313.0	495.	DISTANCE CUT-OFF	464.0	1793.	DISTANCE CUT-OFF
314.0	332.	DISTANCE CUT-OFF	465.0	1810.	DISTANCE CUT-OFF
315.0	335.	DISTANCE CUT-OFF	466.0	2026.	DISTANCE CUT-OFF

523.0 15.4 1.3 29.0 20.1 0.0 0.0 1.3 5190 43.0-22.3 78.1 0.0 -1.0 0.0 -
 21.5 -2.0 0.0 -22.8 0.0 4.0 34.8
 524.0 19.0 3.0 28.5 20.1 0.0 0.0 3.0 5190 43.0-21.8 78.1 0.0 -1.0 0.0 -
 17.8 -2.9 0.0 -22.7 0.0 2.5 36.2
 525.0 46.7 7.1 27.5 20.1 0.0 0.0 7.1 5190 43.0-18.9 78.1 0.0 -1.0 0.0 -
 14.1 -5.9 0.0 -21.0 0.0 2.5 38.6
 526.0 59.1 14.8 27.0 20.1 0.0 0.0 14.8 5028 38.0-18.8 78.1 0.0 -1.0 0.0 -
 10.9 -6.7 0.0 -20.6 0.0 2.5 41.4
 527.0 0.0 ANGLE CUT-OFF
 528.0 0.0 ANGLE CUT-OFF
 529.0 0.0 ANGLE CUT-OFF
 530.0 0.0 ANGLE CUT-OFF
 531.0 0.0 ANGLE CUT-OFF
 532.0 0.7 ANGLE CUT-OFF
 533.0 31.0 1.6 31.7 20.1 0.0 0.0 1.6 5190 43.0-20.7 78.7 0.0 -1.0 0.0 -
 20.5 -4.4 0.0 -20.9 0.0 2.5 34.4
 534.0 50.3 1.3 28.6 20.1 0.0 0.0 1.3 5190 43.0-20.2 78.7 0.0 -1.0 0.0 -
 21.4 -6.0 0.0 -20.5 0.0 2.5 32.3
 535.0 81.1 7.8 31.9 20.1 0.0 0.0 7.8 5190 43.0-18.4 79.0 0.0 -1.0 1.4 -
 13.6 -8.0 0.0 -18.7 0.0 2.5 41.6
 536.0 0.1 ANGLE CUT-OFF
 537.0 0.9 ANGLE CUT-OFF
 538.0 0.0 ANGLE CUT-OFF
 539.0 335. DISTANCE CUT-OFF
 540.0 379. DISTANCE CUT-OFF
 541.0 357. DISTANCE CUT-OFF
 542.0 347. DISTANCE CUT-OFF
 543.0 348. DISTANCE CUT-OFF
 544.0 346. DISTANCE CUT-OFF
 545.0 348. DISTANCE CUT-OFF
 546.0 348. DISTANCE CUT-OFF
 547.0 415. DISTANCE CUT-OFF
 548.0 598. DISTANCE CUT-OFF
 549.0 395. DISTANCE CUT-OFF
 550.0 467. DISTANCE CUT-OFF
 551.0 520. DISTANCE CUT-OFF
 552.0 577. DISTANCE CUT-OFF
 553.0 614. DISTANCE CUT-OFF
 554.0 664. DISTANCE CUT-OFF
 555.0 706. DISTANCE CUT-OFF
 556.0 755. DISTANCE CUT-OFF
 557.0 756. DISTANCE CUT-OFF

558.0 805. DISTANCE CUT-OFF
 559.0 826. DISTANCE CUT-OFF
 560.0 832. DISTANCE CUT-OFF
 561.0 0.0 ANGLE CUT-OFF
 562.0 0.7 ANGLE CUT-OFF
 563.0 0.2 ANGLE CUT-OFF
 564.0 0.0 ANGLE CUT-OFF
 565.0 0.0 ANGLE CUT-OFF
 566.0 0.0 ANGLE CUT-OFF
 567.0 0.0 ANGLE CUT-OFF
 568.0 0.0 ANGLE CUT-OFF
 569.0 0.0 ANGLE CUT-OFF
 570.0 0.0 ANGLE CUT-OFF
 571.0 0.0 ANGLE CUT-OFF
 572.0 0.0 ANGLE CUT-OFF
 573.0 0.0 ANGLE CUT-OFF
 574.0 0.0 ANGLE CUT-OFF
 575.0 0.0 ANGLE CUT-OFF
 576.0 0.0 ANGLE CUT-OFF
 577.0 0.5 ANGLE CUT-OFF
 578.0 308. DISTANCE CUT-OFF
 579.0 0.0 ANGLE CUT-OFF
 580.0 0.0 ANGLE CUT-OFF
 581.0 0.0 ANGLE CUT-OFF
 582.0 94.5 1.4 30.4 20.1 0.0 0.0 1.4 5044 162.7-30.0 76.8 0.0 -1.0 0.0 -
 21.0 -8.6 0.0 -30.1 0.0 2.5 18.6
 583.0 0.0 ANGLE CUT-OFF
 584.0 0.0 ANGLE CUT-OFF
 585.0 829. DISTANCE CUT-OFF
 586.0 796. DISTANCE CUT-OFF
 587.0 916. DISTANCE CUT-OFF
 588.0 931. DISTANCE CUT-OFF
 589.0 760. DISTANCE CUT-OFF
 590.0 747. DISTANCE CUT-OFF
 591.0 663. DISTANCE CUT-OFF
 592.0 652. DISTANCE CUT-OFF
 593.0 650. DISTANCE CUT-OFF
 594.0 731. DISTANCE CUT-OFF
 595.0 800. DISTANCE CUT-OFF
 596.0 923. DISTANCE CUT-OFF
 597.0 885. DISTANCE CUT-OFF
 598.0 798. DISTANCE CUT-OFF

599.0 809. DISTANCE CUT-OFF
 600.0 229.9 4.3 36.3 20.1 0.0 0.0 4.3 5190 43.0-14.3 74.9 0.0 -1.0 2.2 -
 16.2 -12.4 0.0 -14.5 0.0 2.5 35.5
 601.0 178.9 2.3 37.7 20.1 0.0 0.0 2.3 5190 43.0-15.0 74.9 0.0 -1.0 3.4 -
 18.9 -11.3 0.0 -15.2 0.0 2.5 34.4
 602.0 0.3 ANGLE CUT-OFF
 603.0 0.3 ANGLE CUT-OFF
 604.0 0.1 ANGLE CUT-OFF
 605.0 0.3 ANGLE CUT-OFF
 606.0 0.2 ANGLE CUT-OFF
 607.0 0.9 ANGLE CUT-OFF
 608.0 0.4 ANGLE CUT-OFF
 609.0 0.6 ANGLE CUT-OFF
 610.0 119.7 1.8 37.7 20.1 0.0 0.0 1.8 5190 43.0-16.2 74.7 0.0 -1.0 0.0 -
 20.0 -9.7 0.0 -16.3 0.0 2.5 30.2
 611.0 119.2 3.6 37.5 20.1 0.0 0.0 3.6 5190 43.0-16.0 74.7 0.0 -1.0 1.2 -
 17.0 -9.6 0.0 -16.1 0.0 2.5 34.7
 612.0 344. DISTANCE CUT-OFF
 613.0 0.2 ANGLE CUT-OFF
 614.0 0.9 ANGLE CUT-OFF
 615.0 468. DISTANCE CUT-OFF
 616.0 632. DISTANCE CUT-OFF
 617.0 667. DISTANCE CUT-OFF
 618.0 548. DISTANCE CUT-OFF
 619.0 510. DISTANCE CUT-OFF
 620.0 507. DISTANCE CUT-OFF
 621.0 670. DISTANCE CUT-OFF
 622.0 750. DISTANCE CUT-OFF
 622.0 665. DISTANCE CUT-OFF
 623.0 536. DISTANCE CUT-OFF
 624.0 387. DISTANCE CUT-OFF
 625.0 207.7 1.3 42.5 20.1 0.0 0.0 1.3 5190 43.0-17.0 66.0 0.0 -1.0 1.9 -
 21.5 -12.0 0.0 -17.9 0.0 2.5 18.0
 626.0 0.6 ANGLE CUT-OFF
 627.0 0.1 ANGLE CUT-OFF
 628.0 0.2 ANGLE CUT-OFF
 629.0 0.1 ANGLE CUT-OFF
 630.0 0.1 ANGLE CUT-OFF
 631.0 0.2 ANGLE CUT-OFF
 632.0 0.9 ANGLE CUT-OFF
 633.0 258.3 3.8 69.8 20.1 0.0 0.0 3.8 5190 43.0-12.1 66.0 0.0 -1.0 0.7 -
 16.7 -12.9 0.0 -12.2 0.0 2.5 26.4

634.0 248.0 2.0 70.8 20.1 0.0 0.0 2.0 5190 43.0-11.9 66.0 0.0 -1.0 1.8 -
 19.5 -12.8 0.0 -12.9 0.0 2.5 24.1
 635.0 0.0 ANGLE CUT-OFF
 636.0 0.0 ANGLE CUT-OFF
 637.0 0.0 ANGLE CUT-OFF
 638.0 0.0 ANGLE CUT-OFF
 639.0 0.0 ANGLE CUT-OFF
 647.0 54.0 21.8 36.4 20.1 0.0 0.0 21.8 5217 41.0-10.9 71.5 0.0 -1.0 0.0 -
 9.2 -6.3 0.0 -10.8 0.0 2.5 46.7
 648.0 0.0 ANGLE CUT-OFF
 649.0 0.0 ANGLE CUT-OFF
 650.0 0.0 ANGLE CUT-OFF
 651.0 340. DISTANCE CUT-OFF
 652.0 341. DISTANCE CUT-OFF
 653.0 340. DISTANCE CUT-OFF
 654.0 344. DISTANCE CUT-OFF
 655.0 352. DISTANCE CUT-OFF
 656.0 373. DISTANCE CUT-OFF
 657.0 330. DISTANCE CUT-OFF
 658.0 0.0 ANGLE CUT-OFF
 659.0 0.0 ANGLE CUT-OFF
 660.0 825. DISTANCE CUT-OFF
 661.0 813. DISTANCE CUT-OFF
 662.0 790. DISTANCE CUT-OFF
 663.0 736. DISTANCE CUT-OFF
 666.0 637. DISTANCE CUT-OFF
 667.0 407. DISTANCE CUT-OFF
 668.0 355. DISTANCE CUT-OFF
 669.0 355. DISTANCE CUT-OFF
 670.0 894. DISTANCE CUT-OFF
 671.0 920. DISTANCE CUT-OFF
 672.0 921. DISTANCE CUT-OFF
 673.0 467. DISTANCE CUT-OFF
 674.0 714. DISTANCE CUT-OFF
 675.0 407. DISTANCE CUT-OFF
 676.0 609. DISTANCE CUT-OFF
 677.0 0.5 ANGLE CUT-OFF
 678.0 1202. DISTANCE CUT-OFF
 679.0 1140. DISTANCE CUT-OFF
 680.0 1073. DISTANCE CUT-OFF
 681.0 1012. DISTANCE CUT-OFF
 682.0 1011. DISTANCE CUT-OFF

683.0 1029. DISTANCE CUT-OFF
 684.0 1145. DISTANCE CUT-OFF
 685.0 1209. DISTANCE CUT-OFF
 686.0 1271. DISTANCE CUT-OFF
 687.0 1226. DISTANCE CUT-OFF
 688.0 1126. DISTANCE CUT-OFF
 689.0 672. DISTANCE CUT-OFF
 690.0 594. DISTANCE CUT-OFF
 691.0 557. DISTANCE CUT-OFF
 692.0 404. DISTANCE CUT-OFF
 693.0 328. DISTANCE CUT-OFF
 694.0 0.4 ANGLE CUT-OFF
 695.0 338. DISTANCE CUT-OFF
 696.0 874. DISTANCE CUT-OFF
 697.0 832. DISTANCE CUT-OFF
 698.0 819. DISTANCE CUT-OFF
 699.0 785. DISTANCE CUT-OFF
 700.0 407. DISTANCE CUT-OFF
 701.0 664. DISTANCE CUT-OFF
 702.0 801. DISTANCE CUT-OFF
 703.0 1075. DISTANCE CUT-OFF
 704.0 1005. DISTANCE CUT-OFF
 705.0 978. DISTANCE CUT-OFF
 706.0 844. DISTANCE CUT-OFF
 707.0 626. DISTANCE CUT-OFF
 708.0 351. DISTANCE CUT-OFF
 709.0 0.1 ANGLE CUT-OFF
 710.0 0.2 ANGLE CUT-OFF
 711.0 552. DISTANCE CUT-OFF
 712.0 781. DISTANCE CUT-OFF
 713.0 1005. DISTANCE CUT-OFF
 714.0 1051. DISTANCE CUT-OFF
 715.0 1087. DISTANCE CUT-OFF
 716.0 1025. DISTANCE CUT-OFF
 717.0 1051. DISTANCE CUT-OFF
 718.0 1040. DISTANCE CUT-OFF
 719.0 1070. DISTANCE CUT-OFF
 720.0 1655. DISTANCE CUT-OFF
 721.0 1583. DISTANCE CUT-OFF
 722.0 1531. DISTANCE CUT-OFF
 723.0 1538. DISTANCE CUT-OFF
 730.0 2920. DISTANCE CUT-OFF

731.0 2856. DISTANCE CUT-OFF
 732.0 2581. DISTANCE CUT-OFF
 733.0 2860. DISTANCE CUT-OFF
 734.0 2881. DISTANCE CUT-OFF
 735.0 2887. DISTANCE CUT-OFF
 736.0 2912. DISTANCE CUT-OFF
 741.0 972. DISTANCE CUT-OFF
 742.0 1416. DISTANCE CUT-OFF
 743.0 1733. DISTANCE CUT-OFF
 744.0 2124. DISTANCE CUT-OFF
 745.0 2458. DISTANCE CUT-OFF
 746.0 2726. DISTANCE CUT-OFF
 747.0 2959. DISTANCE CUT-OFF
 748.0 2955. DISTANCE CUT-OFF
 749.0 2879. DISTANCE CUT-OFF
 750.0 2666. DISTANCE CUT-OFF
 751.0 2361. DISTANCE CUT-OFF
 752.0 2848. DISTANCE CUT-OFF
 753.0 2841. DISTANCE CUT-OFF
 754.0 2893. DISTANCE CUT-OFF
 755.0 2899. DISTANCE CUT-OFF
 756.0 2906. DISTANCE CUT-OFF
 757.0 0.5 ANGLE CUT-OFF
 758.0 2644. DISTANCE CUT-OFF
 759.0 2630. DISTANCE CUT-OFF
 760.0 2632. DISTANCE CUT-OFF
 761.0 0.3 ANGLE CUT-OFF
 762.0 0.2 ANGLE CUT-OFF
 763.0 0.1 ANGLE CUT-OFF
 764.0 0.6 ANGLE CUT-OFF
 765.0 202.1 1.2 42.5 20.1 0.0 0.0 1.213373 65.8-24.3 66.0 0.0 -1.0 0.0 -
 21.7 -11.9 0.0 -18.0 0.0 2.5 15.9
 766.0 375. DISTANCE CUT-OFF
 767.0 532. DISTANCE CUT-OFF
 768.0 633. DISTANCE CUT-OFF
 769.0 746. DISTANCE CUT-OFF
 770.0 669. DISTANCE CUT-OFF
 771.0 498. DISTANCE CUT-OFF
 772.0 501. DISTANCE CUT-OFF
 773.0 560. DISTANCE CUT-OFF
 774.0 660. DISTANCE CUT-OFF
 775.0 623. DISTANCE CUT-OFF

776.0 468. DISTANCE CUT-OFF
777.0 0.9 ANGLE CUT-OFF
778.0 0.1 ANGLE CUT-OFF
779.0 344. DISTANCE CUT-OFF
780.0 0.0 ANGLE CUT-OFF
781.0 0.0 ANGLE CUT-OFF
782.0 0.0 ANGLE CUT-OFF
783.0 0.0 ANGLE CUT-OFF
784.0 0.0 ANGLE CUT-OFF
785.0 250.3 1.6 70.8 20.1 0.0 0.0 1.6 5190 43.0-12.0 66.0 0.0 -1.0 0.0 -
20.5 -12.8 0.0 -13.2 0.0 2.5 21.0
786.0 256.4 2.9 69.8 20.1 0.0 0.0 2.9 5190 43.0-12.1 66.0 0.0 -1.0 0.0 -
17.9 -12.9 0.0 -12.3 0.0 2.5 24.4
787.0 53.8 1.3 67.8 20.1 0.0 0.0 1.3 5190 43.0-14.7 66.0 0.0 -1.0 0.0 -
21.6 -7.7 0.0 -14.7 0.0 2.5 23.5
788.0 0.1 ANGLE CUT-OFF
789.0 0.1 ANGLE CUT-OFF
790.0 0.1 ANGLE CUT-OFF
799.0 2698. DISTANCE CUT-OFF
800.0 2682. DISTANCE CUT-OFF
801.0 2699. DISTANCE CUT-OFF
802.0 2776. DISTANCE CUT-OFF
803.0 2771. DISTANCE CUT-OFF
804.0 2696. DISTANCE CUT-OFF
805.0 2691. DISTANCE CUT-OFF
806.0 2699. DISTANCE CUT-OFF
807.0 0.2 ANGLE CUT-OFF
808.0 0.0 ANGLE CUT-OFF
809.0 745. DISTANCE CUT-OFF
810.0 1778. DISTANCE CUT-OFF
811.0 2428. DISTANCE CUT-OFF
812.0 2686. DISTANCE CUT-OFF
813.0 2690. DISTANCE CUT-OFF
814.0 2409. DISTANCE CUT-OFF
815.0 1784. DISTANCE CUT-OFF
816.0 784. DISTANCE CUT-OFF
817.0 0.0 ANGLE CUT-OFF
818.0 0.2 ANGLE CUT-OFF
819.0 0.1 ANGLE CUT-OFF
820.0 0.5 ANGLE CUT-OFF
821.0 2002. DISTANCE CUT-OFF
822.0 2007. DISTANCE CUT-OFF

823.0 1856. DISTANCE CUT-OFF
824.0 1123. DISTANCE CUT-OFF
825.0 0.1 ANGLE CUT-OFF
826.0 796. DISTANCE CUT-OFF
827.0 1268. DISTANCE CUT-OFF
828.0 1696. DISTANCE CUT-OFF
829.0 1865. DISTANCE CUT-OFF
830.0 1867. DISTANCE CUT-OFF
831.0 1706. DISTANCE CUT-OFF
832.0 1310. DISTANCE CUT-OFF
833.0 778. DISTANCE CUT-OFF
834.0 0.1 ANGLE CUT-OFF
835.0 2344. DISTANCE CUT-OFF
836.0 2346. DISTANCE CUT-OFF
837.0 2270. DISTANCE CUT-OFF
838.0 1713. DISTANCE CUT-OFF
839.0 880. DISTANCE CUT-OFF
840.0 0.0 ANGLE CUT-OFF
841.0 0.0 ANGLE CUT-OFF
842.0 0.1 ANGLE CUT-OFF
843.0 1886. DISTANCE CUT-OFF
844.0 1854. DISTANCE CUT-OFF
845.0 1571. DISTANCE CUT-OFF
846.0 1321. DISTANCE CUT-OFF
847.0 1318. DISTANCE CUT-OFF
848.0 1182. DISTANCE CUT-OFF
849.0 1218. DISTANCE CUT-OFF
850.0 410. DISTANCE CUT-OFF
851.0 0.0 ANGLE CUT-OFF
852.0 1964. DISTANCE CUT-OFF
853.0 1932. DISTANCE CUT-OFF
854.0 1805. DISTANCE CUT-OFF
855.0 1677. DISTANCE CUT-OFF
856.0 1546. DISTANCE CUT-OFF
857.0 1440. DISTANCE CUT-OFF
858.0 1311. DISTANCE CUT-OFF
859.0 1173. DISTANCE CUT-OFF
860.0 1071. DISTANCE CUT-OFF
861.0 2015. DISTANCE CUT-OFF
862.0 2013. DISTANCE CUT-OFF
863.0 2014. DISTANCE CUT-OFF
864.0 2026. DISTANCE CUT-OFF

865.0	2026.	DISTANCE CUT-OFF	907.0	2007.	DISTANCE CUT-OFF
866.0	2026.	DISTANCE CUT-OFF	908.0	2014.	DISTANCE CUT-OFF
867.0	2026.	DISTANCE CUT-OFF	909.0	2013.	DISTANCE CUT-OFF
868.0	2026.	DISTANCE CUT-OFF	910.0	2019.	DISTANCE CUT-OFF
869.0	2026.	DISTANCE CUT-OFF	911.0	0.0	ANGLE CUT-OFF
870.0	2022.	DISTANCE CUT-OFF	912.0	0.1	ANGLE CUT-OFF
871.0	2028.	DISTANCE CUT-OFF	913.0	402.	DISTANCE CUT-OFF
872.0	2025.	DISTANCE CUT-OFF	914.0	464.	DISTANCE CUT-OFF
873.0	2017.	DISTANCE CUT-OFF	915.0	0.1	ANGLE CUT-OFF
874.0	2017.	DISTANCE CUT-OFF	916.0	0.0	ANGLE CUT-OFF
875.0	2019.	DISTANCE CUT-OFF	917.0	555.	DISTANCE CUT-OFF
876.0	2019.	DISTANCE CUT-OFF	918.0	1086.	DISTANCE CUT-OFF
877.0	2009.	DISTANCE CUT-OFF	919.0	1441.	DISTANCE CUT-OFF
878.0	2023.	DISTANCE CUT-OFF	920.0	1667.	DISTANCE CUT-OFF
879.0	2030.	DISTANCE CUT-OFF	921.0	1835.	DISTANCE CUT-OFF
880.0	2026.	DISTANCE CUT-OFF	922.0	1968.	DISTANCE CUT-OFF
881.0	2026.	DISTANCE CUT-OFF	923.0	2064.	DISTANCE CUT-OFF
882.0	1961.	DISTANCE CUT-OFF	924.0	2084.	DISTANCE CUT-OFF
883.0	1866.	DISTANCE CUT-OFF	925.0	2084.	DISTANCE CUT-OFF
884.0	1802.	DISTANCE CUT-OFF	926.0	2085.	DISTANCE CUT-OFF
885.0	1719.	DISTANCE CUT-OFF	927.0	2083.	DISTANCE CUT-OFF
886.0	1614.	DISTANCE CUT-OFF	928.0	2069.	DISTANCE CUT-OFF
887.0	1534.	DISTANCE CUT-OFF	929.0	2057.	DISTANCE CUT-OFF
888.0	1421.	DISTANCE CUT-OFF	930.0	2017.	DISTANCE CUT-OFF
889.0	1437.	DISTANCE CUT-OFF	931.0	2019.	DISTANCE CUT-OFF
890.0	1421.	DISTANCE CUT-OFF	932.0	2018.	DISTANCE CUT-OFF
891.0	1316.	DISTANCE CUT-OFF	933.0	2018.	DISTANCE CUT-OFF
892.0	1050.	DISTANCE CUT-OFF	934.0	2019.	DISTANCE CUT-OFF
893.0	817.	DISTANCE CUT-OFF	935.0	1953.	DISTANCE CUT-OFF
894.0	471.	DISTANCE CUT-OFF	936.0	1849.	DISTANCE CUT-OFF
895.0	0.1	ANGLE CUT-OFF	937.0	1752.	DISTANCE CUT-OFF
896.0	0.1	ANGLE CUT-OFF	938.0	1653.	DISTANCE CUT-OFF
897.0	0.1	ANGLE CUT-OFF	939.0	1494.	DISTANCE CUT-OFF
898.0	807.	DISTANCE CUT-OFF	940.0	1310.	DISTANCE CUT-OFF
899.0	1428.	DISTANCE CUT-OFF	941.0	1230.	DISTANCE CUT-OFF
900.0	1859.	DISTANCE CUT-OFF	942.0	1257.	DISTANCE CUT-OFF
901.0	2060.	DISTANCE CUT-OFF	943.0	1486.	DISTANCE CUT-OFF
902.0	2075.	DISTANCE CUT-OFF	944.0	2018.	DISTANCE CUT-OFF
903.0	2076.	DISTANCE CUT-OFF	945.0	2260.	DISTANCE CUT-OFF
904.0	2076.	DISTANCE CUT-OFF	946.0	1802.	DISTANCE CUT-OFF
905.0	2074.	DISTANCE CUT-OFF	947.0	1092.	DISTANCE CUT-OFF
906.0	2032.	DISTANCE CUT-OFF	948.0	535.	DISTANCE CUT-OFF

949.0	0.0	ANGLE CUT-OFF	991.0	486.	DISTANCE CUT-OFF
950.0	0.1	ANGLE CUT-OFF	992.0	455.	DISTANCE CUT-OFF
951.0	490.	DISTANCE CUT-OFF	993.0	543.	DISTANCE CUT-OFF
952.0	0.1	ANGLE CUT-OFF	994.0	594.	DISTANCE CUT-OFF
953.0	0.2	ANGLE CUT-OFF	995.0	594.	DISTANCE CUT-OFF
954.0	447.	DISTANCE CUT-OFF	996.0	594.	DISTANCE CUT-OFF
955.0	0.2	ANGLE CUT-OFF	997.0	594.	DISTANCE CUT-OFF
956.0	0.1	ANGLE CUT-OFF	998.0	592.	DISTANCE CUT-OFF
957.0	0.0	ANGLE CUT-OFF	999.0	536.	DISTANCE CUT-OFF
958.0	0.2	ANGLE CUT-OFF	1000.0	433.	DISTANCE CUT-OFF
959.0	0.2	ANGLE CUT-OFF	1001.0	0.0	ANGLE CUT-OFF
960.0	0.2	ANGLE CUT-OFF	1002.0	0.2	ANGLE CUT-OFF
961.0	0.0	ANGLE CUT-OFF	1003.0	0.4	ANGLE CUT-OFF
962.0	0.0	ANGLE CUT-OFF	1004.0	0.5	ANGLE CUT-OFF
963.0	0.2	ANGLE CUT-OFF	1005.0	0.4	ANGLE CUT-OFF
964.0	0.4	ANGLE CUT-OFF	1006.0	0.3	ANGLE CUT-OFF
965.0	0.3	ANGLE CUT-OFF	1007.0	0.8	ANGLE CUT-OFF
966.0	0.1	ANGLE CUT-OFF	1008.0	0.0	ANGLE CUT-OFF
967.0	0.0	ANGLE CUT-OFF	1009.0	0.1	ANGLE CUT-OFF
968.0	0.1	ANGLE CUT-OFF	1010.0	0.0	ANGLE CUT-OFF
969.0	0.1	ANGLE CUT-OFF	1011.0	0.0	ANGLE CUT-OFF
970.0	357.	DISTANCE CUT-OFF	1012.0	0.0	ANGLE CUT-OFF
971.0	470.	DISTANCE CUT-OFF	1013.0	0.0	ANGLE CUT-OFF
972.0	595.	DISTANCE CUT-OFF	1014.0	0.0	ANGLE CUT-OFF
973.0	714.	DISTANCE CUT-OFF	1015.0	0.5	ANGLE CUT-OFF
974.0	818.	DISTANCE CUT-OFF	1016.0	0.2	ANGLE CUT-OFF
975.0	693.	DISTANCE CUT-OFF	1017.0	0.5	ANGLE CUT-OFF
976.0	570.	DISTANCE CUT-OFF	1018.0	0.2	ANGLE CUT-OFF
977.0	690.	DISTANCE CUT-OFF	1019.0	0.2	ANGLE CUT-OFF
978.0	646.	DISTANCE CUT-OFF	1020.0	0.0	ANGLE CUT-OFF
979.0	581.	DISTANCE CUT-OFF	1021.0	0.0	ANGLE CUT-OFF
980.0	466.	DISTANCE CUT-OFF	1022.0	0.0	ANGLE CUT-OFF
981.0	0.3	ANGLE CUT-OFF	1023.0	0.3	ANGLE CUT-OFF
982.0	0.0	ANGLE CUT-OFF	1024.0	0.0	ANGLE CUT-OFF
983.0	0.8	ANGLE CUT-OFF	1025.0	0.0	ANGLE CUT-OFF
984.0	451.	DISTANCE CUT-OFF	1026.0	0.0	ANGLE CUT-OFF
985.0	729.	DISTANCE CUT-OFF	1027.0	0.0	ANGLE CUT-OFF
986.0	674.	DISTANCE CUT-OFF	1028.0	0.0	ANGLE CUT-OFF
987.0	638.	DISTANCE CUT-OFF	1029.0	0.0	ANGLE CUT-OFF
988.0	545.	DISTANCE CUT-OFF	1030.0	0.7	ANGLE CUT-OFF
989.0	303.	DISTANCE CUT-OFF	1031.0	0.9	ANGLE CUT-OFF
990.0	0.3	ANGLE CUT-OFF	1032.0	0.7	ANGLE CUT-OFF

1033.0	0.8 ANGLE CUT-OFF	1074.0	0.0 ANGLE CUT-OFF
1034.0	0.0 ANGLE CUT-OFF	1075.0	0.0 ANGLE CUT-OFF
1035.0	0.0 ANGLE CUT-OFF	1076.0	0.4 ANGLE CUT-OFF
1036.0	304. DISTANCE CUT-OFF	1077.0	0.5 ANGLE CUT-OFF
1037.0	0.0 ANGLE CUT-OFF	1078.0	0.6 ANGLE CUT-OFF
1038.0	0.0 ANGLE CUT-OFF	1079.0	0.7 ANGLE CUT-OFF
1039.0	0.6 ANGLE CUT-OFF	1080.0	0.8 ANGLE CUT-OFF
1040.0	0.2 ANGLE CUT-OFF	1081.0	0.0 ANGLE CUT-OFF
1041.0	0.3 ANGLE CUT-OFF	1082.0	0.0 ANGLE CUT-OFF
1042.0	0.3 ANGLE CUT-OFF	1083.0	328. DISTANCE CUT-OFF
1042.0	0.4 ANGLE CUT-OFF	1084.0	311. DISTANCE CUT-OFF
1043.0	0.7 ANGLE CUT-OFF	1085.0	0.0 ANGLE CUT-OFF
1044.0	0.0 ANGLE CUT-OFF	1086.0	0.4 ANGLE CUT-OFF
1045.0	0.0 ANGLE CUT-OFF	1087.0	361. DISTANCE CUT-OFF
1046.0	0.0 ANGLE CUT-OFF	1088.0	531. DISTANCE CUT-OFF
1047.0	0.0 ANGLE CUT-OFF	1089.0	560. DISTANCE CUT-OFF
1048.0	0.0 ANGLE CUT-OFF	1090.0	452. DISTANCE CUT-OFF
1049.0	0.0 ANGLE CUT-OFF	1091.0	0.0 ANGLE CUT-OFF
1050.0	0.0 ANGLE CUT-OFF	1092.0	0.6 ANGLE CUT-OFF
1051.0	0.0 ANGLE CUT-OFF	1093.0	0.3 ANGLE CUT-OFF
1052.0	0.0 ANGLE CUT-OFF	1094.0	0.3 ANGLE CUT-OFF
1053.0	0.0 ANGLE CUT-OFF	1095.0	0.0 ANGLE CUT-OFF
1054.0	0.0 ANGLE CUT-OFF	1096.0	0.6 ANGLE CUT-OFF
1055.0	0.0 ANGLE CUT-OFF	1097.0	0.6 ANGLE CUT-OFF
1056.0	0.7 ANGLE CUT-OFF	1098.0	0.0 ANGLE CUT-OFF
1057.0	0.0 ANGLE CUT-OFF	1099.0	0.3 ANGLE CUT-OFF
1058.0	0.0 ANGLE CUT-OFF	1100.0	0.4 ANGLE CUT-OFF
1059.0	0.0 ANGLE CUT-OFF	1101.0	0.3 ANGLE CUT-OFF
1060.0	0.0 ANGLE CUT-OFF	1102.0	0.3 ANGLE CUT-OFF
1061.0	0.7 ANGLE CUT-OFF	1103.0	0.0 ANGLE CUT-OFF
1062.0	0.9 ANGLE CUT-OFF	1104.0	0.1 ANGLE CUT-OFF
1063.0	0.9 ANGLE CUT-OFF	1105.0	0.4 ANGLE CUT-OFF
1064.0	317. DISTANCE CUT-OFF	1106.0	0.6 ANGLE CUT-OFF
1065.0	342. DISTANCE CUT-OFF	1107.0	408. DISTANCE CUT-OFF
1066.0	338. DISTANCE CUT-OFF	1108.0	546. DISTANCE CUT-OFF
1067.0	485. DISTANCE CUT-OFF	1109.0	577. DISTANCE CUT-OFF
1068.0	0.0 ANGLE CUT-OFF	1110.0	496. DISTANCE CUT-OFF
1069.0	0.0 ANGLE CUT-OFF	1111.0	357. DISTANCE CUT-OFF
1070.0	0.0 ANGLE CUT-OFF	1112.0	0.5 ANGLE CUT-OFF
1071.0	0.0 ANGLE CUT-OFF	1113.0	0.9 ANGLE CUT-OFF
1072.0	0.6 ANGLE CUT-OFF	1114.0	0.1 ANGLE CUT-OFF
1073.0	0.0 ANGLE CUT-OFF	1115.0	0.2 ANGLE CUT-OFF

1116.0 0.0 ANGLE CUT-OFF
 1117.0 0.6 ANGLE CUT-OFF
 1118.0 0.6 ANGLE CUT-OFF
 1119.0 0.0 ANGLE CUT-OFF
 1120.0 0.0 ANGLE CUT-OFF
 1121.0 0.0 ANGLE CUT-OFF
 1122.0 0.0 ANGLE CUT-OFF
 1123.0 0.0 ANGLE CUT-OFF
 1124.0 0.0 ANGLE CUT-OFF
 1125.0 0.0 ANGLE CUT-OFF
 1126.0 0.0 ANGLE CUT-OFF
 1127.0 0.0 ANGLE CUT-OFF
 1128.0 0.1 ANGLE CUT-OFF
 1129.0 0.0 ANGLE CUT-OFF
 1130.0 0.0 ANGLE CUT-OFF
 1131.0 0.9 ANGLE CUT-OFF
 1132.0 0.0 ANGLE CUT-OFF
 1133.0 0.7 ANGLE CUT-OFF
 1134.0 0.0 ANGLE CUT-OFF
 1135.0 0.0 ANGLE CUT-OFF
 1147.0 0.6 ANGLE CUT-OFF
 1148.0 486. DISTANCE CUT-OFF
 1148.0 547. DISTANCE CUT-OFF
 1149.0 726. DISTANCE CUT-OFF
 1150.0 639. DISTANCE CUT-OFF
 1151.0 0.1 ANGLE CUT-OFF
 1152.0 481. DISTANCE CUT-OFF
 1153.0 675. DISTANCE CUT-OFF
 640.0 16.3 9.2 36.3 20.1 0.0 0.0 9.2 5217 41.0-13.8 74.3 0.0 -1.0 0.0 -
 12.9 -1.9 0.0 -13.8 0.0 2.5 47.2
 641.0 15.8 26.9 34.5 20.1 0.0 0.0 26.9 5191 43.0-19.8 74.3 0.0 -1.0 0.0 -
 8.3 -1.8 0.0 -17.5 0.0 2.5 48.2

N1102

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL

642.0 15.6 44.0 32.5 20.1 0.0 0.0 44.0 5190 43.0-20.3 74.3 0.0 -1.0 0.0 -
 6.1 -1.8 0.0 -20.4 0.0 2.5 47.5
 643.0 0.0 ANGLE CUT-OFF
 644.0 0.0 ANGLE CUT-OFF
 645.0 0.0 ANGLE CUT-OFF
 646.0 0.0 ANGLE CUT-OFF
 1136.0 25.7 22.7 23.5 20.1 0.0 0.0 22.7 5191 43.0-21.3 77.1 0.0 1.4 0.9
 -9.0 -3.8 0.0 -20.7 0.0 3.9 49.8
 1137.0 25.8 40.7 24.3 20.1 0.0 0.0 40.7 5190 43.0-21.2 77.1 0.0 1.4 0.9
 -6.5 -3.9 0.0 -21.2 0.0 3.9 51.7
 1138.0 0.0 ANGLE CUT-OFF
 1139.0 0.0 ANGLE CUT-OFF
 1140.0 0.0 ANGLE CUT-OFF
 1141.0 0.0 ANGLE CUT-OFF
 1142.0 0.0 ANGLE CUT-OFF
 1143.0 0.1 ANGLE CUT-OFF
 1144.0 0.1 ANGLE CUT-OFF
 1145.0 0.2 ANGLE CUT-OFF
 1146.0 0.3 ANGLE CUT-OFF
 1147.0 0.0 ANGLE CUT-OFF
 1154.0 387. DISTANCE CUT-OFF
 1155.0 556. DISTANCE CUT-OFF
 1156.0 654. DISTANCE CUT-OFF
 1157.0 666. DISTANCE CUT-OFF
 1158.0 567. DISTANCE CUT-OFF
 1159.0 484. DISTANCE CUT-OFF
 1160.0 413. DISTANCE CUT-OFF
 1161.0 2631. DISTANCE CUT-OFF
 1162.0 2640. DISTANCE CUT-OFF
 1163.0 1616. DISTANCE CUT-OFF
 1164.0 1673. DISTANCE CUT-OFF
 1165.0 1689. DISTANCE CUT-OFF
 1166.0 1574. DISTANCE CUT-OFF
 1167.0 1418. DISTANCE CUT-OFF
 1168.0 1166. DISTANCE CUT-OFF
 1169.0 916. DISTANCE CUT-OFF
 1170.0 646. DISTANCE CUT-OFF
 1171.0 433. DISTANCE CUT-OFF
 1172.0 351. DISTANCE CUT-OFF
 1173.0 337. DISTANCE CUT-OFF
 1174.0 345. DISTANCE CUT-OFF
 1175.0 312. DISTANCE CUT-OFF

1176.0	564.	DISTANCE CUT-OFF	1218.0	1153.	DISTANCE CUT-OFF
1177.0	0.1	ANGLE CUT-OFF	1219.0	1226.	DISTANCE CUT-OFF
1178.0	345.	DISTANCE CUT-OFF	1220.0	1245.	DISTANCE CUT-OFF
1179.0	350.	DISTANCE CUT-OFF	336.0	0.0	ANGLE CUT-OFF
1180.0	349.	DISTANCE CUT-OFF	337.0	332.	DISTANCE CUT-OFF
1181.0	356.	DISTANCE CUT-OFF	338.0	349.	DISTANCE CUT-OFF
1182.0	459.	DISTANCE CUT-OFF	339.0	379.	DISTANCE CUT-OFF
1183.0	677.	DISTANCE CUT-OFF	340.0	665.	DISTANCE CUT-OFF
1184.0	934.	DISTANCE CUT-OFF	350.0	525.	DISTANCE CUT-OFF
1185.0	1179.	DISTANCE CUT-OFF	351.0	383.	DISTANCE CUT-OFF
1186.0	1426.	DISTANCE CUT-OFF	352.0	396.	DISTANCE CUT-OFF
1187.0	1624.	DISTANCE CUT-OFF	353.0	336.	DISTANCE CUT-OFF
1188.0	1700.	DISTANCE CUT-OFF	354.0	389.	DISTANCE CUT-OFF
1189.0	1686.	DISTANCE CUT-OFF	355.0	363.	DISTANCE CUT-OFF
1190.0	1653.	DISTANCE CUT-OFF	1221.0	1512.	DISTANCE CUT-OFF
1191.0	1228.	DISTANCE CUT-OFF	1222.0	307.	DISTANCE CUT-OFF
1192.0	1221.	DISTANCE CUT-OFF	1229.0	792.	DISTANCE CUT-OFF
1193.0	1151.	DISTANCE CUT-OFF	1230.0	1927.	DISTANCE CUT-OFF
1194.0	872.	DISTANCE CUT-OFF	1231.0	1707.	DISTANCE CUT-OFF
1195.0	668.	DISTANCE CUT-OFF	1232.0	0.1	ANGLE CUT-OFF
1196.0	570.	DISTANCE CUT-OFF	1233.0	1351.	DISTANCE CUT-OFF
1197.0	361.	DISTANCE CUT-OFF	1234.0	2196.	DISTANCE CUT-OFF
1198.0	0.2	ANGLE CUT-OFF	1235.0	327.	DISTANCE CUT-OFF
1199.0	0.0	ANGLE CUT-OFF	1236.0	0.0	ANGLE CUT-OFF
1200.0	637.	DISTANCE CUT-OFF	1237.0	0.0	ANGLE CUT-OFF
1201.0	1062.	DISTANCE CUT-OFF	1238.0	0.0	ANGLE CUT-OFF
1202.0	1185.	DISTANCE CUT-OFF	1239.0	0.0	ANGLE CUT-OFF
1203.0	1333.	DISTANCE CUT-OFF	1240.0	0.0	ANGLE CUT-OFF
1204.0	1368.	DISTANCE CUT-OFF	1241.0	0.0	ANGLE CUT-OFF
1205.0	1059.	DISTANCE CUT-OFF	1242.0	0.0	ANGLE CUT-OFF
1206.0	1402.	DISTANCE CUT-OFF	1243.0	0.0	ANGLE CUT-OFF
1207.0	1382.	DISTANCE CUT-OFF	1244.0	0.0	ANGLE CUT-OFF
1208.0	1317.	DISTANCE CUT-OFF	1245.0	0.0	ANGLE CUT-OFF
1209.0	1188.	DISTANCE CUT-OFF	1246.0	0.0	ANGLE CUT-OFF
1210.0	1044.	DISTANCE CUT-OFF	1247.0	0.0	ANGLE CUT-OFF
1211.0	621.	DISTANCE CUT-OFF	1248.0	0.0	ANGLE CUT-OFF
1212.0	0.0	ANGLE CUT-OFF	1249.0	0.0	ANGLE CUT-OFF
1213.0	0.2	ANGLE CUT-OFF	1250.0	432.	DISTANCE CUT-OFF
1214.0	368.	DISTANCE CUT-OFF	1251.0	1627.	DISTANCE CUT-OFF
1215.0	614.	DISTANCE CUT-OFF	1252.0	1594.	DISTANCE CUT-OFF
1216.0	676.	DISTANCE CUT-OFF	1253.0	1580.	DISTANCE CUT-OFF
1217.0	854.	DISTANCE CUT-OFF	1254.0	1502.	DISTANCE CUT-OFF

1255.0	1664.	DISTANCE CUT-OFF	1291.0	509.	DISTANCE CUT-OFF
1256.0	1619.	DISTANCE CUT-OFF	1292.0	407.	DISTANCE CUT-OFF
1257.0	1753.	DISTANCE CUT-OFF	1293.0	0.1	ANGLE CUT-OFF
1258.0	1923.	DISTANCE CUT-OFF	1294.0	0.7	ANGLE CUT-OFF
1259.0	2097.	DISTANCE CUT-OFF	1295.0	464.	DISTANCE CUT-OFF
1260.0	2134.	DISTANCE CUT-OFF	1296.0	612.	DISTANCE CUT-OFF
1261.0	1675.	DISTANCE CUT-OFF	1297.0	583.	DISTANCE CUT-OFF
1223.0	0.0	ANGLE CUT-OFF	1298.0	570.	DISTANCE CUT-OFF
1224.0	0.0	ANGLE CUT-OFF	1299.0	543.	DISTANCE CUT-OFF
1225.0	0.9	ANGLE CUT-OFF	1300.0	303.	DISTANCE CUT-OFF
1226.0	0.2	ANGLE CUT-OFF	1301.0	0.1	ANGLE CUT-OFF
1227.0	0.2	ANGLE CUT-OFF	1302.0	315.	DISTANCE CUT-OFF
1228.0	0.5	ANGLE CUT-OFF	1303.0	497.	DISTANCE CUT-OFF
1262.0	0.0	ANGLE CUT-OFF	1304.0	587.	DISTANCE CUT-OFF
1263.0	0.0	ANGLE CUT-OFF	1305.0	545.	DISTANCE CUT-OFF
1264.0	0.6	ANGLE CUT-OFF	1306.0	525.	DISTANCE CUT-OFF
1265.0	0.1	ANGLE CUT-OFF	1307.0	439.	DISTANCE CUT-OFF
1266.0	0.7	ANGLE CUT-OFF	1308.0	315.	DISTANCE CUT-OFF
1267.0	0.0	ANGLE CUT-OFF	1309.0	0.7	ANGLE CUT-OFF
1268.0	0.9	ANGLE CUT-OFF	1310.0	0.4	ANGLE CUT-OFF
1269.0	1.0	ANGLE CUT-OFF	1311.0	0.1	ANGLE CUT-OFF
1270.0	0.1	ANGLE CUT-OFF	1312.0	307.	DISTANCE CUT-OFF
1271.0	0.3	ANGLE CUT-OFF	1313.0	449.	DISTANCE CUT-OFF
1272.0	0.4	ANGLE CUT-OFF	1314.0	530.	DISTANCE CUT-OFF
1273.0	0.0	ANGLE CUT-OFF	1315.0	593.	DISTANCE CUT-OFF
1274.0	0.0	ANGLE CUT-OFF	1316.0	706.	DISTANCE CUT-OFF
1275.0	308.	DISTANCE CUT-OFF	1317.0	749.	DISTANCE CUT-OFF
1276.0	0.1	ANGLE CUT-OFF	1318.0	606.	DISTANCE CUT-OFF
1277.0	0.1	ANGLE CUT-OFF	1319.0	545.	DISTANCE CUT-OFF
1278.0	0.2	ANGLE CUT-OFF	1320.0	540.	DISTANCE CUT-OFF
1279.0	0.2	ANGLE CUT-OFF	1321.0	606.	DISTANCE CUT-OFF
1280.0	395.	DISTANCE CUT-OFF	1322.0	745.	DISTANCE CUT-OFF
1281.0	469.	DISTANCE CUT-OFF	1323.0	702.	DISTANCE CUT-OFF
1282.0	652.	DISTANCE CUT-OFF	1324.0	595.	DISTANCE CUT-OFF
1283.0	656.	DISTANCE CUT-OFF	1325.0	522.	DISTANCE CUT-OFF
1284.0	661.	DISTANCE CUT-OFF	1326.0	433.	DISTANCE CUT-OFF
1285.0	561.	DISTANCE CUT-OFF	1327.0	313.	DISTANCE CUT-OFF
1286.0	518.	DISTANCE CUT-OFF	1328.0	0.1	ANGLE CUT-OFF
1287.0	516.	DISTANCE CUT-OFF	1329.0	0.4	ANGLE CUT-OFF
1288.0	535.	DISTANCE CUT-OFF	1330.0	0.7	ANGLE CUT-OFF
1289.0	726.	DISTANCE CUT-OFF	1331.0	316.	DISTANCE CUT-OFF
1290.0	707.	DISTANCE CUT-OFF	1332.0	442.	DISTANCE CUT-OFF

47.0	1661.	DISTANCE CUT-OFF	108.0	537.	DISTANCE CUT-OFF
48.0	1530.	DISTANCE CUT-OFF	109.0	600.	DISTANCE CUT-OFF
49.0	1344.	DISTANCE CUT-OFF	110.0	609.	DISTANCE CUT-OFF
50.0	1323.	DISTANCE CUT-OFF	111.0	776.	DISTANCE CUT-OFF
51.0	1309.	DISTANCE CUT-OFF	112.0	819.	DISTANCE CUT-OFF
52.0	1250.	DISTANCE CUT-OFF	113.0	865.	DISTANCE CUT-OFF
53.0	981.	DISTANCE CUT-OFF	114.0	866.	DISTANCE CUT-OFF
54.0	943.	DISTANCE CUT-OFF	115.0	692.	DISTANCE CUT-OFF
55.0	1007.	DISTANCE CUT-OFF	116.0	561.	DISTANCE CUT-OFF
56.0	1048.	DISTANCE CUT-OFF	117.0	382.	DISTANCE CUT-OFF
57.0	1027.	DISTANCE CUT-OFF	126.0	0.4	ANGLE CUT-OFF
58.0	1032.	DISTANCE CUT-OFF	127.0	0.2	ANGLE CUT-OFF
59.0	951.	DISTANCE CUT-OFF	129.0	2699.	DISTANCE CUT-OFF
60.0	759.	DISTANCE CUT-OFF	130.0	2693.	DISTANCE CUT-OFF
61.0	514.	DISTANCE CUT-OFF	131.0	2704.	DISTANCE CUT-OFF
62.0	0.1	ANGLE CUT-OFF	132.0	329.	DISTANCE CUT-OFF
63.0	0.1	ANGLE CUT-OFF	133.0	342.	DISTANCE CUT-OFF
64.0	428.	DISTANCE CUT-OFF	134.0	339.	DISTANCE CUT-OFF
65.0	680.	DISTANCE CUT-OFF	135.0	306.	DISTANCE CUT-OFF
66.0	928.	DISTANCE CUT-OFF	136.0	326.	DISTANCE CUT-OFF
67.0	1055.	DISTANCE CUT-OFF	137.0	0.1	ANGLE CUT-OFF
68.0	1066.	DISTANCE CUT-OFF	138.0	509.	DISTANCE CUT-OFF
69.0	1073.	DISTANCE CUT-OFF	139.0	403.	DISTANCE CUT-OFF
70.0	1213.	DISTANCE CUT-OFF	140.0	412.	DISTANCE CUT-OFF
71.0	1324.	DISTANCE CUT-OFF	141.0	393.	DISTANCE CUT-OFF
72.0	1308.	DISTANCE CUT-OFF	142.0	0.0	ANGLE CUT-OFF
73.0	1254.	DISTANCE CUT-OFF	143.0	0.0	ANGLE CUT-OFF
74.0	1160.	DISTANCE CUT-OFF	144.0	358.	DISTANCE CUT-OFF
75.0	1024.	DISTANCE CUT-OFF	145.0	419.	DISTANCE CUT-OFF
76.0	1024.	DISTANCE CUT-OFF	146.0	380.	DISTANCE CUT-OFF
77.0	1031.	DISTANCE CUT-OFF	147.0	366.	DISTANCE CUT-OFF
78.0	1097.	DISTANCE CUT-OFF	148.0	0.1	ANGLE CUT-OFF
79.0	1146.	DISTANCE CUT-OFF	149.0	0.1	ANGLE CUT-OFF
80.0	1222.	DISTANCE CUT-OFF	150.0	330.	DISTANCE CUT-OFF
100.0	1596.	DISTANCE CUT-OFF	151.0	432.	DISTANCE CUT-OFF
101.0	1628.	DISTANCE CUT-OFF	152.0	893.	DISTANCE CUT-OFF
102.0	1666.	DISTANCE CUT-OFF	153.0	1146.	DISTANCE CUT-OFF
103.0	1692.	DISTANCE CUT-OFF	154.0	952.	DISTANCE CUT-OFF
104.0	0.1	ANGLE CUT-OFF	155.0	1798.	DISTANCE CUT-OFF
105.0	0.2	ANGLE CUT-OFF	156.0	2132.	DISTANCE CUT-OFF
106.0	0.4	ANGLE CUT-OFF	157.0	2381.	DISTANCE CUT-OFF
107.0	424.	DISTANCE CUT-OFF	158.0	2379.	DISTANCE CUT-OFF

159.0	2687.	DISTANCE CUT-OFF	203.0	2382.	DISTANCE CUT-OFF
160.0	2878.	DISTANCE CUT-OFF	209.0	302.	DISTANCE CUT-OFF
161.0	2993.	DISTANCE CUT-OFF	210.0	2713.	DISTANCE CUT-OFF
162.0	3002.	DISTANCE CUT-OFF	211.0	2712.	DISTANCE CUT-OFF
163.0	2723.	DISTANCE CUT-OFF	212.0	2689.	DISTANCE CUT-OFF
164.0	2442.	DISTANCE CUT-OFF	213.0	2663.	DISTANCE CUT-OFF
165.0	2192.	DISTANCE CUT-OFF	214.0	2663.	DISTANCE CUT-OFF
166.0	1628.	DISTANCE CUT-OFF	215.0	2666.	DISTANCE CUT-OFF
167.0	1366.	DISTANCE CUT-OFF	216.0	2655.	DISTANCE CUT-OFF
168.0	2944.	DISTANCE CUT-OFF	217.0	2656.	DISTANCE CUT-OFF
169.0	2965.	DISTANCE CUT-OFF	218.0	2671.	DISTANCE CUT-OFF
170.0	2937.	DISTANCE CUT-OFF	219.0	2667.	DISTANCE CUT-OFF
171.0	2893.	DISTANCE CUT-OFF	220.0	2669.	DISTANCE CUT-OFF
172.0	2958.	DISTANCE CUT-OFF	221.0	2704.	DISTANCE CUT-OFF
173.0	2951.	DISTANCE CUT-OFF	222.0	2705.	DISTANCE CUT-OFF
174.0	2918.	DISTANCE CUT-OFF	223.0	2660.	DISTANCE CUT-OFF
175.0	2924.	DISTANCE CUT-OFF	306.0	316.	DISTANCE CUT-OFF
176.0	2872.	DISTANCE CUT-OFF	307.0	300.	DISTANCE CUT-OFF
177.0	1849.	DISTANCE CUT-OFF	308.0	0.0	ANGLE CUT-OFF
178.0	2929.	DISTANCE CUT-OFF	309.0	0.1	ANGLE CUT-OFF
179.0	2437.	DISTANCE CUT-OFF	310.0	304.	DISTANCE CUT-OFF
180.0	0.0	ANGLE CUT-OFF	311.0	318.	DISTANCE CUT-OFF
181.0	1593.	DISTANCE CUT-OFF	312.0	0.2	ANGLE CUT-OFF
182.0	2774.	DISTANCE CUT-OFF	313.0	457.	DISTANCE CUT-OFF
183.0	2923.	DISTANCE CUT-OFF	314.0	0.1	ANGLE CUT-OFF
184.0	2096.	DISTANCE CUT-OFF	315.0	0.1	ANGLE CUT-OFF
185.0	466.	DISTANCE CUT-OFF	316.0	0.0	ANGLE CUT-OFF
188.0	1352.	DISTANCE CUT-OFF	317.0	976.	DISTANCE CUT-OFF
189.0	0.1	ANGLE CUT-OFF	318.0	951.	DISTANCE CUT-OFF
190.0	0.1	ANGLE CUT-OFF	319.0	800.	DISTANCE CUT-OFF
191.0	0.0	ANGLE CUT-OFF	320.0	575.	DISTANCE CUT-OFF
192.0	874.	DISTANCE CUT-OFF	321.0	575.	DISTANCE CUT-OFF
193.0	1665.	DISTANCE CUT-OFF	322.0	364.	DISTANCE CUT-OFF
194.0	2283.	DISTANCE CUT-OFF	323.0	0.2	ANGLE CUT-OFF
195.0	2379.	DISTANCE CUT-OFF	341.0	690.	DISTANCE CUT-OFF
196.0	2381.	DISTANCE CUT-OFF	342.0	676.	DISTANCE CUT-OFF
197.0	2375.	DISTANCE CUT-OFF	343.0	841.	DISTANCE CUT-OFF
198.0	2367.	DISTANCE CUT-OFF	344.0	1005.	DISTANCE CUT-OFF
199.0	2405.	DISTANCE CUT-OFF	345.0	0.0	ANGLE CUT-OFF
200.0	2421.	DISTANCE CUT-OFF	346.0	0.0	ANGLE CUT-OFF
201.0	2364.	DISTANCE CUT-OFF	347.0	338.	DISTANCE CUT-OFF
202.0	2389.	DISTANCE CUT-OFF	348.0	0.1	ANGLE CUT-OFF

507.0 59.6 13.2 26.0 20.1 0.0 0.0 13.2 5188 43.0-17.4 68.6 0.0 -1.0 2.6 -
11.4 -6.9 0.0 -17.4 0.0 2.5 37.0
508.0 40.8 4.6 29.1 20.1 0.0 0.0 4.6 5188 43.0-18.2 68.6 0.0 -1.0 2.2 -
15.9 -5.6 0.0 -18.3 0.0 2.5 32.5
509.0 24.5 1.8 31.9 20.1 0.0 0.0 1.8 5188 43.0-19.5 68.6 0.0 -1.0 2.3 -
19.9 -4.1 0.0 -19.6 0.0 4.0 30.3
510.0 0.4 ANGLE CUT-OFF
511.0 39.5 6.0 16.3 20.1 0.0 0.0 6.0 5187 43.0-21.4 78.1 0.0 -1.0 1.4 -
14.8 -5.4 0.0 -21.4 0.0 2.5 39.4
512.0 52.9 13.5 18.4 20.1 0.0 0.0 13.5 5187 43.0-20.0 78.1 0.0 -1.0 2.3 -
11.2 -6.4 0.0 -20.0 0.0 2.5 44.3
513.0 56.0 25.1 21.1 20.1 0.0 0.0 25.1 5187 43.0-19.5 78.1 0.0 -1.0 2.4 -
8.6 -6.6 0.0 -19.1 0.0 2.5 47.7
514.0 56.8 42.7 23.1 20.1 0.0 0.0 42.7 5188 43.0-18.5 78.1 0.0 -1.0 0.7 -
6.2 -6.7 0.0 -18.5 0.0 2.5 48.9
515.0 48.2 14.2 24.7 20.1 0.0 0.0 14.2 5188 43.0-18.6 78.1 0.0 -1.0 1.2 -
11.0 -6.1 0.0 -18.9 0.0 3.4 45.7
516.0 29.7 4.1 25.8 20.1 0.0 0.0 4.1 5188 43.0-20.0 78.1 0.0 -1.0 0.3 -
16.4 -4.3 0.0 -20.8 0.0 2.5 38.4
517.0 0.5 ANGLE CUT-OFF
518.0 20.6 1.9 28.5 20.1 0.0 0.0 1.9 5188 43.0-21.0 78.1 0.0 -1.0 0.5 -
19.7 -3.2 0.0 -21.2 0.0 3.6 37.1
519.0 70.1 3.1 29.0 20.1 0.0 0.0 3.1 5188 43.0-17.1 78.1 0.0 -1.0 0.0 -
17.6 -7.4 0.0 -18.1 0.0 2.5 36.5
520.0 123.6 7.4 29.3 20.1 0.0 0.0 7.4 13389 49.3-20.5 78.1 0.0 -1.0 0.1 -
13.9 -9.8 0.0 -17.4 0.0 2.5 38.6
521.0 134.9 6.7 29.3 20.1 0.0 0.0 6.7 5188 43.0-15.7 78.1 0.0 -1.0 0.0 -
14.3 -10.1 0.0 -16.4 0.0 3.8 40.1
522.0 131.2 1.3 29.0 20.1 0.0 0.0 1.3 5188 43.0-15.3 78.1 0.0 -1.0 0.0 -
21.6 -10.0 0.0 -16.2 0.0 4.0 33.3
523.0 80.7 3.8 29.0 20.1 0.0 0.0 3.8 5188 43.0-16.6 78.1 0.0 -1.0 0.0 -
16.8 -8.0 0.0 -16.8 0.0 3.8 39.3
524.0 27.8 2.5 28.5 20.1 0.0 0.0 2.5 5188 43.0-20.0 78.1 0.0 -1.0 0.0 -
18.5 -4.1 0.0 -20.3 0.0 3.9 38.1
525.0 0.4 ANGLE CUT-OFF
526.0 20.3 3.2 27.0 20.1 0.0 0.0 3.2 5188 43.0-21.0 78.1 0.0 -1.0 0.0 -
17.5 -3.0 0.0 -21.9 0.0 2.5 37.2
527.0 36.1 12.6 25.3 20.1 0.0 0.0 12.6 5188 43.0-19.6 78.1 0.0 -1.0 0.0 -
11.5 -5.1 0.0 -20.5 0.0 2.5 42.5
528.0 46.9 48.7 23.1 20.1 0.0 0.0 48.7 5188 43.0-19.6 78.1 0.0 -1.0 0.0 -
5.7 -5.9 0.0 -19.6 0.0 2.5 48.4

529.0 46.3 29.0 21.1 20.1 0.0 0.0 29.0 5187 43.0-20.7 78.1 0.0 -1.0 0.0 -
7.9 -5.9 0.0 -20.4 0.0 2.5 45.4
530.0 40.4 13.6 18.7 20.1 0.0 0.0 13.6 5187 43.0-21.4 78.1 0.0 -1.0 0.0 -
11.2 -5.4 0.0 -21.4 0.0 2.5 41.6
531.0 32.9 5.7 16.5 20.1 0.0 0.0 5.7 5187 43.0-22.2 78.1 0.0 -1.0 0.0 -
15.0 -4.7 0.0 -22.2 0.0 2.5 37.7
532.0 0.2 ANGLE CUT-OFF
533.0 100.1 3.9 31.7 20.1 0.0 0.0 3.9 5188 43.0-16.2 78.7 0.0 -1.0 0.0 -
16.7 -8.9 0.0 -16.2 0.0 2.5 38.4
534.0 120.6 2.5 28.6 20.1 0.0 0.0 2.5 13390 49.3-21.2 78.7 0.0 -1.0 0.0 -
18.6 -9.6 0.0 -19.9 0.0 2.5 32.1
535.0 151.5 11.0 31.9 20.1 0.0 0.0 11.0 5188 43.0-14.7 79.0 0.0 -1.0 1.4 -
12.1 -10.6 0.0 -15.3 0.0 2.5 43.9
536.0 10.0 1.7 7.1 20.1 0.0 0.0 1.7 5187 43.0-24.3 81.0 0.0 -1.0 0.4 -
20.3 -3.7 0.0 -24.3 0.0 2.5 34.6
537.0 11.2 3.7 12.5 20.1 0.0 0.0 3.7 5187 43.0-24.0 81.0 0.0 -1.0 2.3 -
16.9 -1.4 0.0 -24.0 0.0 2.5 42.5
538.0 0.0 ANGLE CUT-OFF
539.0 0.0 ANGLE CUT-OFF
540.0 312. DISTANCE CUT-OFF
541.0 301. DISTANCE CUT-OFF
542.0 0.0 ANGLE CUT-OFF
543.0 0.0 ANGLE CUT-OFF
544.0 289.4 9.3 5.8 20.1 0.0 0.0 9.3 13118 136.6-30.0 76.7 0.0 -1.0 0.0 -
12.8 -13.4 0.0 -21.1 0.0 2.5 30.9
545.0 290.9 2.5 5.6 20.1 0.0 0.0 2.5 5283 50.0-20.7 76.7 0.0 -1.0 0.0 -
18.6 -13.4 0.0 -21.1 0.0 2.6 25.2
546.0 291.6 2.2 5.6 20.1 0.0 0.0 2.2 5283 50.0-21.2 76.7 0.0 -1.0 0.0 -
19.1 -13.4 0.0 -21.4 0.0 2.9 24.7
547.0 356. DISTANCE CUT-OFF
548.0 527. DISTANCE CUT-OFF
549.0 338. DISTANCE CUT-OFF
550.0 404. DISTANCE CUT-OFF
551.0 454. DISTANCE CUT-OFF
552.0 508. DISTANCE CUT-OFF
553.0 543. DISTANCE CUT-OFF
554.0 592. DISTANCE CUT-OFF
555.0 633. DISTANCE CUT-OFF
556.0 682. DISTANCE CUT-OFF
557.0 683. DISTANCE CUT-OFF
558.0 735. DISTANCE CUT-OFF
559.0 760. DISTANCE CUT-OFF

560.0 768. DISTANCE CUT-OFF
 561.0 224.8 1.1 5.9 20.1 0.0 0.0 1.113118 136.6-30.0 72.8 0.0 -1.0 0.1 -
 22.2 -12.3 0.0 -25.4 0.0 2.5 14.5
 562.0 0.9 ANGLE CUT-OFF
 563.0 0.2 ANGLE CUT-OFF
 564.0 78.5 1.4 7.4 20.1 0.0 0.0 1.4 5284 50.0-26.7 74.9 0.0 -1.0 1.2 -
 21.2 -7.9 0.0 -27.0 0.0 2.5 21.5
 565.0 0.9 ANGLE CUT-OFF

N1204

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL

566.0 0.0 ANGLE CUT-OFF
 567.0 0.0 ANGLE CUT-OFF
 568.0 0.0 ANGLE CUT-OFF
 569.0 0.0 ANGLE CUT-OFF
 570.0 0.0 ANGLE CUT-OFF
 571.0 0.0 ANGLE CUT-OFF
 572.0 0.0 ANGLE CUT-OFF
 573.0 0.0 ANGLE CUT-OFF
 574.0 0.0 ANGLE CUT-OFF
 575.0 0.0 ANGLE CUT-OFF
 576.0 0.5 ANGLE CUT-OFF
 577.0 0.7 ANGLE CUT-OFF
 578.0 0.0 ANGLE CUT-OFF
 579.0 0.0 ANGLE CUT-OFF
 580.0 0.0 ANGLE CUT-OFF
 581.0 0.0 ANGLE CUT-OFF
 582.0 0.0 ANGLE CUT-OFF
 583.0 0.0 ANGLE CUT-OFF
 584.0 0.0 ANGLE CUT-OFF
 585.0 764. DISTANCE CUT-OFF
 586.0 728. DISTANCE CUT-OFF
 587.0 863. DISTANCE CUT-OFF
 588.0 890. DISTANCE CUT-OFF
 589.0 692. DISTANCE CUT-OFF
 590.0 679. DISTANCE CUT-OFF

591.0 593. DISTANCE CUT-OFF
 592.0 582. DISTANCE CUT-OFF
 593.0 580. DISTANCE CUT-OFF
 594.0 663. DISTANCE CUT-OFF
 595.0 736. DISTANCE CUT-OFF
 596.0 880. DISTANCE CUT-OFF
 597.0 827. DISTANCE CUT-OFF
 598.0 731. DISTANCE CUT-OFF
 599.0 744. DISTANCE CUT-OFF
 600.0 280.6 3.5 36.3 20.1 0.0 0.0 3.5 5188 43.0-11.8 74.9 0.0 -1.0 2.2 -
 17.1 -13.2 0.0 -12.1 0.0 2.5 36.2
 601.0 182.7 1.6 37.7 20.1 0.0 0.0 1.6 5188 43.0-12.6 74.9 0.0 -1.0 3.4 -
 20.6 -11.4 0.0 -12.9 0.0 2.5 34.9
 602.0 0.2 ANGLE CUT-OFF
 603.0 66.9 1.0 41.1 20.1 0.0 0.0 1.0 5188 43.0-15.3 74.9 0.0 -1.0 3.1 -
 22.5 -7.5 0.0 -15.4 0.0 2.5 34.1
 604.0 52.1 3.8 51.2 20.1 0.0 0.0 3.8 12689 59.2-20.0 74.2 0.0 -1.0 2.3 -
 16.8 -6.5 0.0 -17.2 0.0 2.5 37.5
 605.0 60.7 1.3 56.3 20.1 0.0 0.0 1.3 12689 59.2-17.6 73.8 0.0 -1.0 0.0 -
 21.4 -7.0 0.0 -18.4 0.0 2.5 28.5
 606.0 59.4 1.2 50.5 20.1 0.0 0.0 1.2 5188 43.0-15.1 73.8 0.0 -1.0 0.0 -
 21.9 -6.9 0.0 -15.1 0.0 2.5 31.4
 607.0 74.7 2.2 45.3 20.1 0.0 0.0 2.2 5188 43.0-14.7 73.8 0.0 -1.0 0.0 -
 19.0 -7.8 0.0 -14.7 0.0 2.5 33.8
 608.0 67.5 1.1 41.1 20.1 0.0 0.0 1.1 5188 43.0-15.1 74.7 0.0 -1.0 0.0 -
 22.2 -7.5 0.0 -15.2 0.0 2.5 31.3
 609.0 0.0 ANGLE CUT-OFF
 610.0 102.3 1.0 37.7 20.1 0.0 0.0 1.0 5188 43.0-14.2 74.7 0.0 -1.0 0.0 -
 22.5 -9.1 0.0 -14.4 0.0 2.5 30.2
 611.0 101.6 2.0 37.5 20.1 0.0 0.0 2.0 5188 43.0-14.2 74.7 0.0 -1.0 1.2 -
 19.6 -8.9 0.0 -14.4 0.0 2.5 34.5
 612.0 270.5 2.6 9.9 20.1 0.0 0.0 2.6 12504 89.3-30.0 66.0 0.0 -1.0 1.2 -
 18.4 -13.1 0.0 -30.7 0.0 3.6 7.6
 613.0 0.1 ANGLE CUT-OFF
 614.0 293.6 1.2 16.4 20.1 0.0 0.0 1.2 13352 79.8-30.0 66.0 0.0 -1.0 2.6 -
 21.7 -13.4 0.0 -30.2 0.0 2.5 4.8
 615.0 511. DISTANCE CUT-OFF
 616.0 646. DISTANCE CUT-OFF
 617.0 656. DISTANCE CUT-OFF
 618.0 502. DISTANCE CUT-OFF
 619.0 459. DISTANCE CUT-OFF
 620.0 456. DISTANCE CUT-OFF

621.0 642. DISTANCE CUT-OFF
622.0 763. DISTANCE CUT-OFF
622.0 706. DISTANCE CUT-OFF
623.0 593. DISTANCE CUT-OFF
624.0 454. DISTANCE CUT-OFF
625.0 280.3 1.6 42.5 20.1 0.0 0.0 1.625096 71.9-24.8 66.0 0.0 -1.0 1.9 -
20.5 -13.3 0.0 -25.1 0.0 2.5 10.5
626.0 168.7 1.0 45.5 20.1 0.0 0.0 1.025095 71.6-27.1 66.0 0.0 -1.0 2.0 -
22.4 -11.2 0.0 -27.4 0.0 2.5 8.5
627.0 0.5 ANGLE CUT-OFF
628.0 0.7 ANGLE CUT-OFF
629.0 72.4 1.1 53.7 20.1 0.0 0.0 1.125094 70.6-28.7 66.0 0.0 -1.0 2.3 -
22.0 -8.4 0.0 -29.1 0.0 2.5 10.3
630.0 71.2 2.2 59.5 20.1 0.0 0.0 2.225094 70.2-27.0 66.0 0.0 -1.0 2.0 -
19.2 -8.2 0.0 -26.0 0.0 2.5 16.1
631.0 78.7 1.2 64.3 20.1 0.0 0.0 1.213376 65.8-21.9 66.0 0.0 -1.0 2.9 -
21.7 -8.8 0.0 -22.2 0.0 2.5 17.7
632.0 0.6 ANGLE CUT-OFF
633.0 242.0 3.1 69.8 20.1 0.0 0.0 3.113377 65.8-14.2 66.0 0.0 -1.0 0.7 -
17.7 -12.6 0.0 -14.9 0.0 2.5 23.0
634.0 225.4 4.0 70.8 20.1 0.0 0.0 4.013377 65.8-13.8 66.0 0.0 -1.0 1.8 -
16.5 -12.4 0.0 -14.6 0.0 2.5 25.8
635.0 270.9 4.4 72.4 20.1 0.0 0.0 4.413378 65.8-11.0 66.0 0.0 -1.0 2.2 -
16.2 -13.1 0.0 -12.4 0.0 2.5 28.0
636.0 277.0 4.2 73.9 20.1 0.0 0.0 4.213378 65.8-8.9 66.0 0.0 -1.0 2.2 -
16.3 -13.2 0.0 -10.5 0.0 2.5 29.7
637.0 244.0 4.8 75.5 20.1 0.0 0.0 4.85188 43.0-9.0 66.0 0.0 -1.0 1.7 -
15.8 -12.7 0.0 -10.3 0.0 2.5 30.4
638.0 167.8 4.6 77.2 20.1 0.0 0.0 4.65188 43.0-10.0 66.0 0.0 -1.0 1.1 -
15.9 -11.1 0.0 -11.9 0.0 4.0 31.2
639.0 192.6 6.9 79.3 20.1 0.0 0.0 6.95188 43.0-10.5 66.0 0.0 -1.0 0.9 -
14.1 -11.7 0.0 -12.7 0.0 2.5 29.9
647.0 124.8 6.0 36.4 20.1 0.0 0.0 6.05043 162.7-30.0 71.5 0.0 -1.0 0.0 -
14.8 -9.8 0.0 -30.9 0.0 2.5 17.5
648.0 0.6 ANGLE CUT-OFF
649.0 0.1 ANGLE CUT-OFF
650.0 0.6 ANGLE CUT-OFF
651.0 283.4 3.5 5.6 20.1 0.0 0.0 3.55283 50.0-20.6 77.9 0.0 -1.0 0.0 -
17.1 -13.3 0.0 -21.1 0.0 2.5 27.9
652.0 284.2 6.6 5.8 20.1 0.0 0.0 6.613118 136.6-30.0 76.9 0.0 -1.0 0.1 -
14.4 -13.3 0.0 -21.2 0.0 2.5 29.6
653.0 0.0 ANGLE CUT-OFF

654.0 0.0 ANGLE CUT-OFF
655.0 0.0 ANGLE CUT-OFF
656.0 306. DISTANCE CUT-OFF
657.0 0.0 ANGLE CUT-OFF
658.0 0.0 ANGLE CUT-OFF
659.0 0.0 ANGLE CUT-OFF
660.0 762. DISTANCE CUT-OFF
661.0 747. DISTANCE CUT-OFF
662.0 720. DISTANCE CUT-OFF
663.0 663. DISTANCE CUT-OFF
666.0 564. DISTANCE CUT-OFF
667.0 347. DISTANCE CUT-OFF
668.0 296.5 2.3 5.6 20.1 0.0 0.0 2.35283 50.0-21.2 77.4 0.0 -1.0 0.1 -
19.0 -13.5 0.0 -21.3 0.0 2.5 25.2
669.0 296.9 2.6 5.6 20.1 0.0 0.0 2.65283 50.0-20.7 77.9 0.0 -1.0 0.0 -
18.4 -13.5 0.0 -21.1 0.0 2.5 26.4
670.0 892. DISTANCE CUT-OFF
671.0 875. DISTANCE CUT-OFF
672.0 877. DISTANCE CUT-OFF
673.0 509. DISTANCE CUT-OFF
674.0 734. DISTANCE CUT-OFF
675.0 453. DISTANCE CUT-OFF
676.0 639. DISTANCE CUT-OFF
677.0 0.7 ANGLE CUT-OFF
678.0 1229. DISTANCE CUT-OFF
679.0 1162. DISTANCE CUT-OFF
680.0 1089. DISTANCE CUT-OFF
681.0 1022. DISTANCE CUT-OFF
682.0 1021. DISTANCE CUT-OFF
683.0 1040. DISTANCE CUT-OFF
684.0 1168. DISTANCE CUT-OFF
685.0 1241. DISTANCE CUT-OFF
686.0 1317. DISTANCE CUT-OFF
687.0 1289. DISTANCE CUT-OFF
688.0 1195. DISTANCE CUT-OFF
689.0 647. DISTANCE CUT-OFF
690.0 565. DISTANCE CUT-OFF
691.0 526. DISTANCE CUT-OFF
692.0 366. DISTANCE CUT-OFF
693.0 0.4 ANGLE CUT-OFF
694.0 0.3 ANGLE CUT-OFF
695.0 0.4 ANGLE CUT-OFF

696.0	859.	DISTANCE CUT-OFF	748.0	2999.	DISTANCE CUT-OFF
697.0	815.	DISTANCE CUT-OFF	749.0	2917.	DISTANCE CUT-OFF
698.0	801.	DISTANCE CUT-OFF	750.0	2692.	DISTANCE CUT-OFF
699.0	765.	DISTANCE CUT-OFF	751.0	2374.	DISTANCE CUT-OFF
700.0	373.	DISTANCE CUT-OFF	752.0	2913.	DISTANCE CUT-OFF
701.0	639.	DISTANCE CUT-OFF	753.0	2907.	DISTANCE CUT-OFF
702.0	783.	DISTANCE CUT-OFF	754.0	2954.	DISTANCE CUT-OFF
703.0	1146.	DISTANCE CUT-OFF	755.0	2960.	DISTANCE CUT-OFF
704.0	1077.	DISTANCE CUT-OFF	756.0	2966.	DISTANCE CUT-OFF
705.0	1051.	DISTANCE CUT-OFF	757.0	0.4	ANGLE CUT-OFF
706.0	917.	DISTANCE CUT-OFF	758.0	2702.	DISTANCE CUT-OFF
707.0	698.	DISTANCE CUT-OFF	759.0	2690.	DISTANCE CUT-OFF
708.0	418.	DISTANCE CUT-OFF	760.0	2692.	DISTANCE CUT-OFF
709.0	0.1	ANGLE CUT-OFF	761.0	0.2	ANGLE CUT-OFF
710.0	0.1	ANGLE CUT-OFF	762.0	0.6	ANGLE CUT-OFF
711.0	512.	DISTANCE CUT-OFF	763.0	0.5	ANGLE CUT-OFF
712.0	751.	DISTANCE CUT-OFF	764.0	170.8	1.0 45.5 20.1 0.0 0.0 1.025096 71.6-27.2 66.0 0.0 -1.0 0.0 -
713.0	987.	DISTANCE CUT-OFF	22.4	-11.3	0.0 -27.3 0.0 2.5 6.5
714.0	1036.	DISTANCE CUT-OFF	765.0	274.6	1.5 42.5 20.1 0.0 0.0 1.525096 72.1-24.9 66.0 0.0 -1.0 0.0 -
715.0	1075.	DISTANCE CUT-OFF	20.7	-13.2	0.0 -25.3 0.0 2.5 8.3
716.0	1009.	DISTANCE CUT-OFF	766.0	442.	DISTANCE CUT-OFF
717.0	1036.	DISTANCE CUT-OFF	767.0	589.	DISTANCE CUT-OFF
718.0	1024.	DISTANCE CUT-OFF	768.0	678.	DISTANCE CUT-OFF
719.0	1056.	DISTANCE CUT-OFF	769.0	757.	DISTANCE CUT-OFF
720.0	1721.	DISTANCE CUT-OFF	770.0	641.	DISTANCE CUT-OFF
721.0	1652.	DISTANCE CUT-OFF	771.0	446.	DISTANCE CUT-OFF
722.0	1601.	DISTANCE CUT-OFF	772.0	449.	DISTANCE CUT-OFF
723.0	1608.	DISTANCE CUT-OFF	773.0	516.	DISTANCE CUT-OFF
730.0	2968.	DISTANCE CUT-OFF	774.0	646.	DISTANCE CUT-OFF
731.0	2919.	DISTANCE CUT-OFF	775.0	639.	DISTANCE CUT-OFF
732.0	2651.	DISTANCE CUT-OFF	776.0	511.	DISTANCE CUT-OFF
733.0	2900.	DISTANCE CUT-OFF	777.0	277.2	1.2 16.4 20.1 0.0 0.0 1.213352 79.8-30.0 66.0 0.0 -1.0 0.0 -
734.0	2923.	DISTANCE CUT-OFF	21.7	-13.2	0.0 -30.1 0.0 2.5 2.5
735.0	2930.	DISTANCE CUT-OFF	778.0	0.2	ANGLE CUT-OFF
736.0	2957.	DISTANCE CUT-OFF	779.0	270.8	2.6 9.9 20.1 0.0 0.0 2.612504 89.3-30.0 66.0 0.0 -1.0 0.0 -
741.0	949.	DISTANCE CUT-OFF	18.4	-13.1	0.0 -30.5 0.0 3.9 6.9
742.0	1404.	DISTANCE CUT-OFF	780.0	194.3	7.0 79.3 20.1 0.0 0.0 7.025104 80.7-11.0 66.0 0.0 -1.0 0.0 -
743.0	1729.	DISTANCE CUT-OFF	14.1	-11.7	0.0 -12.9 0.0 2.5 28.8
744.0	2132.	DISTANCE CUT-OFF	781.0	171.8	4.5 77.2 20.1 0.0 0.0 4.5 5188 43.0-10.0 66.0 0.0 -1.0 0.0 -
745.0	2478.	DISTANCE CUT-OFF	16.0	-11.2	0.0 -12.2 0.0 4.0 29.6
746.0	2757.	DISTANCE CUT-OFF	782.0	246.5	4.4 75.5 20.1 0.0 0.0 4.4 5188 43.0-9.1 66.0 0.0 -1.0 0.0 -
747.0	3003.	DISTANCE CUT-OFF	16.1	-12.7	0.0 -10.9 0.0 2.5 27.8

783.0 280.3 3.9 73.9 20.1 0.0 0.0 3.913378 65.8-9.2 66.0 0.0 -1.0 0.0 -
 16.6 -13.3 0.0 -11.0 0.0 2.5 26.6
 784.0 275.0 4.3 72.4 20.1 0.0 0.0 4.313378 65.8-11.1 66.0 0.0 -1.0 0.0 -
 16.3 -13.2 0.0 -12.5 0.0 2.5 25.5
 785.0 227.1 3.8 70.8 20.1 0.0 0.0 3.813377 65.8-14.0 66.0 0.0 -1.0 0.0 -
 16.8 -12.4 0.0 -14.6 0.0 2.5 23.7
 786.0 236.6 2.3 69.8 20.1 0.0 0.0 2.313376 65.8-14.5 66.0 0.0 -1.0 0.0 -
 18.9 -12.6 0.0 -15.2 0.0 2.5 20.8
 787.0 0.2 ANGLE CUT-OFF
 788.0 75.6 1.1 64.3 20.1 0.0 0.0 1.113377 65.8-22.8 66.0 0.0 -1.0 0.0 -
 22.0 -8.7 0.0 -22.5 0.0 2.5 14.3
 789.0 66.0 2.0 59.5 20.1 0.0 0.0 2.025094 70.4-26.8 66.0 0.0 -1.0 0.0 -
 19.5 -8.0 0.0 -26.8 0.0 2.5 13.2
 790.0 65.5 1.1 53.7 20.1 0.0 0.0 1.125094 70.9-29.4 66.0 0.0 -1.0 0.0 -
 22.3 -8.1 0.0 -29.9 0.0 2.5 7.2
 799.0 2726. DISTANCE CUT-OFF
 800.0 2709. DISTANCE CUT-OFF
 801.0 2727. DISTANCE CUT-OFF
 802.0 2810. DISTANCE CUT-OFF
 803.0 2803. DISTANCE CUT-OFF
 804.0 2724. DISTANCE CUT-OFF
 805.0 2718. DISTANCE CUT-OFF
 806.0 2727. DISTANCE CUT-OFF
 807.0 311. DISTANCE CUT-OFF
 808.0 0.0 ANGLE CUT-OFF
 809.0 704. DISTANCE CUT-OFF
 810.0 1765. DISTANCE CUT-OFF
 811.0 2440. DISTANCE CUT-OFF
 812.0 2713. DISTANCE CUT-OFF
 813.0 2718. DISTANCE CUT-OFF
 814.0 2421. DISTANCE CUT-OFF
 815.0 1771. DISTANCE CUT-OFF
 816.0 744. DISTANCE CUT-OFF
 817.0 0.0 ANGLE CUT-OFF
 818.0 0.3 ANGLE CUT-OFF
 819.0 307. DISTANCE CUT-OFF
 820.0 0.6 ANGLE CUT-OFF
 821.0 2044. DISTANCE CUT-OFF
 822.0 2062. DISTANCE CUT-OFF
 823.0 1923. DISTANCE CUT-OFF
 824.0 1195. DISTANCE CUT-OFF
 825.0 0.2 ANGLE CUT-OFF

826.0 866. DISTANCE CUT-OFF
 827.0 1341. DISTANCE CUT-OFF
 828.0 1764. DISTANCE CUT-OFF
 829.0 1926. DISTANCE CUT-OFF
 830.0 1928. DISTANCE CUT-OFF
 831.0 1774. DISTANCE CUT-OFF
 832.0 1383. DISTANCE CUT-OFF
 833.0 848. DISTANCE CUT-OFF
 834.0 0.2 ANGLE CUT-OFF
 835.0 2386. DISTANCE CUT-OFF
 836.0 2389. DISTANCE CUT-OFF
 837.0 2300. DISTANCE CUT-OFF
 838.0 1707. DISTANCE CUT-OFF
 839.0 844. DISTANCE CUT-OFF
 840.0 0.0 ANGLE CUT-OFF
 841.0 0.1 ANGLE CUT-OFF
 842.0 0.1 ANGLE CUT-OFF
 843.0 1951. DISTANCE CUT-OFF
 844.0 1920. DISTANCE CUT-OFF
 845.0 1643. DISTANCE CUT-OFF
 846.0 1394. DISTANCE CUT-OFF
 847.0 1391. DISTANCE CUT-OFF
 848.0 1254. DISTANCE CUT-OFF
 849.0 1290. DISTANCE CUT-OFF
 850.0 475. DISTANCE CUT-OFF
 851.0 0.0 ANGLE CUT-OFF
 852.0 2017. DISTANCE CUT-OFF
 853.0 1988. DISTANCE CUT-OFF
 854.0 1869. DISTANCE CUT-OFF
 855.0 1745. DISTANCE CUT-OFF
 856.0 1617. DISTANCE CUT-OFF
 857.0 1512. DISTANCE CUT-OFF
 858.0 1384. DISTANCE CUT-OFF
 859.0 1246. DISTANCE CUT-OFF
 860.0 1143. DISTANCE CUT-OFF
 861.0 2056. DISTANCE CUT-OFF
 862.0 2055. DISTANCE CUT-OFF
 863.0 2055. DISTANCE CUT-OFF
 864.0 2069. DISTANCE CUT-OFF
 865.0 2069. DISTANCE CUT-OFF
 866.0 2069. DISTANCE CUT-OFF
 867.0 2069. DISTANCE CUT-OFF

868.0	2069.	DISTANCE CUT-OFF	910.0	2059.	DISTANCE CUT-OFF
869.0	2068.	DISTANCE CUT-OFF	911.0	0.0	ANGLE CUT-OFF
870.0	2065.	DISTANCE CUT-OFF	912.0	0.1	ANGLE CUT-OFF
871.0	2070.	DISTANCE CUT-OFF	913.0	335.	DISTANCE CUT-OFF
872.0	2067.	DISTANCE CUT-OFF	914.0	398.	DISTANCE CUT-OFF
873.0	2059.	DISTANCE CUT-OFF	915.0	0.1	ANGLE CUT-OFF
874.0	2059.	DISTANCE CUT-OFF	916.0	0.1	ANGLE CUT-OFF
875.0	2062.	DISTANCE CUT-OFF	917.0	628.	DISTANCE CUT-OFF
876.0	2063.	DISTANCE CUT-OFF	918.0	1155.	DISTANCE CUT-OFF
877.0	2051.	DISTANCE CUT-OFF	919.0	1505.	DISTANCE CUT-OFF
878.0	2063.	DISTANCE CUT-OFF	920.0	1725.	DISTANCE CUT-OFF
879.0	2072.	DISTANCE CUT-OFF	921.0	1885.	DISTANCE CUT-OFF
880.0	2069.	DISTANCE CUT-OFF	922.0	2009.	DISTANCE CUT-OFF
881.0	2069.	DISTANCE CUT-OFF	923.0	2094.	DISTANCE CUT-OFF
882.0	2010.	DISTANCE CUT-OFF	924.0	2105.	DISTANCE CUT-OFF
883.0	1921.	DISTANCE CUT-OFF	925.0	2105.	DISTANCE CUT-OFF
884.0	1859.	DISTANCE CUT-OFF	926.0	2106.	DISTANCE CUT-OFF
885.0	1779.	DISTANCE CUT-OFF	927.0	2111.	DISTANCE CUT-OFF
886.0	1677.	DISTANCE CUT-OFF	928.0	2103.	DISTANCE CUT-OFF
887.0	1598.	DISTANCE CUT-OFF	929.0	2093.	DISTANCE CUT-OFF
888.0	1488.	DISTANCE CUT-OFF	930.0	2059.	DISTANCE CUT-OFF
889.0	1504.	DISTANCE CUT-OFF	931.0	2061.	DISTANCE CUT-OFF
890.0	1488.	DISTANCE CUT-OFF	932.0	2060.	DISTANCE CUT-OFF
891.0	1385.	DISTANCE CUT-OFF	933.0	2060.	DISTANCE CUT-OFF
892.0	1122.	DISTANCE CUT-OFF	934.0	2062.	DISTANCE CUT-OFF
893.0	890.	DISTANCE CUT-OFF	935.0	2002.	DISTANCE CUT-OFF
894.0	544.	DISTANCE CUT-OFF	936.0	1904.	DISTANCE CUT-OFF
895.0	0.1	ANGLE CUT-OFF	937.0	1810.	DISTANCE CUT-OFF
896.0	305.	DISTANCE CUT-OFF	938.0	1715.	DISTANCE CUT-OFF
897.0	0.0	ANGLE CUT-OFF	939.0	1559.	DISTANCE CUT-OFF
898.0	750.	DISTANCE CUT-OFF	940.0	1378.	DISTANCE CUT-OFF
899.0	1391.	DISTANCE CUT-OFF	941.0	1300.	DISTANCE CUT-OFF
900.0	1846.	DISTANCE CUT-OFF	942.0	1327.	DISTANCE CUT-OFF
901.0	2072.	DISTANCE CUT-OFF	943.0	1552.	DISTANCE CUT-OFF
902.0	2094.	DISTANCE CUT-OFF	944.0	2067.	DISTANCE CUT-OFF
903.0	2098.	DISTANCE CUT-OFF	945.0	2273.	DISTANCE CUT-OFF
904.0	2099.	DISTANCE CUT-OFF	946.0	1773.	DISTANCE CUT-OFF
905.0	2101.	DISTANCE CUT-OFF	947.0	1039.	DISTANCE CUT-OFF
906.0	2070.	DISTANCE CUT-OFF	948.0	470.	DISTANCE CUT-OFF
907.0	2049.	DISTANCE CUT-OFF	949.0	0.0	ANGLE CUT-OFF
908.0	2055.	DISTANCE CUT-OFF	950.0	0.1	ANGLE CUT-OFF
909.0	2054.	DISTANCE CUT-OFF	951.0	563.	DISTANCE CUT-OFF

952.0 0.2 ANGLE CUT-OFF
 953.0 0.2 ANGLE CUT-OFF
 954.0 520. DISTANCE CUT-OFF
 955.0 358. DISTANCE CUT-OFF
 956.0 0.2 ANGLE CUT-OFF
 957.0 0.1 ANGLE CUT-OFF
 958.0 0.2 ANGLE CUT-OFF
 959.0 0.3 ANGLE CUT-OFF
 960.0 0.2 ANGLE CUT-OFF
 961.0 0.1 ANGLE CUT-OFF
 962.0 0.1 ANGLE CUT-OFF
 963.0 0.3 ANGLE CUT-OFF
 964.0 0.6 ANGLE CUT-OFF
 965.0 0.5 ANGLE CUT-OFF
 966.0 0.2 ANGLE CUT-OFF
 967.0 0.0 ANGLE CUT-OFF
 968.0 0.2 ANGLE CUT-OFF
 969.0 0.2 ANGLE CUT-OFF
 970.0 430. DISTANCE CUT-OFF
 971.0 543. DISTANCE CUT-OFF
 972.0 668. DISTANCE CUT-OFF
 973.0 786. DISTANCE CUT-OFF
 974.0 890. DISTANCE CUT-OFF
 975.0 765. DISTANCE CUT-OFF
 976.0 643. DISTANCE CUT-OFF
 977.0 617. DISTANCE CUT-OFF
 978.0 574. DISTANCE CUT-OFF
 979.0 511. DISTANCE CUT-OFF
 980.0 401. DISTANCE CUT-OFF
 981.0 0.3 ANGLE CUT-OFF
 982.0 0.0 ANGLE CUT-OFF
 983.0 267.7 1.0 6.2 20.1 0.0 0.0 1.0 5187 43.0-15.3 68.9 0.0 -1.0 0.3 -
 22.5 -13.1 0.0 -15.3 0.0 4.0 21.3
 984.0 431. DISTANCE CUT-OFF
 985.0 656. DISTANCE CUT-OFF
 986.0 601. DISTANCE CUT-OFF
 987.0 566. DISTANCE CUT-OFF
 988.0 476. DISTANCE CUT-OFF
 989.0 0.6 ANGLE CUT-OFF
 990.0 0.2 ANGLE CUT-OFF
 991.0 460. DISTANCE CUT-OFF
 992.0 434. DISTANCE CUT-OFF

993.0 506. DISTANCE CUT-OFF
 994.0 541. DISTANCE CUT-OFF
 995.0 541. DISTANCE CUT-OFF
 996.0 541. DISTANCE CUT-OFF
 997.0 541. DISTANCE CUT-OFF
 998.0 549. DISTANCE CUT-OFF
 999.0 517. DISTANCE CUT-OFF
 1000.0 438. DISTANCE CUT-OFF
 1001.0 266.3 1.8 8.7 20.1 0.0 0.0 1.8 5188 43.0-15.6 71.0 0.0 -1.0 0.2 -
 19.9 -13.0 0.0 -16.2 0.0 3.1 24.2
 1002.0 0.4 ANGLE CUT-OFF
 1003.0 91.7 1.3 9.1 20.1 0.0 0.0 1.3 5188 43.0-19.3 71.0 0.0 -1.0 0.2 -
 21.4 -8.6 0.0 -19.3 0.0 2.5 23.4
 1004.0 91.8 1.6 9.1 20.1 0.0 0.0 1.6 5188 43.0-19.2 71.0 0.0 -1.0 0.0 -
 20.4 -8.7 0.0 -19.2 0.0 2.5 24.2
 1005.0 89.6 1.2 8.4 20.1 0.0 0.0 1.2 5188 43.0-19.2 71.0 0.0 -1.0 0.0 -
 21.9 -8.9 0.0 -19.2 0.0 2.5 22.5
 1006.0 1.0 ANGLE CUT-OFF
 1007.0 89.4 2.7 4.8 20.1 0.0 0.0 2.7 5188 43.0-19.4 75.0 0.0 -1.0 0.0 -
 18.2 -9.0 0.0 -19.4 0.0 2.5 29.9
 1008.0 89.5 3.5 1.4 20.1 0.0 0.0 3.5 5188 43.0-19.6 75.0 0.0 -1.0 0.0 -
 17.1 -9.1 0.0 -19.7 0.0 4.0 32.1
 1009.0 56.8 2.1 -1.1 20.1 0.0 0.0 2.1 5188 43.0-21.4 75.0 0.0 -1.0 0.0 -
 19.3 -7.7 0.0 -22.3 0.0 4.0 28.7

N1204

SEGMENT DIST ANGLE HT AV HT PER SPD SCRN MAJOR BARRIER BASIC <--
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROPNO SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL
 1010.0 27.7 1.0 -2.8 20.1 0.0 0.0 1.0 5188 43.0-23.3 75.0 0.0 -1.0 0.0 -
 22.5 -6.8 0.0 -23.3 0.0 4.0 25.4
 1011.0 118.5 5.5 -4.6 20.1 0.0 0.0 5.5 5188 43.0-19.0 75.0 0.0 -1.0 0.0 -
 15.2 -9.9 0.0 -20.1 0.0 2.5 31.3
 1012.0 161.4 8.7 -6.2 20.1 0.0 0.0 8.7 5188 43.0-18.1 75.0 0.0 -1.0 0.0 -
 13.2 -11.0 0.0 -20.3 0.0 2.5 32.0
 1013.0 148.3 7.7 -7.4 20.1 0.0 0.0 7.7 5187 43.0-18.7 75.0 0.0 -1.0 0.0 -
 13.7 -10.7 0.0 -20.6 0.0 2.5 31.5

1014.0 87.6 3.7 -8.5 20.1 0.0 0.0 3.7 5187 43.0-20.7 75.0 0.0 -1.0 0.0 -
16.9 -8.7 0.0 -21.7 0.0 2.5 29.2
1015.0 60.9 2.1 -9.2 20.1 0.0 0.0 2.1 5187 43.0-21.9 75.0 0.0 -1.0 0.0 -
19.4 -7.7 0.0 -22.3 0.0 2.5 27.1
1016.0 51.9 1.4 -9.6 20.1 0.0 0.0 1.4 5187 43.0-22.4 75.0 0.0 -1.0 0.0 -
21.2 -7.2 0.0 -22.6 0.0 2.5 25.5
1017.0 56.6 2.3 -10.0 20.1 0.0 0.0 2.3 5187 43.0-22.1 75.0 0.0 -1.0 0.0 -
18.9 -7.5 0.0 -22.2 0.0 2.5 27.9
1018.0 48.1 1.4 -10.3 20.1 0.0 0.0 1.4 5187 43.0-22.5 75.0 0.0 -1.0 0.0 -
21.0 -7.1 0.0 -22.5 0.0 2.5 25.9
1019.0 0.6 ANGLE CUT-OFF
1020.0 139.4 2.0 -17.4 20.1 0.0 0.0 2.0 13216 6.0-28.8 72.6 0.0 -1.0 2.1 -
19.4 -10.3 0.0 -29.0 0.0 4.0 19.0
1021.0 140.9 2.7 -13.7 20.1 0.0 0.0 2.7 5187 43.0-19.0 72.6 0.0 -1.0 2.4 -
18.2 -10.4 0.0 -20.7 0.0 4.0 28.7
1022.0 132.9 4.2 -9.7 20.1 0.0 0.0 4.2 77 17.6-23.9 72.6 0.0 -1.0 2.0 -
16.3 -10.1 0.0 -23.0 0.0 4.0 28.2
1023.0 80.8 1.1 -6.7 20.1 0.0 0.0 1.1 5188 43.0-20.6 72.6 0.0 -1.0 2.9 -
22.1 -8.1 0.0 -20.8 0.0 4.0 27.5
1024.0 0.5 ANGLE CUT-OFF
1025.0 137.5 3.3 -3.2 20.1 0.0 0.0 3.3 5188 43.0-18.2 72.6 0.0 -1.0 1.2 -
17.4 -10.3 0.0 -19.7 0.0 3.7 29.1
1026.0 215.2 5.0 -2.0 20.1 0.0 0.0 5.0 5188 43.0-16.5 72.6 0.0 -1.0 1.5 -
15.5 -12.2 0.0 -19.0 0.0 4.0 30.4
1027.0 234.6 6.7 -1.0 20.1 0.0 0.0 6.7 44 4.0-16.1 72.6 0.0 -1.0 0.9 -
14.3 -12.5 0.0 -18.8 0.0 4.0 30.9
1028.0 188.6 3.9 -0.2 20.1 0.0 0.0 3.9 5187 43.0-16.8 72.6 0.0 -1.0 1.1 -
16.6 -11.6 0.0 -19.1 0.0 4.0 29.4
1029.0 106.6 2.2 0.6 20.1 0.0 0.0 2.2 5187 43.0-18.9 72.6 0.0 -1.0 1.0 -
19.2 -9.5 0.0 -19.2 0.0 4.0 28.7
1030.0 78.5 1.5 1.4 20.1 0.0 0.0 1.5 5187 43.0-20.0 72.6 0.0 -1.0 0.9 -
20.7 -8.4 0.0 -20.3 0.0 3.4 26.5
1031.0 74.9 2.1 2.6 20.1 0.0 0.0 2.1 5187 43.0-20.1 72.6 0.0 -1.0 1.0 -
19.4 -8.3 0.0 -20.2 0.0 2.5 27.2
1032.0 75.9 1.6 4.2 20.1 0.0 0.0 1.6 5187 43.0-19.9 72.6 0.0 -1.0 1.0 -
20.5 -8.3 0.0 -19.9 0.0 2.5 26.4
1033.0 93.6 1.5 5.8 20.1 0.0 0.0 1.5 5187 43.0-19.0 72.6 0.0 -1.0 1.0 -
20.7 -9.0 0.0 -19.0 0.0 2.5 26.4
1034.0 156.3 2.0 6.6 20.1 0.0 0.0 2.0 5187 43.0-17.0 72.6 0.0 -1.0 0.1 -
19.5 -10.8 0.0 -17.0 0.0 2.5 26.9
1035.0 214.3 2.3 6.5 20.1 0.0 0.0 2.3 5187 43.0-15.9 72.6 0.0 -1.0 0.0 -
18.9 -12.1 0.0 -15.9 0.0 2.5 27.2

1036.0 295.7 1.4 6.2 20.1 0.0 0.0 1.4 5187 43.0-14.8 72.6 0.0 -1.0 0.0 -
21.0 -13.5 0.0 -14.8 0.0 2.5 24.8
1037.0 284.9 1.3 6.0 20.1 0.0 0.0 1.3 5187 43.0-15.0 72.6 0.0 -1.0 0.0 -
21.5 -13.3 0.0 -15.0 0.0 2.5 24.3
1038.0 234.0 1.5 7.0 20.1 0.0 0.0 1.5 5187 43.0-15.7 67.8 0.0 -1.0 0.2 -
20.9 -12.5 0.0 -15.7 0.0 4.0 21.9
1039.0 0.9 ANGLE CUT-OFF
1040.0 0.4 ANGLE CUT-OFF
1041.0 0.9 ANGLE CUT-OFF
1042.0 56.2 1.0 11.4 20.1 0.0 0.0 1.0 5187 43.0-20.4 67.8 0.0 -1.0 1.0 -
22.4 -6.6 0.0 -20.4 0.0 2.5 20.9
1042.0 58.8 1.4 12.9 20.1 0.0 0.0 1.4 5187 43.0-20.0 67.8 0.0 -1.0 0.8 -
21.1 -6.8 0.0 -20.0 0.0 2.5 22.2
1043.0 65.5 2.0 13.8 20.1 0.0 0.0 2.0 5187 43.0-19.4 67.8 0.0 -1.0 0.2 -
19.5 -7.3 0.0 -19.4 0.0 2.5 23.3
1044.0 147.2 3.2 14.0 20.1 0.0 0.0 3.2 74 19.1-16.9 67.8 0.0 -1.0 0.2 -
17.5 -10.5 0.0 -18.9 0.0 2.5 22.6
1045.0 224.2 4.2 14.1 20.1 0.0 0.0 4.2 75 19.2-17.2 67.8 0.0 -1.0 0.1 -
16.3 -12.3 0.0 -18.9 0.0 2.5 21.9
1046.0 246.8 5.5 13.9 20.1 0.0 0.0 5.5 75 19.0-17.2 67.8 0.0 -1.0 0.0 -
15.2 -12.7 0.0 -18.9 0.0 2.5 22.5
1047.0 192.8 3.8 13.4 20.1 0.0 0.0 3.8 75 18.7-17.2 67.8 0.0 -1.0 0.0 -
16.7 -11.7 0.0 -18.8 0.0 2.5 22.1
1048.0 131.3 2.5 12.6 20.1 0.0 0.0 2.5 5188 43.0-17.0 67.8 0.0 -1.0 0.0 -
18.6 -10.0 0.0 -19.1 0.0 2.5 21.6
1049.0 71.4 1.1 11.4 20.1 0.0 0.0 1.1 5188 43.0-19.5 67.8 0.0 -1.0 0.0 -
22.1 -7.5 0.0 -19.5 0.0 2.9 20.6
1050.0 133.6 4.3 -13.4 20.1 0.0 0.0 4.3 13050 6.0-24.2 70.2 0.0 -1.0 0.2 -
16.2 -10.4 0.0 -24.9 0.0 2.9 20.8
1051.0 128.4 2.9 -12.5 20.1 0.0 0.0 2.9 13049 6.0-22.6 70.2 0.0 -1.0 2.2 -
17.9 -10.4 0.0 -23.0 0.0 4.0 24.1
1052.0 130.0 2.9 -10.8 20.1 0.0 0.0 2.9 5187 43.0-19.1 70.2 0.0 -1.0 1.9 -
17.9 -10.4 0.0 -19.1 0.0 4.0 27.7
1053.0 131.6 2.5 -8.9 20.1 0.0 0.0 2.5 5187 43.0-18.9 70.2 0.0 -1.0 2.3 -
18.6 -10.5 0.0 -19.0 0.0 4.0 27.4
1054.0 128.2 1.8 -6.9 20.1 0.0 0.0 1.8 5187 43.0-18.8 70.2 0.0 -1.0 2.6 -
20.0 -10.4 0.0 -18.8 0.0 4.0 26.6
1055.0 108.5 2.7 -3.9 20.1 0.0 0.0 2.7 5187 43.0-19.3 70.2 0.0 -1.0 2.4 -
18.2 -9.9 0.0 -19.3 0.0 3.4 27.6
1056.0 122.1 1.2 -1.3 20.1 0.0 0.0 1.2 5187 43.0-18.6 70.2 0.0 -1.0 1.7 -
21.9 -10.1 0.0 -18.6 0.0 2.5 22.8

1057.0 179.2 1.6 0.1 20.1 0.0 0.0 1.6 5187 43.0-17.0 70.2 0.0 -1.0 1.7 -
 20.6 -11.5 0.0 -17.0 0.0 2.5 24.3
 1058.0 197.5 1.6 1.1 20.1 0.0 0.0 1.6 5187 43.0-16.6 70.2 0.0 -1.0 0.7 -
 20.5 -11.8 0.0 -16.6 0.0 2.5 23.5
 1059.0 209.6 1.5 1.7 20.1 0.0 0.0 1.5 5187 43.0-16.3 70.2 0.0 -1.0 0.7 -
 20.7 -12.1 0.0 -16.3 0.0 2.5 23.3
 1060.0 206.4 1.4 2.3 20.1 0.0 0.0 1.4 5187 43.0-16.3 70.2 0.0 -1.0 0.6 -
 21.0 -12.0 0.0 -16.3 0.0 2.5 23.0
 1061.0 196.1 1.0 2.8 20.1 0.0 0.0 1.0 5187 43.0-16.5 70.2 0.0 -1.0 0.8 -
 22.5 -11.8 0.0 -16.5 0.0 2.5 21.7
 1062.0 210.6 1.2 3.3 20.1 0.0 0.0 1.2 5187 43.0-16.2 70.2 0.0 -1.0 0.6 -
 21.9 -12.1 0.0 -16.2 0.0 2.5 22.1
 1063.0 232.5 1.2 3.9 20.1 0.0 0.0 1.2 5187 43.0-15.8 70.2 0.0 -1.0 0.7 -
 21.9 -12.5 0.0 -15.8 0.0 2.5 22.2
 1064.0 312. DISTANCE CUT-OFF
 1065.0 334. DISTANCE CUT-OFF
 1066.0 330. DISTANCE CUT-OFF
 1067.0 457. DISTANCE CUT-OFF
 1068.0 85.8 12.7 19.8 20.1 0.0 0.0 12.7 5187 43.0-17.7 75.7 0.0 -1.0 2.6 -
 11.5 -8.3 0.0 -17.5 0.0 2.5 42.5

N1204

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL
 1069.0 84.6 15.1 21.1 20.1 0.0 0.0 15.1 5188 43.0-17.2 75.7 0.0 -1.0 1.2 -
 10.8 -8.2 0.0 -17.2 0.0 2.5 42.2
 1070.0 62.0 7.4 22.1 20.1 0.0 0.0 7.4 5188 43.0-18.1 75.7 0.0 -1.0 1.4 -
 13.8 -7.1 0.0 -18.1 0.0 2.5 39.6
 1071.0 9.4 1.1 22.2 20.1 0.0 0.0 1.1 5188 43.0-23.5 75.7 0.0 -1.0 0.0 -
 22.1 -1.4 0.0 -23.5 0.0 4.0 31.7
 1072.0 52.3 3.0 21.5 20.1 0.0 0.0 3.0 5188 43.0-19.0 75.7 0.0 -1.0 0.0 -
 17.7 -6.3 0.0 -19.0 0.0 2.5 34.2
 1073.0 104.7 4.9 20.1 20.1 0.0 0.0 4.9 5188 43.0-16.6 75.7 0.0 -1.0 0.0 -
 15.6 -9.0 0.0 -16.6 0.0 2.5 36.0
 1074.0 120.4 5.5 18.2 20.1 0.0 0.0 5.5 5188 43.0-16.5 75.7 0.0 -1.0 0.0 -
 15.1 -9.6 0.0 -16.5 0.0 4.0 37.5

1075.0 122.8 6.5 15.8 20.1 0.0 0.0 6.5 21 21.2-16.9 75.7 0.0 -1.0 0.0 -
 14.4 -9.7 0.0 -19.0 0.0 3.0 34.6
 1076.0 92.7 1.1 14.4 20.1 0.0 0.0 1.1 5188 43.0-18.1 72.7 0.0 -1.0 0.0 -
 22.0 -8.6 0.0 -19.1 0.0 2.5 24.5
 1077.0 97.5 1.5 14.0 20.1 0.0 0.0 1.5 5188 43.0-17.9 72.7 0.0 -1.0 0.0 -
 20.8 -8.8 0.0 -19.2 0.0 2.5 25.4
 1078.0 83.9 2.3 13.4 20.1 0.0 0.0 2.3 5188 43.0-18.7 72.7 0.0 -1.0 0.0 -
 18.9 -8.2 0.0 -20.1 0.0 2.5 27.0
 1079.0 84.9 2.6 13.6 20.1 0.0 0.0 2.6 5188 43.0-18.7 72.7 0.0 -1.0 0.5 -
 18.4 -8.4 0.0 -20.1 0.0 2.5 27.8
 1080.0 118.1 1.7 14.6 20.1 0.0 0.0 1.7 5188 43.0-17.5 72.7 0.0 -1.0 1.1 -
 20.2 -9.7 0.0 -19.2 0.0 2.5 26.2
 1081.0 225.6 1.8 15.8 20.1 0.0 0.0 1.8 14 20.6-15.5 73.8 0.0 -1.0 1.7 -
 19.9 -12.4 0.0 -18.0 0.0 2.5 26.7
 1082.0 268.9 2.4 16.3 20.1 0.0 0.0 2.4 14 21.2-16.0 72.7 0.0 -1.0 0.1 -
 18.7 -13.1 0.0 -15.1 0.0 2.5 27.4
 1083.0 330. DISTANCE CUT-OFF
 1084.0 317. DISTANCE CUT-OFF
 1085.0 230.6 1.7 14.3 20.1 0.0 0.0 1.7 5187 43.0-15.3 72.7 0.0 -1.0 0.0 -
 20.2 -12.4 0.0 -15.3 0.0 2.5 26.3
 1086.0 0.2 ANGLE CUT-OFF
 1087.0 286.3 1.8 12.3 20.1 0.0 0.0 1.8 5187 43.0-14.9 72.7 0.0 -1.0 0.0 -
 19.9 -13.3 0.0 -14.9 0.0 2.5 26.1
 1088.0 466. DISTANCE CUT-OFF
 1089.0 521. DISTANCE CUT-OFF
 1090.0 448. DISTANCE CUT-OFF
 1091.0 246.2 1.6 8.9 20.1 0.0 0.0 1.6 25524 17.0-17.4 72.7 0.0 -1.0 0.0 -
 20.6 -12.7 0.0 -19.1 0.0 2.5 21.8
 1092.0 1.0 ANGLE CUT-OFF
 1093.0 0.8 ANGLE CUT-OFF
 1094.0 0.8 ANGLE CUT-OFF
 1095.0 105.7 2.9 8.4 20.1 0.0 0.0 2.9 5188 43.0-18.6 72.7 0.0 -1.0 0.0 -
 18.0 -9.3 0.0 -18.6 0.0 2.5 28.3
 1096.0 109.6 1.4 14.4 20.1 0.0 0.0 1.4 5188 43.0-17.4 72.6 0.0 -1.0 0.0 -
 21.2 -9.3 0.0 -19.4 0.0 3.5 25.2
 1097.0 102.6 1.6 14.1 20.1 0.0 0.0 1.6 5188 43.0-17.7 72.6 0.0 -1.0 0.0 -
 20.6 -9.0 0.0 -19.4 0.0 4.0 26.6
 1098.0 89.9 3.6 12.6 20.1 0.0 0.0 3.6 5188 43.0-18.5 72.6 0.0 -1.0 0.0 -
 17.1 -8.4 0.0 -19.9 0.0 4.0 30.2
 1099.0 1.0 ANGLE CUT-OFF
 1100.0 0.6 ANGLE CUT-OFF
 1101.0 0.9 ANGLE CUT-OFF

1102.0 0.5 ANGLE CUT-OFF
 1103.0 0.1 ANGLE CUT-OFF
 1104.0 0.3 ANGLE CUT-OFF
 1105.0 0.8 ANGLE CUT-OFF
 1106.0 0.9 ANGLE CUT-OFF
 1107.0 415. DISTANCE CUT-OFF
 1108.0 520. DISTANCE CUT-OFF
 1109.0 520. DISTANCE CUT-OFF
 1110.0 425. DISTANCE CUT-OFF
 1111.0 1.0 ANGLE CUT-OFF
 1112.0 0.4 ANGLE CUT-OFF
 1113.0 0.3 ANGLE CUT-OFF
 1114.0 0.6 ANGLE CUT-OFF
 1115.0 0.5 ANGLE CUT-OFF
 1116.0 112.9 2.7 -12.4 20.1 0.0 0.0 2.725412 5.6-21.8 73.8 0.0 -1.0 0.5 -
 18.2 -9.7 0.0 -23.0 0.0 2.5 24.9
 1117.0 0.1 ANGLE CUT-OFF
 1118.0 86.1 1.4 -12.9 20.1 0.0 0.0 1.425414 5.3-23.1 79.1 0.0 1.4 0.6 -
 21.1 -8.7 0.0 -24.7 0.0 2.5 29.1
 1119.0 120.3 2.5 -12.2 20.1 0.0 0.0 2.525413 5.5-24.7 79.1 0.0 1.4 0.2 -
 18.5 -9.9 0.0 -25.4 0.0 2.5 29.4
 1120.0 165.3 3.9 -12.0 20.1 0.0 0.0 3.925412 5.6-25.1 80.8 0.0 1.4 0.0 -
 16.6 -11.2 0.0 -25.8 0.0 2.5 31.1
 1121.0 165.7 5.8 -12.3 20.1 0.0 0.0 5.825412 5.7-25.4 80.8 0.0 1.4 0.0 -
 14.9 -11.2 0.0 -26.1 0.0 2.5 32.5
 1122.0 165.2 7.4 -12.9 20.1 0.0 0.0 7.425412 5.8-25.7 80.8 0.0 1.4 0.0 -
 13.9 -11.2 0.0 -19.1 0.0 3.1 41.1
 1123.0 164.6 16.9 -14.4 20.1 0.0 0.0 16.925382 20.0-26.7 80.8 0.0 1.4 0.0
 -10.3 -11.2 0.0 -20.7 0.0 4.0 44.0
 1124.0 137.4 7.1 -13.0 20.1 0.0 0.0 7.113050 6.0-21.0 78.4 0.0 1.4 0.6 -
 14.0 -10.5 0.0 -22.4 0.0 3.2 36.7
 1125.0 137.4 5.3 -12.3 20.1 0.0 0.0 5.35187 43.0-19.0 78.4 0.0 1.4 0.3 -
 15.3 -10.5 0.0 -19.6 0.0 4.0 38.7
 1126.0 138.3 3.9 -12.0 20.1 0.0 0.0 3.95187 43.0-18.9 78.4 0.0 1.4 0.0 -
 16.7 -10.5 0.0 -18.9 0.0 4.0 37.7
 1127.0 113.0 2.6 -12.2 20.1 0.0 0.0 2.65187 43.0-19.7 78.4 0.0 1.4 0.0 -
 18.4 -9.7 0.0 -19.7 0.0 3.4 35.4
 1128.0 0.7 ANGLE CUT-OFF
 1129.0 0.6 ANGLE CUT-OFF
 1130.0 0.5 ANGLE CUT-OFF
 1131.0 50.7 1.9 5.8 20.1 0.0 0.0 1.95187 43.0-21.2 81.0 0.0 -1.0 0.4 -
 19.8 -6.5 0.0 -21.2 0.0 2.5 35.4

1132.0 0.9 ANGLE CUT-OFF
 1133.0 0.2 ANGLE CUT-OFF
 1134.0 140.1 15.4 -14.4 20.1 0.0 0.0 15.413051 6.0-24.1 79.4 0.0 1.4 1.0
 -10.7 -10.6 0.0 -22.7 0.0 2.7 40.5
 1135.0 140.2 3.2 -13.4 20.1 0.0 0.0 3.213050 6.0-23.3 79.4 0.0 1.4 0.0 -
 17.5 -10.5 0.0 -24.5 0.0 2.5 30.8
 1147.0 0.8 ANGLE CUT-OFF
 1148.0 421. DISTANCE CUT-OFF
 1148.0 479. DISTANCE CUT-OFF
 1149.0 661. DISTANCE CUT-OFF
 1150.0 593. DISTANCE CUT-OFF
 1151.0 0.2 ANGLE CUT-OFF
 1152.0 414. DISTANCE CUT-OFF
 1153.0 612. DISTANCE CUT-OFF
 640.0 32.9 3.3 36.3 20.1 0.0 0.0 3.35043 162.7-30.0 74.3 0.0 -1.0 0.0 -
 17.4 -4.5 0.0 -30.4 0.0 4.0 25.0
 641.0 31.5 4.8 34.5 20.1 0.0 0.0 4.85047 146.5-30.0 74.3 0.0 -1.0 0.0 -
 15.7 -4.4 0.0 -30.2 0.0 2.5 25.5
 642.0 30.3 8.0 32.5 20.1 0.0 0.0 8.05047 146.5-30.0 74.3 0.0 -1.0 0.0 -
 13.5 -4.2 0.0 -30.3 0.0 2.5 27.8
 643.0 26.4 23.4 30.2 20.1 0.0 0.0 23.45048 146.5-30.0 74.3 0.0 -1.0 0.0
 -8.9 -3.8 0.0 -24.5 0.0 2.5 38.6
 644.0 23.9 61.3 27.4 20.1 0.0 0.0 61.35188 43.0-22.9 74.3 0.0 -1.0 0.0 -
 4.7 -3.5 0.0 -22.9 0.0 2.5 44.7
 645.0 23.9 46.0 24.6 20.1 0.0 0.0 46.05187 43.0-23.7 74.3 0.0 -1.0 0.0 -
 5.9 -3.5 0.0 -23.5 0.0 2.5 42.9
 646.0 22.1 12.9 20.7 20.1 0.0 0.0 12.95283 50.0-30.0 74.3 0.0 -1.0 0.0 -
 11.5 -3.1 0.0 -24.7 0.0 2.5 36.5
 1136.0 41.4 5.2 23.5 20.1 0.0 0.0 5.25047 146.5-30.0 77.1 0.0 1.4 0.9 -
 15.4 -5.4 0.0 -30.3 0.0 3.3 31.6
 1137.0 41.9 7.3 24.3 20.1 0.0 0.0 7.35047 146.5-30.0 77.1 0.0 1.4 0.9 -
 13.9 -5.4 0.0 -30.2 0.0 4.0 33.9
 1138.0 36.8 12.1 25.0 20.1 0.0 0.0 12.15048 146.5-30.0 77.1 0.0 1.4 0.8
 -11.7 -5.0 0.0 -26.6 0.0 4.0 40.0
 1139.0 32.6 17.5 25.0 20.1 0.0 0.0 17.55188 43.0-21.6 77.1 0.0 1.4 0.0 -
 10.1 -4.6 0.0 -21.6 0.0 2.7 44.9
 1140.0 32.1 38.9 24.4 20.1 0.0 0.0 38.95188 43.0-21.8 77.1 0.0 1.4 0.0
 -6.7 -4.6 0.0 -21.8 0.0 2.6 48.0
 1141.0 32.1 53.9 22.5 20.1 0.0 0.0 53.95187 43.0-22.4 77.1 0.0 1.4 0.0
 -5.2 -4.6 0.0 -22.2 0.0 2.5 49.0
 1142.0 30.9 13.5 19.5 20.1 0.0 0.0 13.55187 43.0-22.7 77.1 0.0 1.4 0.0 -
 11.2 -4.4 0.0 -22.7 0.0 2.5 42.7

1143.0		0.5 ANGLE CUT-OFF	1191.0	1258.	DISTANCE CUT-OFF
1144.0		0.5 ANGLE CUT-OFF	1192.0	1250.	DISTANCE CUT-OFF
1145.0		0.8 ANGLE CUT-OFF	1193.0	1174.	DISTANCE CUT-OFF
1146.0		0.7 ANGLE CUT-OFF	1194.0	876.	DISTANCE CUT-OFF
1147.0		0.1 ANGLE CUT-OFF	1195.0	660.	DISTANCE CUT-OFF
1154.0	372.	DISTANCE CUT-OFF	1196.0	558.	DISTANCE CUT-OFF
1155.0	515.	DISTANCE CUT-OFF	1197.0	338.	DISTANCE CUT-OFF
1156.0	594.	DISTANCE CUT-OFF	1198.0		0.1 ANGLE CUT-OFF
1157.0	594.	DISTANCE CUT-OFF	1199.0		0.1 ANGLE CUT-OFF
1158.0	495.	DISTANCE CUT-OFF	1200.0	696.	DISTANCE CUT-OFF
1159.0	418.	DISTANCE CUT-OFF	1201.0	1132.	DISTANCE CUT-OFF
1160.0	352.	DISTANCE CUT-OFF	1202.0	1257.	DISTANCE CUT-OFF
1161.0	2691.	DISTANCE CUT-OFF	1203.0	1405.	DISTANCE CUT-OFF
1162.0	2700.	DISTANCE CUT-OFF	1204.0	1441.	DISTANCE CUT-OFF
1163.0	1683.	DISTANCE CUT-OFF	1205.0	1129.	DISTANCE CUT-OFF
1164.0	1735.	DISTANCE CUT-OFF	1206.0	1475.	DISTANCE CUT-OFF
1165.0	1745.	DISTANCE CUT-OFF	1207.0	1455.	DISTANCE CUT-OFF
1166.0	1610.	DISTANCE CUT-OFF	1208.0	1390.	DISTANCE CUT-OFF
1167.0	1441.	DISTANCE CUT-OFF	1209.0	1260.	DISTANCE CUT-OFF
1168.0	1173.	DISTANCE CUT-OFF	1210.0	1113.	DISTANCE CUT-OFF
1169.0	910.	DISTANCE CUT-OFF	1211.0	680.	DISTANCE CUT-OFF
1170.0	628.	DISTANCE CUT-OFF	1212.0		0.1 ANGLE CUT-OFF
1171.0	407.	DISTANCE CUT-OFF	1213.0		0.1 ANGLE CUT-OFF
1172.0	321.	DISTANCE CUT-OFF	1214.0	345.	DISTANCE CUT-OFF
1173.0	306.	DISTANCE CUT-OFF	1215.0	603.	DISTANCE CUT-OFF
1174.0	315.	DISTANCE CUT-OFF	1216.0	668.	DISTANCE CUT-OFF
1175.0		0.2 ANGLE CUT-OFF	1217.0	857.	DISTANCE CUT-OFF
1176.0	541.	DISTANCE CUT-OFF	1218.0	1176.	DISTANCE CUT-OFF
1177.0		0.1 ANGLE CUT-OFF	1219.0	1255.	DISTANCE CUT-OFF
1178.0	314.	DISTANCE CUT-OFF	1220.0	1276.	DISTANCE CUT-OFF
1179.0	320.	DISTANCE CUT-OFF	336.0		0.0 ANGLE CUT-OFF
1180.0	318.	DISTANCE CUT-OFF	337.0		0.1 ANGLE CUT-OFF
1181.0	326.	DISTANCE CUT-OFF	338.0	306.	DISTANCE CUT-OFF
1182.0	433.	DISTANCE CUT-OFF	339.0	337.	DISTANCE CUT-OFF
1183.0	660.	DISTANCE CUT-OFF	340.0	633.	DISTANCE CUT-OFF
1184.0	928.	DISTANCE CUT-OFF	350.0	488.	DISTANCE CUT-OFF
1185.0	1187.	DISTANCE CUT-OFF	351.0	341.	DISTANCE CUT-OFF
1186.0	1449.	DISTANCE CUT-OFF	352.0	355.	DISTANCE CUT-OFF
1187.0	1665.	DISTANCE CUT-OFF	353.0		0.0 ANGLE CUT-OFF
1188.0	1756.	DISTANCE CUT-OFF	354.0	347.	DISTANCE CUT-OFF
1189.0	1748.	DISTANCE CUT-OFF	355.0	321.	DISTANCE CUT-OFF
1190.0	1718.	DISTANCE CUT-OFF	1221.0	1523.	DISTANCE CUT-OFF

1222.0 357. DISTANCE CUT-OFF
 1229.0 852. DISTANCE CUT-OFF
 1230.0 1999. DISTANCE CUT-OFF
 1231.0 1732. DISTANCE CUT-OFF
 1232.0 0.1 ANGLE CUT-OFF
 1233.0 1420. DISTANCE CUT-OFF
 1234.0 2255. DISTANCE CUT-OFF
 1235.0 377. DISTANCE CUT-OFF
 1236.0 0.1 ANGLE CUT-OFF
 1237.0 0.1 ANGLE CUT-OFF
 1238.0 0.0 ANGLE CUT-OFF
 1239.0 0.0 ANGLE CUT-OFF
 1240.0 0.0 ANGLE CUT-OFF
 1241.0 0.1 ANGLE CUT-OFF
 1242.0 0.0 ANGLE CUT-OFF
 1243.0 0.0 ANGLE CUT-OFF
 1244.0 0.0 ANGLE CUT-OFF
 1245.0 0.0 ANGLE CUT-OFF
 1246.0 0.0 ANGLE CUT-OFF
 1247.0 0.0 ANGLE CUT-OFF
 1248.0 0.0 ANGLE CUT-OFF
 1249.0 0.1 ANGLE CUT-OFF
 1250.0 403. DISTANCE CUT-OFF
 1251.0 1647. DISTANCE CUT-OFF
 1252.0 1613. DISTANCE CUT-OFF
 1253.0 1598. DISTANCE CUT-OFF
 1254.0 1517. DISTANCE CUT-OFF
 1255.0 1685. DISTANCE CUT-OFF
 1256.0 1638. DISTANCE CUT-OFF
 1257.0 1778. DISTANCE CUT-OFF
 1258.0 1957. DISTANCE CUT-OFF
 1259.0 2143. DISTANCE CUT-OFF
 1260.0 2203. DISTANCE CUT-OFF
 1261.0 1747. DISTANCE CUT-OFF
 1223.0 234.5 2.0 5.7 20.1 0.0 0.0 2.0 5284 50.0-21.4 70.6 0.0 -1.0 0.2 -
 19.6 -12.5 0.0 -22.0 0.0 2.5 18.2
 1224.0 224.0 2.6 5.9 20.1 0.0 0.0 2.6 5284 50.0-21.5 70.6 0.0 -1.0 0.2 -
 18.5 -12.3 0.0 -21.8 0.0 2.5 19.7

N1204

SEGMENT DIST ANGLE HT AV HT PER SPD SCRN MAJOR BARRIER BASIC <--
 ----- CORRECTIONS-----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL
 1225.0 213.3 1.0 6.1 20.1 0.0 0.0 1.0 5284 50.0-21.7 70.6 0.0 -1.0 0.2 -
 22.4 -12.1 0.0 -22.0 0.0 2.5 15.8
 1226.0 0.2 ANGLE CUT-OFF
 1227.0 0.3 ANGLE CUT-OFF
 1228.0 0.6 ANGLE CUT-OFF
 1262.0 0.0 ANGLE CUT-OFF
 1263.0 0.0 ANGLE CUT-OFF
 1264.0 0.4 ANGLE CUT-OFF
 1265.0 0.4 ANGLE CUT-OFF
 1266.0 0.0 ANGLE CUT-OFF
 1267.0 0.0 ANGLE CUT-OFF
 1268.0 0.0 ANGLE CUT-OFF
 1269.0 1.0 ANGLE CUT-OFF
 1270.0 0.2 ANGLE CUT-OFF
 1271.0 0.6 ANGLE CUT-OFF
 1272.0 0.7 ANGLE CUT-OFF
 1273.0 0.0 ANGLE CUT-OFF
 1274.0 300. DISTANCE CUT-OFF
 1275.0 324. DISTANCE CUT-OFF
 1276.0 0.0 ANGLE CUT-OFF
 1277.0 0.0 ANGLE CUT-OFF
 1278.0 0.1 ANGLE CUT-OFF
 1279.0 0.1 ANGLE CUT-OFF
 1280.0 336. DISTANCE CUT-OFF
 1281.0 405. DISTANCE CUT-OFF
 1282.0 619. DISTANCE CUT-OFF
 1283.0 624. DISTANCE CUT-OFF
 1284.0 658. DISTANCE CUT-OFF
 1285.0 585. DISTANCE CUT-OFF
 1286.0 550. DISTANCE CUT-OFF
 1287.0 548. DISTANCE CUT-OFF
 1288.0 564. DISTANCE CUT-OFF
 1289.0 714. DISTANCE CUT-OFF
 1290.0 662. DISTANCE CUT-OFF
 1291.0 441. DISTANCE CUT-OFF
 1292.0 336. DISTANCE CUT-OFF

1293.0 0.0 ANGLE CUT-OFF
 1294.0 0.6 ANGLE CUT-OFF
 1295.0 396. DISTANCE CUT-OFF
 1296.0 556. DISTANCE CUT-OFF
 1297.0 523. DISTANCE CUT-OFF
 1298.0 508. DISTANCE CUT-OFF
 1299.0 479. DISTANCE CUT-OFF
 1300.0 0.5 ANGLE CUT-OFF
 1301.0 0.0 ANGLE CUT-OFF
 1302.0 0.7 ANGLE CUT-OFF
 1303.0 430. DISTANCE CUT-OFF
 1304.0 551. DISTANCE CUT-OFF
 1305.0 529. DISTANCE CUT-OFF
 1306.0 514. DISTANCE CUT-OFF
 1307.0 445. DISTANCE CUT-OFF
 1308.0 339. DISTANCE CUT-OFF
 1309.0 0.9 ANGLE CUT-OFF
 1310.0 0.6 ANGLE CUT-OFF
 1311.0 0.0 ANGLE CUT-OFF
 1312.0 0.4 ANGLE CUT-OFF
 1313.0 376. DISTANCE CUT-OFF
 1314.0 458. DISTANCE CUT-OFF
 1315.0 522. DISTANCE CUT-OFF
 1316.0 644. DISTANCE CUT-OFF
 1317.0 708. DISTANCE CUT-OFF
 1318.0 605. DISTANCE CUT-OFF
 1319.0 553. DISTANCE CUT-OFF
 1320.0 548. DISTANCE CUT-OFF
 1321.0 604. DISTANCE CUT-OFF
 1322.0 705. DISTANCE CUT-OFF
 1323.0 639. DISTANCE CUT-OFF
 1324.0 524. DISTANCE CUT-OFF
 1325.0 450. DISTANCE CUT-OFF
 1326.0 361. DISTANCE CUT-OFF
 1327.0 0.4 ANGLE CUT-OFF
 1328.0 0.0 ANGLE CUT-OFF
 1329.0 0.5 ANGLE CUT-OFF
 1330.0 0.9 ANGLE CUT-OFF
 1331.0 341. DISTANCE CUT-OFF
 1332.0 449. DISTANCE CUT-OFF
 1333.0 516. DISTANCE CUT-OFF
 1334.0 533. DISTANCE CUT-OFF

1335.0 555. DISTANCE CUT-OFF
 1336.0 443. DISTANCE CUT-OFF
 1337.0 0.6 ANGLE CUT-OFF
 1338.0 0.0 ANGLE CUT-OFF
 1339.0 0.5 ANGLE CUT-OFF
 1340.0 489. DISTANCE CUT-OFF
 1341.0 508. DISTANCE CUT-OFF
 1342.0 529. DISTANCE CUT-OFF
 1343.0 560. DISTANCE CUT-OFF
 1344.0 402. DISTANCE CUT-OFF
 1345.0 0.6 ANGLE CUT-OFF
 1346.0 0.0 ANGLE CUT-OFF
 1347.0 339. DISTANCE CUT-OFF
 1348.0 428. DISTANCE CUT-OFF
 1349.0 669. DISTANCE CUT-OFF
 1350.0 720. DISTANCE CUT-OFF
 1351.0 573. DISTANCE CUT-OFF
 1352.0 554. DISTANCE CUT-OFF
 1353.0 556. DISTANCE CUT-OFF
 1354.0 586. DISTANCE CUT-OFF
 1355.0 660. DISTANCE CUT-OFF
 1356.0 621. DISTANCE CUT-OFF
 1357.0 519. DISTANCE CUT-OFF

N1204

REPEAT NO. 0

CATEGORY LEVEL	CATEGORY LEVEL	CATEGORY LEVEL	CATEGORY LEVEL
2.0	58.0	1.0	46.5
		3.0	26.9
		4.0	56.0

*** CONTRIBUTION FROM New Road (Mitigated) IS 46.5 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Existing Road IS 58.0 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Overall (Mitigated) IS 58.3 DBA L10 (1-HOUR)

N2103
 HEIGHT OF RECEIVER ABOVE DATUM= 35.2 HEIGHT ABOVE LOCAL GROUND
 LEVEL= 35.2

SEGMENT DIST ANGLE HT AV HT PER SPD SCRN MAJOR BARRIER BASIC <--
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL

27.0 355. DISTANCE CUT-OFF
 28.0 1789. DISTANCE CUT-OFF
 29.0 2090. DISTANCE CUT-OFF
 30.0 1310. DISTANCE CUT-OFF
 31.0 1411. DISTANCE CUT-OFF
 32.0 1672. DISTANCE CUT-OFF
 33.0 2033. DISTANCE CUT-OFF
 34.0 2184. DISTANCE CUT-OFF
 35.0 2157. DISTANCE CUT-OFF
 36.0 2144. DISTANCE CUT-OFF
 37.0 1965. DISTANCE CUT-OFF
 38.0 1510. DISTANCE CUT-OFF
 39.0 703. DISTANCE CUT-OFF
 40.0 0.0 ANGLE CUT-OFF
 41.0 818. DISTANCE CUT-OFF
 42.0 1391. DISTANCE CUT-OFF
 43.0 1658. DISTANCE CUT-OFF
 44.0 1770. DISTANCE CUT-OFF
 45.0 1804. DISTANCE CUT-OFF
 46.0 1874. DISTANCE CUT-OFF

47.0 1792. DISTANCE CUT-OFF
 48.0 1665. DISTANCE CUT-OFF
 49.0 1481. DISTANCE CUT-OFF
 50.0 1459. DISTANCE CUT-OFF
 51.0 1445. DISTANCE CUT-OFF
 52.0 1387. DISTANCE CUT-OFF
 53.0 953. DISTANCE CUT-OFF
 54.0 912. DISTANCE CUT-OFF
 55.0 981. DISTANCE CUT-OFF
 56.0 1026. DISTANCE CUT-OFF
 57.0 1003. DISTANCE CUT-OFF
 58.0 1009. DISTANCE CUT-OFF
 59.0 920. DISTANCE CUT-OFF
 60.0 710. DISTANCE CUT-OFF
 61.0 445. DISTANCE CUT-OFF
 62.0 0.1 ANGLE CUT-OFF
 63.0 0.1 ANGLE CUT-OFF
 64.0 552. DISTANCE CUT-OFF
 65.0 813. DISTANCE CUT-OFF
 66.0 1064. DISTANCE CUT-OFF
 67.0 1190. DISTANCE CUT-OFF
 68.0 1202. DISTANCE CUT-OFF
 69.0 1208. DISTANCE CUT-OFF
 70.0 1343. DISTANCE CUT-OFF
 71.0 1429. DISTANCE CUT-OFF
 72.0 1395. DISTANCE CUT-OFF
 73.0 1322. DISTANCE CUT-OFF
 74.0 1208. DISTANCE CUT-OFF
 75.0 1051. DISTANCE CUT-OFF
 76.0 1050. DISTANCE CUT-OFF
 77.0 1058. DISTANCE CUT-OFF
 78.0 1134. DISTANCE CUT-OFF
 79.0 1190. DISTANCE CUT-OFF
 80.0 1278. DISTANCE CUT-OFF
 100.0 1729. DISTANCE CUT-OFF
 101.0 1760. DISTANCE CUT-OFF
 102.0 1796. DISTANCE CUT-OFF
 103.0 1820. DISTANCE CUT-OFF
 104.0 0.1 ANGLE CUT-OFF
 105.0 0.1 ANGLE CUT-OFF
 106.0 0.2 ANGLE CUT-OFF
 107.0 364. DISTANCE CUT-OFF

108.0	487.	DISTANCE CUT-OFF	159.0	2742.	DISTANCE CUT-OFF
109.0	555.	DISTANCE CUT-OFF	160.0	2951.	DISTANCE CUT-OFF
110.0	565.	DISTANCE CUT-OFF	161.0	3080.	DISTANCE CUT-OFF
111.0	747.	DISTANCE CUT-OFF	162.0	3090.	DISTANCE CUT-OFF
112.0	794.	DISTANCE CUT-OFF	163.0	2783.	DISTANCE CUT-OFF
113.0	845.	DISTANCE CUT-OFF	164.0	2482.	DISTANCE CUT-OFF
114.0	846.	DISTANCE CUT-OFF	165.0	2216.	DISTANCE CUT-OFF
115.0	657.	DISTANCE CUT-OFF	166.0	1622.	DISTANCE CUT-OFF
116.0	516.	DISTANCE CUT-OFF	167.0	1347.	DISTANCE CUT-OFF
117.0	325.	DISTANCE CUT-OFF	168.0	3041.	DISTANCE CUT-OFF
126.0	0.2	ANGLE CUT-OFF	169.0	3075.	DISTANCE CUT-OFF
127.0	0.1	ANGLE CUT-OFF	170.0	3058.	DISTANCE CUT-OFF
129.0	2815.	DISTANCE CUT-OFF	171.0	3018.	DISTANCE CUT-OFF
130.0	2810.	DISTANCE CUT-OFF	172.0	3073.	DISTANCE CUT-OFF
131.0	2819.	DISTANCE CUT-OFF	173.0	3068.	DISTANCE CUT-OFF
132.0	0.2	ANGLE CUT-OFF	174.0	3041.	DISTANCE CUT-OFF
133.0	0.3	ANGLE CUT-OFF	175.0	3046.	DISTANCE CUT-OFF
134.0	0.1	ANGLE CUT-OFF	176.0	2999.	DISTANCE CUT-OFF
135.0	0.1	ANGLE CUT-OFF	177.0	1983.	DISTANCE CUT-OFF
136.0	0.1	ANGLE CUT-OFF	178.0	3044.	DISTANCE CUT-OFF
137.0	0.1	ANGLE CUT-OFF	179.0	2478.	DISTANCE CUT-OFF
138.0	445.	DISTANCE CUT-OFF	180.0	0.0	ANGLE CUT-OFF
139.0	333.	DISTANCE CUT-OFF	181.0	1721.	DISTANCE CUT-OFF
140.0	343.	DISTANCE CUT-OFF	182.0	2905.	DISTANCE CUT-OFF
141.0	322.	DISTANCE CUT-OFF	183.0	3006.	DISTANCE CUT-OFF
142.0	0.0	ANGLE CUT-OFF	184.0	2109.	DISTANCE CUT-OFF
143.0	0.0	ANGLE CUT-OFF	185.0	567.	DISTANCE CUT-OFF
144.0	0.1	ANGLE CUT-OFF	188.0	1329.	DISTANCE CUT-OFF
145.0	350.	DISTANCE CUT-OFF	189.0	0.2	ANGLE CUT-OFF
146.0	309.	DISTANCE CUT-OFF	190.0	0.1	ANGLE CUT-OFF
147.0	0.1	ANGLE CUT-OFF	191.0	0.0	ANGLE CUT-OFF
148.0	0.0	ANGLE CUT-OFF	192.0	814.	DISTANCE CUT-OFF
149.0	0.0	ANGLE CUT-OFF	193.0	1657.	DISTANCE CUT-OFF
150.0	0.2	ANGLE CUT-OFF	194.0	2343.	DISTANCE CUT-OFF
151.0	363.	DISTANCE CUT-OFF	195.0	2465.	DISTANCE CUT-OFF
152.0	845.	DISTANCE CUT-OFF	196.0	2468.	DISTANCE CUT-OFF
153.0	1109.	DISTANCE CUT-OFF	197.0	2459.	DISTANCE CUT-OFF
154.0	907.	DISTANCE CUT-OFF	198.0	2449.	DISTANCE CUT-OFF
155.0	1795.	DISTANCE CUT-OFF	199.0	2497.	DISTANCE CUT-OFF
156.0	2147.	DISTANCE CUT-OFF	200.0	2515.	DISTANCE CUT-OFF
157.0	2413.	DISTANCE CUT-OFF	201.0	2443.	DISTANCE CUT-OFF
158.0	2412.	DISTANCE CUT-OFF	202.0	2473.	DISTANCE CUT-OFF

203.0	2465.	DISTANCE CUT-OFF	349.0	314.	DISTANCE CUT-OFF
209.0	409.	DISTANCE CUT-OFF	432.0	2223.	DISTANCE CUT-OFF
210.0	2812.	DISTANCE CUT-OFF	433.0	1977.	DISTANCE CUT-OFF
211.0	2809.	DISTANCE CUT-OFF	434.0	1126.	DISTANCE CUT-OFF
212.0	2778.	DISTANCE CUT-OFF	445.0	2517.	DISTANCE CUT-OFF
213.0	2747.	DISTANCE CUT-OFF	446.0	2520.	DISTANCE CUT-OFF
214.0	2747.	DISTANCE CUT-OFF	447.0	2515.	DISTANCE CUT-OFF
215.0	2750.	DISTANCE CUT-OFF	448.0	2516.	DISTANCE CUT-OFF
216.0	2738.	DISTANCE CUT-OFF	449.0	2517.	DISTANCE CUT-OFF
217.0	2739.	DISTANCE CUT-OFF	450.0	2488.	DISTANCE CUT-OFF
218.0	2760.	DISTANCE CUT-OFF	451.0	1998.	DISTANCE CUT-OFF
219.0	2754.	DISTANCE CUT-OFF	452.0	1600.	DISTANCE CUT-OFF
220.0	2756.	DISTANCE CUT-OFF	453.0	2463.	DISTANCE CUT-OFF
221.0	2806.	DISTANCE CUT-OFF	454.0	2525.	DISTANCE CUT-OFF
222.0	2810.	DISTANCE CUT-OFF	455.0	2525.	DISTANCE CUT-OFF
223.0	2744.	DISTANCE CUT-OFF	456.0	2527.	DISTANCE CUT-OFF
306.0	0.1	ANGLE CUT-OFF	457.0	2520.	DISTANCE CUT-OFF
307.0	0.1	ANGLE CUT-OFF	458.0	2174.	DISTANCE CUT-OFF
308.0	0.0	ANGLE CUT-OFF	459.0	2098.	DISTANCE CUT-OFF
309.0	0.0	ANGLE CUT-OFF	460.0	2100.	DISTANCE CUT-OFF
310.0	0.0	ANGLE CUT-OFF	461.0	2146.	DISTANCE CUT-OFF
311.0	0.1	ANGLE CUT-OFF	462.0	2136.	DISTANCE CUT-OFF
312.0	0.1	ANGLE CUT-OFF	463.0	2257.	DISTANCE CUT-OFF
313.0	391.	DISTANCE CUT-OFF	464.0	1872.	DISTANCE CUT-OFF
314.0	0.1	ANGLE CUT-OFF	465.0	1892.	DISTANCE CUT-OFF
315.0	0.0	ANGLE CUT-OFF	466.0	2150.	DISTANCE CUT-OFF
316.0	0.0	ANGLE CUT-OFF	467.0	2149.	DISTANCE CUT-OFF
317.0	950.	DISTANCE CUT-OFF	468.0	2153.	DISTANCE CUT-OFF
318.0	922.	DISTANCE CUT-OFF	469.0	2166.	DISTANCE CUT-OFF
319.0	760.	DISTANCE CUT-OFF	470.0	2154.	DISTANCE CUT-OFF
320.0	518.	DISTANCE CUT-OFF	471.0	2151.	DISTANCE CUT-OFF
321.0	518.	DISTANCE CUT-OFF	472.0	426.	DISTANCE CUT-OFF
322.0	0.4	ANGLE CUT-OFF	473.0	405.	DISTANCE CUT-OFF
323.0	0.1	ANGLE CUT-OFF	474.0	260.5 12.5 32.7 17.9 0.0 0.0 12.5 5051 162.7-30.0 77.4 0.0 -1.0 0.7	
341.0	640.	DISTANCE CUT-OFF	-11.6 -12.9 0.0 -30.3 0.0 2.5 24.8		
342.0	625.	DISTANCE CUT-OFF	475.0 260.6 20.3 36.0 17.9 0.0 0.0 20.3 5043 162.7-30.0 78.5 0.0 -1.0 0.6		
343.0	802.	DISTANCE CUT-OFF	-9.5 -12.9 0.0 -19.1 0.0 2.5 39.1		
344.0	979.	DISTANCE CUT-OFF	476.0 265.8 21.0 37.5 17.9 0.0 0.0 21.0 5048 146.5-30.0 77.5 0.0 -1.0 0.2		
345.0	0.0	ANGLE CUT-OFF	-9.3 -13.0 0.0 -17.1 0.0 2.5 39.8		
346.0	0.0	ANGLE CUT-OFF	477.0 346.	DISTANCE CUT-OFF	
347.0	0.0	ANGLE CUT-OFF	478.0 276.4 24.3 37.5 17.9 0.0 0.0 24.3 5047 146.5-30.0 78.4 0.0 -1.0 0.0		
348.0	0.0	ANGLE CUT-OFF	-8.7 -13.2 0.0 -17.4 0.0 2.8 40.9		

479.0 271.3 19.5 36.0 17.9 0.0 0.0 19.5 5043 162.7-30.0 77.6 0.0 -1.0 0.0
-9.7 -13.1 0.0 -18.5 0.0 2.9 38.2
480.0 271.2 12.3 32.7 17.9 0.0 0.0 12.3 5051 162.7-30.0 76.8 0.0 -1.0 0.0
-11.6 -13.1 0.0 -30.3 0.0 2.8 23.6
481.0 0.0 ANGLE CUT-OFF
482.0 0.0 ANGLE CUT-OFF
483.0 172.9 6.9 33.9 17.9 0.0 0.0 6.9 5051 162.7-30.0 74.8 0.0 -1.0 1.7 -
14.2 -11.2 0.0 -30.4 0.0 2.5 22.2
484.0 137.4 5.1 35.8 17.9 0.0 0.0 5.1 5051 162.7-30.0 74.8 0.0 -1.0 1.0 -
15.5 -10.2 0.0 -30.5 0.0 2.5 21.1
485.0 75.6 5.3 35.6 17.9 0.0 0.0 5.3 5051 162.7-30.0 74.8 0.0 -1.0 0.0 -
15.3 -7.7 0.0 -21.9 0.0 2.5 31.4
486.0 0.1 ANGLE CUT-OFF
487.0 87.5 2.9 35.1 17.9 0.0 0.0 2.9 5051 162.7-30.0 73.4 0.0 -1.0 0.8 -
18.0 -8.3 0.0 -30.4 0.0 2.5 19.0
488.0 158.0 3.9 35.4 17.9 0.0 0.0 3.9 5051 162.7-30.0 73.4 0.0 -1.0 0.0 -
16.6 -10.8 0.0 -30.5 0.0 2.5 17.0
489.0 182.0 4.4 33.9 17.9 0.0 0.0 4.4 5051 162.7-30.0 73.4 0.0 -1.0 0.0 -
16.1 -11.4 0.0 -30.3 0.0 2.5 17.1
490.0 0.0 ANGLE CUT-OFF
491.0 0.0 ANGLE CUT-OFF
492.0 0.6 ANGLE CUT-OFF
493.0 227.0 1.9 37.5 17.9 0.0 0.0 1.9 25308 45.0-18.7 76.3 0.0 -1.0 0.0 -
19.8 -12.3 0.0 -18.9 0.0 2.5 26.8
494.0 325. DISTANCE CUT-OFF
495.0 281.1 2.2 36.1 17.9 0.0 0.0 2.2 13388 49.3-19.6 76.3 0.0 -1.0 0.0 -
19.1 -13.2 0.0 -20.0 0.0 2.5 25.5
496.0 217.3 1.7 35.7 17.9 0.0 0.0 1.7 13389 49.3-21.9 76.3 0.0 -1.0 0.0 -
20.3 -12.1 0.0 -23.4 0.0 2.5 22.0
497.0 0.5 ANGLE CUT-OFF
498.0 0.5 ANGLE CUT-OFF
499.0 308. DISTANCE CUT-OFF
500.0 384. DISTANCE CUT-OFF
501.0 349. DISTANCE CUT-OFF
502.0 179.7 1.2 37.5 17.9 0.0 0.0 1.2 25308 45.0-20.1 76.3 0.0 -1.0 1.8 -
21.7 -11.4 0.0 -20.2 0.0 2.5 26.3
503.0 67.0 23.7 16.3 17.9 0.0 0.0 23.7 25308 45.0-25.1 76.5 0.0 -1.0 1.4
-8.8 -7.3 0.0 -25.4 0.0 2.5 37.9
504.0 63.4 14.7 18.0 17.9 0.0 0.0 14.7 25308 45.0-25.0 76.5 0.0 -1.0 1.6 -
10.9 -7.1 0.0 -25.3 0.0 2.5 36.3
505.0 52.1 7.4 19.8 17.9 0.0 0.0 7.4 25308 45.0-25.7 68.6 0.0 -1.0 1.5 -
13.9 -6.4 0.0 -25.9 0.0 2.5 25.4

506.0 31.0 4.1 22.4 17.9 0.0 0.0 4.1 25308 45.0-27.7 68.6 0.0 -1.0 2.1 -
16.4 -4.9 0.0 -27.8 0.0 2.9 23.5
507.0 0.1 ANGLE CUT-OFF
508.0 36.0 1.4 29.1 17.9 0.0 0.0 1.4 25308 45.0-26.4 68.6 0.0 -1.0 2.2 -
21.2 -5.3 0.0 -26.5 0.0 4.0 20.8
509.0 61.8 1.7 31.9 17.9 0.0 0.0 1.7 25308 45.0-24.2 68.6 0.0 -1.0 2.3 -
20.3 -7.1 0.0 -24.4 0.0 2.5 20.6
510.0 117.2 2.5 34.7 17.9 0.0 0.0 2.5 25308 45.0-21.7 68.6 0.0 -1.0 2.5 -
18.6 -9.6 0.0 -22.0 0.0 2.5 22.4
511.0 59.7 28.2 16.3 17.9 0.0 0.0 28.2 25308 45.0-25.8 78.1 0.0 -1.0 1.4
-8.0 -6.9 0.0 -26.2 0.0 2.5 39.9
512.0 54.3 15.6 18.4 17.9 0.0 0.0 15.6 25308 45.0-25.8 78.1 0.0 -1.0 2.3 -
10.6 -6.6 0.0 -26.2 0.0 2.5 38.5
513.0 49.5 8.1 21.1 17.9 0.0 0.0 8.1 25308 45.0-25.6 78.1 0.0 -1.0 2.4 -
13.5 -6.3 0.0 -25.8 0.0 2.5 36.4
514.0 18.8 3.1 23.1 17.9 0.0 0.0 3.1 5851 45.0-29.2 78.1 0.0 -1.0 0.7 -
17.6 -3.0 0.0 -29.3 0.0 2.6 30.5
515.0 0.2 ANGLE CUT-OFF
516.0 37.6 1.5 25.8 17.9 0.0 0.0 1.5 5851 45.0-26.7 78.1 0.0 -1.0 0.3 -
20.8 -5.0 0.0 -26.8 0.0 4.0 28.8
517.0 84.4 2.3 27.0 17.9 0.0 0.0 2.3 5851 45.0-23.5 78.1 0.0 -1.0 1.6 -
18.9 -8.3 0.0 -23.6 0.0 2.5 30.4
518.0 131.8 4.6 28.5 17.9 0.0 0.0 4.6 25308 45.0-21.9 78.1 0.0 -1.0 0.5 -
15.9 -10.0 0.0 -22.4 0.0 2.5 31.8
519.0 194.6 4.5 29.0 17.9 0.0 0.0 4.5 13389 49.3-22.4 78.1 0.0 -1.0 0.0 -
16.0 -11.7 0.0 -22.8 0.0 2.5 29.1
520.0 256.0 9.6 29.3 17.9 0.0 0.0 9.6 13373 65.8-27.1 78.1 0.0 -1.0 0.1 -
12.7 -12.8 0.0 -26.3 0.0 2.5 27.9
521.0 267.4 8.4 29.3 17.9 0.0 0.0 8.4 13374 65.8-26.5 78.1 0.0 -1.0 0.0 -
13.3 -13.0 0.0 -25.9 0.0 3.9 28.8
522.0 263.3 1.4 29.0 17.9 0.0 0.0 1.4 13389 49.3-20.3 78.1 0.0 -1.0 0.0 -
21.0 -13.0 0.0 -22.2 0.0 4.0 24.9
523.0 205.3 4.9 29.0 17.9 0.0 0.0 4.9 13388 49.3-21.4 78.1 0.0 -1.0 0.0 -
15.7 -11.9 0.0 -21.5 0.0 3.6 31.6
524.0 137.8 4.9 28.5 17.9 0.0 0.0 4.9 25308 45.0-21.7 78.1 0.0 -1.0 0.0 -
15.7 -10.2 0.0 -21.8 0.0 3.2 32.6
525.0 81.7 2.3 27.5 17.9 0.0 0.0 2.3 5922 45.0-23.7 78.1 0.0 -1.0 0.0 -
19.0 -8.1 0.0 -23.6 0.0 3.1 29.5
526.0 47.3 1.9 27.0 17.9 0.0 0.0 1.9 5851 45.0-25.5 78.1 0.0 -1.0 0.0 -
19.8 -5.8 0.0 -25.6 0.0 4.0 29.9
527.0 14.7 1.2 25.3 17.9 0.0 0.0 1.2 5851 45.0-29.5 78.1 0.0 -1.0 0.0 -
21.7 -3.4 0.0 -29.6 0.0 4.0 26.4

528.0 9.7 2.0 23.1 17.9 0.0 0.0 2.0 5851 45.0-30.0 78.1 0.0 -1.0 0.0 -
19.6 -1.7 0.0 -30.1 0.0 3.9 29.6
529.0 35.5 6.2 21.1 17.9 0.0 0.0 6.225308 45.0-27.4 78.1 0.0 -1.0 0.0 -
14.6 -5.2 0.0 -27.3 0.0 2.5 32.5
530.0 45.6 16.0 18.7 17.9 0.0 0.0 16.025308 45.0-26.7 78.1 0.0 -1.0 0.0 -
10.5 -5.9 0.0 -27.0 0.0 2.5 36.2
531.0 49.3 31.6 16.5 17.9 0.0 0.0 31.625308 45.0-26.9 78.1 0.0 -1.0 0.0
-7.6 -6.2 0.0 -27.2 0.0 2.5 38.6
532.0 0.9 ANGLE CUT-OFF
533.0 230.9 5.5 31.7 17.9 0.0 0.0 5.513374 65.8-27.9 78.7 0.0 -1.0 0.0 -
15.2 -12.4 0.0 -27.4 0.0 2.5 25.2
534.0 253.4 3.6 28.6 17.9 0.0 0.0 3.613373 65.8-27.7 78.7 0.0 -1.0 0.0 -
17.0 -12.8 0.0 -27.8 0.0 2.5 22.6
535.0 284.5 12.6 31.9 17.9 0.0 0.0 12.613374 65.8-26.1 79.0 0.0 -1.0 1.4
-11.6 -13.3 0.0 -22.7 0.0 2.5 34.3
536.0 56.2 12.3 7.1 17.9 0.0 0.0 12.3 5864 41.0-24.0 81.0 0.0 -1.0 0.4 -
11.6 -6.8 0.0 -23.8 0.0 2.5 40.7
537.0 56.6 55.8 12.5 17.9 0.0 0.0 55.825308 45.0-26.4 81.0 0.0 -1.0 2.3
-5.1 -6.7 0.0 -25.7 0.0 2.5 47.3
538.0 0.0 ANGLE CUT-OFF
539.0 0.0 ANGLE CUT-OFF
540.0 0.0 ANGLE CUT-OFF
541.0 0.0 ANGLE CUT-OFF
542.0 0.0 ANGLE CUT-OFF
543.0 0.0 ANGLE CUT-OFF
544.0 0.0 ANGLE CUT-OFF
545.0 0.0 ANGLE CUT-OFF
546.0 0.0 ANGLE CUT-OFF
547.0 0.0 ANGLE CUT-OFF
548.0 395. DISTANCE CUT-OFF
549.0 0.0 ANGLE CUT-OFF
550.0 0.0 ANGLE CUT-OFF
551.0 334. DISTANCE CUT-OFF
552.0 381. DISTANCE CUT-OFF
553.0 413. DISTANCE CUT-OFF
554.0 458. DISTANCE CUT-OFF
555.0 497. DISTANCE CUT-OFF
556.0 547. DISTANCE CUT-OFF
557.0 547. DISTANCE CUT-OFF
558.0 604. DISTANCE CUT-OFF
559.0 635. DISTANCE CUT-OFF
560.0 645. DISTANCE CUT-OFF

561.0 0.0 ANGLE CUT-OFF
562.0 0.0 ANGLE CUT-OFF
563.0 0.6 ANGLE CUT-OFF
564.0 0.0 ANGLE CUT-OFF
565.0 0.0 ANGLE CUT-OFF
566.0 0.0 ANGLE CUT-OFF
567.0 0.0 ANGLE CUT-OFF
568.0 0.0 ANGLE CUT-OFF
569.0 0.0 ANGLE CUT-OFF
570.0 0.0 ANGLE CUT-OFF
571.0 0.0 ANGLE CUT-OFF
572.0 0.0 ANGLE CUT-OFF
573.0 0.0 ANGLE CUT-OFF
574.0 0.0 ANGLE CUT-OFF
575.0 0.0 ANGLE CUT-OFF
576.0 0.0 ANGLE CUT-OFF
577.0 0.0 ANGLE CUT-OFF
578.0 0.0 ANGLE CUT-OFF
579.0 318. DISTANCE CUT-OFF
580.0 0.0 ANGLE CUT-OFF
581.0 0.0 ANGLE CUT-OFF
582.0 0.0 ANGLE CUT-OFF
583.0 319. DISTANCE CUT-OFF
584.0 330. DISTANCE CUT-OFF
585.0 641. DISTANCE CUT-OFF
586.0 599. DISTANCE CUT-OFF
587.0 760. DISTANCE CUT-OFF
588.0 808. DISTANCE CUT-OFF
589.0 565. DISTANCE CUT-OFF
590.0 550. DISTANCE CUT-OFF
591.0 460. DISTANCE CUT-OFF
592.0 449. DISTANCE CUT-OFF
593.0 447. DISTANCE CUT-OFF
594.0 534. DISTANCE CUT-OFF
595.0 613. DISTANCE CUT-OFF
596.0 794. DISTANCE CUT-OFF
597.0 716. DISTANCE CUT-OFF
598.0 603. DISTANCE CUT-OFF
599.0 618. DISTANCE CUT-OFF
600.0 375. DISTANCE CUT-OFF
601.0 0.8 ANGLE CUT-OFF
602.0 0.5 ANGLE CUT-OFF

603.0 173.9 1.4 41.1 17.9 0.0 0.0 1.425308 45.0-20.5 74.9 0.0 -1.0 3.1 -
21.1 -11.3 0.0 -20.7 0.0 2.5 26.4
604.0 155.1 6.8 51.2 17.9 0.0 0.0 6.825308 45.0-21.3 74.2 0.0 -1.0 2.3 -
14.2 -10.8 0.0 -22.5 0.0 2.5 30.5

N2103

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
----- CORRECTIONS-----> SEG-
NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
GRAD ANGLE HARD SOFT BAR- RET REFL MENT
VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
VIEW GRND EXCE RIER CUT TION TOTAL
605.0 164.4 2.4 56.3 17.9 0.0 0.0 2.425308 45.0-21.3 73.8 0.0 -1.0 0.0 -
18.8 -11.0 0.0 -22.2 0.0 2.5 23.3
606.0 162.9 2.0 50.5 17.9 0.0 0.0 2.025308 45.0-21.1 73.8 0.0 -1.0 0.0 -
19.6 -10.9 0.0 -22.9 0.0 2.5 21.9
607.0 181.4 3.1 45.3 17.9 0.0 0.0 3.125308 45.0-20.5 73.8 0.0 -1.0 0.0 -
17.6 -11.4 0.0 -20.7 0.0 2.5 25.6
608.0 172.6 1.4 41.1 17.9 0.0 0.0 1.45922 45.0-20.5 74.7 0.0 -1.0 0.0 -
21.0 -11.2 0.0 -20.6 0.0 2.5 23.4
609.0 0.4 ANGLE CUT-OFF
610.0 0.3 ANGLE CUT-OFF
611.0 0.6 ANGLE CUT-OFF
612.0 137.1 1.4 9.9 17.9 0.0 0.0 1.412504 89.3-30.0 66.0 0.0 -1.0 1.2 -
21.2 -10.2 0.0 -29.4 0.0 3.1 8.5
613.0 0.6 ANGLE CUT-OFF
614.0 409. DISTANCE CUT-OFF
615.0 587. DISTANCE CUT-OFF
616.0 668. DISTANCE CUT-OFF
617.0 629. DISTANCE CUT-OFF
618.0 410. DISTANCE CUT-OFF
619.0 360. DISTANCE CUT-OFF
620.0 356. DISTANCE CUT-OFF
621.0 582. DISTANCE CUT-OFF
622.0 781. DISTANCE CUT-OFF
622.0 777. DISTANCE CUT-OFF
623.0 695. DISTANCE CUT-OFF
624.0 577. DISTANCE CUT-OFF
625.0 417. DISTANCE CUT-OFF
626.0 307. DISTANCE CUT-OFF
627.0 0.9 ANGLE CUT-OFF

628.0 227.2 1.3 50.0 17.9 0.0 0.0 1.313347 80.3-28.4 66.0 0.0 -1.0 1.5 -
21.3 -12.4 0.0 -29.0 0.0 2.5 6.3
629.0 206.3 2.6 53.7 17.9 0.0 0.0 2.613347 80.3-28.1 66.0 0.0 -1.0 2.3 -
18.5 -12.1 0.0 -28.6 0.0 2.5 10.6
630.0 205.0 4.6 59.5 17.9 0.0 0.0 4.613348 80.3-27.1 66.0 0.0 -1.0 2.0 -
15.9 -12.0 0.0 -24.1 0.0 2.5 17.5
631.0 213.0 2.3 64.3 17.9 0.0 0.0 2.325096 71.8-19.8 66.0 0.0 -1.0 2.9 -
18.9 -12.2 0.0 -21.4 0.0 2.5 17.9
632.0 156.3 2.1 67.8 17.9 0.0 0.0 2.125308 45.0-19.3 66.0 0.0 -1.0 2.7 -
19.4 -11.1 0.0 -20.5 0.0 2.5 19.2
633.0 205.3 1.7 69.8 17.9 0.0 0.0 1.725308 45.0-18.1 66.0 0.0 -1.0 0.7 -
20.2 -12.0 0.0 -19.0 0.0 2.5 17.0
634.0 177.4 2.1 70.8 17.9 0.0 0.0 2.125308 45.0-18.2 66.0 0.0 -1.0 1.8 -
19.4 -11.5 0.0 -18.7 0.0 2.5 19.7
635.0 269.7 2.9 72.4 17.9 0.0 0.0 2.95864 41.0-16.7 66.0 0.0 -1.0 2.2 -
17.9 -13.1 0.0 -17.1 0.0 2.5 21.6
636.0 317. DISTANCE CUT-OFF
637.0 328. DISTANCE CUT-OFF
638.0 283.8 6.4 77.2 17.9 0.0 0.0 6.425308 45.0-16.5 66.0 0.0 -1.0 1.1 -
14.5 -13.3 0.0 -16.9 0.0 3.3 24.7
639.0 303. DISTANCE CUT-OFF
647.0 255.2 5.1 36.4 17.9 0.0 0.0 5.15043 162.7-30.0 71.5 0.0 -1.0 0.0 -
15.5 -12.8 0.0 -30.4 0.0 2.5 14.3
648.0 39.1 49.9 13.5 17.9 0.0 0.0 49.925308 45.0-29.0 80.2 0.0 -1.0 0.0 -
-5.6 -5.4 0.0 -29.0 0.0 2.5 41.7
649.0 32.5 14.6 9.6 17.9 0.0 0.0 14.65864 41.0-26.6 81.2 0.0 -1.0 0.0 -
10.9 -4.8 0.0 -26.3 0.0 2.5 40.7
650.0 23.0 7.2 7.1 17.9 0.0 0.0 7.25923 41.0-26.6 81.2 0.0 -1.0 0.0 -
14.0 -4.3 0.0 -27.2 0.0 2.5 37.2
651.0 0.0 ANGLE CUT-OFF
652.0 0.0 ANGLE CUT-OFF
653.0 0.0 ANGLE CUT-OFF
654.0 0.0 ANGLE CUT-OFF
655.0 0.0 ANGLE CUT-OFF
656.0 0.0 ANGLE CUT-OFF
657.0 0.0 ANGLE CUT-OFF
658.0 1.0 ANGLE CUT-OFF
659.0 0.0 ANGLE CUT-OFF
660.0 641. DISTANCE CUT-OFF
661.0 621. DISTANCE CUT-OFF
662.0 588. DISTANCE CUT-OFF
663.0 527. DISTANCE CUT-OFF

666.0	428.	DISTANCE CUT-OFF	708.0	543.	DISTANCE CUT-OFF
667.0		0.0 ANGLE CUT-OFF	709.0		0.1 ANGLE CUT-OFF
668.0		0.0 ANGLE CUT-OFF	710.0		0.0 ANGLE CUT-OFF
669.0		0.0 ANGLE CUT-OFF	711.0	442.	DISTANCE CUT-OFF
670.0	883.	DISTANCE CUT-OFF	712.0	702.	DISTANCE CUT-OFF
671.0	787.	DISTANCE CUT-OFF	713.0	961.	DISTANCE CUT-OFF
672.0	790.	DISTANCE CUT-OFF	714.0	1015.	DISTANCE CUT-OFF
673.0	582.	DISTANCE CUT-OFF	715.0	1057.	DISTANCE CUT-OFF
674.0	765.	DISTANCE CUT-OFF	716.0	985.	DISTANCE CUT-OFF
675.0	533.	DISTANCE CUT-OFF	717.0	1014.	DISTANCE CUT-OFF
676.0	689.	DISTANCE CUT-OFF	718.0	1001.	DISTANCE CUT-OFF
677.0	402.	DISTANCE CUT-OFF	719.0	1037.	DISTANCE CUT-OFF
678.0	1285.	DISTANCE CUT-OFF	720.0	1846.	DISTANCE CUT-OFF
679.0	1207.	DISTANCE CUT-OFF	721.0	1782.	DISTANCE CUT-OFF
680.0	1124.	DISTANCE CUT-OFF	722.0	1733.	DISTANCE CUT-OFF
681.0	1048.	DISTANCE CUT-OFF	723.0	1740.	DISTANCE CUT-OFF
682.0	1046.	DISTANCE CUT-OFF	730.0	3063.	DISTANCE CUT-OFF
683.0	1069.	DISTANCE CUT-OFF	731.0	3039.	DISTANCE CUT-OFF
684.0	1217.	DISTANCE CUT-OFF	732.0	2784.	DISTANCE CUT-OFF
685.0	1306.	DISTANCE CUT-OFF	733.0	2980.	DISTANCE CUT-OFF
686.0	1406.	DISTANCE CUT-OFF	734.0	3006.	DISTANCE CUT-OFF
687.0	1410.	DISTANCE CUT-OFF	735.0	3014.	DISTANCE CUT-OFF
688.0	1326.	DISTANCE CUT-OFF	736.0	3047.	DISTANCE CUT-OFF
689.0	605.	DISTANCE CUT-OFF	741.0	911.	DISTANCE CUT-OFF
690.0	517.	DISTANCE CUT-OFF	742.0	1386.	DISTANCE CUT-OFF
691.0	474.	DISTANCE CUT-OFF	743.0	1727.	DISTANCE CUT-OFF
692.0	301.	DISTANCE CUT-OFF	744.0	2152.	DISTANCE CUT-OFF
693.0		0.2 ANGLE CUT-OFF	745.0	2520.	DISTANCE CUT-OFF
694.0		0.1 ANGLE CUT-OFF	746.0	2819.	DISTANCE CUT-OFF
695.0		0.3 ANGLE CUT-OFF	747.0	3090.	DISTANCE CUT-OFF
696.0	837.	DISTANCE CUT-OFF	748.0	3085.	DISTANCE CUT-OFF
697.0	789.	DISTANCE CUT-OFF	749.0	2993.	DISTANCE CUT-OFF
698.0	774.	DISTANCE CUT-OFF	750.0	2747.	DISTANCE CUT-OFF
699.0	735.	DISTANCE CUT-OFF	751.0	2406.	DISTANCE CUT-OFF
700.0	314.	DISTANCE CUT-OFF	752.0	3038.	DISTANCE CUT-OFF
701.0	599.	DISTANCE CUT-OFF	753.0	3032.	DISTANCE CUT-OFF
702.0	754.	DISTANCE CUT-OFF	754.0	3073.	DISTANCE CUT-OFF
703.0	1279.	DISTANCE CUT-OFF	755.0	3077.	DISTANCE CUT-OFF
704.0	1212.	DISTANCE CUT-OFF	756.0	3081.	DISTANCE CUT-OFF
705.0	1186.	DISTANCE CUT-OFF	757.0		0.2 ANGLE CUT-OFF
706.0	1053.	DISTANCE CUT-OFF	758.0	2813.	DISTANCE CUT-OFF
707.0	831.	DISTANCE CUT-OFF	759.0	2805.	DISTANCE CUT-OFF

760.0 2807. DISTANCE CUT-OFF
 761.0 0.1 ANGLE CUT-OFF
 762.0 230.0 1.3 50.0 17.9 0.0 0.0 1.313347 80.3-28.4 66.0 0.0 -1.0 0.0 -
 21.5 -12.5 0.0 -28.9 0.0 2.5 4.6
 763.0 0.9 ANGLE CUT-OFF
 764.0 310. DISTANCE CUT-OFF
 765.0 412. DISTANCE CUT-OFF
 766.0 566. DISTANCE CUT-OFF
 767.0 691. DISTANCE CUT-OFF
 768.0 757. DISTANCE CUT-OFF
 769.0 771. DISTANCE CUT-OFF
 770.0 584. DISTANCE CUT-OFF
 771.0 346. DISTANCE CUT-OFF
 772.0 349. DISTANCE CUT-OFF
 773.0 429. DISTANCE CUT-OFF
 774.0 613. DISTANCE CUT-OFF
 775.0 662. DISTANCE CUT-OFF
 776.0 586. DISTANCE CUT-OFF
 777.0 394. DISTANCE CUT-OFF
 778.0 0.8 ANGLE CUT-OFF
 779.0 137.1 1.4 9.9 17.9 0.0 0.0 1.412506 89.3-30.0 66.0 0.0 -1.0 0.0 -
 21.2 -10.2 0.0 -28.6 0.0 3.7 8.7
 780.0 306. DISTANCE CUT-OFF
 781.0 287.7 6.3 77.2 17.9 0.0 0.0 6.325308 45.0-16.5 66.0 0.0 -1.0 0.0 -
 14.6 -13.4 0.0 -16.9 0.0 4.0 24.1
 782.0 331. DISTANCE CUT-OFF
 783.0 321. DISTANCE CUT-OFF
 784.0 274.9 2.9 72.4 17.9 0.0 0.0 2.9 5864 41.0-16.7 66.0 0.0 -1.0 0.0 -
 17.9 -13.2 0.0 -17.3 0.0 2.5 19.1
 785.0 177.8 2.0 70.8 17.9 0.0 0.0 2.025308 45.0-18.2 66.0 0.0 -1.0 0.0 -
 19.6 -11.5 0.0 -18.8 0.0 2.5 17.6
 786.0 193.5 1.3 69.8 17.9 0.0 0.0 1.325308 45.0-18.3 66.0 0.0 -1.0 0.0 -
 21.5 -11.8 0.0 -19.1 0.0 2.5 15.1
 787.0 136.1 1.8 67.8 17.9 0.0 0.0 1.825308 45.0-19.7 66.0 0.0 -1.0 0.0 -
 20.0 -10.6 0.0 -21.1 0.0 2.5 15.8
 788.0 210.0 2.2 64.3 17.9 0.0 0.0 2.225096 72.0-19.7 66.0 0.0 -1.0 0.0 -
 19.1 -12.2 0.0 -21.6 0.0 2.5 14.6
 789.0 199.9 4.5 59.5 17.9 0.0 0.0 4.513347 80.3-27.5 66.0 0.0 -1.0 0.0 -
 16.0 -11.9 0.0 -24.4 0.0 2.5 15.2
 790.0 199.3 2.5 53.7 17.9 0.0 0.0 2.513347 80.3-28.3 66.0 0.0 -1.0 0.0 -
 18.5 -11.9 0.0 -28.9 0.0 2.5 8.2
 799.0 2784. DISTANCE CUT-OFF

800.0 2766. DISTANCE CUT-OFF
 801.0 2786. DISTANCE CUT-OFF
 802.0 2878. DISTANCE CUT-OFF
 803.0 2870. DISTANCE CUT-OFF
 804.0 2782. DISTANCE CUT-OFF
 805.0 2775. DISTANCE CUT-OFF
 806.0 2785. DISTANCE CUT-OFF
 807.0 418. DISTANCE CUT-OFF
 808.0 0.0 ANGLE CUT-OFF
 809.0 633. DISTANCE CUT-OFF
 810.0 1747. DISTANCE CUT-OFF
 811.0 2470. DISTANCE CUT-OFF
 812.0 2770. DISTANCE CUT-OFF
 813.0 2775. DISTANCE CUT-OFF
 814.0 2448. DISTANCE CUT-OFF
 815.0 1753. DISTANCE CUT-OFF
 816.0 674. DISTANCE CUT-OFF
 817.0 0.0 ANGLE CUT-OFF
 818.0 406. DISTANCE CUT-OFF
 819.0 415. DISTANCE CUT-OFF
 820.0 402. DISTANCE CUT-OFF
 821.0 2128. DISTANCE CUT-OFF
 822.0 2169. DISTANCE CUT-OFF
 823.0 2050. DISTANCE CUT-OFF
 824.0 1328. DISTANCE CUT-OFF
 825.0 362. DISTANCE CUT-OFF
 826.0 994. DISTANCE CUT-OFF
 827.0 1477. DISTANCE CUT-OFF
 828.0 1894. DISTANCE CUT-OFF
 829.0 2043. DISTANCE CUT-OFF
 830.0 2045. DISTANCE CUT-OFF
 831.0 1904. DISTANCE CUT-OFF
 832.0 1519. DISTANCE CUT-OFF
 833.0 976. DISTANCE CUT-OFF
 834.0 360. DISTANCE CUT-OFF
 835.0 2469. DISTANCE CUT-OFF
 836.0 2474. DISTANCE CUT-OFF
 837.0 2361. DISTANCE CUT-OFF
 838.0 1703. DISTANCE CUT-OFF
 839.0 782. DISTANCE CUT-OFF
 840.0 0.1 ANGLE CUT-OFF
 841.0 0.1 ANGLE CUT-OFF

842.0	0.2	ANGLE CUT-OFF	884.0	1969.	DISTANCE CUT-OFF
843.0	2075.	DISTANCE CUT-OFF	885.0	1894.	DISTANCE CUT-OFF
844.0	2046.	DISTANCE CUT-OFF	886.0	1797.	DISTANCE CUT-OFF
845.0	1778.	DISTANCE CUT-OFF	887.0	1722.	DISTANCE CUT-OFF
846.0	1530.	DISTANCE CUT-OFF	888.0	1616.	DISTANCE CUT-OFF
847.0	1527.	DISTANCE CUT-OFF	889.0	1631.	DISTANCE CUT-OFF
848.0	1390.	DISTANCE CUT-OFF	890.0	1615.	DISTANCE CUT-OFF
849.0	1426.	DISTANCE CUT-OFF	891.0	1515.	DISTANCE CUT-OFF
850.0	594.	DISTANCE CUT-OFF	892.0	1256.	DISTANCE CUT-OFF
851.0	0.0	ANGLE CUT-OFF	893.0	1026.	DISTANCE CUT-OFF
852.0	2120.	DISTANCE CUT-OFF	894.0	680.	DISTANCE CUT-OFF
853.0	2097.	DISTANCE CUT-OFF	895.0	421.	DISTANCE CUT-OFF
854.0	1991.	DISTANCE CUT-OFF	896.0	438.	DISTANCE CUT-OFF
855.0	1874.	DISTANCE CUT-OFF	897.0	0.0	ANGLE CUT-OFF
856.0	1750.	DISTANCE CUT-OFF	898.0	648.	DISTANCE CUT-OFF
857.0	1647.	DISTANCE CUT-OFF	899.0	1327.	DISTANCE CUT-OFF
858.0	1520.	DISTANCE CUT-OFF	900.0	1829.	DISTANCE CUT-OFF
859.0	1382.	DISTANCE CUT-OFF	901.0	2102.	DISTANCE CUT-OFF
860.0	1279.	DISTANCE CUT-OFF	902.0	2137.	DISTANCE CUT-OFF
861.0	2139.	DISTANCE CUT-OFF	903.0	2146.	DISTANCE CUT-OFF
862.0	2139.	DISTANCE CUT-OFF	904.0	2146.	DISTANCE CUT-OFF
863.0	2138.	DISTANCE CUT-OFF	905.0	2158.	DISTANCE CUT-OFF
864.0	2152.	DISTANCE CUT-OFF	906.0	2148.	DISTANCE CUT-OFF
865.0	2152.	DISTANCE CUT-OFF	907.0	2133.	DISTANCE CUT-OFF
866.0	2152.	DISTANCE CUT-OFF	908.0	2138.	DISTANCE CUT-OFF
867.0	2152.	DISTANCE CUT-OFF	909.0	2137.	DISTANCE CUT-OFF
868.0	2152.	DISTANCE CUT-OFF	910.0	2140.	DISTANCE CUT-OFF
869.0	2152.	DISTANCE CUT-OFF	911.0	0.1	ANGLE CUT-OFF
870.0	2150.	DISTANCE CUT-OFF	912.0	0.0	ANGLE CUT-OFF
871.0	2153.	DISTANCE CUT-OFF	913.0	0.1	ANGLE CUT-OFF
872.0	2151.	DISTANCE CUT-OFF	914.0	0.1	ANGLE CUT-OFF
873.0	2143.	DISTANCE CUT-OFF	915.0	0.0	ANGLE CUT-OFF
874.0	2143.	DISTANCE CUT-OFF	916.0	0.1	ANGLE CUT-OFF
875.0	2148.	DISTANCE CUT-OFF	917.0	764.	DISTANCE CUT-OFF
876.0	2149.	DISTANCE CUT-OFF	918.0	1287.	DISTANCE CUT-OFF
877.0	2134.	DISTANCE CUT-OFF	919.0	1627.	DISTANCE CUT-OFF
878.0	2145.	DISTANCE CUT-OFF	920.0	1835.	DISTANCE CUT-OFF
879.0	2155.	DISTANCE CUT-OFF	921.0	1984.	DISTANCE CUT-OFF
880.0	2152.	DISTANCE CUT-OFF	922.0	2092.	DISTANCE CUT-OFF
881.0	2152.	DISTANCE CUT-OFF	923.0	2155.	DISTANCE CUT-OFF
882.0	2105.	DISTANCE CUT-OFF	924.0	2149.	DISTANCE CUT-OFF
883.0	2026.	DISTANCE CUT-OFF	925.0	2150.	DISTANCE CUT-OFF

926.0	2153.	DISTANCE CUT-OFF	968.0	417.	DISTANCE CUT-OFF
927.0	2169.	DISTANCE CUT-OFF	969.0	382.	DISTANCE CUT-OFF
928.0	2170.	DISTANCE CUT-OFF	970.0	566.	DISTANCE CUT-OFF
929.0	2166.	DISTANCE CUT-OFF	971.0	679.	DISTANCE CUT-OFF
930.0	2143.	DISTANCE CUT-OFF	972.0	804.	DISTANCE CUT-OFF
931.0	2144.	DISTANCE CUT-OFF	973.0	922.	DISTANCE CUT-OFF
932.0	2144.	DISTANCE CUT-OFF	974.0	1026.	DISTANCE CUT-OFF
933.0	2144.	DISTANCE CUT-OFF	975.0	901.	DISTANCE CUT-OFF
934.0	2147.	DISTANCE CUT-OFF	976.0	780.	DISTANCE CUT-OFF
935.0	2097.	DISTANCE CUT-OFF	977.0	481.	DISTANCE CUT-OFF
936.0	2009.	DISTANCE CUT-OFF	978.0	440.	DISTANCE CUT-OFF
937.0	1923.	DISTANCE CUT-OFF	979.0	381.	DISTANCE CUT-OFF
938.0	1833.	DISTANCE CUT-OFF	980.0	0.9	ANGLE CUT-OFF
939.0	1684.	DISTANCE CUT-OFF	981.0	0.2	ANGLE CUT-OFF
940.0	1508.	DISTANCE CUT-OFF	982.0	0.3	ANGLE CUT-OFF
941.0	1431.	DISTANCE CUT-OFF	983.0	266.8	1.5 6.2 17.9 0.0 0.0 1.5 5923 41.0-18.0 68.9 0.0 -1.0 0.3 -
942.0	1458.	DISTANCE CUT-OFF	20.7 -13.0	0.0 -18.1	0.0 3.8 20.2
943.0	1677.	DISTANCE CUT-OFF	984.0	388.	DISTANCE CUT-OFF
944.0	2162.	DISTANCE CUT-OFF	985.0	520.	DISTANCE CUT-OFF
945.0	2304.	DISTANCE CUT-OFF	986.0	466.	DISTANCE CUT-OFF
946.0	1725.	DISTANCE CUT-OFF	987.0	433.	DISTANCE CUT-OFF
947.0	943.	DISTANCE CUT-OFF	988.0	351.	DISTANCE CUT-OFF
948.0	352.	DISTANCE CUT-OFF	989.0	0.5	ANGLE CUT-OFF
949.0	0.0	ANGLE CUT-OFF	990.0	0.1	ANGLE CUT-OFF
950.0	405.	DISTANCE CUT-OFF	991.0	406.	DISTANCE CUT-OFF
951.0	699.	DISTANCE CUT-OFF	992.0	390.	DISTANCE CUT-OFF
952.0	383.	DISTANCE CUT-OFF	993.0	431.	DISTANCE CUT-OFF
953.0	403.	DISTANCE CUT-OFF	994.0	438.	DISTANCE CUT-OFF
954.0	656.	DISTANCE CUT-OFF	995.0	438.	DISTANCE CUT-OFF
955.0	493.	DISTANCE CUT-OFF	996.0	438.	DISTANCE CUT-OFF
956.0	0.4	ANGLE CUT-OFF	997.0	437.	DISTANCE CUT-OFF
957.0	0.1	ANGLE CUT-OFF	998.0	464.	DISTANCE CUT-OFF
958.0	356.	DISTANCE CUT-OFF	999.0	476.	DISTANCE CUT-OFF
959.0	395.	DISTANCE CUT-OFF	1000.0	440.	DISTANCE CUT-OFF
960.0	349.	DISTANCE CUT-OFF	1001.0	329.	DISTANCE CUT-OFF
961.0	0.1	ANGLE CUT-OFF	1002.0	194.0	1.2 8.9 17.9 0.0 0.0 1.225308 45.0-23.2 71.0 0.0 -1.0 0.2 -
962.0	0.3	ANGLE CUT-OFF	21.9 -11.7	0.0 -23.8	0.0 2.5 15.3
963.0	375.	DISTANCE CUT-OFF	1003.0	193.5	3.4 9.1 17.9 0.0 0.0 3.425308 45.0-23.1 71.0 0.0 -1.0 0.2 -
964.0	339.	DISTANCE CUT-OFF	17.2 -11.7	0.0 -23.3	0.0 2.5 20.5
965.0	303.	DISTANCE CUT-OFF	1004.0	193.6	4.3 9.1 17.9 0.0 0.0 4.325308 45.0-22.9 71.0 0.0 -1.0 0.0 -
966.0	0.3	ANGLE CUT-OFF	16.2 -11.7	0.0 -23.1	0.0 2.5 21.5
967.0	0.1	ANGLE CUT-OFF			

1005.0 191.9 3.0 8.4 17.9 0.0 0.0 3.025308 45.0-22.8 71.0 0.0 -1.0 0.0 -
 17.7 -11.7 0.0 -23.0 0.0 2.5 20.1
 1006.0 194.4 2.5 7.1 17.9 0.0 0.0 2.525308 45.0-22.7 75.0 0.0 -1.0 0.0 -
 18.7 -11.8 0.0 -22.8 0.0 2.5 23.2
 1007.0 191.8 6.9 4.8 17.9 0.0 0.0 6.925308 45.0-22.8 75.0 0.0 -1.0 0.0 -
 14.1 -11.7 0.0 -23.0 0.0 2.5 27.7
 1008.0 191.9 8.2 1.4 17.9 0.0 0.0 8.225308 45.0-22.8 75.0 0.0 -1.0 0.0 -
 13.4 -11.7 0.0 -23.0 0.0 4.0 29.9
 1009.0 170.8 6.3 -1.1 17.9 0.0 0.0 6.325308 45.0-23.4 75.0 0.0 -1.0 0.0 -
 14.6 -11.2 0.0 -24.4 0.0 4.0 27.8
 1010.0 102.9 3.4 -2.8 17.9 0.0 0.0 3.425308 45.0-26.0 75.0 0.0 -1.0 0.0 -
 17.2 -9.4 0.0 -26.2 0.0 4.0 25.2
 1011.0 0.3 ANGLE CUT-OFF
 1012.0 76.0 4.6 -6.2 17.9 0.0 0.0 4.625308 45.0-27.5 75.0 0.0 -1.0 0.0 -
 15.9 -8.4 0.0 -27.7 0.0 3.3 25.3
 1013.0 128.9 9.6 -7.4 17.9 0.0 0.0 9.625308 45.0-25.0 75.0 0.0 -1.0 0.0 -
 12.7 -10.1 0.0 -25.5 0.0 2.5 28.2
 1014.0 133.4 10.0 -8.5 17.9 0.0 0.0 10.025308 45.0-24.9 75.0 0.0 -1.0 0.0 -
 -12.6 -10.3 0.0 -25.4 0.0 2.5 28.2
 1015.0 124.8 8.2 -9.2 17.9 0.0 0.0 8.225308 45.0-25.3 75.0 0.0 -1.0 0.0 -
 13.4 -10.0 0.0 -25.7 0.0 2.5 27.4
 1016.0 120.7 6.3 -9.6 17.9 0.0 0.0 6.325308 45.0-25.6 75.0 0.0 -1.0 0.0 -
 14.6 -9.9 0.0 -25.8 0.0 2.5 26.2
 1017.0 123.1 9.8 -10.0 17.9 0.0 0.0 9.825308 45.0-25.5 75.0 0.0 -1.0 0.0 -
 -12.6 -10.0 0.0 -25.7 0.0 2.5 28.2
 1018.0 118.1 6.5 -10.3 17.9 0.0 0.0 6.525308 45.0-25.8 75.0 0.0 -1.0 0.0 -
 -14.5 -9.8 0.0 -26.1 0.0 2.5 26.1
 1019.0 104.4 3.7 -10.6 17.9 0.0 0.0 3.725308 45.0-26.5 75.0 0.0 -1.0 0.0 -
 -16.9 -9.4 0.0 -26.6 0.0 3.3 24.4
 1020.0 211.9 4.4 -17.4 17.9 0.0 0.0 4.413216 6.0-29.9 72.6 0.0 -1.0 2.1 -
 16.1 -12.1 0.0 -29.4 0.0 4.0 20.1
 1021.0 213.0 5.8 -13.7 17.9 0.0 0.0 5.825308 45.0-23.5 72.6 0.0 -1.0 2.4 -
 -14.9 -12.1 0.0 -23.9 0.0 4.0 27.1
 1022.0 207.7 9.0 -9.7 17.9 0.0 0.0 9.025308 45.0-23.3 72.6 0.0 -1.0 2.0 -
 13.0 -12.0 0.0 -23.9 0.0 4.0 28.7
 1023.0 174.8 3.2 -6.7 17.9 0.0 0.0 3.2 77 17.5-26.6 72.6 0.0 -1.0 2.9 -
 17.6 -11.2 0.0 -25.4 0.0 4.0 24.3
 1024.0 86.7 1.7 -4.7 17.9 0.0 0.0 1.725308 45.0-27.2 72.6 0.0 -1.0 3.1 -
 20.3 -8.3 0.0 -27.4 0.0 4.0 22.7
 1025.0 0.1 ANGLE CUT-OFF

N2103

SEGMENT DIST ANGLE HT AV HT PER SPD SCRN MAJOR BARRIER BASIC <--
 ----- CORRECTIONS-----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL
 1026.0 94.8 3.4 -2.0 17.9 0.0 0.0 3.425308 45.0-26.2 72.6 0.0 -1.0 1.5 -
 17.2 -8.8 0.0 -26.4 0.0 3.4 24.1
 1027.0 155.3 8.0 -1.0 17.9 0.0 0.0 8.025308 45.0-23.4 72.6 0.0 -1.0 0.9 -
 13.5 -10.8 0.0 -24.0 0.0 4.0 28.2
 1028.0 169.9 7.2 -0.2 17.9 0.0 0.0 7.225308 45.0-22.8 72.6 0.0 -1.0 1.1 -
 14.0 -11.2 0.0 -23.5 0.0 4.0 28.0
 1029.0 142.8 6.1 0.6 17.9 0.0 0.0 6.125308 45.0-23.6 72.6 0.0 -1.0 1.0 -
 14.7 -10.5 0.0 -23.8 0.0 4.0 27.6
 1030.0 128.7 5.2 1.4 17.9 0.0 0.0 5.225308 45.0-24.1 72.6 0.0 -1.0 0.9 -
 15.4 -10.1 0.0 -24.5 0.0 4.0 26.5
 1031.0 126.7 6.9 2.6 17.9 0.0 0.0 6.925308 45.0-24.1 72.6 0.0 -1.0 1.0 -
 14.1 -10.0 0.0 -23.2 0.0 2.5 27.8
 1032.0 127.3 5.0 4.2 17.9 0.0 0.0 5.05923 41.0-20.9 72.6 0.0 -1.0 1.0 -
 15.6 -10.0 0.0 -21.1 0.0 2.5 28.4
 1033.0 139.2 4.0 5.8 17.9 0.0 0.0 4.05923 41.0-20.5 72.6 0.0 -1.0 1.0 -
 16.5 -10.4 0.0 -20.7 0.0 2.5 27.5
 1034.0 182.6 4.0 6.6 17.9 0.0 0.0 4.05923 41.0-19.4 72.6 0.0 -1.0 0.1 -
 16.5 -11.4 0.0 -19.5 0.0 2.5 26.8
 1035.0 223.3 3.9 6.5 17.9 0.0 0.0 3.95923 41.0-18.6 72.6 0.0 -1.0 0.0 -
 16.6 -12.3 0.0 -18.8 0.0 2.5 26.4
 1036.0 281.2 2.2 6.2 17.9 0.0 0.0 2.25923 41.0-17.6 72.6 0.0 -1.0 0.0 -
 19.1 -13.3 0.0 -17.9 0.0 2.5 23.8
 1037.0 273.4 2.0 6.0 17.9 0.0 0.0 2.05923 41.0-17.8 72.6 0.0 -1.0 0.0 -
 19.6 -13.1 0.0 -18.0 0.0 2.5 23.4
 1038.0 249.8 2.5 7.0 17.9 0.0 0.0 2.55923 41.0-18.4 67.8 0.0 -1.0 0.2 -
 18.6 -12.8 0.0 -18.6 0.0 3.8 20.8
 1039.0 189.6 1.8 7.5 17.9 0.0 0.0 1.85923 41.0-19.5 67.8 0.0 -1.0 0.9 -
 20.1 -11.6 0.0 -19.6 0.0 2.5 18.9
 1040.0 135.1 1.1 8.3 17.9 0.0 0.0 1.15923 41.0-20.9 67.8 0.0 -1.0 1.1 -
 22.1 -10.1 0.0 -21.0 0.0 2.5 17.2
 1041.0 123.8 3.0 9.6 17.9 0.0 0.0 3.05923 41.0-21.0 67.8 0.0 -1.0 1.1 -
 17.8 -9.8 0.0 -21.2 0.0 2.5 21.6
 1042.0 119.8 3.8 11.4 17.9 0.0 0.0 3.85923 41.0-20.8 67.8 0.0 -1.0 1.0 -
 16.8 -9.6 0.0 -21.0 0.0 2.5 22.9

1042.0 121.5 5.3 12.9 17.9 0.0 0.0 5.325308 45.0-23.2 67.8 0.0 -1.0 0.8 -
 15.3 -9.7 0.0 -22.4 0.0 2.5 22.7
 1043.0 125.7 7.6 13.8 17.9 0.0 0.0 7.625308 45.0-22.9 67.8 0.0 -1.0 0.2 -
 13.7 -9.9 0.0 -23.1 0.0 2.5 22.8
 1044.0 166.3 7.3 14.0 17.9 0.0 0.0 7.325308 45.0-21.4 67.8 0.0 -1.0 0.2 -
 13.9 -11.0 0.0 -22.5 0.0 2.5 22.1
 1045.0 182.7 6.4 14.1 17.9 0.0 0.0 6.425308 45.0-21.0 67.8 0.0 -1.0 0.1 -
 14.5 -11.4 0.0 -22.2 0.0 2.5 21.3
 1046.0 149.4 5.5 13.9 17.9 0.0 0.0 5.525308 45.0-22.2 67.8 0.0 -1.0 0.0 -
 15.1 -10.6 0.0 -23.2 0.0 2.5 20.4
 1047.0 60.4 1.8 13.4 17.9 0.0 0.0 1.825308 45.0-26.9 67.8 0.0 -1.0 0.0 -
 19.9 -6.9 0.0 -27.2 0.0 2.5 15.3
 1048.0 0.1 ANGLE CUT-OFF
 1049.0 55.6 1.2 11.4 17.9 0.0 0.0 1.225308 45.0-27.7 67.8 0.0 -1.0 0.0 -
 21.9 -6.5 0.0 -27.8 0.0 2.5 13.1
 1050.0 172.6 8.4 -13.4 17.9 0.0 0.0 8.413050 6.0-25.4 70.2 0.0 -1.0 0.2 -
 13.3 -11.3 0.0 -27.1 0.0 2.5 20.2
 1051.0 170.9 6.4 -12.5 17.9 0.0 0.0 6.413049 6.0-24.2 70.2 0.0 -1.0 2.2 -
 14.5 -11.3 0.0 -24.7 0.0 3.6 24.5
 1052.0 171.5 6.7 -10.8 17.9 0.0 0.0 6.725308 45.0-23.9 70.2 0.0 -1.0 1.9 -
 -14.3 -11.3 0.0 -24.1 0.0 4.0 25.4
 1053.0 172.3 5.8 -8.9 17.9 0.0 0.0 5.825308 45.0-23.7 70.2 0.0 -1.0 2.3 -
 14.9 -11.3 0.0 -23.9 0.0 4.0 25.4
 1054.0 170.5 4.4 -6.9 17.9 0.0 0.0 4.425308 45.0-23.6 70.2 0.0 -1.0 2.6 -
 16.1 -11.3 0.0 -23.8 0.0 4.0 24.6
 1055.0 159.3 7.1 -3.9 17.9 0.0 0.0 7.125308 45.0-23.7 70.2 0.0 -1.0 2.4 -
 14.0 -11.0 0.0 -23.9 0.0 4.0 26.7
 1056.0 168.0 2.8 -1.3 17.9 0.0 0.0 2.825308 45.0-23.2 70.2 0.0 -1.0 1.7 -
 18.1 -11.2 0.0 -23.3 0.0 2.5 20.8
 1057.0 204.1 3.1 0.1 17.9 0.0 0.0 3.15923 41.0-19.4 70.2 0.0 -1.0 1.7 -
 17.7 -12.0 0.0 -19.6 0.0 2.5 24.1
 1058.0 215.6 3.0 1.1 17.9 0.0 0.0 3.05923 41.0-19.1 70.2 0.0 -1.0 0.7 -
 17.8 -12.2 0.0 -19.3 0.0 2.5 23.1
 1059.0 223.4 2.8 1.7 17.9 0.0 0.0 2.85923 41.0-18.9 70.2 0.0 -1.0 0.7 -
 18.1 -12.3 0.0 -19.1 0.0 2.5 22.9
 1060.0 221.3 2.6 2.3 17.9 0.0 0.0 2.65923 41.0-19.0 70.2 0.0 -1.0 0.6 -
 18.4 -12.3 0.0 -19.2 0.0 2.5 22.4
 1061.0 214.2 1.8 2.8 17.9 0.0 0.0 1.85923 41.0-19.1 70.2 0.0 -1.0 0.8 -
 19.9 -12.2 0.0 -19.3 0.0 2.5 21.1
 1062.0 224.4 2.0 3.3 17.9 0.0 0.0 2.05923 41.0-18.9 70.2 0.0 -1.0 0.6 -
 19.5 -12.3 0.0 -19.1 0.0 2.5 21.4

1063.0 240.0 2.0 3.9 17.9 0.0 0.0 2.05923 41.0-18.6 70.2 0.0 -1.0 0.7 -
 19.6 -12.6 0.0 -18.8 0.0 2.5 21.4
 1064.0 295.1 2.5 5.1 17.9 0.0 0.0 2.55923 41.0-17.6 70.2 0.0 -1.0 1.9 -
 18.6 -13.5 0.0 -17.8 0.0 2.5 23.7
 1065.0 312. DISTANCE CUT-OFF
 1066.0 309. DISTANCE CUT-OFF
 1067.0 400. DISTANCE CUT-OFF
 1068.0 27.6 2.4 19.8 17.9 0.0 0.0 2.425308 45.0-28.5 75.7 0.0 -1.0 2.6 -
 18.8 -4.7 0.0 -28.7 0.0 2.7 27.8
 1069.0 0.7 ANGLE CUT-OFF
 1070.0 48.5 2.4 22.1 17.9 0.0 0.0 2.425308 45.0-26.1 75.7 0.0 -1.0 1.4 -
 18.8 -6.2 0.0 -26.3 0.0 4.0 28.8
 1071.0 122.5 5.6 22.2 17.9 0.0 0.0 5.625308 45.0-21.9 75.7 0.0 -1.0 0.0 -
 15.1 -9.7 0.0 -22.2 0.0 4.0 31.7
 1072.0 176.9 5.6 21.5 17.9 0.0 0.0 5.625308 45.0-20.5 75.7 0.0 -1.0 0.0 -
 15.1 -11.3 0.0 -20.8 0.0 2.5 30.0
 1073.0 199.0 6.2 20.1 17.9 0.0 0.0 6.225308 45.0-20.3 75.7 0.0 -1.0 0.0 -
 14.6 -11.8 0.0 -20.6 0.0 2.5 30.2
 1074.0 202.5 7.4 18.2 17.9 0.0 0.0 7.425308 45.0-20.6 75.7 0.0 -1.0 0.0 -
 13.9 -11.8 0.0 -20.8 0.0 2.5 30.7
 1075.0 201.3 10.2 15.8 17.9 0.0 0.0 10.225308 45.0-20.9 75.7 0.0 -1.0 0.0 -
 -12.5 -11.8 0.0 -22.2 0.0 2.8 31.0
 1076.0 189.7 2.5 14.4 17.9 0.0 0.0 2.525308 45.0-21.5 72.7 0.0 -1.0 0.0 -
 18.6 -11.6 0.0 -22.1 0.0 2.5 21.9
 1077.0 192.4 3.3 14.0 17.9 0.0 0.0 3.325308 45.0-21.6 72.7 0.0 -1.0 0.0 -
 17.4 -11.6 0.0 -22.6 0.0 2.5 22.6
 1078.0 184.3 6.0 13.4 17.9 0.0 0.0 6.025308 45.0-22.0 72.7 0.0 -1.0 0.0 -
 14.8 -11.5 0.0 -23.1 0.0 2.5 24.8
 1079.0 184.9 7.0 13.6 17.9 0.0 0.0 7.025308 45.0-22.2 72.7 0.0 -1.0 0.5 -
 14.1 -11.5 0.0 -23.3 0.0 2.5 25.8
 1080.0 207.9 3.9 14.6 17.9 0.0 0.0 3.925308 45.0-21.7 72.7 0.0 -1.0 1.1 -
 16.7 -12.0 0.0 -22.6 0.0 2.5 24.0

N2103

SEGMENT DIST ANGLE HT AV HT PER SPD SCRN MAJOR BARRIER BASIC <--
 ----- CORRECTIONS-----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL

1081.0 275.8 2.9 15.8 17.9 0.0 0.0 2.925308 45.0-20.4 73.8 0.0 -1.0 1.7 -
17.9 -13.2 0.0 -21.6 0.0 2.5 24.3
1082.0 301. DISTANCE CUT-OFF
1083.0 329. DISTANCE CUT-OFF
1084.0 323. DISTANCE CUT-OFF
1085.0 269.1 3.0 14.3 17.9 0.0 0.0 3.025308 45.0-20.4 72.7 0.0 -1.0 0.0 -
17.9 -13.1 0.0 -20.6 0.0 2.5 22.6
1086.0 0.7 ANGLE CUT-OFF
1087.0 151.1 1.4 12.3 17.9 0.0 0.0 1.425308 45.0-23.6 72.7 0.0 -1.0 0.0 -
21.2 -10.6 0.0 -23.7 0.0 2.5 18.7
1088.0 342. DISTANCE CUT-OFF
1089.0 443. DISTANCE CUT-OFF
1090.0 435. DISTANCE CUT-OFF
1091.0 310. DISTANCE CUT-OFF
1092.0 236.9 2.0 8.9 17.9 0.0 0.0 2.025308 45.0-22.1 72.7 0.0 -1.0 0.0 -
19.6 -12.5 0.0 -23.5 0.0 2.5 18.6
1093.0 205.6 1.8 9.0 17.9 0.0 0.0 1.825308 45.0-22.7 72.7 0.0 -1.0 0.2 -
20.0 -11.9 0.0 -23.3 0.0 2.5 19.2
1094.0 204.8 1.8 9.1 17.9 0.0 0.0 1.825308 45.0-22.6 72.7 0.0 -1.0 0.1 -
19.9 -11.9 0.0 -22.8 0.0 2.5 19.7
1095.0 202.5 6.9 8.4 17.9 0.0 0.0 6.925308 45.0-22.5 72.7 0.0 -1.0 0.0 -
14.2 -11.9 0.0 -22.6 0.0 2.5 25.5
1096.0 195.3 2.7 14.4 17.9 0.0 0.0 2.725308 45.0-21.3 72.6 0.0 -1.0 0.0 -
18.3 -11.7 0.0 -22.4 0.0 2.8 22.0
1097.0 191.7 3.4 14.1 17.9 0.0 0.0 3.425308 45.0-21.5 72.6 0.0 -1.0 0.0 -
17.3 -11.6 0.0 -22.5 0.0 4.0 24.2
1098.0 184.6 8.9 12.6 17.9 0.0 0.0 8.925308 45.0-22.0 72.6 0.0 -1.0 0.0 -
13.1 -11.5 0.0 -22.9 0.0 4.0 28.1
1099.0 186.2 2.5 11.0 17.9 0.0 0.0 2.525308 45.0-22.2 72.6 0.0 -1.0 0.0 -
18.5 -11.5 0.0 -22.6 0.0 4.0 23.0
1100.0 140.7 3.4 8.9 17.9 0.0 0.0 3.425308 45.0-23.9 73.8 0.0 -1.0 0.0 -
17.3 -10.3 0.0 -24.5 0.0 2.5 23.2
1101.0 146.6 4.1 5.1 17.9 0.0 0.0 4.125308 45.0-24.2 73.8 0.0 -1.0 0.0 -
16.4 -10.5 0.0 -24.7 0.0 2.5 23.7
1102.0 144.5 2.8 1.4 17.9 0.0 0.0 2.825308 45.0-24.8 73.8 0.0 -1.0 0.0 -
18.2 -10.4 0.0 -24.9 0.0 2.5 21.8
1103.0 0.4 ANGLE CUT-OFF
1104.0 148.4 1.3 -1.6 17.9 0.0 0.0 1.325526 17.0-27.7 73.8 0.0 -1.0 0.0 -
21.5 -10.5 0.0 -29.2 0.0 2.5 14.1
1105.0 215.9 1.8 -3.2 17.9 0.0 0.0 1.825526 17.0-27.5 73.8 0.0 -1.0 0.0 -
19.9 -12.1 0.0 -28.3 0.0 2.5 15.0

1106.0 263.5 1.7 -4.7 17.9 0.0 0.0 1.725523 17.0-27.0 73.8 0.0 -1.0 0.0 -
20.2 -13.0 0.0 -27.4 0.0 2.5 14.7
1107.0 421. DISTANCE CUT-OFF
1108.0 465. DISTANCE CUT-OFF
1109.0 411. DISTANCE CUT-OFF
1110.0 289.8 2.2 -10.4 17.9 0.0 0.0 2.213209 6.0-24.8 73.8 0.0 -1.0 0.0 -
19.2 -13.4 0.0 -24.5 0.0 2.5 18.2
1111.0 0.7 ANGLE CUT-OFF
1112.0 0.2 ANGLE CUT-OFF
1113.0 73.3 1.5 -13.0 17.9 0.0 0.0 1.525308 45.0-28.6 73.8 0.0 -1.0 0.0 -
20.9 -8.4 0.0 -28.9 0.0 2.5 17.1
1114.0 135.5 2.3 -13.3 17.9 0.0 0.0 2.325308 45.0-25.7 73.8 0.0 -1.0 0.3
-19.0 -10.3 0.0 -26.6 0.0 3.2 20.4
1115.0 165.6 1.5 -13.0 17.9 0.0 0.0 1.525308 45.0-24.6 73.8 0.0 -1.0 0.4
-20.9 -11.1 0.0 -26.0 0.0 2.5 17.7
1116.0 178.6 6.7 -12.4 17.9 0.0 0.0 6.725308 45.0-24.1 73.8 0.0 -1.0 0.5
-14.3 -11.4 0.0 -25.9 0.0 2.5 24.2
1117.0 79.9 1.5 -14.0 17.9 0.0 0.0 1.525308 45.0-28.2 79.1 0.0 1.4 0.8 -
20.8 -8.3 0.0 -28.4 0.0 2.5 26.3
1118.0 156.3 3.9 -12.9 17.9 0.0 0.0 3.925415 5.3-25.6 79.1 0.0 1.4 0.6 -
16.6 -10.9 0.0 -27.2 0.0 2.5 28.9
1119.0 180.0 6.0 -12.2 17.9 0.0 0.0 6.025413 5.5-26.0 79.1 0.0 1.4 0.2 -
14.7 -11.5 0.0 -27.6 0.0 2.5 29.4
1120.0 207.3 7.9 -12.0 17.9 0.0 0.0 7.925412 5.6-25.9 80.8 0.0 1.4 0.0 -
13.6 -12.0 0.0 -27.5 0.0 2.5 31.6
1121.0 207.5 10.9 -12.3 17.9 0.0 0.0 10.925412 5.7-26.2 80.8 0.0 1.4 0.0
-12.2 -12.0 0.0 -27.7 0.0 2.5 32.8
1122.0 207.3 12.3 -12.9 17.9 0.0 0.0 12.325412 5.8-26.5 80.8 0.0 1.4 0.0
-11.7 -12.0 0.0 -24.0 0.0 3.4 37.9
1123.0 207.1 20.9 -14.4 17.9 0.0 0.0 20.925382 20.0-30.0 80.8 0.0 1.4 0.0
-9.4 -12.0 0.0 -25.0 0.0 4.0 39.8
1124.0 179.0 13.8 -13.0 17.9 0.0 0.0 13.825308 45.0-23.9 78.4 0.0 1.4 0.6
-11.2 -11.5 0.0 -25.1 0.0 2.9 35.5
1125.0 179.0 11.5 -12.3 17.9 0.0 0.0 11.525308 45.0-23.8 78.4 0.0 1.4 0.3
-11.9 -11.5 0.0 -24.0 0.0 4.0 36.7
1126.0 179.5 8.8 -12.0 17.9 0.0 0.0 8.825308 45.0-23.8 78.4 0.0 1.4 0.0 -
13.1 -11.5 0.0 -24.0 0.0 4.0 35.2
1127.0 164.4 6.5 -12.2 17.9 0.0 0.0 6.525308 45.0-24.3 78.4 0.0 1.4 0.0 -
14.4 -11.1 0.0 -24.5 0.0 3.8 33.6
1128.0 109.4 3.4 -12.9 17.9 0.0 0.0 3.425308 45.0-26.5 80.8 0.0 1.4 0.0 -
17.3 -9.5 0.0 -24.4 0.0 2.5 33.5

1129.0 47.3 1.1 -14.0 17.9 0.0 0.0 1.15923 41.0-26.3 80.8 0.0 1.4 0.0 -
 22.2 -6.8 0.0 -26.4 0.0 4.0 30.8
 1130.0 62.5 2.4 4.4 17.9 0.0 0.0 2.45923 41.0-23.7 81.0 0.0 -1.0 0.4 -
 18.8 -7.2 0.0 -6.7 0.0 3.4 51.1
 1131.0 83.7 5.7 5.8 17.9 0.0 0.0 5.75923 41.0-22.2 81.0 0.0 -1.0 0.4 -
 15.0 -8.3 0.0 -22.5 0.0 2.5 37.1
 1132.0 14.6 1.5 5.8 17.9 0.0 0.0 1.55923 41.0-27.3 81.2 0.0 -1.0 0.0 -
 20.7 -3.6 0.0 -12.4 0.0 2.5 46.0
 1133.0 0.1 ANGLE CUT-OFF
 1134.0 176.1 19.2 -14.4 17.9 0.0 0.0 19.213051 6.0-25.6 79.4 0.0 1.4 1.0
 -9.7 -11.4 0.0 -26.2 0.0 3.2 37.7
 1135.0 176.1 5.3 -13.4 17.9 0.0 0.0 5.313050 6.0-24.4 79.4 0.0 1.4 0.0 -
 15.3 -11.4 0.0 -26.7 0.0 2.5 29.9
 1147.0 0.0 ANGLE CUT-OFF
 1148.0 303. DISTANCE CUT-OFF
 1148.0 354. DISTANCE CUT-OFF
 1149.0 537. DISTANCE CUT-OFF
 1150.0 502. DISTANCE CUT-OFF
 1151.0 0.5 ANGLE CUT-OFF
 1152.0 288.3 1.5 6.0 17.9 0.0 0.0 1.55923 41.0-17.5 75.4 0.0 -1.0 0.0 -
 20.9 -13.4 0.0 -2.8 0.0 2.5 39.8
 1153.0 493. DISTANCE CUT-OFF
 640.0 57.6 1.3 36.3 17.9 0.0 0.0 1.35047 146.5-30.0 74.3 0.0 -1.0 0.0 -
 21.3 -6.6 0.0 -30.3 0.0 4.0 19.1
 641.0 54.7 1.5 34.5 17.9 0.0 0.0 1.55048 146.5-30.0 74.3 0.0 -1.0 0.0 -
 20.7 -6.5 0.0 -26.9 0.0 2.5 21.7
 642.0 51.4 1.8 32.5 17.9 0.0 0.0 1.85283 50.0-26.4 74.3 0.0 -1.0 0.0 -
 20.0 -6.3 0.0 -26.8 0.0 2.5 22.7
 643.0 39.2 2.6 30.2 17.9 0.0 0.0 2.65283 50.0-28.1 74.3 0.0 -1.0 0.0 -
 18.4 -5.4 0.0 -24.5 0.0 2.5 27.5
 644.0 23.8 2.5 27.4 17.9 0.0 0.0 2.55932 42.2-24.6 74.3 0.0 -1.0 0.0 -
 18.6 -3.9 0.0 -25.2 0.0 3.9 29.5
 645.0 22.7 4.8 24.6 17.9 0.0 0.0 4.85851 45.0-28.5 74.3 0.0 -1.0 0.0 -
 15.7 -3.7 0.0 -28.4 0.0 2.5 28.0
 646.0 26.2 16.9 20.7 17.9 0.0 0.0 16.925308 45.0-29.6 74.3 0.0 -1.0 0.0 -
 10.3 -4.3 0.0 -29.3 0.0 2.5 31.9
 1136.0 64.5 1.6 23.5 17.9 0.0 0.0 1.65284 50.0-27.5 77.1 0.0 1.4 0.9 -
 20.4 -7.0 0.0 -27.9 0.0 2.5 26.6
 1137.0 65.7 1.8 24.3 17.9 0.0 0.0 1.85283 50.0-27.2 77.1 0.0 1.4 0.9 -
 19.9 -7.1 0.0 -24.5 0.0 4.0 31.9
 1138.0 50.7 2.0 25.0 17.9 0.0 0.0 2.05932 42.2-22.2 77.1 0.0 1.4 0.8 -
 19.6 -6.1 0.0 -22.7 0.0 4.0 34.9

N2103

SEGMENT DIST ANGLE HT AV HT PER SPD SCRN MAJOR BARRIER BASIC < - -
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL
 1139.0 34.6 1.5 25.0 17.9 0.0 0.0 1.55932 42.2-23.8 77.1 0.0 1.4 0.0 -
 20.7 -4.8 0.0 -24.3 0.0 4.0 32.7
 1140.0 31.5 2.4 24.4 17.9 0.0 0.0 2.45851 45.0-26.9 77.1 0.0 1.4 0.0 -
 18.8 -4.4 0.0 -27.1 0.0 3.4 31.6
 1141.0 31.3 7.6 22.5 17.9 0.0 0.0 7.65851 45.0-27.5 77.1 0.0 1.4 0.0 -
 13.7 -4.7 0.0 -27.8 0.0 2.5 34.8
 1142.0 33.3 17.5 19.5 17.9 0.0 0.0 17.525308 45.0-28.3 77.1 0.0 1.4 0.0
 -10.1 -4.9 0.0 -28.4 0.0 2.5 37.6
 1143.0 41.7 7.3 17.9 17.9 0.0 0.0 7.325308 45.0-27.8 77.1 0.0 1.4 0.0 -
 13.9 -5.5 0.0 -28.2 0.0 2.5 33.4
 1144.0 41.7 8.4 17.3 17.9 0.0 0.0 8.425308 45.0-28.0 77.1 0.0 1.4 0.0 -
 13.3 -5.7 0.0 -28.3 0.0 2.5 33.7
 1145.0 41.7 21.7 16.1 17.9 0.0 0.0 21.725308 45.0-28.3 77.1 0.0 1.4 0.0
 -9.2 -5.6 0.0 -28.6 0.0 2.5 37.6
 1146.0 32.9 17.9 17.5 17.9 0.0 0.0 17.925308 45.0-29.4 74.3 0.0 -1.0 0.0
 -10.0 -4.8 0.0 -29.8 0.0 2.5 31.2
 1147.0 34.0 83.5 14.1 17.9 0.0 0.0 83.525308 45.0-29.8 74.3 0.0 -1.0 0.0
 -3.3 -4.9 0.0 -29.3 0.0 2.5 38.3
 1154.0 336. DISTANCE CUT-OFF
 1155.0 434. DISTANCE CUT-OFF
 1156.0 479. DISTANCE CUT-OFF
 1157.0 460. DISTANCE CUT-OFF
 1158.0 364. DISTANCE CUT-OFF
 1159.0 0.0 ANGLE CUT-OFF
 1160.0 0.0 ANGLE CUT-OFF
 1161.0 2806. DISTANCE CUT-OFF
 1162.0 2815. DISTANCE CUT-OFF
 1163.0 1810. DISTANCE CUT-OFF
 1164.0 1853. DISTANCE CUT-OFF
 1165.0 1853. DISTANCE CUT-OFF
 1166.0 1683. DISTANCE CUT-OFF
 1167.0 1490. DISTANCE CUT-OFF
 1168.0 1193. DISTANCE CUT-OFF

1169.0	905.	DISTANCE CUT-OFF	1211.0	788.	DISTANCE CUT-OFF
1170.0	600.	DISTANCE CUT-OFF	1212.0	0.1	ANGLE CUT-OFF
1171.0	362.	DISTANCE CUT-OFF	1213.0	0.1	ANGLE CUT-OFF
1172.0	0.2	ANGLE CUT-OFF	1214.0	308.	DISTANCE CUT-OFF
1173.0	0.2	ANGLE CUT-OFF	1215.0	589.	DISTANCE CUT-OFF
1174.0	0.2	ANGLE CUT-OFF	1216.0	661.	DISTANCE CUT-OFF
1175.0	0.2	ANGLE CUT-OFF	1217.0	868.	DISTANCE CUT-OFF
1176.0	504.	DISTANCE CUT-OFF	1218.0	1225.	DISTANCE CUT-OFF
1177.0	318.	DISTANCE CUT-OFF	1219.0	1316.	DISTANCE CUT-OFF
1178.0	0.2	ANGLE CUT-OFF	1220.0	1339.	DISTANCE CUT-OFF
1179.0	0.2	ANGLE CUT-OFF	336.0	314.	DISTANCE CUT-OFF
1180.0	0.2	ANGLE CUT-OFF	337.0	0.1	ANGLE CUT-OFF
1181.0	0.3	ANGLE CUT-OFF	338.0	0.1	ANGLE CUT-OFF
1182.0	390.	DISTANCE CUT-OFF	339.0	0.3	ANGLE CUT-OFF
1183.0	633.	DISTANCE CUT-OFF	340.0	579.	DISTANCE CUT-OFF
1184.0	924.	DISTANCE CUT-OFF	350.0	423.	DISTANCE CUT-OFF
1185.0	1207.	DISTANCE CUT-OFF	351.0	0.1	ANGLE CUT-OFF
1186.0	1498.	DISTANCE CUT-OFF	352.0	0.1	ANGLE CUT-OFF
1187.0	1745.	DISTANCE CUT-OFF	353.0	0.0	ANGLE CUT-OFF
1188.0	1865.	DISTANCE CUT-OFF	354.0	0.1	ANGLE CUT-OFF
1189.0	1866.	DISTANCE CUT-OFF	355.0	0.1	ANGLE CUT-OFF
1190.0	1842.	DISTANCE CUT-OFF	1221.0	1551.	DISTANCE CUT-OFF
1191.0	1319.	DISTANCE CUT-OFF	1222.0	446.	DISTANCE CUT-OFF
1192.0	1310.	DISTANCE CUT-OFF	1229.0	963.	DISTANCE CUT-OFF
1193.0	1224.	DISTANCE CUT-OFF	1230.0	2134.	DISTANCE CUT-OFF
1194.0	890.	DISTANCE CUT-OFF	1231.0	1783.	DISTANCE CUT-OFF
1195.0	652.	DISTANCE CUT-OFF	1232.0	0.1	ANGLE CUT-OFF
1196.0	540.	DISTANCE CUT-OFF	1233.0	1547.	DISTANCE CUT-OFF
1197.0	301.	DISTANCE CUT-OFF	1234.0	2369.	DISTANCE CUT-OFF
1198.0	0.1	ANGLE CUT-OFF	1235.0	464.	DISTANCE CUT-OFF
1199.0	0.1	ANGLE CUT-OFF	1236.0	0.1	ANGLE CUT-OFF
1200.0	805.	DISTANCE CUT-OFF	1237.0	0.1	ANGLE CUT-OFF
1201.0	1261.	DISTANCE CUT-OFF	1238.0	0.1	ANGLE CUT-OFF
1202.0	1389.	DISTANCE CUT-OFF	1239.0	0.1	ANGLE CUT-OFF
1203.0	1541.	DISTANCE CUT-OFF	1240.0	0.1	ANGLE CUT-OFF
1204.0	1577.	DISTANCE CUT-OFF	1241.0	0.1	ANGLE CUT-OFF
1205.0	1258.	DISTANCE CUT-OFF	1242.0	0.1	ANGLE CUT-OFF
1206.0	1611.	DISTANCE CUT-OFF	1243.0	0.1	ANGLE CUT-OFF
1207.0	1591.	DISTANCE CUT-OFF	1244.0	0.1	ANGLE CUT-OFF
1208.0	1525.	DISTANCE CUT-OFF	1245.0	0.1	ANGLE CUT-OFF
1209.0	1392.	DISTANCE CUT-OFF	1246.0	0.1	ANGLE CUT-OFF
1210.0	1241.	DISTANCE CUT-OFF	1247.0	0.1	ANGLE CUT-OFF

1248.0 0.1 ANGLE CUT-OFF
1249.0 0.1 ANGLE CUT-OFF
1250.0 356. DISTANCE CUT-OFF
1251.0 1691. DISTANCE CUT-OFF
1252.0 1654. DISTANCE CUT-OFF
1253.0 1638. DISTANCE CUT-OFF
1254.0 1551. DISTANCE CUT-OFF
1255.0 1730. DISTANCE CUT-OFF
1256.0 1680. DISTANCE CUT-OFF
1257.0 1831. DISTANCE CUT-OFF
1258.0 2027. DISTANCE CUT-OFF
1259.0 2235. DISTANCE CUT-OFF
1260.0 2334. DISTANCE CUT-OFF
1261.0 1882. DISTANCE CUT-OFF
1223.0 0.0 ANGLE CUT-OFF
1224.0 0.0 ANGLE CUT-OFF
1225.0 0.0 ANGLE CUT-OFF
1226.0 0.3 ANGLE CUT-OFF
1227.0 0.5 ANGLE CUT-OFF
1228.0 0.0 ANGLE CUT-OFF
1262.0 0.0 ANGLE CUT-OFF
1263.0 0.0 ANGLE CUT-OFF
1264.0 0.0 ANGLE CUT-OFF
1265.0 0.0 ANGLE CUT-OFF
1266.0 0.0 ANGLE CUT-OFF
1267.0 0.0 ANGLE CUT-OFF
1268.0 0.0 ANGLE CUT-OFF
1269.0 0.0 ANGLE CUT-OFF
1270.0 0.0 ANGLE CUT-OFF
1271.0 0.0 ANGLE CUT-OFF
1272.0 0.0 ANGLE CUT-OFF
1273.0 323. DISTANCE CUT-OFF
1274.0 346. DISTANCE CUT-OFF
1275.0 360. DISTANCE CUT-OFF
1276.0 0.0 ANGLE CUT-OFF
1277.0 0.0 ANGLE CUT-OFF
1278.0 0.1 ANGLE CUT-OFF
1279.0 0.1 ANGLE CUT-OFF
1280.0 0.0 ANGLE CUT-OFF
1281.0 286.1 1.0 5.9 17.9 0.0 0.0 1.0 5923 41.0-17.9 71.0 0.0 -1.0 0.0 -
22.4 -13.3 0.0 -0.9 0.0 2.5 35.9
1282.0 552. DISTANCE CUT-OFF

1283.0 560. DISTANCE CUT-OFF
1284.0 646. DISTANCE CUT-OFF
1285.0 626. DISTANCE CUT-OFF
1286.0 603. DISTANCE CUT-OFF
1287.0 602. DISTANCE CUT-OFF
1288.0 614. DISTANCE CUT-OFF
1289.0 685. DISTANCE CUT-OFF
1290.0 574. DISTANCE CUT-OFF
1291.0 313. DISTANCE CUT-OFF
1292.0 0.2 ANGLE CUT-OFF
1293.0 0.2 ANGLE CUT-OFF
1294.0 0.2 ANGLE CUT-OFF
1295.0 0.8 ANGLE CUT-OFF
1296.0 449. DISTANCE CUT-OFF
1297.0 408. DISTANCE CUT-OFF
1298.0 391. DISTANCE CUT-OFF
1299.0 356. DISTANCE CUT-OFF
1300.0 0.3 ANGLE CUT-OFF
1301.0 0.4 ANGLE CUT-OFF
1302.0 0.3 ANGLE CUT-OFF
1303.0 303. DISTANCE CUT-OFF
1304.0 480. DISTANCE CUT-OFF
1305.0 492. DISTANCE CUT-OFF
1306.0 488. DISTANCE CUT-OFF
1307.0 451. DISTANCE CUT-OFF
1308.0 379. DISTANCE CUT-OFF
1309.0 331. DISTANCE CUT-OFF
1310.0 1.0 ANGLE CUT-OFF
1311.0 0.3 ANGLE CUT-OFF
1312.0 0.2 ANGLE CUT-OFF
1313.0 0.5 ANGLE CUT-OFF
1314.0 322. DISTANCE CUT-OFF
1315.0 388. DISTANCE CUT-OFF
1316.0 524. DISTANCE CUT-OFF
1317.0 628. DISTANCE CUT-OFF
1318.0 596. DISTANCE CUT-OFF
1319.0 562. DISTANCE CUT-OFF
1320.0 557. DISTANCE CUT-OFF
1321.0 594. DISTANCE CUT-OFF
1322.0 625. DISTANCE CUT-OFF
1323.0 520. DISTANCE CUT-OFF
1324.0 390. DISTANCE CUT-OFF

1325.0 313. DISTANCE CUT-OFF
 1326.0 0.4 ANGLE CUT-OFF
 1327.0 0.2 ANGLE CUT-OFF
 1328.0 0.3 ANGLE CUT-OFF
 1329.0 0.9 ANGLE CUT-OFF
 1330.0 336. DISTANCE CUT-OFF
 1331.0 380. DISTANCE CUT-OFF
 1332.0 454. DISTANCE CUT-OFF
 1333.0 490. DISTANCE CUT-OFF
 1334.0 496. DISTANCE CUT-OFF
 1335.0 485. DISTANCE CUT-OFF
 1336.0 317. DISTANCE CUT-OFF
 1337.0 0.3 ANGLE CUT-OFF
 1338.0 0.3 ANGLE CUT-OFF
 1339.0 0.2 ANGLE CUT-OFF
 1340.0 367. DISTANCE CUT-OFF
 1341.0 390. DISTANCE CUT-OFF
 1342.0 414. DISTANCE CUT-OFF
 1343.0 454. DISTANCE CUT-OFF
 1344.0 0.7 ANGLE CUT-OFF
 1345.0 0.2 ANGLE CUT-OFF
 1346.0 0.2 ANGLE CUT-OFF
 1347.0 0.3 ANGLE CUT-OFF
 1348.0 0.3 ANGLE CUT-OFF
 1349.0 583. DISTANCE CUT-OFF
 1350.0 682. DISTANCE CUT-OFF
 1351.0 621. DISTANCE CUT-OFF
 1352.0 607. DISTANCE CUT-OFF
 1353.0 608. DISTANCE CUT-OFF
 1354.0 627. DISTANCE CUT-OFF
 1355.0 651. DISTANCE CUT-OFF
 1356.0 553. DISTANCE CUT-OFF
 1357.0 419. DISTANCE CUT-OFF

N2103

REPEAT NO. 0

CATEGORY LEVEL	CATEGORY LEVEL	CATEGORY LEVEL	CATEGORY LEVEL
2.0	55.8	1.0	46.5
3.0	26.5	4.0	49.3

*** CONTRIBUTION FROM New Road (Mitigated) IS 46.5 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Existing Road IS 55.8 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Overall (Mitigated) IS 56.3 DBA L10 (1-HOUR)

N5012
 HEIGHT OF RECEIVER ABOVE DATUM= 27.9 HEIGHT ABOVE LOCAL GROUND
 LEVEL= 35.2

SEGMENT	DIST	ANGLE	HT	AV	HT	PER	SPD	SCRN	MAJOR	BARRIER	BASIC	<--							
----- CORRECTIONS-----> SEG-																			
NUMBER	ANCE	OF	OF	CENT	CHNG	ANGL	-----	NOISE	LOW	SUR-									
GRAD	ANGLE	HARD	SOFT	BAR-	RET	REFL	MENT	VIEW	C/WAY	PROP	SOFT	NO.	HT	ATT	LEVEL	FLOW	FACE	IENT	
VIEW	GRND	EXCE	RIER	CUT	TION	TOTAL													
27.0	305.	DISTANCE CUT-OFF																	
28.0	286.0	2.3	5.3	17.9	0.0	0.0	2.312747	7.7	-0.2	59.1	0.0	-1.0	0.2	-					
18.9	-13.3	0.0	0.0	0.0	2.5	28.6													
29.0	0.3 ANGLE CUT-OFF																		
30.0	154.9	1.4	4.8	17.9	0.0	0.0	1.413053	5.0	0.0	59.1	0.0	-1.0	0.0	-					
21.1	-10.7	0.0	0.0	0.0	2.5	28.8													
31.0	0.9 ANGLE CUT-OFF																		
32.0	0.5 ANGLE CUT-OFF																		
33.0	0.3 ANGLE CUT-OFF																		
34.0	84.8	1.1	5.8	17.9	0.0	0.0	1.112742	6.0	-0.7	62.6	0.0	-1.0	0.8	-					
22.2	-8.2	0.0	-0.7	0.0	2.5	33.8													

35.0 69.5 1.2 6.2 17.9 0.0 0.0 1.212743 6.3-0.4 62.6 0.0 -1.0 0.5 -
 21.8 -7.4 0.0 -0.5 0.0 2.5 34.9
 36.0 62.4 1.3 6.5 17.9 0.0 0.0 1.312744 6.7-0.5 62.6 0.0 -1.0 0.6 -
 21.3 -7.0 0.0 -0.1 0.0 2.5 36.3
 37.0 0.2 ANGLE CUT-OFF
 38.0 53.8 1.7 7.2 17.9 0.0 0.0 1.712721 7.6-0.1 62.6 0.0 -1.0 0.6 -
 20.3 -6.4 0.0 -0.1 0.0 2.5 37.9
 39.0 125.9 3.5 7.6 17.9 0.0 0.0 3.512721 7.7-0.4 62.6 0.0 -1.0 0.5 -
 17.1 -9.9 0.0 0.0 0.0 2.5 37.6
 40.0 160.4 5.2 7.8 17.9 0.0 0.0 5.213053 5.0 0.0 62.6 0.0 -1.0 0.5 -
 15.4 -10.9 0.0 0.0 0.0 2.5 38.3
 41.0 170.3 6.0 8.1 17.9 0.0 0.0 4.913053 5.0 0.0 62.6 0.0 -1.0 0.2 -
 14.8 -11.1 0.0 0.0 0.0 2.5 38.4
 42.0 153.8 4.9 8.2 17.9 0.0 0.0 4.012724 8.2-0.5 62.6 0.0 -1.0 0.3 -
 15.6 -10.7 0.0 -0.4 0.0 2.5 37.7
 43.0 133.9 3.6 8.4 17.9 0.0 0.0 3.612724 8.3-0.4 62.6 0.0 -1.0 0.2 -
 17.0 -10.1 0.0 -0.4 0.0 2.5 36.8
 44.0 120.3 2.4 8.3 17.9 0.0 0.0 2.412276 18.4-8.6 62.6 0.0 -1.0 0.0 -
 18.8 -9.7 0.0 -0.9 0.0 2.5 34.7
 45.0 0.0 ANGLE CUT-OFF
 46.0 0.0 ANGLE CUT-OFF
 47.0 0.0 ANGLE CUT-OFF
 48.0 0.0 ANGLE CUT-OFF
 49.0 0.0 ANGLE CUT-OFF
 50.0 0.0 ANGLE CUT-OFF
 51.0 0.0 ANGLE CUT-OFF
 52.0 0.0 ANGLE CUT-OFF
 53.0 440. DISTANCE CUT-OFF
 54.0 442. DISTANCE CUT-OFF
 55.0 440. DISTANCE CUT-OFF
 56.0 439. DISTANCE CUT-OFF
 57.0 439. DISTANCE CUT-OFF
 58.0 439. DISTANCE CUT-OFF
 59.0 432. DISTANCE CUT-OFF
 60.0 407. DISTANCE CUT-OFF
 61.0 362. DISTANCE CUT-OFF
 62.0 0.0 ANGLE CUT-OFF
 63.0 0.0 ANGLE CUT-OFF
 64.0 0.4 ANGLE CUT-OFF
 65.0 0.1 ANGLE CUT-OFF
 66.0 0.7 ANGLE CUT-OFF
 67.0 0.0 ANGLE CUT-OFF

68.0 0.0 ANGLE CUT-OFF
 69.0 0.0 ANGLE CUT-OFF
 70.0 383. DISTANCE CUT-OFF
 71.0 609. DISTANCE CUT-OFF
 72.0 701. DISTANCE CUT-OFF
 73.0 764. DISTANCE CUT-OFF
 74.0 812. DISTANCE CUT-OFF
 75.0 843. DISTANCE CUT-OFF
 76.0 843. DISTANCE CUT-OFF
 77.0 842. DISTANCE CUT-OFF
 78.0 825. DISTANCE CUT-OFF
 79.0 808. DISTANCE CUT-OFF
 80.0 771. DISTANCE CUT-OFF
 100.0 0.8 ANGLE CUT-OFF
 101.0 0.9 ANGLE CUT-OFF
 102.0 0.6 ANGLE CUT-OFF
 103.0 0.8 ANGLE CUT-OFF
 104.0 477. DISTANCE CUT-OFF
 105.0 529. DISTANCE CUT-OFF
 106.0 560. DISTANCE CUT-OFF
 107.0 594. DISTANCE CUT-OFF
 108.0 615. DISTANCE CUT-OFF
 109.0 623. DISTANCE CUT-OFF
 110.0 624. DISTANCE CUT-OFF
 111.0 634. DISTANCE CUT-OFF
 112.0 634. DISTANCE CUT-OFF
 113.0 632. DISTANCE CUT-OFF
 114.0 632. DISTANCE CUT-OFF
 115.0 647. DISTANCE CUT-OFF
 116.0 658. DISTANCE CUT-OFF
 117.0 670. DISTANCE CUT-OFF
 126.0 682. DISTANCE CUT-OFF
 127.0 681. DISTANCE CUT-OFF
 129.0 861. DISTANCE CUT-OFF
 130.0 875. DISTANCE CUT-OFF
 131.0 856. DISTANCE CUT-OFF
 132.0 502. DISTANCE CUT-OFF
 133.0 499. DISTANCE CUT-OFF
 134.0 500. DISTANCE CUT-OFF
 135.0 509. DISTANCE CUT-OFF
 136.0 504. DISTANCE CUT-OFF
 137.0 505. DISTANCE CUT-OFF

138.0 437. DISTANCE CUT-OFF
139.0 470. DISTANCE CUT-OFF
140.0 467. DISTANCE CUT-OFF
141.0 472. DISTANCE CUT-OFF
142.0 677. DISTANCE CUT-OFF
143.0 530. DISTANCE CUT-OFF
144.0 484. DISTANCE CUT-OFF
145.0 462. DISTANCE CUT-OFF
146.0 476. DISTANCE CUT-OFF
147.0 481. DISTANCE CUT-OFF
148.0 510. DISTANCE CUT-OFF
149.0 537. DISTANCE CUT-OFF
150.0 501. DISTANCE CUT-OFF
151.0 464. DISTANCE CUT-OFF
152.0 0.2 ANGLE CUT-OFF
153.0 0.2 ANGLE CUT-OFF
154.0 0.2 ANGLE CUT-OFF
155.0 0.1 ANGLE CUT-OFF
156.0 332. DISTANCE CUT-OFF
157.0 482. DISTANCE CUT-OFF
158.0 479. DISTANCE CUT-OFF
159.0 694. DISTANCE CUT-OFF
160.0 858. DISTANCE CUT-OFF
161.0 983. DISTANCE CUT-OFF
162.0 995. DISTANCE CUT-OFF
163.0 718. DISTANCE CUT-OFF
164.0 504. DISTANCE CUT-OFF
165.0 335. DISTANCE CUT-OFF
166.0 0.0 ANGLE CUT-OFF
167.0 0.1 ANGLE CUT-OFF
168.0 969. DISTANCE CUT-OFF
169.0 1072. DISTANCE CUT-OFF
170.0 1166. DISTANCE CUT-OFF
171.0 1198. DISTANCE CUT-OFF
172.0 1106. DISTANCE CUT-OFF
173.0 1127. DISTANCE CUT-OFF
174.0 1183. DISTANCE CUT-OFF
175.0 1175. DISTANCE CUT-OFF
176.0 1235. DISTANCE CUT-OFF
177.0 1117. DISTANCE CUT-OFF
178.0 1086. DISTANCE CUT-OFF
179.0 495. DISTANCE CUT-OFF

180.0 611. DISTANCE CUT-OFF
181.0 1116. DISTANCE CUT-OFF
182.0 1248. DISTANCE CUT-OFF
183.0 907. DISTANCE CUT-OFF
184.0 315. DISTANCE CUT-OFF
185.0 758. DISTANCE CUT-OFF
188.0 120.4 1.6 4.5 17.9 0.0 0.0 1.612714 5.3 -0.5 62.6 0.0 -1.0 0.7 -
20.4 -9.7 0.0 -0.2 0.0 2.5 34.5
189.0 315. DISTANCE CUT-OFF
190.0 311. DISTANCE CUT-OFF
191.0 304. DISTANCE CUT-OFF
192.0 0.7 ANGLE CUT-OFF
193.0 0.2 ANGLE CUT-OFF
194.0 275.8 1.4 4.9 17.9 0.0 0.0 1.413052 5.0 0.0 64.5 0.0 -1.0 0.1 -
21.1 -13.2 0.0 0.0 0.0 2.5 31.8
195.0 367. DISTANCE CUT-OFF
196.0 371. DISTANCE CUT-OFF
197.0 360. DISTANCE CUT-OFF
198.0 350. DISTANCE CUT-OFF
199.0 410. DISTANCE CUT-OFF
200.0 431. DISTANCE CUT-OFF
201.0 344. DISTANCE CUT-OFF
202.0 375. DISTANCE CUT-OFF
203.0 365. DISTANCE CUT-OFF
209.0 457. DISTANCE CUT-OFF
210.0 741. DISTANCE CUT-OFF
211.0 736. DISTANCE CUT-OFF
212.0 685. DISTANCE CUT-OFF
213.0 648. DISTANCE CUT-OFF
214.0 648. DISTANCE CUT-OFF
215.0 652. DISTANCE CUT-OFF
216.0 639. DISTANCE CUT-OFF
217.0 641. DISTANCE CUT-OFF
218.0 665. DISTANCE CUT-OFF
219.0 657. DISTANCE CUT-OFF
220.0 660. DISTANCE CUT-OFF
221.0 750. DISTANCE CUT-OFF
222.0 766. DISTANCE CUT-OFF
223.0 646. DISTANCE CUT-OFF
306.0 506. DISTANCE CUT-OFF
307.0 508. DISTANCE CUT-OFF
308.0 512. DISTANCE CUT-OFF

309.0	509.	DISTANCE CUT-OFF	460.0	0.0	ANGLE CUT-OFF
310.0	507.	DISTANCE CUT-OFF	461.0	44.7 1.0 8.9 17.9 0.0 0.0 1.012724 8.3 0.0 71.0 0.0 -3.5 0.5 -	
311.0	505.	DISTANCE CUT-OFF	22.4 -6.3 0.0 0.0 0.0 2.5 41.8		
312.0	509.	DISTANCE CUT-OFF	462.0	0.3	ANGLE CUT-OFF
313.0	477.	DISTANCE CUT-OFF	463.0	0.3	ANGLE CUT-OFF
314.0	512.	DISTANCE CUT-OFF	464.0	0.3	ANGLE CUT-OFF
315.0	511.	DISTANCE CUT-OFF	465.0	0.5	ANGLE CUT-OFF
316.0	539.	DISTANCE CUT-OFF	466.0	0.3	ANGLE CUT-OFF
317.0	453.	DISTANCE CUT-OFF	467.0	0.2	ANGLE CUT-OFF
318.0	456.	DISTANCE CUT-OFF	468.0	0.8	ANGLE CUT-OFF
319.0	470.	DISTANCE CUT-OFF	469.0	0.4	ANGLE CUT-OFF
320.0	487.	DISTANCE CUT-OFF	470.0	0.2	ANGLE CUT-OFF
321.0	487.	DISTANCE CUT-OFF	471.0	0.3	ANGLE CUT-OFF
322.0	502.	DISTANCE CUT-OFF	472.0	461.	DISTANCE CUT-OFF
323.0	510.	DISTANCE CUT-OFF	473.0	456.	DISTANCE CUT-OFF
341.0	463.	DISTANCE CUT-OFF	474.0	1468.	DISTANCE CUT-OFF
342.0	464.	DISTANCE CUT-OFF	475.0	1449.	DISTANCE CUT-OFF
343.0	452.	DISTANCE CUT-OFF	476.0	1375.	DISTANCE CUT-OFF
344.0	438.	DISTANCE CUT-OFF	477.0	0.0	ANGLE CUT-OFF
345.0	513.	DISTANCE CUT-OFF	478.0	1369.	DISTANCE CUT-OFF
346.0	503.	DISTANCE CUT-OFF	479.0	1441.	DISTANCE CUT-OFF
347.0	486.	DISTANCE CUT-OFF	480.0	1465.	DISTANCE CUT-OFF
348.0	497.	DISTANCE CUT-OFF	481.0	1807.	DISTANCE CUT-OFF
349.0	477.	DISTANCE CUT-OFF	482.0	1925.	DISTANCE CUT-OFF
432.0	0.9	ANGLE CUT-OFF	483.0	1894.	DISTANCE CUT-OFF
433.0	458.	DISTANCE CUT-OFF	484.0	1918.	DISTANCE CUT-OFF
434.0	587.	DISTANCE CUT-OFF	485.0	1709.	DISTANCE CUT-OFF
445.0	552.	DISTANCE CUT-OFF	486.0	1215.	DISTANCE CUT-OFF
446.0	545.	DISTANCE CUT-OFF	487.0	1697.	DISTANCE CUT-OFF
447.0	562.	DISTANCE CUT-OFF	488.0	1926.	DISTANCE CUT-OFF
448.0	550.	DISTANCE CUT-OFF	489.0	1883.	DISTANCE CUT-OFF
449.0	570.	DISTANCE CUT-OFF	490.0	1918.	DISTANCE CUT-OFF
450.0	712.	DISTANCE CUT-OFF	491.0	1880.	DISTANCE CUT-OFF
451.0	989.	DISTANCE CUT-OFF	492.0	2052.	DISTANCE CUT-OFF
452.0	0.3	ANGLE CUT-OFF	493.0	1539.	DISTANCE CUT-OFF
453.0	400.	DISTANCE CUT-OFF	494.0	548.	DISTANCE CUT-OFF
454.0	577.	DISTANCE CUT-OFF	495.0	857.	DISTANCE CUT-OFF
455.0	577.	DISTANCE CUT-OFF	496.0	1381.	DISTANCE CUT-OFF
456.0	565.	DISTANCE CUT-OFF	497.0	2001.	DISTANCE CUT-OFF
457.0	581.	DISTANCE CUT-OFF	498.0	2138.	DISTANCE CUT-OFF
458.0	0.5	ANGLE CUT-OFF	499.0	1579.	DISTANCE CUT-OFF
459.0	0.0	ANGLE CUT-OFF	500.0	863.	DISTANCE CUT-OFF

501.0	857.	DISTANCE CUT-OFF	543.0	0.1	ANGLE CUT-OFF
502.0	1793.	DISTANCE CUT-OFF	544.0	0.2	ANGLE CUT-OFF
503.0	1638.	DISTANCE CUT-OFF	545.0	0.0	ANGLE CUT-OFF
504.0	1753.	DISTANCE CUT-OFF	546.0	0.0	ANGLE CUT-OFF
505.0	1892.	DISTANCE CUT-OFF	547.0	0.1	ANGLE CUT-OFF
506.0	2013.	DISTANCE CUT-OFF	548.0	1166.	DISTANCE CUT-OFF
507.0	2076.	DISTANCE CUT-OFF	549.0	0.0	ANGLE CUT-OFF
508.0	2059.	DISTANCE CUT-OFF	550.0	410.	DISTANCE CUT-OFF
509.0	2018.	DISTANCE CUT-OFF	551.0	660.	DISTANCE CUT-OFF
510.0	1872.	DISTANCE CUT-OFF	552.0	936.	DISTANCE CUT-OFF
511.0	1541.	DISTANCE CUT-OFF	553.0	1119.	DISTANCE CUT-OFF
512.0	1728.	DISTANCE CUT-OFF	554.0	1385.	DISTANCE CUT-OFF
513.0	1794.	DISTANCE CUT-OFF	555.0	1619.	DISTANCE CUT-OFF
514.0	1990.	DISTANCE CUT-OFF	556.0	1918.	DISTANCE CUT-OFF
515.0	2050.	DISTANCE CUT-OFF	557.0	1921.	DISTANCE CUT-OFF
516.0	2055.	DISTANCE CUT-OFF	558.0	2265.	DISTANCE CUT-OFF
517.0	1989.	DISTANCE CUT-OFF	559.0	2456.	DISTANCE CUT-OFF
518.0	1860.	DISTANCE CUT-OFF	560.0	2512.	DISTANCE CUT-OFF
519.0	1630.	DISTANCE CUT-OFF	561.0	2247.	DISTANCE CUT-OFF
520.0	1356.	DISTANCE CUT-OFF	562.0	2022.	DISTANCE CUT-OFF
521.0	1342.	DISTANCE CUT-OFF	563.0	1741.	DISTANCE CUT-OFF
522.0	1363.	DISTANCE CUT-OFF	564.0	1199.	DISTANCE CUT-OFF
523.0	1620.	DISTANCE CUT-OFF	565.0	702.	DISTANCE CUT-OFF
524.0	1864.	DISTANCE CUT-OFF	566.0	604.	DISTANCE CUT-OFF
525.0	2003.	DISTANCE CUT-OFF	567.0	464.	DISTANCE CUT-OFF
526.0	2046.	DISTANCE CUT-OFF	568.0	548.	DISTANCE CUT-OFF
527.0	2046.	DISTANCE CUT-OFF	569.0	573.	DISTANCE CUT-OFF
528.0	1976.	DISTANCE CUT-OFF	570.0	1372.	DISTANCE CUT-OFF
529.0	1817.	DISTANCE CUT-OFF	571.0	1570.	DISTANCE CUT-OFF
530.0	1683.	DISTANCE CUT-OFF	572.0	546.	DISTANCE CUT-OFF
531.0	1573.	DISTANCE CUT-OFF	573.0	524.	DISTANCE CUT-OFF
532.0	1838.	DISTANCE CUT-OFF	574.0	546.	DISTANCE CUT-OFF
533.0	1441.	DISTANCE CUT-OFF	575.0	848.	DISTANCE CUT-OFF
534.0	1343.	DISTANCE CUT-OFF	576.0	1215.	DISTANCE CUT-OFF
535.0	1303.	DISTANCE CUT-OFF	577.0	1852.	DISTANCE CUT-OFF
536.0	1228.	DISTANCE CUT-OFF	578.0	2240.	DISTANCE CUT-OFF
537.0	1232.	DISTANCE CUT-OFF	579.0	1666.	DISTANCE CUT-OFF
538.0	1749.	DISTANCE CUT-OFF	580.0	1617.	DISTANCE CUT-OFF
539.0	1333.	DISTANCE CUT-OFF	581.0	1585.	DISTANCE CUT-OFF
540.0	588.	DISTANCE CUT-OFF	582.0	1536.	DISTANCE CUT-OFF
541.0	0.0	ANGLE CUT-OFF	583.0	1635.	DISTANCE CUT-OFF
542.0	0.1	ANGLE CUT-OFF	584.0	1658.	DISTANCE CUT-OFF

585.0	2495.	DISTANCE CUT-OFF	626.0	987.	DISTANCE CUT-OFF
586.0	2337.	DISTANCE CUT-OFF	627.0	1256.	DISTANCE CUT-OFF
587.0	2812.	DISTANCE CUT-OFF	628.0	1263.	DISTANCE CUT-OFF
588.0	2908.	DISTANCE CUT-OFF	629.0	1337.	DISTANCE CUT-OFF
589.0	2328.	DISTANCE CUT-OFF	630.0	1342.	DISTANCE CUT-OFF
590.0	2289.	DISTANCE CUT-OFF	631.0	1306.	DISTANCE CUT-OFF
591.0	2046.	DISTANCE CUT-OFF	632.0	1561.	DISTANCE CUT-OFF
592.0	2035.	DISTANCE CUT-OFF	633.0	2165.	DISTANCE CUT-OFF
593.0	2030.	DISTANCE CUT-OFF	634.0	2196.	DISTANCE CUT-OFF
594.0	2264.	DISTANCE CUT-OFF	635.0	1965.	DISTANCE CUT-OFF
595.0	2474.	DISTANCE CUT-OFF	636.0	1581.	DISTANCE CUT-OFF
596.0	2891.	DISTANCE CUT-OFF	637.0	908.	DISTANCE CUT-OFF
597.0	2711.	DISTANCE CUT-OFF	638.0	0.1	ANGLE CUT-OFF
598.0	2372.	DISTANCE CUT-OFF	639.0	301.	DISTANCE CUT-OFF
599.0	2427.	DISTANCE CUT-OFF	647.0	456.	DISTANCE CUT-OFF
600.0	808.	DISTANCE CUT-OFF	648.0	1255.	DISTANCE CUT-OFF
601.0	1864.	DISTANCE CUT-OFF	649.0	1234.	DISTANCE CUT-OFF
602.0	1969.	DISTANCE CUT-OFF	650.0	1179.	DISTANCE CUT-OFF
603.0	1851.	DISTANCE CUT-OFF	651.0	0.1	ANGLE CUT-OFF
604.0	1893.	DISTANCE CUT-OFF	652.0	0.1	ANGLE CUT-OFF
605.0	1880.	DISTANCE CUT-OFF	653.0	0.1	ANGLE CUT-OFF
606.0	1883.	DISTANCE CUT-OFF	654.0	0.0	ANGLE CUT-OFF
607.0	1845.	DISTANCE CUT-OFF	655.0	0.0	ANGLE CUT-OFF
608.0	1863.	DISTANCE CUT-OFF	656.0	595.	DISTANCE CUT-OFF
609.0	2019.	DISTANCE CUT-OFF	657.0	1321.	DISTANCE CUT-OFF
610.0	2036.	DISTANCE CUT-OFF	658.0	1716.	DISTANCE CUT-OFF
611.0	2037.	DISTANCE CUT-OFF	659.0	1742.	DISTANCE CUT-OFF
612.0	1710.	DISTANCE CUT-OFF	660.0	2525.	DISTANCE CUT-OFF
613.0	745.	DISTANCE CUT-OFF	661.0	2413.	DISTANCE CUT-OFF
614.0	0.1	ANGLE CUT-OFF	662.0	2220.	DISTANCE CUT-OFF
615.0	1285.	DISTANCE CUT-OFF	663.0	1855.	DISTANCE CUT-OFF
616.0	2133.	DISTANCE CUT-OFF	666.0	1521.	DISTANCE CUT-OFF
617.0	2527.	DISTANCE CUT-OFF	667.0	0.1	ANGLE CUT-OFF
618.0	2501.	DISTANCE CUT-OFF	668.0	0.0	ANGLE CUT-OFF
619.0	2425.	DISTANCE CUT-OFF	669.0	0.0	ANGLE CUT-OFF
620.0	2419.	DISTANCE CUT-OFF	670.0	2648.	DISTANCE CUT-OFF
621.0	2644.	DISTANCE CUT-OFF	671.0	2883.	DISTANCE CUT-OFF
622.0	2284.	DISTANCE CUT-OFF	672.0	2887.	DISTANCE CUT-OFF
622.0	1557.	DISTANCE CUT-OFF	673.0	1333.	DISTANCE CUT-OFF
623.0	861.	DISTANCE CUT-OFF	674.0	2114.	DISTANCE CUT-OFF
624.0	0.1	ANGLE CUT-OFF	675.0	1156.	DISTANCE CUT-OFF
625.0	559.	DISTANCE CUT-OFF	676.0	1791.	DISTANCE CUT-OFF

677.0	452.	DISTANCE CUT-OFF	719.0	446.	DISTANCE CUT-OFF
678.0	765.	DISTANCE CUT-OFF	720.0	0.3	ANGLE CUT-OFF
679.0	799.	DISTANCE CUT-OFF	721.0	0.5	ANGLE CUT-OFF
680.0	825.	DISTANCE CUT-OFF	722.0	0.9	ANGLE CUT-OFF
681.0	840.	DISTANCE CUT-OFF	723.0	0.7	ANGLE CUT-OFF
682.0	840.	DISTANCE CUT-OFF	730.0	980.	DISTANCE CUT-OFF
683.0	837.	DISTANCE CUT-OFF	731.0	1136.	DISTANCE CUT-OFF
684.0	806.	DISTANCE CUT-OFF	732.0	1196.	DISTANCE CUT-OFF
685.0	772.	DISTANCE CUT-OFF	733.0	881.	DISTANCE CUT-OFF
686.0	688.	DISTANCE CUT-OFF	734.0	907.	DISTANCE CUT-OFF
687.0	478.	DISTANCE CUT-OFF	735.0	915.	DISTANCE CUT-OFF
688.0	341.	DISTANCE CUT-OFF	736.0	955.	DISTANCE CUT-OFF
689.0	619.	DISTANCE CUT-OFF	741.0	358.	DISTANCE CUT-OFF
690.0	611.	DISTANCE CUT-OFF	742.0	0.1	ANGLE CUT-OFF
691.0	605.	DISTANCE CUT-OFF	743.0	0.0	ANGLE CUT-OFF
692.0	574.	DISTANCE CUT-OFF	744.0	0.2	ANGLE CUT-OFF
693.0	554.	DISTANCE CUT-OFF	745.0	532.	DISTANCE CUT-OFF
694.0	530.	DISTANCE CUT-OFF	746.0	748.	DISTANCE CUT-OFF
695.0	561.	DISTANCE CUT-OFF	747.0	993.	DISTANCE CUT-OFF
696.0	623.	DISTANCE CUT-OFF	748.0	988.	DISTANCE CUT-OFF
697.0	626.	DISTANCE CUT-OFF	749.0	896.	DISTANCE CUT-OFF
698.0	626.	DISTANCE CUT-OFF	750.0	700.	DISTANCE CUT-OFF
699.0	626.	DISTANCE CUT-OFF	751.0	479.	DISTANCE CUT-OFF
700.0	664.	DISTANCE CUT-OFF	752.0	1212.	DISTANCE CUT-OFF
701.0	644.	DISTANCE CUT-OFF	753.0	1220.	DISTANCE CUT-OFF
702.0	630.	DISTANCE CUT-OFF	754.0	1153.	DISTANCE CUT-OFF
703.0	0.0	ANGLE CUT-OFF	755.0	1138.	DISTANCE CUT-OFF
704.0	0.0	ANGLE CUT-OFF	756.0	1123.	DISTANCE CUT-OFF
705.0	0.0	ANGLE CUT-OFF	757.0	678.	DISTANCE CUT-OFF
706.0	0.6	ANGLE CUT-OFF	758.0	819.	DISTANCE CUT-OFF
707.0	0.1	ANGLE CUT-OFF	759.0	850.	DISTANCE CUT-OFF
708.0	0.5	ANGLE CUT-OFF	760.0	845.	DISTANCE CUT-OFF
709.0	0.0	ANGLE CUT-OFF	761.0	676.	DISTANCE CUT-OFF
710.0	0.0	ANGLE CUT-OFF	762.0	1239.	DISTANCE CUT-OFF
711.0	368.	DISTANCE CUT-OFF	763.0	1228.	DISTANCE CUT-OFF
712.0	412.	DISTANCE CUT-OFF	764.0	962.	DISTANCE CUT-OFF
713.0	443.	DISTANCE CUT-OFF	765.0	561.	DISTANCE CUT-OFF
714.0	447.	DISTANCE CUT-OFF	766.0	0.1	ANGLE CUT-OFF
715.0	449.	DISTANCE CUT-OFF	767.0	868.	DISTANCE CUT-OFF
716.0	448.	DISTANCE CUT-OFF	768.0	1395.	DISTANCE CUT-OFF
717.0	447.	DISTANCE CUT-OFF	769.0	2317.	DISTANCE CUT-OFF
718.0	448.	DISTANCE CUT-OFF	770.0	2639.	DISTANCE CUT-OFF

854.0 111.2 3.6 -1.8 17.9 0.0 0.0 3.612751 8.3-15.1 70.2 0.0 -1.0 1.1 -
17.0 -9.5 0.0 -13.0 0.0 2.5 33.3
855.0 137.0 3.4 -0.6 17.9 0.0 0.0 3.412751 8.4-13.4 70.2 0.0 -1.0 1.6 -
17.2 -10.3 0.0 -12.8 0.0 2.5 33.0
856.0 0.8 ANGLE CUT-OFF
857.0 0.0 ANGLE CUT-OFF
858.0 0.0 ANGLE CUT-OFF
859.0 0.0 ANGLE CUT-OFF
860.0 0.0 ANGLE CUT-OFF
861.0 36.6 93.6 -3.7 17.9 0.0 0.0 93.613052 5.0-15.0 76.3 0.0 1.4 0.0 -
2.8 -5.8 0.0 -15.0 0.0 2.5 56.6
862.0 36.9 41.5 -4.2 17.9 0.0 0.0 41.513053 5.0-15.9 76.3 0.0 1.4 0.0 -
6.4 -5.8 0.0 -15.3 0.0 2.5 52.7
863.0 35.8 4.3 -3.8 17.9 0.0 0.0 4.313053 5.0-15.8 76.3 0.0 1.4 0.8 -
16.3 -5.9 0.0 -15.5 0.0 2.5 43.3
864.0 50.0 1.1 -3.2 17.9 0.0 0.0 1.113053 5.0-0.7 74.0 0.0 -1.0 0.0 -
22.3 -6.6 0.0 -0.7 0.0 4.0 47.4
865.0 50.0 6.6 -3.8 17.9 0.0 0.0 6.613053 5.0-1.0 74.0 0.0 -1.0 0.0 -
14.4 -6.7 0.0 -1.0 0.0 4.0 54.9
866.0 50.0 42.3 -4.2 17.9 0.0 0.0 42.313053 5.0-1.3 74.0 0.0 -1.0 0.1 -
6.3 -6.6 0.0 -1.1 0.0 4.0 63.1
867.0 50.0 79.8 -3.5 17.9 0.0 0.0 79.813052 5.0-0.7 74.0 0.0 -1.0 0.3 -
3.5 -6.6 0.0 -0.7 0.0 4.0 66.5
868.0 50.0 11.4 -2.5 17.9 0.0 0.0 9.913052 5.0-0.4 74.0 0.0 -1.0 0.7 -
12.0 -6.6 0.0 -0.3 0.0 2.5 57.3
869.0 49.8 5.9 -0.8 17.9 0.0 0.0 0.1 0 0.0 0.0 74.0 0.0 -1.0 1.4 -14.9 -
6.8 0.0 0.0 0.0 2.5 55.2
870.0 48.2 3.3 1.6 17.9 0.0 0.0 0.1 0 0.0 0.0 74.0 0.0 -1.0 1.4 -17.3 -
6.7 0.0 0.0 0.0 2.5 52.9
871.0 50.8 2.3 3.8 17.9 0.0 0.0 0.0 0 0.0 0.0 74.0 0.0 -1.0 1.4 -18.9 -
6.8 0.0 0.0 0.0 2.5 51.2
872.0 49.3 1.4 5.8 17.9 0.0 0.0 0.0 0 0.0 0.0 74.0 0.0 -1.0 1.0 -21.1 -
6.6 0.0 0.0 0.0 2.5 48.8
873.0 40.5 5.0 -1.9 17.9 0.0 0.0 5.013502 5.0-14.2 74.1 0.0 1.4 1.0 -
15.6 -6.2 0.0 -10.2 0.0 4.0 48.5
874.0 41.1 2.6 0.7 17.9 0.0 0.0 2.613502 5.0-10.0 74.1 0.0 1.4 1.0 -
18.4 -6.3 0.0 -10.0 0.0 3.7 45.5
875.0 47.1 2.1 3.0 17.9 0.0 0.0 2.113502 5.0-3.4 74.1 0.0 -3.5 0.6 -
19.3 -6.5 0.0 -1.9 0.0 2.5 46.0
876.0 48.8 1.2 4.5 17.9 0.0 0.0 1.213503 5.0-0.4 71.8 0.0 -3.5 0.3 -
21.7 -6.4 0.0 -0.2 0.0 2.5 42.8
877.0 0.3 ANGLE CUT-OFF

878.0 0.3 ANGLE CUT-OFF
879.0 52.8 1.6 4.3 17.9 0.0 0.0 1.612724 8.2 0.0 75.0 0.0 -3.5 0.0 -
20.5 -6.7 0.0 0.0 0.0 2.5 46.8
880.0 50.0 1.9 2.8 17.9 0.0 0.0 1.912724 8.1 0.0 74.0 0.0 -3.5 0.0 -
19.7 -6.6 0.0 0.0 0.0 3.4 47.6
881.0 50.0 6.9 -0.6 17.9 0.0 0.0 6.913053 5.0-0.7 74.0 0.0 -1.0 0.0 -
14.2 -6.8 0.0 -0.3 0.0 4.0 55.7
882.0 0.3 ANGLE CUT-OFF
883.0 0.1 ANGLE CUT-OFF
884.0 0.3 ANGLE CUT-OFF
885.0 0.5 ANGLE CUT-OFF
886.0 0.7 ANGLE CUT-OFF
887.0 0.8 ANGLE CUT-OFF
888.0 150.2 1.8 10.8 17.9 0.0 0.0 0.0 0 0.0 0.0 62.8 0.0 -1.0 1.0 -20.1
-10.7 0.0 0.0 0.0 2.5 34.5
889.0 145.5 1.4 12.6 17.9 0.0 0.0 0.0 0 0.0 0.0 62.8 0.0 -1.0 1.2 -21.2
-10.6 0.0 0.0 0.0 2.5 33.7
890.0 0.6 ANGLE CUT-OFF
891.0 0.7 ANGLE CUT-OFF
892.0 1.0 ANGLE CUT-OFF
893.0 326. DISTANCE CUT-OFF
894.0 411. DISTANCE CUT-OFF
895.0 468. DISTANCE CUT-OFF
896.0 474. DISTANCE CUT-OFF
897.0 491. DISTANCE CUT-OFF
898.0 484. DISTANCE CUT-OFF
899.0 424. DISTANCE CUT-OFF
900.0 318. DISTANCE CUT-OFF
901.0 0.0 ANGLE CUT-OFF
902.0 0.9 ANGLE CUT-OFF
903.0 128.8 1.1 9.1 17.9 0.0 0.0 0.0 0 0.0 0.0 73.5 0.0 -1.0 0.0 -22.2 -
10.1 0.0 0.0 0.0 2.5 42.7
904.0 128.0 1.3 8.0 17.9 0.0 0.0 0.0 0 0.0 0.0 73.5 0.0 -1.0 0.0 -21.4 -
10.0 0.0 0.0 0.0 2.5 43.6
905.0 103.1 2.6 6.4 17.9 0.0 0.0 0.0 0 0.0 0.0 73.5 0.0 -1.0 0.0 -18.5
-9.2 0.0 0.0 0.0 2.5 47.3
906.0 48.0 1.7 4.1 17.9 0.0 0.0 0.0 0 0.0 0.0 73.5 0.0 -1.0 0.0 -20.3 -
6.8 0.0 0.0 0.0 2.5 47.9

N5012

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL
 907.0 32.6 1.7 1.6 17.9 0.0 0.0 0.0 0 0.0 0.0 73.5 0.0 -1.0 0.0 -20.3 -
 5.8 0.0 0.0 0.0 2.5 48.9
 908.0 36.3 3.0 -0.6 17.9 0.0 0.0 0.1 0 0.0 0.0 73.5 0.0 -1.0 0.0 -17.9 -
 6.0 0.0 0.0 0.0 2.5 51.1
 909.0 35.8 5.1 -2.4 17.9 0.0 0.0 0.1 0 0.0 0.0 73.5 0.0 -1.0 0.0 -15.5 -
 5.8 0.0 0.0 0.0 2.5 53.7
 910.0 38.4 8.1 -3.2 17.9 0.0 0.0 1.413052 5.0-15.5 73.5 0.0 -1.0 0.0 -
 13.5 -5.9 0.0 -0.8 0.0 2.5 54.8
 911.0 535. DISTANCE CUT-OFF
 912.0 578. DISTANCE CUT-OFF
 913.0 598. DISTANCE CUT-OFF
 914.0 605. DISTANCE CUT-OFF
 915.0 586. DISTANCE CUT-OFF
 916.0 540. DISTANCE CUT-OFF
 917.0 466. DISTANCE CUT-OFF
 918.0 350. DISTANCE CUT-OFF
 919.0 0.6 ANGLE CUT-OFF
 920.0 0.4 ANGLE CUT-OFF
 921.0 0.5 ANGLE CUT-OFF
 922.0 0.0 ANGLE CUT-OFF
 923.0 0.6 ANGLE CUT-OFF
 924.0 1.0 ANGLE CUT-OFF
 925.0 145.6 2.3 13.9 17.9 0.0 0.0 0.0 0 0.0 0.0 64.3 0.0 -1.0 0.0 -19.0
 -10.5 0.0 0.0 0.0 2.5 36.3
 926.0 141.3 2.8 11.4 17.9 0.0 0.0 0.0 0 0.0 0.0 64.3 0.0 -1.0 0.0 -18.1
 -10.4 0.0 0.0 0.0 2.5 37.3
 927.0 109.6 1.3 9.5 17.9 0.0 0.0 0.0 0 0.0 0.0 64.3 0.0 -1.0 0.0 -21.4
 -9.4 0.0 0.0 0.0 2.5 35.0
 928.0 84.3 1.2 8.3 17.9 0.0 0.0 0.0 0 0.0 0.0 64.3 0.0 -1.0 0.0 -21.9 -
 8.5 0.0 0.0 0.0 2.5 35.4
 929.0 70.7 1.2 7.0 17.9 0.0 0.0 0.0 0 0.0 0.0 64.3 0.0 -1.0 0.0 -21.8 -
 7.8 0.0 0.0 0.0 2.5 36.2
 930.0 0.8 ANGLE CUT-OFF
 931.0 43.3 2.3 3.8 17.9 0.0 0.0 0.0 0 0.0 0.0 64.3 0.0 -1.0 0.0 -19.0 -
 6.4 0.0 0.0 0.0 2.5 40.4

932.0 43.1 10.0 0.1 17.9 0.0 0.0 0.2 0 0.0 0.0 64.3 0.0 -1.0 0.0 -12.6
 -6.4 0.0 0.0 0.0 2.5 46.8
 933.0 43.1 7.5 -2.8 17.9 0.0 0.0 5.513052 5.0-5.0 64.3 0.0 -1.0 0.0 -
 13.8 -6.3 0.0 -3.1 0.0 2.5 42.6
 934.0 0.6 ANGLE CUT-OFF
 935.0 0.2 ANGLE CUT-OFF
 936.0 0.3 ANGLE CUT-OFF
 937.0 0.5 ANGLE CUT-OFF
 938.0 0.7 ANGLE CUT-OFF
 939.0 0.9 ANGLE CUT-OFF
 940.0 192.0 1.1 5.8 17.9 0.0 0.0 0.0 0 0.0 0.0 73.6 0.0 -1.0 0.0 -22.0 -
 11.6 0.0 0.0 0.0 2.5 41.5
 941.0 212.5 1.2 5.3 17.9 0.0 0.0 0.0 0 0.0 0.0 73.6 0.0 -1.0 0.0 -21.9 -
 12.0 0.0 0.0 0.0 2.5 41.2
 942.0 205.4 1.1 4.9 17.9 0.0 0.0 0.0 0 0.0 0.0 73.6 0.0 -1.0 0.0 -22.1 -
 11.9 0.0 0.0 0.0 2.5 41.1
 943.0 0.6 ANGLE CUT-OFF
 944.0 0.4 ANGLE CUT-OFF
 945.0 381. DISTANCE CUT-OFF
 946.0 589. DISTANCE CUT-OFF
 947.0 629. DISTANCE CUT-OFF
 948.0 600. DISTANCE CUT-OFF
 949.0 547. DISTANCE CUT-OFF
 950.0 512. DISTANCE CUT-OFF
 951.0 465. DISTANCE CUT-OFF
 952.0 509. DISTANCE CUT-OFF
 953.0 507. DISTANCE CUT-OFF
 954.0 465. DISTANCE CUT-OFF
 955.0 481. DISTANCE CUT-OFF
 956.0 500. DISTANCE CUT-OFF
 957.0 506. DISTANCE CUT-OFF
 958.0 489. DISTANCE CUT-OFF
 959.0 482. DISTANCE CUT-OFF
 960.0 499. DISTANCE CUT-OFF
 961.0 517. DISTANCE CUT-OFF
 962.0 515. DISTANCE CUT-OFF
 963.0 480. DISTANCE CUT-OFF
 964.0 489. DISTANCE CUT-OFF
 965.0 511. DISTANCE CUT-OFF
 966.0 524. DISTANCE CUT-OFF
 967.0 535. DISTANCE CUT-OFF
 968.0 486. DISTANCE CUT-OFF

969.0	503.	DISTANCE CUT-OFF	1011.0	1784.	DISTANCE CUT-OFF
970.0	492.	DISTANCE CUT-OFF	1012.0	2176.	DISTANCE CUT-OFF
971.0	482.	DISTANCE CUT-OFF	1013.0	1975.	DISTANCE CUT-OFF
972.0	473.	DISTANCE CUT-OFF	1014.0	1299.	DISTANCE CUT-OFF
973.0	465.	DISTANCE CUT-OFF	1015.0	1025.	DISTANCE CUT-OFF
974.0	433.	DISTANCE CUT-OFF	1016.0	941.	DISTANCE CUT-OFF
975.0	443.	DISTANCE CUT-OFF	1017.0	980.	DISTANCE CUT-OFF
976.0	454.	DISTANCE CUT-OFF	1018.0	919.	DISTANCE CUT-OFF
977.0	1606.	DISTANCE CUT-OFF	1019.0	788.	DISTANCE CUT-OFF
978.0	1372.	DISTANCE CUT-OFF	1020.0	971.	DISTANCE CUT-OFF
979.0	1049.	DISTANCE CUT-OFF	1021.0	980.	DISTANCE CUT-OFF
980.0	530.	DISTANCE CUT-OFF	1022.0	927.	DISTANCE CUT-OFF
981.0	493.	DISTANCE CUT-OFF	1023.0	529.	DISTANCE CUT-OFF
982.0	1150.	DISTANCE CUT-OFF	1024.0	432.	DISTANCE CUT-OFF
983.0	1960.	DISTANCE CUT-OFF	1025.0	1282.	DISTANCE CUT-OFF
984.0	2380.	DISTANCE CUT-OFF	1026.0	1994.	DISTANCE CUT-OFF
985.0	1798.	DISTANCE CUT-OFF	1027.0	2256.	DISTANCE CUT-OFF
986.0	1485.	DISTANCE CUT-OFF	1028.0	2011.	DISTANCE CUT-OFF
987.0	1297.	DISTANCE CUT-OFF	1029.0	1434.	DISTANCE CUT-OFF
988.0	841.	DISTANCE CUT-OFF	1030.0	1232.	DISTANCE CUT-OFF
989.0	0.0	ANGLE CUT-OFF	1031.0	1209.	DISTANCE CUT-OFF
990.0	718.	DISTANCE CUT-OFF	1032.0	1214.	DISTANCE CUT-OFF
991.0	2448.	DISTANCE CUT-OFF	1033.0	1306.	DISTANCE CUT-OFF
992.0	2389.	DISTANCE CUT-OFF	1034.0	1594.	DISTANCE CUT-OFF
993.0	2527.	DISTANCE CUT-OFF	1035.0	1822.	DISTANCE CUT-OFF
994.0	2490.	DISTANCE CUT-OFF	1036.0	2092.	DISTANCE CUT-OFF
995.0	2487.	DISTANCE CUT-OFF	1037.0	2059.	DISTANCE CUT-OFF
996.0	2486.	DISTANCE CUT-OFF	1038.0	1778.	DISTANCE CUT-OFF
997.0	2482.	DISTANCE CUT-OFF	1039.0	1451.	DISTANCE CUT-OFF
998.0	2562.	DISTANCE CUT-OFF	1040.0	1126.	DISTANCE CUT-OFF
999.0	2459.	DISTANCE CUT-OFF	1041.0	1055.	DISTANCE CUT-OFF
1000.0	2103.	DISTANCE CUT-OFF	1042.0	1025.	DISTANCE CUT-OFF
1001.0	1272.	DISTANCE CUT-OFF	1042.0	1040.	DISTANCE CUT-OFF
1002.0	381.	DISTANCE CUT-OFF	1043.0	1083.	DISTANCE CUT-OFF
1003.0	377.	DISTANCE CUT-OFF	1044.0	1659.	DISTANCE CUT-OFF
1004.0	378.	DISTANCE CUT-OFF	1045.0	2170.	DISTANCE CUT-OFF
1005.0	364.	DISTANCE CUT-OFF	1046.0	2226.	DISTANCE CUT-OFF
1006.0	387.	DISTANCE CUT-OFF	1047.0	1680.	DISTANCE CUT-OFF
1007.0	361.	DISTANCE CUT-OFF	1048.0	1156.	DISTANCE CUT-OFF
1008.0	362.	DISTANCE CUT-OFF	1049.0	685.	DISTANCE CUT-OFF
1009.0	0.0	ANGLE CUT-OFF	1050.0	1428.	DISTANCE CUT-OFF
1010.0	873.	DISTANCE CUT-OFF	1051.0	1380.	DISTANCE CUT-OFF

1052.0	1393.	DISTANCE CUT-OFF	1094.0	514.	DISTANCE CUT-OFF
1053.0	1405.	DISTANCE CUT-OFF	1095.0	497.	DISTANCE CUT-OFF
1054.0	1382.	DISTANCE CUT-OFF	1096.0	717.	DISTANCE CUT-OFF
1055.0	1254.	DISTANCE CUT-OFF	1097.0	645.	DISTANCE CUT-OFF
1056.0	1332.	DISTANCE CUT-OFF	1098.0	523.	DISTANCE CUT-OFF
1057.0	1631.	DISTANCE CUT-OFF	1099.0	544.	DISTANCE CUT-OFF
1058.0	1718.	DISTANCE CUT-OFF	1100.0		0.0 ANGLE CUT-OFF
1059.0	1772.	DISTANCE CUT-OFF	1101.0		0.1 ANGLE CUT-OFF
1060.0	1759.	DISTANCE CUT-OFF	1102.0		0.1 ANGLE CUT-OFF
1061.0	1717.	DISTANCE CUT-OFF	1103.0		0.0 ANGLE CUT-OFF
1062.0	1774.	DISTANCE CUT-OFF	1104.0		0.0 ANGLE CUT-OFF
1063.0	1854.	DISTANCE CUT-OFF	1105.0	601.	DISTANCE CUT-OFF
1064.0	2109.	DISTANCE CUT-OFF	1106.0	916.	DISTANCE CUT-OFF
1065.0	2172.	DISTANCE CUT-OFF	1107.0	2041.	DISTANCE CUT-OFF
1066.0	2165.	DISTANCE CUT-OFF	1108.0	2511.	DISTANCE CUT-OFF
1067.0	2456.	DISTANCE CUT-OFF	1109.0	2419.	DISTANCE CUT-OFF
1068.0	2087.	DISTANCE CUT-OFF	1110.0	1861.	DISTANCE CUT-OFF
1069.0	2107.	DISTANCE CUT-OFF	1111.0	1085.	DISTANCE CUT-OFF
1070.0	1917.	DISTANCE CUT-OFF	1112.0	543.	DISTANCE CUT-OFF
1071.0	1244.	DISTANCE CUT-OFF	1113.0		0.1 ANGLE CUT-OFF
1072.0		0.1 ANGLE CUT-OFF	1114.0	705.	DISTANCE CUT-OFF
1073.0	546.	DISTANCE CUT-OFF	1115.0	941.	DISTANCE CUT-OFF
1074.0	791.	DISTANCE CUT-OFF	1116.0	1049.	DISTANCE CUT-OFF
1075.0	859.	DISTANCE CUT-OFF	1117.0	423.	DISTANCE CUT-OFF
1076.0	480.	DISTANCE CUT-OFF	1118.0	955.	DISTANCE CUT-OFF
1077.0	528.	DISTANCE CUT-OFF	1119.0	1147.	DISTANCE CUT-OFF
1078.0	400.	DISTANCE CUT-OFF	1120.0	1425.	DISTANCE CUT-OFF
1079.0	408.	DISTANCE CUT-OFF	1121.0	1428.	DISTANCE CUT-OFF
1080.0	648.	DISTANCE CUT-OFF	1122.0	1424.	DISTANCE CUT-OFF
1081.0	1380.	DISTANCE CUT-OFF	1123.0	1417.	DISTANCE CUT-OFF
1082.0	1663.	DISTANCE CUT-OFF	1124.0	1401.	DISTANCE CUT-OFF
1083.0	2028.	DISTANCE CUT-OFF	1125.0	1401.	DISTANCE CUT-OFF
1084.0	1954.	DISTANCE CUT-OFF	1126.0	1408.	DISTANCE CUT-OFF
1085.0	1530.	DISTANCE CUT-OFF	1127.0	1252.	DISTANCE CUT-OFF
1086.0		0.0 ANGLE CUT-OFF	1128.0	802.	DISTANCE CUT-OFF
1087.0	1188.	DISTANCE CUT-OFF	1129.0	369.	DISTANCE CUT-OFF
1088.0	2174.	DISTANCE CUT-OFF	1130.0	1261.	DISTANCE CUT-OFF
1089.0	2541.	DISTANCE CUT-OFF	1131.0	1425.	DISTANCE CUT-OFF
1090.0	2232.	DISTANCE CUT-OFF	1132.0	1065.	DISTANCE CUT-OFF
1091.0	1240.	DISTANCE CUT-OFF	1133.0	1149.	DISTANCE CUT-OFF
1092.0	740.	DISTANCE CUT-OFF	1134.0	1471.	DISTANCE CUT-OFF
1093.0	520.	DISTANCE CUT-OFF	1135.0	1473.	DISTANCE CUT-OFF

1147.0	1942.	DISTANCE CUT-OFF	1169.0	731.	DISTANCE CUT-OFF
1148.0	547.	DISTANCE CUT-OFF	1170.0	790.	DISTANCE CUT-OFF
1148.0	848.	DISTANCE CUT-OFF	1171.0	822.	DISTANCE CUT-OFF
1149.0	2377.	DISTANCE CUT-OFF	1172.0	832.	DISTANCE CUT-OFF
1150.0	2593.	DISTANCE CUT-OFF	1173.0	834.	DISTANCE CUT-OFF
1151.0	1414.	DISTANCE CUT-OFF	1174.0	833.	DISTANCE CUT-OFF
1152.0	674.	DISTANCE CUT-OFF	1175.0	839.	DISTANCE CUT-OFF
1153.0	2404.	DISTANCE CUT-OFF	1176.0	778.	DISTANCE CUT-OFF
640.0	1488.	DISTANCE CUT-OFF	1177.0	913.	DISTANCE CUT-OFF
641.0	1503.	DISTANCE CUT-OFF	1178.0	826.	DISTANCE CUT-OFF
642.0	1522.	DISTANCE CUT-OFF	1179.0	825.	DISTANCE CUT-OFF
643.0	1600.	DISTANCE CUT-OFF	1180.0	825.	DISTANCE CUT-OFF
644.0	1710.	DISTANCE CUT-OFF	1181.0	824.	DISTANCE CUT-OFF
645.0	1719.	DISTANCE CUT-OFF	1182.0	811.	DISTANCE CUT-OFF
646.0	1674.	DISTANCE CUT-OFF	1183.0	777.	DISTANCE CUT-OFF
1136.0	1513.	DISTANCE CUT-OFF	1184.0	720.	DISTANCE CUT-OFF
1137.0	1506.	DISTANCE CUT-OFF	1185.0	642.	DISTANCE CUT-OFF
1138.0	1599.	DISTANCE CUT-OFF	1186.0	523.	DISTANCE CUT-OFF
1139.0	1702.	DISTANCE CUT-OFF	1187.0	354.	DISTANCE CUT-OFF
1140.0	1723.	DISTANCE CUT-OFF	1188.0		0.4 ANGLE CUT-OFF
1141.0	1725.	DISTANCE CUT-OFF	1189.0		0.2 ANGLE CUT-OFF
1142.0	1697.	DISTANCE CUT-OFF	1190.0		0.0 ANGLE CUT-OFF
1143.0	1385.	DISTANCE CUT-OFF	1191.0	749.	DISTANCE CUT-OFF
1144.0	1383.	DISTANCE CUT-OFF	1192.0	754.	DISTANCE CUT-OFF
1145.0	1384.	DISTANCE CUT-OFF	1193.0	800.	DISTANCE CUT-OFF
1146.0	1430.	DISTANCE CUT-OFF	1194.0	912.	DISTANCE CUT-OFF
1147.0	1321.	DISTANCE CUT-OFF	1195.0	954.	DISTANCE CUT-OFF
1154.0	2288.	DISTANCE CUT-OFF	1196.0	966.	DISTANCE CUT-OFF
1155.0	2534.	DISTANCE CUT-OFF	1197.0	979.	DISTANCE CUT-OFF
1156.0	2435.	DISTANCE CUT-OFF	1198.0	978.	DISTANCE CUT-OFF
1157.0	1969.	DISTANCE CUT-OFF	1199.0	957.	DISTANCE CUT-OFF
1158.0	1113.	DISTANCE CUT-OFF	1200.0	833.	DISTANCE CUT-OFF
1159.0	628.	DISTANCE CUT-OFF	1201.0	646.	DISTANCE CUT-OFF
1160.0		0.1 ANGLE CUT-OFF	1202.0	572.	DISTANCE CUT-OFF
1161.0	849.	DISTANCE CUT-OFF	1203.0	475.	DISTANCE CUT-OFF
1162.0	857.	DISTANCE CUT-OFF	1204.0	449.	DISTANCE CUT-OFF
1163.0		0.2 ANGLE CUT-OFF	1205.0	617.	DISTANCE CUT-OFF
1164.0		0.3 ANGLE CUT-OFF	1206.0	418.	DISTANCE CUT-OFF
1165.0		0.5 ANGLE CUT-OFF	1207.0	433.	DISTANCE CUT-OFF
1166.0	410.	DISTANCE CUT-OFF	1208.0	479.	DISTANCE CUT-OFF
1167.0	532.	DISTANCE CUT-OFF	1209.0	563.	DISTANCE CUT-OFF
1168.0	653.	DISTANCE CUT-OFF	1210.0	651.	DISTANCE CUT-OFF

1211.0	833.	DISTANCE CUT-OFF	1248.0	890.	DISTANCE CUT-OFF
1212.0	953.	DISTANCE CUT-OFF	1249.0	891.	DISTANCE CUT-OFF
1213.0	974.	DISTANCE CUT-OFF	1250.0	782.	DISTANCE CUT-OFF
1214.0	975.	DISTANCE CUT-OFF	1251.0	308.	DISTANCE CUT-OFF
1215.0	958.	DISTANCE CUT-OFF	1252.0	330.	DISTANCE CUT-OFF
1216.0	949.	DISTANCE CUT-OFF	1253.0	340.	DISTANCE CUT-OFF
1217.0	914.	DISTANCE CUT-OFF	1254.0	392.	DISTANCE CUT-OFF
1218.0	797.	DISTANCE CUT-OFF	1255.0		0.4 ANGLE CUT-OFF
1219.0	749.	DISTANCE CUT-OFF	1256.0	306.	DISTANCE CUT-OFF
1220.0	735.	DISTANCE CUT-OFF	1257.0		0.6 ANGLE CUT-OFF
336.0	525.	DISTANCE CUT-OFF	1258.0		0.1 ANGLE CUT-OFF
337.0	492.	DISTANCE CUT-OFF	1259.0		0.2 ANGLE CUT-OFF
338.0	490.	DISTANCE CUT-OFF	1260.0	666.	DISTANCE CUT-OFF
339.0	488.	DISTANCE CUT-OFF	1261.0	933.	DISTANCE CUT-OFF
340.0	468.	DISTANCE CUT-OFF	1223.0	397.	DISTANCE CUT-OFF
350.0	457.	DISTANCE CUT-OFF	1224.0	460.	DISTANCE CUT-OFF
351.0	483.	DISTANCE CUT-OFF	1225.0	529.	DISTANCE CUT-OFF
352.0	481.	DISTANCE CUT-OFF	1226.0	1419.	DISTANCE CUT-OFF
353.0	489.	DISTANCE CUT-OFF	1227.0	1897.	DISTANCE CUT-OFF
354.0	482.	DISTANCE CUT-OFF	1228.0	1977.	DISTANCE CUT-OFF
355.0	485.	DISTANCE CUT-OFF	1262.0	971.	DISTANCE CUT-OFF
1221.0	349.	DISTANCE CUT-OFF	1263.0	1262.	DISTANCE CUT-OFF
1222.0	905.	DISTANCE CUT-OFF	1264.0	1648.	DISTANCE CUT-OFF
1229.0	936.	DISTANCE CUT-OFF	1265.0	1763.	DISTANCE CUT-OFF
1230.0	687.	DISTANCE CUT-OFF	1266.0	1855.	DISTANCE CUT-OFF
1231.0		0.5 ANGLE CUT-OFF	1267.0	1802.	DISTANCE CUT-OFF
1232.0	870.	DISTANCE CUT-OFF	1268.0	1748.	DISTANCE CUT-OFF
1233.0	981.	DISTANCE CUT-OFF	1269.0	1735.	DISTANCE CUT-OFF
1234.0	394.	DISTANCE CUT-OFF	1270.0	1759.	DISTANCE CUT-OFF
1235.0	955.	DISTANCE CUT-OFF	1271.0	1829.	DISTANCE CUT-OFF
1236.0	902.	DISTANCE CUT-OFF	1272.0	1834.	DISTANCE CUT-OFF
1237.0	902.	DISTANCE CUT-OFF	1273.0	1741.	DISTANCE CUT-OFF
1238.0	897.	DISTANCE CUT-OFF	1274.0	1662.	DISTANCE CUT-OFF
1239.0	892.	DISTANCE CUT-OFF	1275.0	1594.	DISTANCE CUT-OFF
1240.0	909.	DISTANCE CUT-OFF	1276.0	802.	DISTANCE CUT-OFF
1241.0	904.	DISTANCE CUT-OFF	1277.0	792.	DISTANCE CUT-OFF
1242.0	903.	DISTANCE CUT-OFF	1278.0	685.	DISTANCE CUT-OFF
1243.0	892.	DISTANCE CUT-OFF	1279.0	673.	DISTANCE CUT-OFF
1244.0	884.	DISTANCE CUT-OFF	1280.0		0.0 ANGLE CUT-OFF
1245.0	900.	DISTANCE CUT-OFF	1281.0	471.	DISTANCE CUT-OFF
1246.0	891.	DISTANCE CUT-OFF	1282.0	2635.	DISTANCE CUT-OFF
1247.0	889.	DISTANCE CUT-OFF	1283.0	2636.	DISTANCE CUT-OFF

1284.0 2433. DISTANCE CUT-OFF
 1285.0 1861. DISTANCE CUT-OFF
 1286.0 1661. DISTANCE CUT-OFF
 1287.0 1649. DISTANCE CUT-OFF
 1288.0 1730. DISTANCE CUT-OFF
 1289.0 2594. DISTANCE CUT-OFF
 1290.0 2669. DISTANCE CUT-OFF
 1291.0 2059. DISTANCE CUT-OFF
 1292.0 1713. DISTANCE CUT-OFF
 1293.0 547. DISTANCE CUT-OFF
 1294.0 1180. DISTANCE CUT-OFF
 1295.0 1951. DISTANCE CUT-OFF
 1296.0 2478. DISTANCE CUT-OFF
 1297.0 2374. DISTANCE CUT-OFF
 1298.0 2324. DISTANCE CUT-OFF
 1299.0 2217. DISTANCE CUT-OFF
 1300.0 1205. DISTANCE CUT-OFF
 1301.0 0.0 ANGLE CUT-OFF
 1302.0 1274. DISTANCE CUT-OFF
 1303.0 2092. DISTANCE CUT-OFF
 1304.0 2571. DISTANCE CUT-OFF
 1305.0 2449. DISTANCE CUT-OFF
 1306.0 2382. DISTANCE CUT-OFF
 1307.0 2079. DISTANCE CUT-OFF
 1308.0 1630. DISTANCE CUT-OFF
 1309.0 1371. DISTANCE CUT-OFF
 1310.0 1124. DISTANCE CUT-OFF
 1311.0 0.0 ANGLE CUT-OFF
 1312.0 733. DISTANCE CUT-OFF
 1313.0 1315. DISTANCE CUT-OFF
 1314.0 1656. DISTANCE CUT-OFF
 1315.0 1923. DISTANCE CUT-OFF
 1316.0 2432. DISTANCE CUT-OFF
 1317.0 2727. DISTANCE CUT-OFF
 1318.0 2359. DISTANCE CUT-OFF
 1319.0 2159. DISTANCE CUT-OFF
 1320.0 2151. DISTANCE CUT-OFF
 1321.0 2365. DISTANCE CUT-OFF
 1322.0 2724. DISTANCE CUT-OFF
 1323.0 2425. DISTANCE CUT-OFF
 1324.0 1944. DISTANCE CUT-OFF
 1325.0 1633. DISTANCE CUT-OFF

1326.0 1260. DISTANCE CUT-OFF
 1327.0 767. DISTANCE CUT-OFF
 1328.0 0.0 ANGLE CUT-OFF
 1329.0 1120. DISTANCE CUT-OFF
 1330.0 1382. DISTANCE CUT-OFF
 1331.0 1624. DISTANCE CUT-OFF
 1332.0 2083. DISTANCE CUT-OFF
 1333.0 2377. DISTANCE CUT-OFF
 1334.0 2455. DISTANCE CUT-OFF
 1335.0 2574. DISTANCE CUT-OFF
 1336.0 2134. DISTANCE CUT-OFF
 1337.0 1258. DISTANCE CUT-OFF
 1338.0 0.0 ANGLE CUT-OFF
 1339.0 1136. DISTANCE CUT-OFF
 1340.0 2244. DISTANCE CUT-OFF
 1341.0 2316. DISTANCE CUT-OFF
 1342.0 2384. DISTANCE CUT-OFF
 1343.0 2483. DISTANCE CUT-OFF
 1344.0 1963. DISTANCE CUT-OFF
 1345.0 1216. DISTANCE CUT-OFF
 1346.0 559. DISTANCE CUT-OFF
 1347.0 1717. DISTANCE CUT-OFF
 1348.0 2008. DISTANCE CUT-OFF
 1349.0 2679. DISTANCE CUT-OFF
 1350.0 2649. DISTANCE CUT-OFF
 1351.0 1761. DISTANCE CUT-OFF
 1352.0 1664. DISTANCE CUT-OFF
 1353.0 1675. DISTANCE CUT-OFF
 1354.0 1844. DISTANCE CUT-OFF
 1355.0 2409. DISTANCE CUT-OFF
 1356.0 2638. DISTANCE CUT-OFF
 1357.0 2481. DISTANCE CUT-OFF

N5012

REPEAT NO. 0

CATEGORY LEVEL CATEGORY LEVEL CATEGORY LEVEL CATEGORY LEVEL
 CATEGORY LEVEL
 2.0 47.0 1.0 65.3 3.0 68.5 4.0 0.0

*** CONTRIBUTION FROM New Road (Mitigated) IS 65.3 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Existing Road IS 47.0 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Overall (Mitigated) IS 65.4 DBA L10 (1-HOUR)

N6101
HEIGHT OF RECEIVER ABOVE DATUM= 37.7 HEIGHT ABOVE LOCAL GROUND
LEVEL= 37.7

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
----- CORRECTIONS -----> SEG-
NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
GRAD ANGLE HARD SOFT BAR- RET REFL MENT
VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
VIEW GRND EXCE RIER CUT TION TOTAL

27.0 122.9 1.1 5.0 19.1 0.0 0.0 1.125817 36.5 -0.2 59.1 0.0 -1.0 0.5 -
22.2 -9.8 0.0 -0.2 0.0 2.5 28.9
28.0 0.9 ANGLE CUT-OFF
29.0 371. DISTANCE CUT-OFF
30.0 329. DISTANCE CUT-OFF
31.0 375. DISTANCE CUT-OFF
32.0 393. DISTANCE CUT-OFF
33.0 394. DISTANCE CUT-OFF
34.0 366. DISTANCE CUT-OFF
35.0 376. DISTANCE CUT-OFF
36.0 380. DISTANCE CUT-OFF
37.0 412. DISTANCE CUT-OFF

38.0 423. DISTANCE CUT-OFF
39.0 374. DISTANCE CUT-OFF
40.0 288.0 1.7 7.8 19.1 0.0 0.0 1.712752 8.2 -0.3 62.6 0.0 -1.0 0.5 -
20.2 -13.4 0.0 -0.4 0.0 2.5 30.6
41.0 163.6 1.1 8.1 19.1 0.0 0.0 1.112751 8.4 -0.4 62.6 0.0 -1.0 0.2 -
22.0 -11.0 0.0 -0.4 0.0 2.5 30.9
42.0 0.4 ANGLE CUT-OFF
43.0 0.1 ANGLE CUT-OFF
44.0 0.3 ANGLE CUT-OFF
45.0 0.3 ANGLE CUT-OFF
46.0 77.8 2.1 7.7 19.1 0.0 0.0 2.125817 36.5 -0.2 62.6 0.0 -1.0 0.0 -
19.4 -8.2 0.0 -0.2 0.0 2.5 36.3
47.0 55.2 1.4 6.9 19.1 0.0 0.0 1.425817 36.5 -0.3 62.6 0.0 -1.0 0.0 -
21.0 -7.1 0.0 -0.3 0.0 2.5 35.7
48.0 1.0 ANGLE CUT-OFF
49.0 0.1 ANGLE CUT-OFF
50.0 0.2 ANGLE CUT-OFF
51.0 0.5 ANGLE CUT-OFF
52.0 5.0 5.1 6.5 19.1 0.0 0.0 5.125817 36.5 -4.6 70.5 0.0 -1.0 0.5 -
15.5 -3.5 0.0 -4.6 0.0 2.5 48.9
53.0 52.0 52.6 7.9 19.1 0.0 0.0 52.625065 23.0 -10.8 72.0 0.0 -1.0 0.5 -
5.3 -6.7 0.0 -6.0 0.0 2.5 56.0
54.0 52.9 17.0 8.6 19.1 0.0 0.0 17.025065 23.0 -11.3 72.0 0.0 -1.0 0.5 -
10.2 -6.7 0.0 -11.8 0.0 3.6 46.4
55.0 51.2 12.7 10.3 19.1 0.0 0.0 12.725065 23.0 -10.6 72.0 0.0 -1.0 2.0 -
11.5 -6.7 0.0 -11.1 0.0 4.0 47.7
56.0 48.1 6.4 13.0 19.1 0.0 0.0 6.412229 201.5 -30.0 72.0 0.0 -1.0 2.1 -
14.5 -6.6 0.0 -25.9 0.0 4.0 30.1
57.0 50.3 4.0 15.9 19.1 0.0 0.0 4.012229 201.5 -30.0 72.0 0.0 -1.0 2.0 -
16.5 -6.7 0.0 -30.0 0.0 3.6 23.4
58.0 0.0 ANGLE CUT-OFF
59.0 0.0 ANGLE CUT-OFF
60.0 0.0 ANGLE CUT-OFF
61.0 0.0 ANGLE CUT-OFF
62.0 0.0 ANGLE CUT-OFF
63.0 0.0 ANGLE CUT-OFF
64.0 0.0 ANGLE CUT-OFF
65.0 328. DISTANCE CUT-OFF
66.0 363. DISTANCE CUT-OFF
67.0 380. DISTANCE CUT-OFF
68.0 382. DISTANCE CUT-OFF
69.0 384. DISTANCE CUT-OFF

70.0	426.	DISTANCE	CUT-OFF	134.0	0.0	ANGLE	CUT-OFF						
71.0	471.	DISTANCE	CUT-OFF	135.0	0.0	ANGLE	CUT-OFF						
72.0	473.	DISTANCE	CUT-OFF	136.0	0.0	ANGLE	CUT-OFF						
73.0	466.	DISTANCE	CUT-OFF	137.0	0.0	ANGLE	CUT-OFF						
74.0	450.	DISTANCE	CUT-OFF	138.0	0.3	ANGLE	CUT-OFF						
75.0	426.	DISTANCE	CUT-OFF	139.0	0.3	ANGLE	CUT-OFF						
76.0	426.	DISTANCE	CUT-OFF	140.0	0.2	ANGLE	CUT-OFF						
77.0	427.	DISTANCE	CUT-OFF	141.0	0.3	ANGLE	CUT-OFF						
78.0	433.	DISTANCE	CUT-OFF	142.0	0.2	ANGLE	CUT-OFF						
79.0	434.	DISTANCE	CUT-OFF	143.0	0.0	ANGLE	CUT-OFF						
80.0	430.	DISTANCE	CUT-OFF	144.0	0.0	ANGLE	CUT-OFF						
100.0		0.0	ANGLE	145.0	0.0	ANGLE	CUT-OFF						
101.0		0.5	ANGLE	146.0	0.1	ANGLE	CUT-OFF						
102.0	32.4	29.7	7.8	19.1	0.0	0.0	29.712230	201.5-30.0	67.2	0.0	-1.0	0.3	
-7.8	-5.4	0.0	-15.5	0.0	2.5	40.3							
103.0	31.8	74.0	7.7	19.1	0.0	0.0	74.025818	36.5-9.3	67.2	0.0	-1.0	0.0	-
3.9	-5.3	0.0	-9.3	0.0	2.5	50.2							
104.0		0.1	ANGLE	CUT-OFF	150.0	0.0	ANGLE	CUT-OFF					
105.0		0.6	ANGLE	CUT-OFF	151.0	0.0	ANGLE	CUT-OFF					
106.0		0.0	ANGLE	CUT-OFF	152.0	0.2	ANGLE	CUT-OFF					
107.0		0.0	ANGLE	CUT-OFF	153.0	321.	DISTANCE	CUT-OFF					
108.0		0.0	ANGLE	CUT-OFF	154.0	0.2	ANGLE	CUT-OFF					
109.0		0.0	ANGLE	CUT-OFF	155.0	613.	DISTANCE	CUT-OFF					
110.0		0.0	ANGLE	CUT-OFF	156.0	770.	DISTANCE	CUT-OFF					
111.0		0.0	ANGLE	CUT-OFF	157.0	885.	DISTANCE	CUT-OFF					
112.0		0.0	ANGLE	CUT-OFF	158.0	882.	DISTANCE	CUT-OFF					
113.0		0.0	ANGLE	CUT-OFF	159.0	1035.	DISTANCE	CUT-OFF					
114.0		0.0	ANGLE	CUT-OFF	160.0	1140.	DISTANCE	CUT-OFF					
115.0		0.0	ANGLE	CUT-OFF	161.0	1212.	DISTANCE	CUT-OFF					
116.0	150.4	4.6	7.3	19.1	0.0	0.0	4.612230	201.5-30.0	72.3	0.0	-1.0	0.1	-
15.9	-10.7	0.0	-11.7	0.0	2.5	35.6							
117.0	161.0	14.8	7.4	19.1	0.0	0.0	14.825820	36.5-10.0	72.3	0.0	-1.0	0.1	-
10.9	-10.9	0.0	-6.7	0.0	2.6	45.5							
126.0	177.5	4.8	5.7	19.1	0.0	0.0	4.812107	171.0-30.0	63.2	0.0	-1.0	0.0	-
15.8	-11.3	0.0	-28.7	0.0	2.5	8.9							
127.0	176.6	3.9	5.3	19.1	0.0	0.0	3.912111	171.0-30.0	68.8	0.0	-1.0	0.1	-
16.7	-11.3	0.0	-29.4	0.0	2.5	13.0							
129.0	934.	DISTANCE	CUT-OFF	170.0	1202.	DISTANCE	CUT-OFF						
130.0	937.	DISTANCE	CUT-OFF	171.0	1197.	DISTANCE	CUT-OFF						
131.0	935.	DISTANCE	CUT-OFF	172.0	1188.	DISTANCE	CUT-OFF						
132.0		0.0	ANGLE	CUT-OFF	173.0	1192.	DISTANCE	CUT-OFF					
133.0		0.0	ANGLE	CUT-OFF	174.0	1201.	DISTANCE	CUT-OFF					
					175.0	1200.	DISTANCE	CUT-OFF					

176.0 1208. DISTANCE CUT-OFF
177.0 820. DISTANCE CUT-OFF
178.0 1162. DISTANCE CUT-OFF
179.0 877. DISTANCE CUT-OFF
180.0 0.1 ANGLE CUT-OFF
181.0 768. DISTANCE CUT-OFF
182.0 1177. DISTANCE CUT-OFF
183.0 1152. DISTANCE CUT-OFF
184.0 758. DISTANCE CUT-OFF
185.0 0.3 ANGLE CUT-OFF
188.0 367. DISTANCE CUT-OFF
189.0 126.8 2.0 4.7 19.1 0.0 0.0 2.025818 36.5 -0.2 66.8 0.0 -1.0 0.5 -
19.5 -10.0 0.0 -0.2 0.0 2.5 39.1
190.0 135.7 1.8 5.0 19.1 0.0 0.0 1.825818 36.5 -0.2 66.8 0.0 -1.0 0.0 -
20.1 -10.2 0.0 -0.2 0.0 2.5 37.8
191.0 0.8 ANGLE CUT-OFF
192.0 362. DISTANCE CUT-OFF
193.0 519. DISTANCE CUT-OFF
194.0 607. DISTANCE CUT-OFF
195.0 602. DISTANCE CUT-OFF
196.0 602. DISTANCE CUT-OFF
197.0 602. DISTANCE CUT-OFF
198.0 599. DISTANCE CUT-OFF
199.0 613. DISTANCE CUT-OFF
200.0 627. DISTANCE CUT-OFF
201.0 607. DISTANCE CUT-OFF
202.0 614. DISTANCE CUT-OFF
203.0 613. DISTANCE CUT-OFF
209.0 0.6 ANGLE CUT-OFF
210.0 917. DISTANCE CUT-OFF
211.0 915. DISTANCE CUT-OFF
212.0 902. DISTANCE CUT-OFF
213.0 891. DISTANCE CUT-OFF
214.0 891. DISTANCE CUT-OFF
215.0 892. DISTANCE CUT-OFF
216.0 882. DISTANCE CUT-OFF
217.0 882. DISTANCE CUT-OFF
218.0 887. DISTANCE CUT-OFF
219.0 885. DISTANCE CUT-OFF
220.0 886. DISTANCE CUT-OFF
221.0 907. DISTANCE CUT-OFF
222.0 910. DISTANCE CUT-OFF

223.0 887. DISTANCE CUT-OFF
306.0 0.1 ANGLE CUT-OFF
307.0 0.1 ANGLE CUT-OFF
308.0 0.1 ANGLE CUT-OFF
309.0 0.1 ANGLE CUT-OFF
310.0 0.1 ANGLE CUT-OFF
311.0 0.1 ANGLE CUT-OFF
312.0 0.1 ANGLE CUT-OFF
313.0 0.2 ANGLE CUT-OFF
314.0 0.1 ANGLE CUT-OFF
315.0 0.0 ANGLE CUT-OFF
316.0 0.1 ANGLE CUT-OFF
317.0 38.1 22.8 6.9 19.1 0.0 0.0 22.825817 36.5 -7.3 71.2 0.0 -1.0 0.0 -
9.0 -5.8 0.0 -5.8 0.0 2.5 52.1
318.0 37.3 11.9 6.4 19.1 0.0 0.0 11.925818 36.5 -3.6 71.2 0.0 -1.0 0.0 -
11.8 -5.8 0.0 -3.6 0.0 2.5 51.5
319.0 29.7 4.8 6.3 19.1 0.0 0.0 4.825818 36.5 -2.0 71.2 0.0 -1.0 0.0 -
15.8 -5.3 0.0 -2.0 0.0 2.5 49.6
320.0 15.3 1.8 6.3 19.1 0.0 0.0 1.825818 36.5 -2.0 71.2 0.0 -1.0 0.0 -
20.0 -4.3 0.0 -2.0 0.0 2.5 46.4
321.0 15.3 1.1 6.3 19.1 0.0 0.0 1.125818 36.5 -1.7 71.2 0.0 -1.0 0.0 -
22.3 -4.3 0.0 -1.7 0.0 2.5 44.4
322.0 0.0 ANGLE CUT-OFF
323.0 0.3 ANGLE CUT-OFF
341.0 39.6 3.8 6.2 19.1 0.0 0.0 3.825818 36.5 -1.2 71.5 0.0 -1.0 0.0 -
16.7 -5.9 0.0 -1.2 0.0 2.5 49.2
342.0 38.7 4.9 6.2 19.1 0.0 0.0 4.925818 36.5 -1.7 71.5 0.0 -1.0 0.0 -
15.6 -5.9 0.0 -1.7 0.0 2.5 49.8
343.0 46.9 11.3 6.2 19.1 0.0 0.0 11.325818 36.5 -2.8 71.5 0.0 -1.0 0.0 -
12.0 -6.4 0.0 -2.8 0.0 2.5 51.8
344.0 52.3 22.2 6.8 19.1 0.0 0.0 22.225817 36.5 -5.0 71.5 0.0 -1.0 1.2 -
9.1 -6.7 0.0 -4.8 0.0 2.5 53.6
345.0 0.0 ANGLE CUT-OFF
346.0 0.0 ANGLE CUT-OFF
347.0 0.0 ANGLE CUT-OFF
348.0 0.0 ANGLE CUT-OFF
349.0 0.2 ANGLE CUT-OFF
432.0 345. DISTANCE CUT-OFF
433.0 337. DISTANCE CUT-OFF
434.0 223.8 3.2 5.6 19.1 0.0 0.0 3.225818 36.5 -0.4 69.2 0.0 -1.0 0.2 -
17.5 -12.3 0.0 -0.4 0.0 2.5 40.7
445.0 633. DISTANCE CUT-OFF

446.0 633. DISTANCE CUT-OFF
 447.0 635. DISTANCE CUT-OFF
 448.0 631. DISTANCE CUT-OFF
 449.0 639. DISTANCE CUT-OFF
 450.0 691. DISTANCE CUT-OFF
 451.0 725. DISTANCE CUT-OFF
 452.0 0.3 ANGLE CUT-OFF
 453.0 566. DISTANCE CUT-OFF
 454.0 647. DISTANCE CUT-OFF
 455.0 647. DISTANCE CUT-OFF
 456.0 644. DISTANCE CUT-OFF
 457.0 645. DISTANCE CUT-OFF
 458.0 285.7 5.2 5.7 19.1 0.0 0.0 5.225818 36.5 -0.7 71.0 0.0 -1.0 0.6 -
 15.4 -13.3 0.0 -0.7 0.0 2.5 43.7
 459.0 267.1 2.8 6.2 19.1 0.0 0.0 2.825818 36.5 -0.7 71.0 0.0 -1.0 0.5 -
 18.1 -13.1 0.0 -0.7 0.0 2.5 41.1
 460.0 267.7 4.8 6.8 19.1 0.0 0.0 4.825818 36.5 -0.6 71.0 0.0 -3.5 0.8 -
 15.7 -13.1 0.0 -0.6 0.0 2.5 41.4
 461.0 281.2 20.4 8.9 19.1 0.0 0.0 20.425818 36.5 -0.6 71.0 0.0 -3.5 0.5 -
 9.5 -13.3 0.0 -0.6 0.0 2.5 47.1
 462.0 276.3 6.9 10.1 19.1 0.0 0.0 6.912006 118.3-30.0 71.0 0.0 -3.5 0.0 -
 14.2 -13.2 0.0 -8.1 0.0 2.5 34.5
 463.0 359. DISTANCE CUT-OFF
 464.0 0.7 ANGLE CUT-OFF
 465.0 184.2 1.6 9.9 19.1 0.0 0.0 1.612006 118.3-30.0 74.2 0.0 -3.5 0.4 -
 20.6 -11.5 0.0 -30.1 0.0 2.5 11.4
 466.0 293.8 4.7 10.6 19.1 0.0 0.0 4.712006 118.3-30.0 74.2 0.0 -3.5 0.4 -
 15.8 -13.4 0.0 -2.3 0.0 2.5 42.1
 467.0 293.4 4.3 10.9 19.1 0.0 0.0 4.325818 36.5 -0.5 74.2 0.0 -3.5 0.0 -
 16.2 -13.4 0.0 -0.5 0.0 2.5 43.1
 468.0 295.1 14.5 8.9 19.1 0.0 0.0 14.525818 36.5 -0.6 74.2 0.0 -3.5 0.0 -
 10.9 -13.5 0.0 -0.6 0.0 2.5 48.2
 469.0 303. DISTANCE CUT-OFF
 470.0 296.0 2.9 6.2 19.1 0.0 0.0 2.925818 36.5 -0.6 72.6 0.0 -1.0 0.0 -
 18.0 -13.5 0.0 -0.6 0.0 2.5 42.0
 471.0 295.5 4.7 5.8 19.1 0.0 0.0 4.725818 36.5 -0.7 72.6 0.0 -1.0 0.0 -
 15.8 -13.5 0.0 -0.7 0.0 2.5 44.1
 472.0 0.4 ANGLE CUT-OFF
 473.0 0.1 ANGLE CUT-OFF
 474.0 1509. DISTANCE CUT-OFF
 475.0 1498. DISTANCE CUT-OFF
 476.0 1451. DISTANCE CUT-OFF

477.0 541. DISTANCE CUT-OFF
 478.0 1443. DISTANCE CUT-OFF
 479.0 1488. DISTANCE CUT-OFF
 480.0 1503. DISTANCE CUT-OFF
 481.0 1417. DISTANCE CUT-OFF
 482.0 1688. DISTANCE CUT-OFF
 483.0 1718. DISTANCE CUT-OFF
 484.0 1586. DISTANCE CUT-OFF
 485.0 1265. DISTANCE CUT-OFF
 486.0 711. DISTANCE CUT-OFF
 487.0 1253. DISTANCE CUT-OFF
 488.0 1629. DISTANCE CUT-OFF
 489.0 1710. DISTANCE CUT-OFF
 490.0 1659. DISTANCE CUT-OFF
 491.0 1543. DISTANCE CUT-OFF
 492.0 1681. DISTANCE CUT-OFF
 493.0 1039. DISTANCE CUT-OFF
 494.0 0.0 ANGLE CUT-OFF
 495.0 1088. DISTANCE CUT-OFF
 496.0 1473. DISTANCE CUT-OFF
 497.0 1836. DISTANCE CUT-OFF
 498.0 1811. DISTANCE CUT-OFF
 499.0 1077. DISTANCE CUT-OFF
 500.0 378. DISTANCE CUT-OFF
 501.0 1072. DISTANCE CUT-OFF
 502.0 1703. DISTANCE CUT-OFF
 503.0 1158. DISTANCE CUT-OFF
 504.0 1289. DISTANCE CUT-OFF
 505.0 1459. DISTANCE CUT-OFF
 506.0 1629. DISTANCE CUT-OFF
 507.0 1763. DISTANCE CUT-OFF
 508.0 1817. DISTANCE CUT-OFF
 509.0 1822. DISTANCE CUT-OFF
 510.0 1771. DISTANCE CUT-OFF
 511.0 1052. DISTANCE CUT-OFF
 512.0 1262. DISTANCE CUT-OFF
 513.0 1339. DISTANCE CUT-OFF
 514.0 1600. DISTANCE CUT-OFF
 515.0 1714. DISTANCE CUT-OFF
 516.0 1787. DISTANCE CUT-OFF
 517.0 1802. DISTANCE CUT-OFF
 518.0 1757. DISTANCE CUT-OFF

519.0	1626.	DISTANCE CUT-OFF	561.0	1995.	DISTANCE CUT-OFF
520.0	1443.	DISTANCE CUT-OFF	562.0	1626.	DISTANCE CUT-OFF
521.0	1430.	DISTANCE CUT-OFF	563.0	1283.	DISTANCE CUT-OFF
522.0	1444.	DISTANCE CUT-OFF	564.0	696.	DISTANCE CUT-OFF
523.0	1616.	DISTANCE CUT-OFF	565.0	0.1	ANGLE CUT-OFF
524.0	1753.	DISTANCE CUT-OFF	566.0	0.1	ANGLE CUT-OFF
525.0	1795.	DISTANCE CUT-OFF	567.0	0.0	ANGLE CUT-OFF
526.0	1779.	DISTANCE CUT-OFF	568.0	0.1	ANGLE CUT-OFF
527.0	1721.	DISTANCE CUT-OFF	569.0	0.1	ANGLE CUT-OFF
528.0	1584.	DISTANCE CUT-OFF	570.0	885.	DISTANCE CUT-OFF
529.0	1370.	DISTANCE CUT-OFF	571.0	1113.	DISTANCE CUT-OFF
530.0	1211.	DISTANCE CUT-OFF	572.0	0.1	ANGLE CUT-OFF
531.0	1088.	DISTANCE CUT-OFF	573.0	0.0	ANGLE CUT-OFF
532.0	1755.	DISTANCE CUT-OFF	574.0	0.0	ANGLE CUT-OFF
533.0	1505.	DISTANCE CUT-OFF	575.0	343.	DISTANCE CUT-OFF
534.0	1436.	DISTANCE CUT-OFF	576.0	713.	DISTANCE CUT-OFF
535.0	1399.	DISTANCE CUT-OFF	577.0	1415.	DISTANCE CUT-OFF
536.0	723.	DISTANCE CUT-OFF	578.0	2054.	DISTANCE CUT-OFF
537.0	727.	DISTANCE CUT-OFF	579.0	1572.	DISTANCE CUT-OFF
538.0	1801.	DISTANCE CUT-OFF	580.0	1568.	DISTANCE CUT-OFF
539.0	1548.	DISTANCE CUT-OFF	581.0	1559.	DISTANCE CUT-OFF
540.0	971.	DISTANCE CUT-OFF	582.0	1534.	DISTANCE CUT-OFF
541.0	455.	DISTANCE CUT-OFF	583.0	1561.	DISTANCE CUT-OFF
542.0	350.	DISTANCE CUT-OFF	584.0	1561.	DISTANCE CUT-OFF
543.0	362.	DISTANCE CUT-OFF	585.0	2479.	DISTANCE CUT-OFF
544.0	346.	DISTANCE CUT-OFF	586.0	2375.	DISTANCE CUT-OFF
545.0	354.	DISTANCE CUT-OFF	587.0	2659.	DISTANCE CUT-OFF
546.0	357.	DISTANCE CUT-OFF	588.0	2658.	DISTANCE CUT-OFF
547.0	643.	DISTANCE CUT-OFF	589.0	2355.	DISTANCE CUT-OFF
548.0	1482.	DISTANCE CUT-OFF	590.0	2327.	DISTANCE CUT-OFF
549.0	547.	DISTANCE CUT-OFF	591.0	2143.	DISTANCE CUT-OFF
550.0	834.	DISTANCE CUT-OFF	592.0	2133.	DISTANCE CUT-OFF
551.0	1055.	DISTANCE CUT-OFF	593.0	2129.	DISTANCE CUT-OFF
552.0	1293.	DISTANCE CUT-OFF	594.0	2305.	DISTANCE CUT-OFF
553.0	1448.	DISTANCE CUT-OFF	595.0	2454.	DISTANCE CUT-OFF
554.0	1668.	DISTANCE CUT-OFF	596.0	2658.	DISTANCE CUT-OFF
555.0	1856.	DISTANCE CUT-OFF	597.0	2609.	DISTANCE CUT-OFF
556.0	2086.	DISTANCE CUT-OFF	598.0	2397.	DISTANCE CUT-OFF
557.0	2089.	DISTANCE CUT-OFF	599.0	2433.	DISTANCE CUT-OFF
558.0	2335.	DISTANCE CUT-OFF	600.0	326.	DISTANCE CUT-OFF
559.0	2457.	DISTANCE CUT-OFF	601.0	1398.	DISTANCE CUT-OFF
560.0	2489.	DISTANCE CUT-OFF	602.0	1769.	DISTANCE CUT-OFF

603.0	1722.	DISTANCE CUT-OFF	651.0	349.	DISTANCE CUT-OFF
604.0	1742.	DISTANCE CUT-OFF	652.0	354.	DISTANCE CUT-OFF
605.0	1732.	DISTANCE CUT-OFF	653.0	350.	DISTANCE CUT-OFF
606.0	1734.	DISTANCE CUT-OFF	654.0	384.	DISTANCE CUT-OFF
607.0	1715.	DISTANCE CUT-OFF	655.0	461.	DISTANCE CUT-OFF
608.0	1723.	DISTANCE CUT-OFF	656.0	977.	DISTANCE CUT-OFF
609.0	1770.	DISTANCE CUT-OFF	657.0	1537.	DISTANCE CUT-OFF
610.0	1648.	DISTANCE CUT-OFF	658.0	1781.	DISTANCE CUT-OFF
611.0	1650.	DISTANCE CUT-OFF	659.0	1793.	DISTANCE CUT-OFF
612.0	1814.	DISTANCE CUT-OFF	660.0	2493.	DISTANCE CUT-OFF
613.0	1034.	DISTANCE CUT-OFF	661.0	2427.	DISTANCE CUT-OFF
614.0	0.0	ANGLE CUT-OFF	662.0	2301.	DISTANCE CUT-OFF
615.0	788.	DISTANCE CUT-OFF	663.0	2036.	DISTANCE CUT-OFF
616.0	1643.	DISTANCE CUT-OFF	666.0	1766.	DISTANCE CUT-OFF
617.0	2111.	DISTANCE CUT-OFF	667.0	642.	DISTANCE CUT-OFF
618.0	2291.	DISTANCE CUT-OFF	668.0	418.	DISTANCE CUT-OFF
619.0	2256.	DISTANCE CUT-OFF	669.0	420.	DISTANCE CUT-OFF
620.0	2253.	DISTANCE CUT-OFF	670.0	2198.	DISTANCE CUT-OFF
621.0	2314.	DISTANCE CUT-OFF	671.0	2658.	DISTANCE CUT-OFF
622.0	1797.	DISTANCE CUT-OFF	672.0	2658.	DISTANCE CUT-OFF
622.0	1056.	DISTANCE CUT-OFF	673.0	833.	DISTANCE CUT-OFF
623.0	403.	DISTANCE CUT-OFF	674.0	1616.	DISTANCE CUT-OFF
624.0	0.1	ANGLE CUT-OFF	675.0	662.	DISTANCE CUT-OFF
625.0	831.	DISTANCE CUT-OFF	676.0	1285.	DISTANCE CUT-OFF
626.0	1178.	DISTANCE CUT-OFF	677.0	0.3	ANGLE CUT-OFF
627.0	1388.	DISTANCE CUT-OFF	678.0	426.	DISTANCE CUT-OFF
628.0	1393.	DISTANCE CUT-OFF	679.0	429.	DISTANCE CUT-OFF
629.0	1449.	DISTANCE CUT-OFF	680.0	428.	DISTANCE CUT-OFF
630.0	1453.	DISTANCE CUT-OFF	681.0	422.	DISTANCE CUT-OFF
631.0	1426.	DISTANCE CUT-OFF	682.0	422.	DISTANCE CUT-OFF
632.0	1607.	DISTANCE CUT-OFF	683.0	425.	DISTANCE CUT-OFF
633.0	1773.	DISTANCE CUT-OFF	684.0	446.	DISTANCE CUT-OFF
634.0	1833.	DISTANCE CUT-OFF	685.0	459.	DISTANCE CUT-OFF
635.0	1503.	DISTANCE CUT-OFF	686.0	469.	DISTANCE CUT-OFF
636.0	1079.	DISTANCE CUT-OFF	687.0	444.	DISTANCE CUT-OFF
637.0	416.	DISTANCE CUT-OFF	688.0	408.	DISTANCE CUT-OFF
638.0	316.	DISTANCE CUT-OFF	689.0	0.0	ANGLE CUT-OFF
639.0	0.2	ANGLE CUT-OFF	690.0	0.0	ANGLE CUT-OFF
647.0	783.	DISTANCE CUT-OFF	691.0	0.0	ANGLE CUT-OFF
648.0	751.	DISTANCE CUT-OFF	692.0	0.0	ANGLE CUT-OFF
649.0	730.	DISTANCE CUT-OFF	693.0	0.0	ANGLE CUT-OFF
650.0	673.	DISTANCE CUT-OFF	694.0	0.6	ANGLE CUT-OFF

695.0 0.9 ANGLE CUT-OFF
 696.0 0.0 ANGLE CUT-OFF
 697.0 0.0 ANGLE CUT-OFF
 698.0 0.0 ANGLE CUT-OFF
 699.0 0.0 ANGLE CUT-OFF
 700.0 154.8 14.9 7.4 19.1 0.0 0.0 14.925820 36.5-10.2 70.8 0.0 -1.0 0.0 -
 10.8 -10.8 0.0 -6.4 0.0 2.5 44.3
 701.0 138.5 6.0 7.3 19.1 0.0 0.0 6.012230 201.5-30.0 70.8 0.0 -1.0 0.0 -
 14.8 -10.3 0.0 -11.9 0.0 2.5 35.3
 702.0 0.0 ANGLE CUT-OFF
 703.0 394. DISTANCE CUT-OFF
 704.0 378. DISTANCE CUT-OFF
 705.0 374. DISTANCE CUT-OFF
 706.0 355. DISTANCE CUT-OFF
 707.0 324. DISTANCE CUT-OFF
 708.0 0.0 ANGLE CUT-OFF
 709.0 0.0 ANGLE CUT-OFF
 710.0 0.0 ANGLE CUT-OFF
 711.0 0.0 ANGLE CUT-OFF
 712.0 0.0 ANGLE CUT-OFF
 713.0 0.0 ANGLE CUT-OFF
 714.0 0.0 ANGLE CUT-OFF
 715.0 0.8 ANGLE CUT-OFF
 716.0 42.0 5.8 13.0 19.1 0.0 0.0 5.812229 201.5-30.0 70.0 0.0 -1.0 0.0 -
 14.9 -6.2 0.0 -30.1 0.0 3.8 21.6
 717.0 40.0 11.0 10.3 19.1 0.0 0.0 11.012229 201.5-30.0 70.0 0.0 -1.0 0.0
 -12.1 -6.1 0.0 -18.3 0.0 4.0 36.5
 718.0 40.0 16.0 8.6 19.1 0.0 0.0 16.025065 23.0-17.3 70.0 0.0 -1.0 0.0 -
 10.5 -5.9 0.0 -17.5 0.0 3.4 38.5
 719.0 39.2 66.6 7.9 19.1 0.0 0.0 66.625065 23.0-17.4 70.0 0.0 -1.0 0.0 -
 4.3 -5.8 0.0 -8.3 0.0 2.5 53.1
 720.0 21.3 96.9 7.7 19.1 0.0 0.0 96.925818 36.5-11.7 71.0 0.0 -1.0 0.3 -
 2.7 -4.6 0.0 -11.1 0.0 2.5 54.4
 721.0 23.3 21.9 7.8 19.1 0.0 0.0 21.912230 201.5-30.0 71.0 0.0 -1.0 0.0
 -9.1 -4.7 0.0 -19.3 0.0 2.5 39.4
 722.0 0.0 ANGLE CUT-OFF
 723.0 0.0 ANGLE CUT-OFF
 730.0 1174. DISTANCE CUT-OFF
 731.0 1179. DISTANCE CUT-OFF
 732.0 1099. DISTANCE CUT-OFF
 733.0 1139. DISTANCE CUT-OFF
 734.0 1152. DISTANCE CUT-OFF

735.0 1155. DISTANCE CUT-OFF
 736.0 1170. DISTANCE CUT-OFF
 741.0 0.1 ANGLE CUT-OFF
 742.0 363. DISTANCE CUT-OFF
 743.0 524. DISTANCE CUT-OFF
 744.0 728. DISTANCE CUT-OFF
 745.0 911. DISTANCE CUT-OFF
 746.0 1067. DISTANCE CUT-OFF
 747.0 1222. DISTANCE CUT-OFF
 748.0 1219. DISTANCE CUT-OFF
 749.0 1167. DISTANCE CUT-OFF
 750.0 1043. DISTANCE CUT-OFF
 751.0 884. DISTANCE CUT-OFF
 752.0 1214. DISTANCE CUT-OFF
 753.0 1215. DISTANCE CUT-OFF
 754.0 1205. DISTANCE CUT-OFF
 755.0 1202. DISTANCE CUT-OFF
 756.0 1199. DISTANCE CUT-OFF
 757.0 173.7 4.7 5.7 19.1 0.0 0.0 4.712095 177.0-30.0 67.3 0.0 -1.0 0.0 -
 15.8 -11.3 0.0 -27.8 0.0 2.5 13.9
 758.0 921. DISTANCE CUT-OFF
 759.0 925. DISTANCE CUT-OFF
 760.0 924. DISTANCE CUT-OFF
 761.0 171.7 3.8 5.3 19.1 0.0 0.0 3.812109 171.0-30.0 68.4 0.0 -1.0 0.0 -
 16.7 -11.2 0.0 -30.2 0.0 2.5 11.8
 762.0 1376. DISTANCE CUT-OFF

 N6101

 SEGMENT DIST ANGLE HT AV HT PER SPD SCRN MAJOR BARRIER BASIC <--
 ----- CORRECTIONS-----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL
 763.0 1368. DISTANCE CUT-OFF
 764.0 1159. DISTANCE CUT-OFF
 765.0 834. DISTANCE CUT-OFF
 766.0 0.1 ANGLE CUT-OFF
 767.0 409. DISTANCE CUT-OFF
 768.0 900. DISTANCE CUT-OFF
 769.0 1835. DISTANCE CUT-OFF

770.0	2304.	DISTANCE CUT-OFF	820.0	0.2 ANGLE CUT-OFF
771.0	2243.	DISTANCE CUT-OFF	821.0	266.7 23.1 5.3 19.1 0.0 0.0 23.125851 45.5-30.0 59.1 0.0 -1.0 0.2
772.0	2246.	DISTANCE CUT-OFF	-8.9 -13.0 0.0 -6.9 0.0 2.5 32.0	
773.0	2297.	DISTANCE CUT-OFF	822.0	267.4 2.7 5.7 19.1 0.0 0.0 2.725852 45.5-30.0 59.1 0.0 -1.0 0.5 -
774.0	2144.	DISTANCE CUT-OFF	18.2 -13.1 0.0 -30.0 0.0 2.5 -0.2	
775.0	1614.	DISTANCE CUT-OFF	823.0	250.4 2.6 5.9 19.1 0.0 0.0 2.625855 45.5-28.9 59.1 0.0 -1.0 0.2 -
776.0	807.	DISTANCE CUT-OFF	18.4 -12.8 0.0 -1.8 0.0 2.5 27.8	
777.0	0.1 ANGLE CUT-OFF		824.0	162.9 4.0 6.1 19.1 0.0 0.0 4.025818 36.5-0.5 59.1 0.0 -1.0 0.3 -
778.0	950.	DISTANCE CUT-OFF	16.6 -11.0 0.0 -0.5 0.0 2.5 32.8	
779.0	1804.	DISTANCE CUT-OFF	825.0	48.3 2.0 5.2 19.1 0.0 0.0 2.025818 36.5-0.4 54.0 0.0 -1.0 0.2 -
780.0	0.2 ANGLE CUT-OFF		19.5 -6.5 0.0 -0.4 0.0 2.5 29.3	
781.0	309.	DISTANCE CUT-OFF	826.0	0.5 ANGLE CUT-OFF
782.0	407.	DISTANCE CUT-OFF	827.0	80.0 1.7 5.4 19.1 0.0 0.0 1.725818 36.5-0.6 54.0 0.0 -1.0 0.2 -
783.0	1069.	DISTANCE CUT-OFF	20.2 -8.2 0.0 -0.6 0.0 2.5 26.7	
784.0	1496.	DISTANCE CUT-OFF	828.0	137.7 3.1 5.6 19.1 0.0 0.0 3.125818 36.5-0.8 54.0 0.0 -1.0 0.2 -
785.0	1842.	DISTANCE CUT-OFF	17.7 -10.3 0.0 -0.8 0.0 2.5 26.9	
786.0	1811.	DISTANCE CUT-OFF	829.0	163.8 22.8 5.9 19.1 0.0 0.0 22.825818 36.5-1.0 54.0 0.0 -1.0 0.2 -
787.0	1652.	DISTANCE CUT-OFF	9.0 -11.0 0.0 -1.0 0.0 2.5 34.7	
788.0	1424.	DISTANCE CUT-OFF	830.0	167.6 22.4 5.9 19.1 0.0 0.0 22.425818 36.5-1.0 54.0 0.0 -1.0 0.0 -
789.0	1458.	DISTANCE CUT-OFF	9.1 -11.1 0.0 -1.0 0.0 3.6 35.4	
790.0	1459.	DISTANCE CUT-OFF	831.0	142.7 2.8 5.6 19.1 0.0 0.0 2.825818 36.5-0.8 54.0 0.0 -1.0 0.0 -
799.0	1058.	DISTANCE CUT-OFF	18.0 -10.4 0.0 -0.8 0.0 2.5 26.3	
800.0	1052.	DISTANCE CUT-OFF	832.0	88.8 1.7 5.4 19.1 0.0 0.0 1.725818 36.5-0.6 54.0 0.0 -1.0 0.0 -
801.0	1059.	DISTANCE CUT-OFF	20.2 -8.6 0.0 -0.6 0.0 2.6 26.2	
802.0	1095.	DISTANCE CUT-OFF	833.0	0.5 ANGLE CUT-OFF
803.0	1095.	DISTANCE CUT-OFF	834.0	45.0 1.9 5.2 19.1 0.0 0.0 1.925818 36.5-0.5 54.0 0.0 -1.0 0.0 -
804.0	1061.	DISTANCE CUT-OFF	19.8 -6.3 0.0 -0.5 0.0 2.5 28.9	
805.0	1059.	DISTANCE CUT-OFF	835.0	613. DISTANCE CUT-OFF
806.0	1062.	DISTANCE CUT-OFF	836.0	613. DISTANCE CUT-OFF
807.0	0.1 ANGLE CUT-OFF		837.0	618. DISTANCE CUT-OFF
808.0	0.1 ANGLE CUT-OFF		838.0	535. DISTANCE CUT-OFF
809.0	352.	DISTANCE CUT-OFF	839.0	363. DISTANCE CUT-OFF
810.0	730.	DISTANCE CUT-OFF	840.0	0.9 ANGLE CUT-OFF
811.0	963.	DISTANCE CUT-OFF	841.0	139.8 1.8 5.0 19.1 0.0 0.0 1.825818 36.5-0.2 63.3 0.0 -1.0 0.2 -
812.0	1054.	DISTANCE CUT-OFF	20.0 -10.3 0.0 -0.2 0.0 2.5 34.5	
813.0	1059.	DISTANCE CUT-OFF	842.0	127.7 2.0 4.7 19.1 0.0 0.0 2.025817 36.5-0.2 63.3 0.0 -1.0 0.0 -
814.0	960.	DISTANCE CUT-OFF	19.5 -10.1 0.0 -0.2 0.0 2.5 35.0	
815.0	735.	DISTANCE CUT-OFF	843.0	243.0 2.0 3.5 19.1 0.0 0.0 2.025851 45.5-30.0 70.4 0.0 -1.0 0.0 -
816.0	369.	DISTANCE CUT-OFF	19.5 -12.6 0.0 -20.0 0.0 2.5 19.8	
817.0	0.2 ANGLE CUT-OFF		844.0	235.4 1.9 3.3 19.1 0.0 0.0 1.913501 5.0-4.7 70.4 0.0 -1.0 0.2 -
818.0	0.1 ANGLE CUT-OFF		19.8 -12.5 0.0 -4.9 0.0 2.5 34.9	
819.0	0.1 ANGLE CUT-OFF			

845.0 173.5 1.4 3.5 19.1 0.0 0.0 1.413501 5.0-1.8 70.4 0.0 -1.0 0.2 -	869.0 291.3 1.9 -0.8 19.1 0.0 0.0 1.912583 170.7-30.0 74.0 0.0 -1.0 1.4 -
21.2 -11.3 0.0 -2.1 0.0 2.5 37.5	19.7 -13.5 0.0 -30.1 0.0 2.5 13.6
846.0 123.0 1.5 3.7 19.1 0.0 0.0 1.513501 5.0-0.4 70.4 0.0 -1.0 0.4 -	870.0 285.7 1.6 1.6 19.1 0.0 0.0 1.612316 170.7-30.0 74.0 0.0 -1.0 1.4 -
20.7 -9.9 0.0 -0.6 0.0 2.5 41.1	20.5 -13.4 0.0 -30.3 0.0 2.5 12.7
847.0 122.3 1.5 4.3 19.1 0.0 0.0 1.525818 36.5 -0.3 70.4 0.0 -1.0 1.0 -	871.0 293.4 1.5 3.8 19.1 0.0 0.0 1.512311 170.7-30.0 74.0 0.0 -1.0 1.4 -
20.8 -9.9 0.0 -0.3 0.0 2.5 41.9	20.9 -13.5 0.0 -30.3 0.0 2.5 12.2
848.0 0.4 ANGLE CUT-OFF	872.0 289.3 1.1 5.8 19.1 0.0 0.0 1.112310 170.7-30.0 74.0 0.0 -1.0 1.0 -
849.0 0.9 ANGLE CUT-OFF	22.1 -13.4 0.0 -30.3 0.0 2.5 10.7
850.0 0.4 ANGLE CUT-OFF	873.0 282.5 9.2 -1.9 19.1 0.0 0.0 9.213502 5.0-19.3 74.1 0.0 1.4 1.0 -
851.0 154.8 1.3 4.2 19.1 0.0 0.0 1.325817 36.5 -0.2 62.6 0.0 -1.0 0.0 -	12.9 -13.3 0.0 -11.6 0.0 4.0 42.7
21.4 -10.8 0.0 -0.2 0.0 2.5 31.7	874.0 282.0 11.9 0.7 19.1 0.0 0.0 11.913502 5.0-15.1 74.1 0.0 1.4 1.0 -
852.0 218.5 1.9 -3.2 19.1 0.0 0.0 1.913054 5.0-20.9 70.2 0.0 -1.0 0.0 -	11.8 -13.3 0.0 -15.0 0.0 4.0 40.4
19.7 -12.2 0.0 -5.6 0.0 2.5 34.2	875.0 279.6 18.5 3.0 19.1 0.0 0.0 18.525851 45.5-30.0 74.1 0.0 -3.5 0.6
853.0 197.7 2.0 -2.8 19.1 0.0 0.0 1.912733 8.1-13.2 70.2 0.0 -1.0 1.2 -	-9.9 -13.2 0.0 -10.5 0.0 3.6 41.2
19.7 -11.8 0.0 -9.8 0.0 3.5 32.6	876.0 279.4 17.2 4.5 19.1 0.0 0.0 17.225852 45.5-30.3 71.8 0.0 -3.5 0.3 -
854.0 139.6 1.8 -1.8 19.1 0.0 0.0 1.812735 6.9-3.2 70.2 0.0 -1.0 1.1 -	10.2 -13.2 0.0 -12.5 0.0 2.5 35.2
20.1 -10.3 0.0 -3.0 0.0 4.0 40.9	877.0 277.4 6.9 5.3 19.1 0.0 0.0 6.925818 36.5 -0.7 71.8 0.0 -1.0 0.4 -
855.0 97.4 1.3 -0.6 19.1 0.0 0.0 1.325817 36.5 -0.3 70.2 0.0 -1.0 1.6 -	14.2 -13.2 0.0 -0.7 0.0 2.5 45.6
21.3 -8.8 0.0 -0.4 0.0 4.0 44.3	878.0 294.2 6.5 5.2 19.1 0.0 0.0 6.525818 36.5 -0.7 75.0 0.0 -1.0 0.0 -
856.0 62.7 1.0 0.6 19.1 0.0 0.0 1.025817 36.5 -0.3 70.2 0.0 -1.0 1.6 -	14.4 -13.5 0.0 -0.7 0.0 2.5 47.9
22.5 -7.1 0.0 -0.3 0.0 4.0 44.9	879.0 295.6 19.5 4.3 19.1 0.0 0.0 19.525852 45.5-28.0 75.0 0.0 -3.5 0.0
857.0 0.8 ANGLE CUT-OFF	-9.7 -13.5 0.0 -16.4 0.0 2.5 34.4
858.0 0.4 ANGLE CUT-OFF	880.0 292.0 14.8 2.8 19.1 0.0 0.0 14.825852 45.5-26.8 74.0 0.0 -3.5 0.0 -
859.0 0.4 ANGLE CUT-OFF	10.9 -13.4 0.0 -5.4 0.0 3.8 44.6
860.0 16.7 1.0 4.5 19.1 0.0 0.0 1.025817 36.5 -1.4 70.2 0.0 -1.0 0.2 -	881.0 292.0 18.7 -0.6 19.1 0.0 0.0 18.713502 5.0-12.3 74.0 0.0 -1.0 0.0 -
22.5 -4.4 0.0 -1.4 0.0 2.5 43.6	9.8 -13.4 0.0 -11.9 0.0 4.0 41.9
861.0 282.1 5.6 -3.7 19.1 0.0 0.0 5.612584 170.7-30.0 76.3 0.0 1.4 0.0 -	882.0 0.5 ANGLE CUT-OFF
15.1 -13.3 0.0 -22.1 0.0 2.5 29.7	883.0 0.2 ANGLE CUT-OFF
862.0 277.7 7.2 -4.2 19.1 0.0 0.0 7.213053 5.0-22.0 76.3 0.0 1.4 0.0 -	884.0 0.1 ANGLE CUT-OFF
14.0 -13.2 0.0 -22.0 0.0 2.5 31.0	885.0 0.0 ANGLE CUT-OFF
863.0 280.6 3.7 -3.8 19.1 0.0 0.0 3.713053 5.0-22.1 76.3 0.0 1.4 0.8 -	886.0 0.1 ANGLE CUT-OFF
16.8 -13.3 0.0 -21.3 0.0 2.5 29.6	887.0 0.2 ANGLE CUT-OFF
864.0 292.0 1.2 -3.2 19.1 0.0 0.0 1.213502 5.0-16.2 74.0 0.0 -1.0 0.0 -	888.0 0.5 ANGLE CUT-OFF
21.6 -13.4 0.0 -15.4 0.0 4.0 26.6	889.0 0.4 ANGLE CUT-OFF
865.0 292.0 4.8 -3.8 19.1 0.0 0.0 4.813054 5.0-15.2 74.0 0.0 -1.0 0.0 -	890.0 0.2 ANGLE CUT-OFF
15.8 -13.4 0.0 -8.2 0.0 4.0 39.6	891.0 0.3 ANGLE CUT-OFF
866.0 292.0 7.3 -4.2 19.1 0.0 0.0 7.312277 18.4-18.7 74.0 0.0 -1.0 0.1 -	892.0 384. DISTANCE CUT-OFF
13.9 -13.4 0.0 -16.3 0.0 4.0 33.5	893.0 500. DISTANCE CUT-OFF
867.0 292.0 5.7 -3.5 19.1 0.0 0.0 5.712277 18.4-18.4 74.0 0.0 -1.0 0.3 -	894.0 655. DISTANCE CUT-OFF
15.0 -13.5 0.0 -18.8 0.0 3.9 29.9	895.0 760. DISTANCE CUT-OFF
868.0 292.0 2.2 -2.5 19.1 0.0 0.0 2.212584 170.7-30.0 74.0 0.0 -1.0 0.7 -	896.0 760. DISTANCE CUT-OFF
19.2 -13.5 0.0 -23.2 0.0 2.5 20.3	897.0 858. DISTANCE CUT-OFF

898.0 942. DISTANCE CUT-OFF
 899.0 928. DISTANCE CUT-OFF
 900.0 805. DISTANCE CUT-OFF
 901.0 595. DISTANCE CUT-OFF
 902.0 523. DISTANCE CUT-OFF
 903.0 495. DISTANCE CUT-OFF
 904.0 494. DISTANCE CUT-OFF
 905.0 443. DISTANCE CUT-OFF
 906.0 316. DISTANCE CUT-OFF
 907.0 272.9 1.4 1.6 19.1 0.0 0.0 1.412310 170.7-30.0 73.5 0.0 -1.0 0.0 -
 21.0 -13.2 0.0 -30.4 0.0 2.5 10.4
 908.0 284.4 1.7 -0.6 19.1 0.0 0.0 1.712311 170.7-30.0 73.5 0.0 -1.0 0.0 -
 20.2 -13.4 0.0 -30.4 0.0 2.5 11.0
 909.0 282.3 1.9 -2.4 19.1 0.0 0.0 1.912317 170.7-30.0 73.5 0.0 -1.0 0.0 -
 19.8 -13.3 0.0 -30.1 0.0 2.5 11.8
 910.0 294.9 1.7 -3.2 19.1 0.0 0.0 1.712583 170.7-30.0 73.5 0.0 -1.0 0.0 -
 20.2 -13.5 0.0 -30.0 0.0 2.5 11.3
 911.0 857. DISTANCE CUT-OFF

N6101

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT

VIEW GRND EXCE RIER CUT TION TOTAL

912.0 940. DISTANCE CUT-OFF
 913.0 984. DISTANCE CUT-OFF
 914.0 999. DISTANCE CUT-OFF
 915.0 952. DISTANCE CUT-OFF
 916.0 842. DISTANCE CUT-OFF
 917.0 675. DISTANCE CUT-OFF
 918.0 429. DISTANCE CUT-OFF
 919.0 0.2 ANGLE CUT-OFF
 920.0 0.0 ANGLE CUT-OFF
 921.0 0.1 ANGLE CUT-OFF
 922.0 0.3 ANGLE CUT-OFF
 923.0 412. DISTANCE CUT-OFF
 924.0 523. DISTANCE CUT-OFF
 925.0 519. DISTANCE CUT-OFF
 926.0 511. DISTANCE CUT-OFF

927.0 445. DISTANCE CUT-OFF
 928.0 389. DISTANCE CUT-OFF
 929.0 357. DISTANCE CUT-OFF
 930.0 0.6 ANGLE CUT-OFF
 931.0 285.9 1.5 3.8 19.1 0.0 0.0 1.512311 170.7-30.0 64.3 0.0 -1.0 0.0 -
 20.7 -13.4 0.0 -30.4 0.0 2.5 1.3
 932.0 285.1 3.7 0.1 19.1 0.0 0.0 3.712311 170.7-30.0 64.3 0.0 -1.0 0.0 -
 16.9 -13.4 0.0 -30.2 0.0 2.5 5.3
 933.0 285.1 1.4 -2.8 19.1 0.0 0.0 1.412584 170.7-30.0 64.3 0.0 -1.0 0.0 -
 21.1 -13.4 0.0 -30.0 0.0 2.5 1.3
 934.0 0.6 ANGLE CUT-OFF
 935.0 0.5 ANGLE CUT-OFF
 936.0 0.2 ANGLE CUT-OFF
 937.0 0.1 ANGLE CUT-OFF
 938.0 0.1 ANGLE CUT-OFF
 939.0 0.2 ANGLE CUT-OFF
 940.0 0.4 ANGLE CUT-OFF
 941.0 0.4 ANGLE CUT-OFF
 942.0 0.4 ANGLE CUT-OFF
 943.0 0.2 ANGLE CUT-OFF
 944.0 0.3 ANGLE CUT-OFF
 945.0 788. DISTANCE CUT-OFF
 946.0 1094. DISTANCE CUT-OFF
 947.0 1101. DISTANCE CUT-OFF
 948.0 1007. DISTANCE CUT-OFF
 949.0 878. DISTANCE CUT-OFF
 950.0 798. DISTANCE CUT-OFF
 951.0 691. DISTANCE CUT-OFF
 952.0 800. DISTANCE CUT-OFF
 953.0 794. DISTANCE CUT-OFF
 954.0 702. DISTANCE CUT-OFF
 955.0 753. DISTANCE CUT-OFF
 956.0 811. DISTANCE CUT-OFF
 957.0 827. DISTANCE CUT-OFF
 958.0 790. DISTANCE CUT-OFF
 959.0 776. DISTANCE CUT-OFF
 960.0 799. DISTANCE CUT-OFF
 961.0 839. DISTANCE CUT-OFF
 962.0 835. DISTANCE CUT-OFF
 963.0 778. DISTANCE CUT-OFF
 964.0 794. DISTANCE CUT-OFF
 965.0 818. DISTANCE CUT-OFF

966.0	840.	DISTANCE CUT-OFF	1008.0		0.1 ANGLE CUT-OFF
967.0	860.	DISTANCE CUT-OFF	1009.0	380.	DISTANCE CUT-OFF
968.0	774.	DISTANCE CUT-OFF	1010.0	1144.	DISTANCE CUT-OFF
969.0	795.	DISTANCE CUT-OFF	1011.0	1799.	DISTANCE CUT-OFF
970.0	745.	DISTANCE CUT-OFF	1012.0	1941.	DISTANCE CUT-OFF
971.0	709.	DISTANCE CUT-OFF	1013.0	1544.	DISTANCE CUT-OFF
972.0	669.	DISTANCE CUT-OFF	1014.0	794.	DISTANCE CUT-OFF
973.0	629.	DISTANCE CUT-OFF	1015.0	521.	DISTANCE CUT-OFF
974.0	574.	DISTANCE CUT-OFF	1016.0	438.	DISTANCE CUT-OFF
975.0	620.	DISTANCE CUT-OFF	1017.0	477.	DISTANCE CUT-OFF
976.0	661.	DISTANCE CUT-OFF	1018.0	417.	DISTANCE CUT-OFF
977.0	1843.	DISTANCE CUT-OFF	1019.0		0.2 ANGLE CUT-OFF
978.0	1654.	DISTANCE CUT-OFF	1020.0	470.	DISTANCE CUT-OFF
979.0	1385.	DISTANCE CUT-OFF	1021.0	479.	DISTANCE CUT-OFF
980.0	937.	DISTANCE CUT-OFF	1022.0	428.	DISTANCE CUT-OFF
981.0		0.0 ANGLE CUT-OFF	1023.0		0.0 ANGLE CUT-OFF
982.0	644.	DISTANCE CUT-OFF	1024.0	796.	DISTANCE CUT-OFF
983.0	1497.	DISTANCE CUT-OFF	1025.0	1477.	DISTANCE CUT-OFF
984.0	2002.	DISTANCE CUT-OFF	1026.0	1955.	DISTANCE CUT-OFF
985.0	1993.	DISTANCE CUT-OFF	1027.0	1996.	DISTANCE CUT-OFF
986.0	1747.	DISTANCE CUT-OFF	1028.0	1579.	DISTANCE CUT-OFF
987.0	1594.	DISTANCE CUT-OFF	1029.0	932.	DISTANCE CUT-OFF
988.0	1210.	DISTANCE CUT-OFF	1030.0	726.	DISTANCE CUT-OFF
989.0	306.	DISTANCE CUT-OFF	1031.0	702.	DISTANCE CUT-OFF
990.0		0.0 ANGLE CUT-OFF	1032.0	708.	DISTANCE CUT-OFF
991.0	2102.	DISTANCE CUT-OFF	1033.0	801.	DISTANCE CUT-OFF
992.0	2015.	DISTANCE CUT-OFF	1034.0	1100.	DISTANCE CUT-OFF
993.0	2249.	DISTANCE CUT-OFF	1035.0	1345.	DISTANCE CUT-OFF
994.0	2337.	DISTANCE CUT-OFF	1036.0	1652.	DISTANCE CUT-OFF
995.0	2337.	DISTANCE CUT-OFF	1037.0	1613.	DISTANCE CUT-OFF
996.0	2337.	DISTANCE CUT-OFF	1038.0	1294.	DISTANCE CUT-OFF
997.0	2336.	DISTANCE CUT-OFF	1039.0	948.	DISTANCE CUT-OFF
998.0	2326.	DISTANCE CUT-OFF	1040.0	620.	DISTANCE CUT-OFF
999.0	2077.	DISTANCE CUT-OFF	1041.0	550.	DISTANCE CUT-OFF
1000.0	1635.	DISTANCE CUT-OFF	1042.0	521.	DISTANCE CUT-OFF
1001.0	767.	DISTANCE CUT-OFF	1042.0	535.	DISTANCE CUT-OFF
1002.0		0.0 ANGLE CUT-OFF	1043.0	578.	DISTANCE CUT-OFF
1003.0		0.0 ANGLE CUT-OFF	1044.0	1171.	DISTANCE CUT-OFF
1004.0		0.0 ANGLE CUT-OFF	1045.0	1789.	DISTANCE CUT-OFF
1005.0		0.0 ANGLE CUT-OFF	1046.0	2045.	DISTANCE CUT-OFF
1006.0		0.0 ANGLE CUT-OFF	1047.0	1766.	DISTANCE CUT-OFF
1007.0		0.1 ANGLE CUT-OFF	1048.0	1383.	DISTANCE CUT-OFF

1049.0	1007.	DISTANCE CUT-OFF	1091.0	734.	DISTANCE CUT-OFF
1050.0	926.	DISTANCE CUT-OFF	1092.0	0.1	ANGLE CUT-OFF
1051.0	876.	DISTANCE CUT-OFF	1093.0	0.0	ANGLE CUT-OFF
1052.0	890.	DISTANCE CUT-OFF	1094.0	0.0	ANGLE CUT-OFF
1053.0	902.	DISTANCE CUT-OFF	1095.0	0.0	ANGLE CUT-OFF
1054.0	878.	DISTANCE CUT-OFF	1096.0	0.0	ANGLE CUT-OFF
1055.0	748.	DISTANCE CUT-OFF	1097.0	0.0	ANGLE CUT-OFF
1056.0	827.	DISTANCE CUT-OFF	1098.0	0.0	ANGLE CUT-OFF
1057.0	1138.	DISTANCE CUT-OFF	1099.0	0.0	ANGLE CUT-OFF
1058.0	1231.	DISTANCE CUT-OFF	1100.0	331.	DISTANCE CUT-OFF
1059.0	1290.	DISTANCE CUT-OFF	1101.0	0.2	ANGLE CUT-OFF
1060.0	1275.	DISTANCE CUT-OFF	1102.0	305.	DISTANCE CUT-OFF
1061.0	1230.	DISTANCE CUT-OFF	1103.0	321.	DISTANCE CUT-OFF
1062.0	1291.	DISTANCE CUT-OFF	1104.0	0.1	ANGLE CUT-OFF
1063.0	1379.	DISTANCE CUT-OFF	1105.0	0.0	ANGLE CUT-OFF
1064.0	1670.	DISTANCE CUT-OFF	1106.0	421.	DISTANCE CUT-OFF
1065.0	1746.	DISTANCE CUT-OFF	1107.0	1568.	DISTANCE CUT-OFF
1066.0	1738.	DISTANCE CUT-OFF	1108.0	2167.	DISTANCE CUT-OFF
1067.0	2121.	DISTANCE CUT-OFF	1109.0	2306.	DISTANCE CUT-OFF
1068.0	1754.	DISTANCE CUT-OFF	1110.0	1965.	DISTANCE CUT-OFF
1069.0	1836.	DISTANCE CUT-OFF	1111.0	1366.	DISTANCE CUT-OFF
1070.0	1834.	DISTANCE CUT-OFF	1112.0	912.	DISTANCE CUT-OFF
1071.0	1413.	DISTANCE CUT-OFF	1113.0	0.1	ANGLE CUT-OFF
1072.0	660.	DISTANCE CUT-OFF	1114.0	0.1	ANGLE CUT-OFF
1073.0	0.0	ANGLE CUT-OFF	1115.0	440.	DISTANCE CUT-OFF
1074.0	0.1	ANGLE CUT-OFF	1116.0	545.	DISTANCE CUT-OFF
1075.0	363.	DISTANCE CUT-OFF	1117.0	0.0	ANGLE CUT-OFF
1076.0	0.0	ANGLE CUT-OFF	1118.0	453.	DISTANCE CUT-OFF
1077.0	0.0	ANGLE CUT-OFF	1119.0	641.	DISTANCE CUT-OFF
1078.0	0.0	ANGLE CUT-OFF	1120.0	921.	DISTANCE CUT-OFF
1079.0	0.0	ANGLE CUT-OFF	1121.0	924.	DISTANCE CUT-OFF
1080.0	0.1	ANGLE CUT-OFF	1122.0	920.	DISTANCE CUT-OFF
1081.0	874.	DISTANCE CUT-OFF	1123.0	913.	DISTANCE CUT-OFF
1082.0	1166.	DISTANCE CUT-OFF	1124.0	897.	DISTANCE CUT-OFF
1083.0	1566.	DISTANCE CUT-OFF	1125.0	898.	DISTANCE CUT-OFF
1084.0	1482.	DISTANCE CUT-OFF	1126.0	904.	DISTANCE CUT-OFF
1085.0	1027.	DISTANCE CUT-OFF	1127.0	746.	DISTANCE CUT-OFF
1086.0	0.1	ANGLE CUT-OFF	1128.0	304.	DISTANCE CUT-OFF
1087.0	1446.	DISTANCE CUT-OFF	1129.0	0.1	ANGLE CUT-OFF
1088.0	2169.	DISTANCE CUT-OFF	1130.0	756.	DISTANCE CUT-OFF
1089.0	2274.	DISTANCE CUT-OFF	1131.0	925.	DISTANCE CUT-OFF
1090.0	1790.	DISTANCE CUT-OFF	1132.0	559.	DISTANCE CUT-OFF

1133.0	643.	DISTANCE CUT-OFF	1166.0	0.0	ANGLE CUT-OFF
1134.0	969.	DISTANCE CUT-OFF	1167.0	0.0	ANGLE CUT-OFF
1135.0	972.	DISTANCE CUT-OFF	1168.0	0.0	ANGLE CUT-OFF
1147.0	1483.	DISTANCE CUT-OFF	1169.0	0.0	ANGLE CUT-OFF
1148.0	954.	DISTANCE CUT-OFF	1170.0	0.0	ANGLE CUT-OFF
1148.0	1216.	DISTANCE CUT-OFF	1171.0	317.	DISTANCE CUT-OFF
1149.0	2368.	DISTANCE CUT-OFF	1172.0	326.	DISTANCE CUT-OFF
1150.0	2382.	DISTANCE CUT-OFF	1173.0	328.	DISTANCE CUT-OFF
1151.0	913.	DISTANCE CUT-OFF	1174.0	327.	DISTANCE CUT-OFF
1152.0	1060.	DISTANCE CUT-OFF	1175.0	333.	DISTANCE CUT-OFF
1153.0	2357.	DISTANCE CUT-OFF	1176.0	272.9 2.4 8.1 19.1 0.0 0.0 2.412000 118.3-30.0 75.9 0.0 -1.0 0.0 -	
640.0	995.	DISTANCE CUT-OFF	18.7 -13.1 0.0 -30.4 0.0 2.5 15.2		
641.0	1011.	DISTANCE CUT-OFF	1177.0	421.	DISTANCE CUT-OFF
642.0	1032.	DISTANCE CUT-OFF	1178.0	320.	DISTANCE CUT-OFF
643.0	1119.	DISTANCE CUT-OFF	1179.0	319.	DISTANCE CUT-OFF
644.0	1246.	DISTANCE CUT-OFF	1180.0	319.	DISTANCE CUT-OFF
645.0	1257.	DISTANCE CUT-OFF	1181.0	318.	DISTANCE CUT-OFF
646.0	1204.	DISTANCE CUT-OFF	1182.0	306.	DISTANCE CUT-OFF
1136.0	1021.	DISTANCE CUT-OFF	1183.0	0.0	ANGLE CUT-OFF
1137.0	1014.	DISTANCE CUT-OFF	1184.0	0.0	ANGLE CUT-OFF
1138.0	1117.	DISTANCE CUT-OFF	1185.0	0.0	ANGLE CUT-OFF
1139.0	1235.	DISTANCE CUT-OFF	1186.0	0.0	ANGLE CUT-OFF
1140.0	1260.	DISTANCE CUT-OFF	1187.0	0.0	ANGLE CUT-OFF
1141.0	1262.	DISTANCE CUT-OFF	1188.0	0.9	ANGLE CUT-OFF
1142.0	1229.	DISTANCE CUT-OFF	1189.0	0.2	ANGLE CUT-OFF
1143.0	887.	DISTANCE CUT-OFF	1190.0	0.0	ANGLE CUT-OFF
1144.0	885.	DISTANCE CUT-OFF	1191.0	425.	DISTANCE CUT-OFF
1145.0	885.	DISTANCE CUT-OFF	1192.0	427.	DISTANCE CUT-OFF
1146.0	934.	DISTANCE CUT-OFF	1193.0	440.	DISTANCE CUT-OFF
1147.0	820.	DISTANCE CUT-OFF	1194.0	471.	DISTANCE CUT-OFF
1154.0	1892.	DISTANCE CUT-OFF	1195.0	479.	DISTANCE CUT-OFF
1155.0	2281.	DISTANCE CUT-OFF	1196.0	480.	DISTANCE CUT-OFF
1156.0	2360.	DISTANCE CUT-OFF	1197.0	477.	DISTANCE CUT-OFF
1157.0	2094.	DISTANCE CUT-OFF	1198.0	473.	DISTANCE CUT-OFF
1158.0	1434.	DISTANCE CUT-OFF	1199.0	456.	DISTANCE CUT-OFF
1159.0	1022.	DISTANCE CUT-OFF	1200.0	390.	DISTANCE CUT-OFF
1160.0	701.	DISTANCE CUT-OFF	1201.0	0.0	ANGLE CUT-OFF
1161.0	925.	DISTANCE CUT-OFF	1202.0	0.0	ANGLE CUT-OFF
1162.0	933.	DISTANCE CUT-OFF	1203.0	0.0	ANGLE CUT-OFF
1163.0	0.0	ANGLE CUT-OFF	1204.0	0.0	ANGLE CUT-OFF
1164.0	0.7	ANGLE CUT-OFF	1205.0	0.0	ANGLE CUT-OFF
1165.0	0.0	ANGLE CUT-OFF	1206.0	0.0	ANGLE CUT-OFF

1276.0	301.	DISTANCE CUT-OFF	1316.0	2387.	DISTANCE CUT-OFF
1277.0	288.7	2.9 5.5 19.1 0.0 0.0 2.912068 116.6-30.0 66.6 0.0 -1.0 0.0 -	1317.0	2472.	DISTANCE CUT-OFF
18.0	-13.4	0.0 -30.2 0.0 2.5 6.5	1318.0	1909.	DISTANCE CUT-OFF
1278.0	181.6	1.1 5.2 19.1 0.0 0.0 1.112095 177.0-30.0 70.3 0.0 -1.0 0.0 -	1319.0	1683.	DISTANCE CUT-OFF
22.3	-11.4	0.0 -22.7 0.0 2.5 15.4	1320.0	1674.	DISTANCE CUT-OFF
1279.0	1.0	ANGLE CUT-OFF	1321.0	1917.	DISTANCE CUT-OFF
1280.0	607.	DISTANCE CUT-OFF	1322.0	2466.	DISTANCE CUT-OFF
1281.0	887.	DISTANCE CUT-OFF	1323.0	2381.	DISTANCE CUT-OFF
1282.0	2330.	DISTANCE CUT-OFF	1324.0	2053.	DISTANCE CUT-OFF
1283.0	2323.	DISTANCE CUT-OFF	1325.0	1816.	DISTANCE CUT-OFF
1284.0	1988.	DISTANCE CUT-OFF	1326.0	1518.	DISTANCE CUT-OFF
1285.0	1358.	DISTANCE CUT-OFF	1327.0	1106.	DISTANCE CUT-OFF
1286.0	1155.	DISTANCE CUT-OFF	1328.0	0.0	ANGLE CUT-OFF
1287.0	1143.	DISTANCE CUT-OFF	1329.0	617.	DISTANCE CUT-OFF
1288.0	1224.	DISTANCE CUT-OFF	1330.0	876.	DISTANCE CUT-OFF
1289.0	2183.	DISTANCE CUT-OFF	1331.0	1121.	DISTANCE CUT-OFF
1290.0	2446.	DISTANCE CUT-OFF	1332.0	1611.	DISTANCE CUT-OFF
1291.0	2093.	DISTANCE CUT-OFF	1333.0	1959.	DISTANCE CUT-OFF
1292.0	1836.	DISTANCE CUT-OFF	1334.0	2063.	DISTANCE CUT-OFF
1293.0	885.	DISTANCE CUT-OFF	1335.0	2280.	DISTANCE CUT-OFF
1294.0	1414.	DISTANCE CUT-OFF	1336.0	2136.	DISTANCE CUT-OFF
1295.0	2011.	DISTANCE CUT-OFF	1337.0	1487.	DISTANCE CUT-OFF
1296.0	2348.	DISTANCE CUT-OFF	1338.0	652.	DISTANCE CUT-OFF
1297.0	2293.	DISTANCE CUT-OFF	1339.0	1389.	DISTANCE CUT-OFF
1298.0	2264.	DISTANCE CUT-OFF	1340.0	2216.	DISTANCE CUT-OFF
1299.0	2197.	DISTANCE CUT-OFF	1341.0	2260.	DISTANCE CUT-OFF
1300.0	1445.	DISTANCE CUT-OFF	1342.0	2300.	DISTANCE CUT-OFF
1301.0	539.	DISTANCE CUT-OFF	1343.0	2352.	DISTANCE CUT-OFF
1302.0	1499.	DISTANCE CUT-OFF	1344.0	2021.	DISTANCE CUT-OFF
1303.0	2108.	DISTANCE CUT-OFF	1345.0	1444.	DISTANCE CUT-OFF
1304.0	2283.	DISTANCE CUT-OFF	1346.0	895.	DISTANCE CUT-OFF
1305.0	2055.	DISTANCE CUT-OFF	1347.0	1840.	DISTANCE CUT-OFF
1306.0	1965.	DISTANCE CUT-OFF	1348.0	2058.	DISTANCE CUT-OFF
1307.0	1607.	DISTANCE CUT-OFF	1349.0	2450.	DISTANCE CUT-OFF
1308.0	1127.	DISTANCE CUT-OFF	1350.0	2259.	DISTANCE CUT-OFF
1309.0	865.	DISTANCE CUT-OFF	1351.0	1255.	DISTANCE CUT-OFF
1310.0	621.	DISTANCE CUT-OFF	1352.0	1158.	DISTANCE CUT-OFF
1311.0	0.0	ANGLE CUT-OFF	1353.0	1169.	DISTANCE CUT-OFF
1312.0	1077.	DISTANCE CUT-OFF	1354.0	1341.	DISTANCE CUT-OFF
1313.0	1564.	DISTANCE CUT-OFF	1355.0	1958.	DISTANCE CUT-OFF
1314.0	1835.	DISTANCE CUT-OFF	1356.0	2336.	DISTANCE CUT-OFF
1315.0	2039.	DISTANCE CUT-OFF	1357.0	2316.	DISTANCE CUT-OFF

N6101

REPEAT NO. 0

CATEGORY LEVEL CATEGORY LEVEL CATEGORY LEVEL CATEGORY LEVEL
CATEGORY LEVEL

2.0 61.8 1.0 61.8 3.0 37.3 4.0 0.0

*** CONTRIBUTION FROM New Road (Mitigated) IS 61.8 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Existing Road IS 61.8 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Overall (Mitigated) IS 64.8 DBA L10 (1-HOUR)

N7603

HEIGHT OF RECEIVER ABOVE DATUM= 34.2 HEIGHT ABOVE LOCAL GROUND
LEVEL= 34.2

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
----- CORRECTIONS -----> SEG-

NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
GRAD ANGLE HARD SOFT BAR- RET REFL MENT

VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
VIEW GRND EXCE RIER CUT TION TOTAL

27.0 331. DISTANCE CUT-OFF
28.0 211.5 1.7 5.3 17.4 0.0 0.0 1.713499 25.0 0.0 59.1 0.0 -1.0 0.2 -
20.2 -12.1 0.0 0.0 0.0 2.5 28.5

29.0 0.7 ANGLE CUT-OFF
30.0 222.9 2.7 4.8 17.4 0.0 0.0 2.713499 25.0 0.0 59.1 0.0 -1.0 0.0 -
18.2 -12.3 0.0 0.0 0.0 2.5 30.1
31.0 257.5 1.7 4.9 17.4 0.0 0.0 1.712739 4.9 -0.9 62.6 0.0 -1.0 0.4 -
20.4 -12.9 0.0 -0.6 0.0 2.5 30.6
32.0 215.8 1.2 5.2 17.4 0.0 0.0 1.212739 5.0 -0.8 62.6 0.0 -1.0 0.7 -
21.6 -12.2 0.0 -0.8 0.0 2.5 30.2
33.0 0.9 ANGLE CUT-OFF
34.0 0.2 ANGLE CUT-OFF
35.0 0.4 ANGLE CUT-OFF
36.0 0.4 ANGLE CUT-OFF
37.0 0.6 ANGLE CUT-OFF
38.0 293.1 1.7 7.2 17.4 0.0 0.0 1.712746 7.1 -0.9 62.6 0.0 -1.0 0.6 -
20.1 -13.4 0.0 -0.9 0.0 2.5 30.3
39.0 416. DISTANCE CUT-OFF
40.0 462. DISTANCE CUT-OFF
41.0 457. DISTANCE CUT-OFF
42.0 408. DISTANCE CUT-OFF
43.0 365. DISTANCE CUT-OFF
44.0 340. DISTANCE CUT-OFF
45.0 331. DISTANCE CUT-OFF
46.0 311. DISTANCE CUT-OFF
47.0 332. DISTANCE CUT-OFF
48.0 352. DISTANCE CUT-OFF
49.0 366. DISTANCE CUT-OFF
50.0 366. DISTANCE CUT-OFF
51.0 363. DISTANCE CUT-OFF
52.0 361. DISTANCE CUT-OFF
53.0 0.5 ANGLE CUT-OFF
54.0 0.1 ANGLE CUT-OFF
55.0 0.4 ANGLE CUT-OFF
56.0 0.4 ANGLE CUT-OFF
57.0 0.4 ANGLE CUT-OFF
58.0 0.2 ANGLE CUT-OFF
59.0 0.0 ANGLE CUT-OFF
60.0 0.3 ANGLE CUT-OFF
61.0 0.8 ANGLE CUT-OFF
62.0 326. DISTANCE CUT-OFF
63.0 448. DISTANCE CUT-OFF
64.0 558. DISTANCE CUT-OFF
65.0 643. DISTANCE CUT-OFF
66.0 719. DISTANCE CUT-OFF

67.0	754.	DISTANCE CUT-OFF	130.0	546.	DISTANCE CUT-OFF
68.0	758.	DISTANCE CUT-OFF	131.0	547.	DISTANCE CUT-OFF
69.0	760.	DISTANCE CUT-OFF	132.0		0.0 ANGLE CUT-OFF
70.0	818.	DISTANCE CUT-OFF	133.0		0.0 ANGLE CUT-OFF
71.0	849.	DISTANCE CUT-OFF	134.0		0.5 ANGLE CUT-OFF
72.0	824.	DISTANCE CUT-OFF	135.0		0.4 ANGLE CUT-OFF
73.0	784.	DISTANCE CUT-OFF	136.0		0.7 ANGLE CUT-OFF
74.0	726.	DISTANCE CUT-OFF	137.0		0.4 ANGLE CUT-OFF
75.0	651.	DISTANCE CUT-OFF	138.0		0.0 ANGLE CUT-OFF
76.0	651.	DISTANCE CUT-OFF	139.0		0.0 ANGLE CUT-OFF
77.0	654.	DISTANCE CUT-OFF	140.0		0.0 ANGLE CUT-OFF
78.0	682.	DISTANCE CUT-OFF	141.0		0.0 ANGLE CUT-OFF
79.0	700.	DISTANCE CUT-OFF	142.0		0.2 ANGLE CUT-OFF
80.0	722.	DISTANCE CUT-OFF	143.0		0.1 ANGLE CUT-OFF
100.0	343.	DISTANCE CUT-OFF	144.0		0.3 ANGLE CUT-OFF
101.0	350.	DISTANCE CUT-OFF	145.0		0.2 ANGLE CUT-OFF
102.0	356.	DISTANCE CUT-OFF	146.0		0.8 ANGLE CUT-OFF
103.0	358.	DISTANCE CUT-OFF	147.0		0.5 ANGLE CUT-OFF
104.0		0.6 ANGLE CUT-OFF	148.0		0.3 ANGLE CUT-OFF
105.0		0.2 ANGLE CUT-OFF	149.0		0.3 ANGLE CUT-OFF
106.0		0.0 ANGLE CUT-OFF	150.0		0.9 ANGLE CUT-OFF
107.0		0.3 ANGLE CUT-OFF	151.0		0.2 ANGLE CUT-OFF
108.0		0.5 ANGLE CUT-OFF	152.0		0.4 ANGLE CUT-OFF
109.0		0.8 ANGLE CUT-OFF	153.0		0.8 ANGLE CUT-OFF
110.0		0.6 ANGLE CUT-OFF	154.0		0.4 ANGLE CUT-OFF
111.0	213.7	1.6 13.0 17.4 0.0 0.0 1.612233 201.5-30.0 64.2 0.0 -1.0 0.0 -	155.0	464.	DISTANCE CUT-OFF
20.6	-12.2	0.0 -30.1 0.0 2.5 2.8	156.0	572.	DISTANCE CUT-OFF
112.0	228.4	2.3 10.6 17.4 0.0 0.0 2.312233 201.5-30.0 64.2 0.0 -1.0 0.0 -	157.0	647.	DISTANCE CUT-OFF
18.9	-12.5	0.0 -30.1 0.0 4.0 5.7	158.0	642.	DISTANCE CUT-OFF
113.0	241.9	3.2 8.6 17.4 0.0 0.0 3.212233 201.5-30.0 64.2 0.0 -1.0 0.0 -	159.0	744.	DISTANCE CUT-OFF
17.5	-12.6	0.0 -3.0 0.0 3.8 33.9	160.0	814.	DISTANCE CUT-OFF
114.0	242.2	3.8 7.9 17.4 0.0 0.0 3.812383 5.4 0.0 64.2 0.0 -1.0 0.0 -	161.0	861.	DISTANCE CUT-OFF
16.7	-12.6	0.0 0.0 0.0 4.0 37.9	162.0	865.	DISTANCE CUT-OFF
115.0	204.2	3.9 7.4 17.4 0.0 0.0 3.912383 5.4 0.0 72.3 0.0 -1.0 0.0 -	163.0	742.	DISTANCE CUT-OFF
16.7	-11.9	0.0 0.0 0.0 2.9 45.6	164.0	630.	DISTANCE CUT-OFF
116.0	180.6	3.6 7.3 17.4 0.0 0.0 3.612383 5.4 0.0 72.3 0.0 -1.0 0.1 -	165.0	534.	DISTANCE CUT-OFF
17.0	-11.4	0.0 0.0 0.0 3.2 46.2	166.0	327.	DISTANCE CUT-OFF
117.0	151.9	6.8 7.4 17.4 0.0 0.0 6.812383 5.4 0.0 72.3 0.0 -1.0 0.1 -	167.0		0.3 ANGLE CUT-OFF
14.2	-10.7	0.0 0.0 0.0 2.6 49.1	168.0	779.	DISTANCE CUT-OFF
126.0		0.0 ANGLE CUT-OFF	169.0	796.	DISTANCE CUT-OFF
127.0		0.0 ANGLE CUT-OFF	170.0	810.	DISTANCE CUT-OFF
129.0	545.	DISTANCE CUT-OFF	171.0	804.	DISTANCE CUT-OFF

172.0 800. DISTANCE CUT-OFF
173.0 802. DISTANCE CUT-OFF
174.0 808. DISTANCE CUT-OFF
175.0 807. DISTANCE CUT-OFF
176.0 816. DISTANCE CUT-OFF
177.0 503. DISTANCE CUT-OFF
178.0 773. DISTANCE CUT-OFF
179.0 618. DISTANCE CUT-OFF
180.0 0.1 ANGLE CUT-OFF
181.0 484. DISTANCE CUT-OFF
182.0 788. DISTANCE CUT-OFF
183.0 807. DISTANCE CUT-OFF
184.0 567. DISTANCE CUT-OFF
185.0 0.3 ANGLE CUT-OFF
188.0 267.3 3.4 4.5 17.4 0.0 0.0 3.413499 25.0 0.0 62.6 0.0 -1.0 0.7 -
17.2 -13.1 0.0 0.0 0.0 2.5 34.5
189.0 316. DISTANCE CUT-OFF
190.0 318. DISTANCE CUT-OFF
191.0 322. DISTANCE CUT-OFF
192.0 378. DISTANCE CUT-OFF
193.0 380. DISTANCE CUT-OFF
194.0 307. DISTANCE CUT-OFF
195.0 249.7 5.7 4.8 17.4 0.0 0.0 5.713500 25.0 0.0 64.5 0.0 -1.0 0.0 -
15.0 -12.8 0.0 0.0 0.0 2.5 38.2
196.0 246.5 5.7 5.2 17.4 0.0 0.0 5.713500 25.0 0.0 64.5 0.0 -1.0 0.7 -
15.0 -12.7 0.0 0.0 0.0 2.5 39.0
197.0 251.9 13.0 5.3 17.4 0.0 0.0 13.012095 177.0-30.0 71.3 0.0 -1.0 0.0
-11.4 -12.8 0.0 -0.5 0.0 2.5 48.1
198.0 0.0 ANGLE CUT-OFF
199.0 0.0 ANGLE CUT-OFF
200.0 0.0 ANGLE CUT-OFF
201.0 0.0 ANGLE CUT-OFF
202.0 263.4 3.5 5.0 17.4 0.0 0.0 3.512095 177.0-30.0 63.9 0.0 -1.0 0.1 -
17.1 -13.0 0.0 -2.2 0.0 2.5 33.2
203.0 265.7 8.3 5.4 17.4 0.0 0.0 8.313500 25.0 0.0 63.9 0.0 -1.0 0.4 -
13.3 -13.0 0.0 0.0 0.0 2.5 39.5
209.0 171.4 37.9 5.3 17.4 0.0 0.0 37.913499 25.0 0.0 62.3 0.0 -1.0 0.1 -
6.8 -11.2 0.0 0.0 0.0 2.5 45.9
210.0 547. DISTANCE CUT-OFF
211.0 547. DISTANCE CUT-OFF
212.0 547. DISTANCE CUT-OFF
213.0 545. DISTANCE CUT-OFF

214.0 545. DISTANCE CUT-OFF
215.0 545. DISTANCE CUT-OFF
216.0 536. DISTANCE CUT-OFF
217.0 536. DISTANCE CUT-OFF
218.0 533. DISTANCE CUT-OFF
219.0 534. DISTANCE CUT-OFF
220.0 534. DISTANCE CUT-OFF
221.0 533. DISTANCE CUT-OFF
222.0 533. DISTANCE CUT-OFF
223.0 540. DISTANCE CUT-OFF
306.0 50.4 9.9 5.5 17.4 0.0 0.0 9.912385 5.5 0.0 69.9 0.0 -1.0 0.2 -
12.6 -6.5 0.0 0.0 0.0 2.5 52.5
307.0 50.8 12.4 5.6 17.4 0.0 0.0 12.412385 5.6 0.0 69.9 0.0 -1.0 0.1 -
11.6 -6.6 0.0 0.0 0.0 2.5 53.3
308.0 51.4 10.1 5.7 17.4 0.0 0.0 10.113499 25.0 0.0 69.9 0.0 -3.5 0.0 -
12.5 -6.6 0.0 0.0 0.0 2.5 49.8
309.0 51.2 17.0 5.7 17.4 0.0 0.0 17.013499 25.0 0.0 69.9 0.0 -3.5 0.0 -
10.2 -6.6 0.0 0.0 0.0 2.5 52.1
310.0 51.1 19.9 5.8 17.4 0.0 0.0 19.913499 25.0 0.0 72.7 0.0 -3.5 0.2 -
9.6 -6.6 0.0 0.0 0.0 2.5 55.7
311.0 51.2 35.4 6.1 17.4 0.0 0.0 35.412095 177.0-30.0 72.7 0.0 -3.5 0.3
-7.1 -6.6 0.0 -0.1 0.0 2.5 58.2
312.0 0.0 ANGLE CUT-OFF
313.0 0.0 ANGLE CUT-OFF
314.0 0.0 ANGLE CUT-OFF
315.0 0.0 ANGLE CUT-OFF
316.0 0.5 ANGLE CUT-OFF
317.0 0.6 ANGLE CUT-OFF
318.0 0.6 ANGLE CUT-OFF
319.0 0.2 ANGLE CUT-OFF
320.0 0.6 ANGLE CUT-OFF
321.0 0.6 ANGLE CUT-OFF
322.0 46.7 9.4 6.0 17.4 0.0 0.0 9.412384 5.4 0.0 71.1 0.0 -1.0 0.0 -
12.8 -6.3 0.0 0.0 0.0 2.5 53.5
323.0 52.2 10.3 5.6 17.4 0.0 0.0 10.312385 5.5 0.0 71.1 0.0 -1.0 0.0 -
12.4 -6.7 0.0 0.0 0.0 2.5 53.5
341.0 0.6 ANGLE CUT-OFF
342.0 0.5 ANGLE CUT-OFF
343.0 0.0 ANGLE CUT-OFF
344.0 0.5 ANGLE CUT-OFF
345.0 0.7 ANGLE CUT-OFF
346.0 0.0 ANGLE CUT-OFF

347.0 0.0 ANGLE CUT-OFF
 348.0 0.0 ANGLE CUT-OFF
 349.0 0.0 ANGLE CUT-OFF
 432.0 41.0 27.5 6.8 17.4 0.0 0.0 27.513497 25.0 -8.1 69.2 0.0 -1.0 0.0 -
 8.2 -5.9 0.0 -6.9 0.0 2.5 49.7
 433.0 41.1 33.7 5.9 17.4 0.0 0.0 33.713498 25.0 -1.2 69.2 0.0 -1.0 0.0 -
 7.3 -5.9 0.0 -1.2 0.0 2.5 56.3
 434.0 44.6 37.3 5.6 17.4 0.0 0.0 37.313499 25.0 -0.1 69.2 0.0 -1.0 0.2 -
 6.8 -6.2 0.0 -0.1 0.0 2.5 57.8
 445.0 0.0 ANGLE CUT-OFF
 446.0 0.0 ANGLE CUT-OFF
 447.0 0.0 ANGLE CUT-OFF
 448.0 0.0 ANGLE CUT-OFF
 449.0 0.0 ANGLE CUT-OFF
 450.0 0.0 ANGLE CUT-OFF
 451.0 390. DISTANCE CUT-OFF
 452.0 0.5 ANGLE CUT-OFF
 453.0 0.0 ANGLE CUT-OFF
 454.0 0.0 ANGLE CUT-OFF
 455.0 0.0 ANGLE CUT-OFF
 456.0 0.0 ANGLE CUT-OFF
 457.0 0.0 ANGLE CUT-OFF
 458.0 68.2 11.9 5.7 17.4 0.0 0.0 11.912385 5.5 0.0 71.0 0.0 -1.0 0.6 -
 11.8 -7.5 0.0 0.0 0.0 2.5 53.8
 459.0 59.0 8.7 6.2 17.4 0.0 0.0 8.712384 5.4 0.0 71.0 0.0 -1.0 0.5 -
 13.2 -7.0 0.0 0.0 0.0 2.5 52.8
 460.0 59.2 23.6 6.8 17.4 0.0 0.0 23.613497 25.0 -0.6 71.0 0.0 -3.5 0.8 -
 8.8 -7.0 0.0 -0.4 0.0 2.5 54.6
 461.0 60.1 43.4 8.9 17.4 0.0 0.0 43.413495 25.0 -7.3 71.0 0.0 -3.5 0.5 -
 6.2 -7.1 0.0 -4.7 0.0 2.5 52.5
 462.0 0.0 ANGLE CUT-OFF
 463.0 0.2 ANGLE CUT-OFF
 464.0 0.0 ANGLE CUT-OFF
 465.0 0.0 ANGLE CUT-OFF
 466.0 0.0 ANGLE CUT-OFF
 467.0 0.0 ANGLE CUT-OFF
 468.0 42.7 37.7 8.9 17.4 0.0 0.0 37.713495 25.0 -14.2 74.2 0.0 -3.5 0.0 -
 6.8 -6.0 0.0 -13.0 0.0 2.5 47.4
 469.0 42.7 39.2 6.8 17.4 0.0 0.0 39.213497 25.0 -6.3 72.6 0.0 -3.5 0.0 -
 6.6 -6.0 0.0 -2.7 0.0 2.5 56.3
 470.0 41.7 9.7 6.2 17.4 0.0 0.0 9.712385 5.5 0.0 72.6 0.0 -1.0 0.0 -
 12.7 -5.9 0.0 0.0 0.0 2.5 55.5

471.0 41.4 9.5 5.8 17.4 0.0 0.0 9.512385 5.5 0.0 72.6 0.0 -1.0 0.0 -
 12.8 -5.9 0.0 0.0 0.0 2.5 55.4
 472.0 168.7 11.6 5.5 17.4 0.0 0.0 11.612095 177.0 -30.0 62.9 0.0 -1.0 0.0
 -11.9 -11.1 0.0 -0.8 0.0 2.5 40.6
 473.0 0.0 ANGLE CUT-OFF
 474.0 1901. DISTANCE CUT-OFF
 475.0 1889. DISTANCE CUT-OFF
 476.0 1840. DISTANCE CUT-OFF
 477.0 814. DISTANCE CUT-OFF
 478.0 1832. DISTANCE CUT-OFF
 479.0 1880. DISTANCE CUT-OFF
 480.0 1894. DISTANCE CUT-OFF
 481.0 1669. DISTANCE CUT-OFF
 482.0 2037. DISTANCE CUT-OFF
 483.0 2087. DISTANCE CUT-OFF
 484.0 1884. DISTANCE CUT-OFF
 485.0 1455. DISTANCE CUT-OFF
 486.0 751. DISTANCE CUT-OFF
 487.0 1443. DISTANCE CUT-OFF
 488.0 1948. DISTANCE CUT-OFF
 489.0 2080. DISTANCE CUT-OFF
 490.0 1997. DISTANCE CUT-OFF
 491.0 1838. DISTANCE CUT-OFF
 492.0 1950. DISTANCE CUT-OFF
 493.0 1099. DISTANCE CUT-OFF
 494.0 0.0 ANGLE CUT-OFF
 495.0 1437. DISTANCE CUT-OFF
 496.0 1859. DISTANCE CUT-OFF
 497.0 2208. DISTANCE CUT-OFF
 498.0 2111. DISTANCE CUT-OFF
 499.0 1129. DISTANCE CUT-OFF
 500.0 0.1 ANGLE CUT-OFF
 501.0 1427. DISTANCE CUT-OFF
 502.0 2091. DISTANCE CUT-OFF
 503.0 1284. DISTANCE CUT-OFF
 504.0 1448. DISTANCE CUT-OFF
 505.0 1664. DISTANCE CUT-OFF
 506.0 1887. DISTANCE CUT-OFF
 507.0 2073. DISTANCE CUT-OFF
 508.0 2163. DISTANCE CUT-OFF
 509.0 2185. DISTANCE CUT-OFF
 510.0 2157. DISTANCE CUT-OFF

511.0	1155.	DISTANCE CUT-OFF	553.0	1746.	DISTANCE CUT-OFF
512.0	1416.	DISTANCE CUT-OFF	554.0	1993.	DISTANCE CUT-OFF
513.0	1514.	DISTANCE CUT-OFF	555.0	2203.	DISTANCE CUT-OFF
514.0	1852.	DISTANCE CUT-OFF	556.0	2456.	DISTANCE CUT-OFF
515.0	2009.	DISTANCE CUT-OFF	557.0	2459.	DISTANCE CUT-OFF
516.0	2121.	DISTANCE CUT-OFF	558.0	2724.	DISTANCE CUT-OFF
517.0	2168.	DISTANCE CUT-OFF	559.0	2850.	DISTANCE CUT-OFF
518.0	2142.	DISTANCE CUT-OFF	560.0	2882.	DISTANCE CUT-OFF
519.0	2019.	DISTANCE CUT-OFF	561.0	2336.	DISTANCE CUT-OFF
520.0	1830.	DISTANCE CUT-OFF	562.0	1873.	DISTANCE CUT-OFF
521.0	1817.	DISTANCE CUT-OFF	563.0	1452.	DISTANCE CUT-OFF
522.0	1832.	DISTANCE CUT-OFF	564.0	742.	DISTANCE CUT-OFF
523.0	2009.	DISTANCE CUT-OFF	565.0	0.0	ANGLE CUT-OFF
524.0	2136.	DISTANCE CUT-OFF	566.0	0.0	ANGLE CUT-OFF
525.0	2155.	DISTANCE CUT-OFF	567.0	0.0	ANGLE CUT-OFF
526.0	2114.	DISTANCE CUT-OFF	568.0	0.0	ANGLE CUT-OFF
527.0	2023.	DISTANCE CUT-OFF	569.0	0.0	ANGLE CUT-OFF
528.0	1834.	DISTANCE CUT-OFF	570.0	993.	DISTANCE CUT-OFF
529.0	1556.	DISTANCE CUT-OFF	571.0	1283.	DISTANCE CUT-OFF
530.0	1355.	DISTANCE CUT-OFF	572.0	0.0	ANGLE CUT-OFF
531.0	1201.	DISTANCE CUT-OFF	573.0	0.0	ANGLE CUT-OFF
532.0	2143.	DISTANCE CUT-OFF	574.0	0.0	ANGLE CUT-OFF
533.0	1895.	DISTANCE CUT-OFF	575.0	320.	DISTANCE CUT-OFF
534.0	1822.	DISTANCE CUT-OFF	576.0	763.	DISTANCE CUT-OFF
535.0	1785.	DISTANCE CUT-OFF	577.0	1616.	DISTANCE CUT-OFF
536.0	749.	DISTANCE CUT-OFF	578.0	2421.	DISTANCE CUT-OFF
537.0	756.	DISTANCE CUT-OFF	579.0	1958.	DISTANCE CUT-OFF
538.0	2192.	DISTANCE CUT-OFF	580.0	1960.	DISTANCE CUT-OFF
539.0	1903.	DISTANCE CUT-OFF	581.0	1952.	DISTANCE CUT-OFF
540.0	1227.	DISTANCE CUT-OFF	582.0	1928.	DISTANCE CUT-OFF
541.0	614.	DISTANCE CUT-OFF	583.0	1951.	DISTANCE CUT-OFF
542.0	489.	DISTANCE CUT-OFF	584.0	1947.	DISTANCE CUT-OFF
543.0	504.	DISTANCE CUT-OFF	585.0	2872.	DISTANCE CUT-OFF
544.0	485.	DISTANCE CUT-OFF	586.0	2767.	DISTANCE CUT-OFF
545.0	494.	DISTANCE CUT-OFF	587.0	3034.	DISTANCE CUT-OFF
546.0	498.	DISTANCE CUT-OFF	588.0	3000.	DISTANCE CUT-OFF
547.0	828.	DISTANCE CUT-OFF	589.0	2748.	DISTANCE CUT-OFF
548.0	1788.	DISTANCE CUT-OFF	590.0	2719.	DISTANCE CUT-OFF
549.0	718.	DISTANCE CUT-OFF	591.0	2529.	DISTANCE CUT-OFF
550.0	1048.	DISTANCE CUT-OFF	592.0	2518.	DISTANCE CUT-OFF
551.0	1300.	DISTANCE CUT-OFF	593.0	2514.	DISTANCE CUT-OFF
552.0	1571.	DISTANCE CUT-OFF	594.0	2697.	DISTANCE CUT-OFF

595.0 2847. DISTANCE CUT-OFF
 596.0 3008. DISTANCE CUT-OFF
 597.0 2994. DISTANCE CUT-OFF
 598.0 2789. DISTANCE CUT-OFF
 599.0 2826. DISTANCE CUT-OFF
 600.0 0.0 ANGLE CUT-OFF
 601.0 1554. DISTANCE CUT-OFF
 602.0 2130. DISTANCE CUT-OFF
 603.0 2103. DISTANCE CUT-OFF
 604.0 2117. DISTANCE CUT-OFF
 605.0 2109. DISTANCE CUT-OFF
 606.0 2110. DISTANCE CUT-OFF
 607.0 2095. DISTANCE CUT-OFF
 608.0 2101. DISTANCE CUT-OFF
 609.0 2112. DISTANCE CUT-OFF
 610.0 1901. DISTANCE CUT-OFF
 611.0 1904. DISTANCE CUT-OFF
 612.0 2198. DISTANCE CUT-OFF
 613.0 1356. DISTANCE CUT-OFF
 614.0 343. DISTANCE CUT-OFF
 615.0 718. DISTANCE CUT-OFF
 616.0 1743. DISTANCE CUT-OFF
 617.0 2337. DISTANCE CUT-OFF
 618.0 2650. DISTANCE CUT-OFF
 619.0 2627. DISTANCE CUT-OFF
 620.0 2625. DISTANCE CUT-OFF
 621.0 2613. DISTANCE CUT-OFF
 622.0 1906. DISTANCE CUT-OFF
 622.0 1003. DISTANCE CUT-OFF
 623.0 0.1 ANGLE CUT-OFF
 624.0 465. DISTANCE CUT-OFF
 625.0 1162. DISTANCE CUT-OFF
 626.0 1541. DISTANCE CUT-OFF
 627.0 1767. DISTANCE CUT-OFF
 628.0 1773. DISTANCE CUT-OFF
 629.0 1832. DISTANCE CUT-OFF
 630.0 1836. DISTANCE CUT-OFF
 631.0 1808. DISTANCE CUT-OFF
 632.0 1998. DISTANCE CUT-OFF
 633.0 2022. DISTANCE CUT-OFF
 634.0 2108. DISTANCE CUT-OFF
 635.0 1664. DISTANCE CUT-OFF

636.0 1130. DISTANCE CUT-OFF
 637.0 324. DISTANCE CUT-OFF
 638.0 540. DISTANCE CUT-OFF
 639.0 332. DISTANCE CUT-OFF
 647.0 1082. DISTANCE CUT-OFF
 648.0 789. DISTANCE CUT-OFF
 649.0 764. DISTANCE CUT-OFF
 650.0 696. DISTANCE CUT-OFF
 651.0 489. DISTANCE CUT-OFF
 652.0 495. DISTANCE CUT-OFF
 653.0 491. DISTANCE CUT-OFF
 654.0 532. DISTANCE CUT-OFF
 655.0 623. DISTANCE CUT-OFF
 656.0 1234. DISTANCE CUT-OFF
 657.0 1892. DISTANCE CUT-OFF
 658.0 2171. DISTANCE CUT-OFF
 659.0 2184. DISTANCE CUT-OFF
 660.0 2885. DISTANCE CUT-OFF
 661.0 2820. DISTANCE CUT-OFF
 662.0 2689. DISTANCE CUT-OFF
 663.0 2403. DISTANCE CUT-OFF
 666.0 2109. DISTANCE CUT-OFF
 667.0 829. DISTANCE CUT-OFF
 668.0 570. DISTANCE CUT-OFF
 669.0 573. DISTANCE CUT-OFF
 670.0 2381. DISTANCE CUT-OFF
 671.0 3011. DISTANCE CUT-OFF
 672.0 3010. DISTANCE CUT-OFF
 673.0 774. DISTANCE CUT-OFF
 674.0 1686. DISTANCE CUT-OFF
 675.0 578. DISTANCE CUT-OFF
 676.0 1299. DISTANCE CUT-OFF
 677.0 176.9 37.7 5.3 17.4 0.0 0.0 37.713499 25.0 0.0 60.0 0.0 -1.0 0.0 -
 6.8 -11.3 0.0 0.0 0.0 2.5 43.4
 678.0 718. DISTANCE CUT-OFF
 679.0 699. DISTANCE CUT-OFF
 680.0 673. DISTANCE CUT-OFF
 681.0 644. DISTANCE CUT-OFF
 682.0 644. DISTANCE CUT-OFF
 683.0 653. DISTANCE CUT-OFF
 684.0 724. DISTANCE CUT-OFF
 685.0 769. DISTANCE CUT-OFF

686.0 825. DISTANCE CUT-OFF
 687.0 836. DISTANCE CUT-OFF
 688.0 798. DISTANCE CUT-OFF
 689.0 0.6 ANGLE CUT-OFF
 690.0 0.7 ANGLE CUT-OFF
 691.0 0.5 ANGLE CUT-OFF
 692.0 0.2 ANGLE CUT-OFF
 693.0 0.0 ANGLE CUT-OFF
 694.0 0.2 ANGLE CUT-OFF
 695.0 0.0 ANGLE CUT-OFF
 696.0 227.1 4.1 7.9 17.4 0.0 0.0 4.112383 5.4 0.0 70.6 0.0 -1.0 0.2 -
 16.4 -12.4 0.0 0.0 0.0 2.5 43.5
 697.0 215.6 2.5 8.8 17.4 0.0 0.0 2.512233 201.5-30.0 70.6 0.0 -1.0 0.9 -
 18.6 -12.2 0.0 -15.0 0.0 2.5 27.2
 698.0 211.3 2.2 10.7 17.4 0.0 0.0 2.212233 201.5-30.0 70.6 0.0 -1.0 1.6 -
 19.1 -12.1 0.0 -30.1 0.0 2.5 12.4
 699.0 199.1 1.5 13.0 17.4 0.0 0.0 1.512236 201.5-30.0 70.6 0.0 -1.0 1.5 -
 20.9 -11.9 0.0 -30.0 0.0 2.5 10.8
 700.0 142.3 6.5 7.4 17.4 0.0 0.0 6.512383 5.4 0.0 70.8 0.0 -1.0 0.0 -
 14.4 -10.4 0.0 0.0 0.0 2.5 47.5
 701.0 184.7 3.8 7.3 17.4 0.0 0.0 3.812383 5.4 0.0 70.8 0.0 -1.0 0.0 -
 16.8 -11.5 0.0 0.0 0.0 2.5 44.0
 702.0 210.9 4.0 7.4 17.4 0.0 0.0 4.012383 5.4 0.0 70.8 0.0 -1.0 0.3 -
 16.5 -12.0 0.0 0.0 0.0 2.5 44.1
 703.0 778. DISTANCE CUT-OFF
 704.0 754. DISTANCE CUT-OFF
 705.0 747. DISTANCE CUT-OFF
 706.0 708. DISTANCE CUT-OFF
 707.0 641. DISTANCE CUT-OFF
 708.0 547. DISTANCE CUT-OFF
 709.0 445. DISTANCE CUT-OFF
 710.0 326. DISTANCE CUT-OFF
 711.0 0.7 ANGLE CUT-OFF
 712.0 0.3 ANGLE CUT-OFF
 713.0 0.1 ANGLE CUT-OFF
 714.0 0.3 ANGLE CUT-OFF
 715.0 0.6 ANGLE CUT-OFF
 716.0 0.4 ANGLE CUT-OFF
 717.0 0.6 ANGLE CUT-OFF
 718.0 0.4 ANGLE CUT-OFF
 719.0 57.8 1.3 7.9 17.4 0.0 0.0 1.312384 5.4 0.0 70.0 0.0 -1.0 0.0 -
 21.3 -7.1 0.0 0.0 0.0 4.0 44.6

720.0 369. DISTANCE CUT-OFF
 721.0 365. DISTANCE CUT-OFF
 722.0 357. DISTANCE CUT-OFF
 723.0 359. DISTANCE CUT-OFF
 730.0 810. DISTANCE CUT-OFF
 731.0 787. DISTANCE CUT-OFF
 732.0 713. DISTANCE CUT-OFF
 733.0 800. DISTANCE CUT-OFF
 734.0 807. DISTANCE CUT-OFF
 735.0 808. DISTANCE CUT-OFF
 736.0 814. DISTANCE CUT-OFF
 741.0 0.1 ANGLE CUT-OFF
 742.0 0.2 ANGLE CUT-OFF
 743.0 369. DISTANCE CUT-OFF
 744.0 518. DISTANCE CUT-OFF
 745.0 650. DISTANCE CUT-OFF
 746.0 762. DISTANCE CUT-OFF
 747.0 870. DISTANCE CUT-OFF
 748.0 868. DISTANCE CUT-OFF
 749.0 834. DISTANCE CUT-OFF
 750.0 752. DISTANCE CUT-OFF
 751.0 647. DISTANCE CUT-OFF
 752.0 821. DISTANCE CUT-OFF
 753.0 822. DISTANCE CUT-OFF
 754.0 814. DISTANCE CUT-OFF
 755.0 812. DISTANCE CUT-OFF
 756.0 810. DISTANCE CUT-OFF
 757.0 0.0 ANGLE CUT-OFF
 758.0 535. DISTANCE CUT-OFF
 759.0 535. DISTANCE CUT-OFF
 760.0 535. DISTANCE CUT-OFF
 761.0 0.0 ANGLE CUT-OFF
 762.0 1754. DISTANCE CUT-OFF
 763.0 1745. DISTANCE CUT-OFF
 764.0 1520. DISTANCE CUT-OFF
 765.0 1164. DISTANCE CUT-OFF
 766.0 497. DISTANCE CUT-OFF
 767.0 0.1 ANGLE CUT-OFF
 768.0 819. DISTANCE CUT-OFF
 769.0 1955. DISTANCE CUT-OFF
 770.0 2599. DISTANCE CUT-OFF
 771.0 2616. DISTANCE CUT-OFF

772.0 2618. DISTANCE CUT-OFF
 773.0 2648. DISTANCE CUT-OFF
 774.0 2383. DISTANCE CUT-OFF
 775.0 1708. DISTANCE CUT-OFF
 776.0 742. DISTANCE CUT-OFF
 777.0 394. DISTANCE CUT-OFF
 778.0 1263. DISTANCE CUT-OFF
 779.0 2188. DISTANCE CUT-OFF
 780.0 344. DISTANCE CUT-OFF
 781.0 532. DISTANCE CUT-OFF
 782.0 313. DISTANCE CUT-OFF
 783.0 1117. DISTANCE CUT-OFF
 784.0 1654. DISTANCE CUT-OFF
 785.0 2120. DISTANCE CUT-OFF
 786.0 2075. DISTANCE CUT-OFF
 787.0 2045. DISTANCE CUT-OFF
 788.0 1805. DISTANCE CUT-OFF
 789.0 1841. DISTANCE CUT-OFF
 790.0 1843. DISTANCE CUT-OFF
 799.0 761. DISTANCE CUT-OFF
 800.0 759. DISTANCE CUT-OFF
 801.0 762. DISTANCE CUT-OFF
 802.0 779. DISTANCE CUT-OFF
 803.0 782. DISTANCE CUT-OFF
 804.0 766. DISTANCE CUT-OFF
 805.0 765. DISTANCE CUT-OFF
 806.0 766. DISTANCE CUT-OFF
 807.0 0.0 ANGLE CUT-OFF
 808.0 0.9 ANGLE CUT-OFF
 809.0 405. DISTANCE CUT-OFF
 810.0 621. DISTANCE CUT-OFF
 811.0 730. DISTANCE CUT-OFF
 812.0 760. DISTANCE CUT-OFF
 813.0 765. DISTANCE CUT-OFF
 814.0 732. DISTANCE CUT-OFF
 815.0 625. DISTANCE CUT-OFF
 816.0 417. DISTANCE CUT-OFF
 817.0 0.9 ANGLE CUT-OFF
 818.0 0.0 ANGLE CUT-OFF
 819.0 0.0 ANGLE CUT-OFF
 820.0 176.9 12.6 5.5 17.4 0.0 0.0 12.612095 177.0-30.0 68.9 0.0 -1.0 0.1
 -11.6 -11.3 0.0 -0.6 0.0 2.5 47.0

821.0 74.0 10.7 5.3 17.4 0.0 0.0 10.712385 5.6 0.0 59.1 0.0 -1.0 0.2 -
 12.2 -7.8 0.0 0.0 0.0 2.5 40.8

 N7603

 SEGMENT DIST ANGLE HT AV HT PER SPD SCRN MAJOR BARRIER BASIC <--
 ----- CORRECTIONS-----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROPN SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL
 822.0 107.2 3.0 5.7 17.4 0.0 0.0 3.012385 5.6 0.0 59.1 0.0 -1.0 0.5 -
 17.8 -9.3 0.0 0.0 0.0 2.5 34.0
 823.0 136.3 4.2 5.9 17.4 0.0 0.0 4.212385 5.5 0.0 59.1 0.0 -1.0 0.2 -
 16.3 -10.2 0.0 0.0 0.0 2.5 34.3
 824.0 148.8 9.7 6.1 17.4 0.0 0.0 9.712385 5.5 0.0 59.1 0.0 -1.0 0.3 -
 12.7 -10.6 0.0 0.0 0.0 2.5 37.6
 825.0 237.4 9.2 5.2 17.4 0.0 0.0 9.225851 45.5-30.0 54.0 0.0 -1.0 0.2 -
 12.9 -12.5 0.0 -3.9 0.0 2.5 26.4
 826.0 262.7 3.7 5.4 17.4 0.0 0.0 3.725853 45.5-30.0 54.0 0.0 -1.0 0.2 -
 16.8 -13.0 0.0 -29.3 0.0 2.5 -3.4
 827.0 267.8 3.3 5.4 17.4 0.0 0.0 3.325853 45.5-30.0 54.0 0.0 -1.0 0.2 -
 17.4 -13.1 0.0 -30.2 0.0 2.5 -5.0
 828.0 249.1 2.9 5.6 17.4 0.0 0.0 2.925854 45.5-30.0 54.0 0.0 -1.0 0.2 -
 17.9 -12.7 0.0 -30.2 0.0 2.5 -5.1
 829.0 222.0 15.4 5.9 17.4 0.0 0.0 15.425854 45.5-30.0 54.0 0.0 -1.0 0.2 -
 10.7 -12.3 0.0 -3.9 0.0 2.5 28.8
 830.0 218.6 15.7 5.9 17.4 0.0 0.0 15.725854 45.5-30.0 54.0 0.0 -1.0 0.0 -
 10.6 -12.2 0.0 -4.0 0.0 2.5 28.7
 831.0 244.4 2.7 5.6 17.4 0.0 0.0 2.725854 45.5-30.0 54.0 0.0 -1.0 0.0 -
 18.2 -12.7 0.0 -30.2 0.0 2.5 -5.6
 832.0 263.4 3.1 5.4 17.4 0.0 0.0 3.125853 45.5-30.0 54.0 0.0 -1.0 0.0 -
 17.7 -13.0 0.0 -30.1 0.0 2.5 -5.3
 833.0 258.3 3.5 5.4 17.4 0.0 0.0 3.525853 45.5-30.0 54.0 0.0 -1.0 0.0 -
 17.1 -12.9 0.0 -29.6 0.0 2.5 -4.1
 834.0 233.2 9.2 5.2 17.4 0.0 0.0 9.225851 45.5-30.0 54.0 0.0 -1.0 0.0 -
 12.9 -12.5 0.0 -4.2 0.0 2.5 25.9
 835.0 263.8 5.8 5.2 17.4 0.0 0.0 5.813500 25.0 0.0 64.3 0.0 -1.0 0.0 -
 14.9 -13.0 0.0 0.0 0.0 2.5 37.9
 836.0 261.3 5.7 4.8 17.4 0.0 0.0 5.713500 25.0 0.0 64.3 0.0 -1.0 0.1 -
 15.0 -13.0 0.0 0.0 0.0 2.5 37.9
 837.0 315. DISTANCE CUT-OFF

838.0 389. DISTANCE CUT-OFF
 839.0 387. DISTANCE CUT-OFF
 840.0 330. DISTANCE CUT-OFF
 841.0 326. DISTANCE CUT-OFF
 842.0 323. DISTANCE CUT-OFF
 843.0 144.1 2.0 3.5 17.4 0.0 0.0 2.013499 25.0 0.0 70.4 0.0 -1.0 0.0 -
 19.5 -10.4 0.0 0.0 0.0 3.8 43.3
 844.0 151.6 1.9 3.3 17.4 0.0 0.0 1.913499 25.0 0.0 70.4 0.0 -1.0 0.2 -
 19.7 -10.7 0.0 0.0 0.0 2.5 41.7
 845.0 197.8 2.4 3.5 17.4 0.0 0.0 2.413499 25.0 0.0 70.4 0.0 -1.0 0.2 -
 18.7 -11.8 0.0 0.0 0.0 2.5 41.6
 846.0 224.1 4.5 3.7 17.4 0.0 0.0 4.513499 25.0 0.0 70.4 0.0 -1.0 0.4 -
 16.0 -12.3 0.0 0.0 0.0 2.5 44.0
 847.0 224.4 4.5 4.3 17.4 0.0 0.0 4.513499 25.0 0.0 70.4 0.0 -1.0 1.0 -
 16.0 -12.3 0.0 0.0 0.0 2.5 44.6
 848.0 238.2 1.9 5.1 17.4 0.0 0.0 1.913499 25.0 0.0 69.6 0.0 -1.0 2.0 -
 19.8 -12.6 0.0 0.0 0.0 2.5 40.7
 849.0 234.4 3.4 4.8 17.4 0.0 0.0 3.413499 25.0 0.0 69.6 0.0 -1.0 0.0 -
 17.2 -12.5 0.0 0.0 0.0 2.5 41.4
 850.0 302. DISTANCE CUT-OFF
 851.0 327. DISTANCE CUT-OFF
 852.0 0.9 ANGLE CUT-OFF
 853.0 180.6 1.2 -2.8 17.4 0.0 0.0 1.213502 5.0-10.2 70.2 0.0 -1.0 1.2 -
 21.6 -11.4 0.0 -10.2 0.0 3.6 30.8
 854.0 249.0 2.1 -1.8 17.4 0.0 0.0 2.113502 5.0-3.9 70.2 0.0 -1.0 1.1 -
 19.3 -12.7 0.0 -3.2 0.0 3.6 38.7
 855.0 290.5 2.6 -0.6 17.4 0.0 0.0 2.613503 5.0-0.5 70.2 0.0 -1.0 1.6 -
 18.5 -13.4 0.0 -0.5 0.0 2.5 40.9
 856.0 321. DISTANCE CUT-OFF
 857.0 337. DISTANCE CUT-OFF
 858.0 350. DISTANCE CUT-OFF
 859.0 357. DISTANCE CUT-OFF
 860.0 357. DISTANCE CUT-OFF
 861.0 0.8 ANGLE CUT-OFF
 862.0 61.7 1.2 -4.2 17.4 0.0 0.0 1.213501 5.0-1.8 76.3 0.0 1.4 0.0 -
 21.9 -7.5 0.0 -1.8 0.0 4.0 50.5
 863.0 0.6 ANGLE CUT-OFF
 864.0 0.2 ANGLE CUT-OFF
 865.0 0.6 ANGLE CUT-OFF
 866.0 0.9 ANGLE CUT-OFF
 867.0 0.7 ANGLE CUT-OFF
 868.0 0.3 ANGLE CUT-OFF

869.0 0.2 ANGLE CUT-OFF
 870.0 0.2 ANGLE CUT-OFF
 871.0 0.2 ANGLE CUT-OFF
 872.0 0.2 ANGLE CUT-OFF
 873.0 56.5 1.5 -1.9 17.4 0.0 0.0 1.513501 5.0-1.4 74.1 0.0 1.4 1.0 -
 20.9 -6.7 0.0 -1.4 0.0 4.0 51.5
 874.0 57.4 2.2 0.7 17.4 0.0 0.0 2.213501 5.0-0.1 74.1 0.0 1.4 1.0 -
 19.1 -6.8 0.0 -0.1 0.0 4.0 54.5
 875.0 63.3 5.4 3.0 17.4 0.0 0.0 5.413499 25.0 0.0 74.1 0.0 -3.5 0.6 -
 15.2 -7.2 0.0 0.0 0.0 4.0 52.8
 876.0 64.2 10.6 4.5 17.4 0.0 0.0 10.612385 5.6 0.0 71.8 0.0 -3.5 0.3 -
 12.3 -7.3 0.0 0.0 0.0 2.5 51.5
 877.0 59.7 8.5 5.3 17.4 0.0 0.0 8.512385 5.6 0.0 71.8 0.0 -1.0 0.4 -
 13.3 -7.1 0.0 0.0 0.0 2.5 53.3
 878.0 40.3 6.7 5.2 17.4 0.0 0.0 6.712385 5.6 0.0 75.0 0.0 -1.0 0.0 -
 14.3 -5.8 0.0 0.0 0.0 2.5 56.4
 879.0 43.1 8.7 4.3 17.4 0.0 0.0 8.713499 25.0 0.0 75.0 0.0 -3.5 0.0 -
 13.1 -6.0 0.0 0.0 0.0 2.5 54.9
 880.0 47.0 3.2 2.8 17.4 0.0 0.0 3.213501 5.0-2.9 74.0 0.0 -3.5 0.0 -
 17.5 -6.2 0.0 -1.4 0.0 3.7 49.1
 881.0 47.0 2.8 -0.6 17.4 0.0 0.0 2.813501 5.0-11.8 74.0 0.0 -1.0 0.0 -
 18.1 -6.0 0.0 -11.8 0.0 3.1 40.2
 882.0 0.2 ANGLE CUT-OFF
 883.0 0.4 ANGLE CUT-OFF
 884.0 310. DISTANCE CUT-OFF
 885.0 376. DISTANCE CUT-OFF
 886.0 451. DISTANCE CUT-OFF
 887.0 503. DISTANCE CUT-OFF
 888.0 570. DISTANCE CUT-OFF
 889.0 561. DISTANCE CUT-OFF
 890.0 570. DISTANCE CUT-OFF
 891.0 630. DISTANCE CUT-OFF
 892.0 766. DISTANCE CUT-OFF
 893.0 869. DISTANCE CUT-OFF
 894.0 999. DISTANCE CUT-OFF
 895.0 1080. DISTANCE CUT-OFF
 896.0 1084. DISTANCE CUT-OFF
 897.0 1128. DISTANCE CUT-OFF
 898.0 1109. DISTANCE CUT-OFF
 899.0 956. DISTANCE CUT-OFF
 900.0 693. DISTANCE CUT-OFF
 901.0 362. DISTANCE CUT-OFF

902.0		0.4 ANGLE CUT-OFF
903.0		0.3 ANGLE CUT-OFF
904.0		0.3 ANGLE CUT-OFF
905.0		0.4 ANGLE CUT-OFF
906.0		0.1 ANGLE CUT-OFF
907.0		0.3 ANGLE CUT-OFF
908.0		0.2 ANGLE CUT-OFF
909.0		0.3 ANGLE CUT-OFF
910.0		0.2 ANGLE CUT-OFF
911.0	1159.	DISTANCE CUT-OFF
912.0	1214.	DISTANCE CUT-OFF
913.0	1237.	DISTANCE CUT-OFF
914.0	1244.	DISTANCE CUT-OFF
915.0	1222.	DISTANCE CUT-OFF
916.0	1157.	DISTANCE CUT-OFF
917.0	1032.	DISTANCE CUT-OFF
918.0	817.	DISTANCE CUT-OFF
919.0	613.	DISTANCE CUT-OFF
920.0	443.	DISTANCE CUT-OFF
921.0		0.3 ANGLE CUT-OFF
922.0		0.1 ANGLE CUT-OFF
923.0		0.1 ANGLE CUT-OFF
924.0		0.3 ANGLE CUT-OFF
925.0		0.6 ANGLE CUT-OFF
926.0		0.7 ANGLE CUT-OFF
927.0		0.2 ANGLE CUT-OFF
928.0		0.1 ANGLE CUT-OFF
929.0		0.1 ANGLE CUT-OFF
930.0		0.1 ANGLE CUT-OFF
931.0		0.2 ANGLE CUT-OFF
932.0		0.5 ANGLE CUT-OFF
933.0		0.2 ANGLE CUT-OFF
934.0		0.1 ANGLE CUT-OFF
935.0		0.3 ANGLE CUT-OFF
936.0		0.4 ANGLE CUT-OFF
937.0	354.	DISTANCE CUT-OFF
938.0	429.	DISTANCE CUT-OFF
939.0	534.	DISTANCE CUT-OFF
940.0	638.	DISTANCE CUT-OFF
941.0	679.	DISTANCE CUT-OFF
942.0	665.	DISTANCE CUT-OFF
943.0	535.	DISTANCE CUT-OFF

944.0		0.1 ANGLE CUT-OFF
945.0	552.	DISTANCE CUT-OFF
946.0	1072.	DISTANCE CUT-OFF
947.0	1241.	DISTANCE CUT-OFF
948.0	1240.	DISTANCE CUT-OFF
949.0	1174.	DISTANCE CUT-OFF
950.0	1122.	DISTANCE CUT-OFF
951.0	1043.	DISTANCE CUT-OFF
952.0	1121.	DISTANCE CUT-OFF
953.0	1117.	DISTANCE CUT-OFF
954.0	1049.	DISTANCE CUT-OFF
955.0	1084.	DISTANCE CUT-OFF
956.0	1120.	DISTANCE CUT-OFF
957.0	1130.	DISTANCE CUT-OFF
958.0	1106.	DISTANCE CUT-OFF
959.0	1095.	DISTANCE CUT-OFF
960.0	1115.	DISTANCE CUT-OFF
961.0	1141.	DISTANCE CUT-OFF
962.0	1139.	DISTANCE CUT-OFF
963.0	1095.	DISTANCE CUT-OFF
964.0	1107.	DISTANCE CUT-OFF
965.0	1130.	DISTANCE CUT-OFF
966.0	1146.	DISTANCE CUT-OFF
967.0	1161.	DISTANCE CUT-OFF
968.0	1097.	DISTANCE CUT-OFF
969.0	1115.	DISTANCE CUT-OFF
970.0	1084.	DISTANCE CUT-OFF
971.0	1060.	DISTANCE CUT-OFF
972.0	1031.	DISTANCE CUT-OFF
973.0	1000.	DISTANCE CUT-OFF
974.0	952.	DISTANCE CUT-OFF
975.0	988.	DISTANCE CUT-OFF
976.0	1019.	DISTANCE CUT-OFF
977.0	2190.	DISTANCE CUT-OFF
978.0	1979.	DISTANCE CUT-OFF
979.0	1678.	DISTANCE CUT-OFF
980.0	1170.	DISTANCE CUT-OFF
981.0		0.0 ANGLE CUT-OFF
982.0	653.	DISTANCE CUT-OFF
983.0	1657.	DISTANCE CUT-OFF
984.0	2265.	DISTANCE CUT-OFF
985.0	2355.	DISTANCE CUT-OFF

986.0	2083.	DISTANCE CUT-OFF	1028.0	1785.	DISTANCE CUT-OFF
987.0	1912.	DISTANCE CUT-OFF	1029.0	989.	DISTANCE CUT-OFF
988.0	1478.	DISTANCE CUT-OFF	1030.0	740.	DISTANCE CUT-OFF
989.0	445.	DISTANCE CUT-OFF	1031.0	712.	DISTANCE CUT-OFF
990.0	0.0	ANGLE CUT-OFF	1032.0	718.	DISTANCE CUT-OFF
991.0	2390.	DISTANCE CUT-OFF	1033.0	830.	DISTANCE CUT-OFF
992.0	2281.	DISTANCE CUT-OFF	1034.0	1185.	DISTANCE CUT-OFF
993.0	2578.	DISTANCE CUT-OFF	1035.0	1479.	DISTANCE CUT-OFF
994.0	2712.	DISTANCE CUT-OFF	1036.0	1847.	DISTANCE CUT-OFF
995.0	2713.	DISTANCE CUT-OFF	1037.0	1801.	DISTANCE CUT-OFF
996.0	2713.	DISTANCE CUT-OFF	1038.0	1409.	DISTANCE CUT-OFF
997.0	2713.	DISTANCE CUT-OFF	1039.0	998.	DISTANCE CUT-OFF
998.0	2674.	DISTANCE CUT-OFF	1040.0	610.	DISTANCE CUT-OFF
999.0	2336.	DISTANCE CUT-OFF	1041.0	527.	DISTANCE CUT-OFF
1000.0	1787.	DISTANCE CUT-OFF	1042.0	492.	DISTANCE CUT-OFF
1001.0	747.	DISTANCE CUT-OFF	1042.0	510.	DISTANCE CUT-OFF
1002.0	0.0	ANGLE CUT-OFF	1043.0	560.	DISTANCE CUT-OFF
1003.0	0.1	ANGLE CUT-OFF	1044.0	1277.	DISTANCE CUT-OFF
1004.0	0.1	ANGLE CUT-OFF	1045.0	2049.	DISTANCE CUT-OFF
1005.0	0.1	ANGLE CUT-OFF	1046.0	2413.	DISTANCE CUT-OFF
1006.0	0.0	ANGLE CUT-OFF	1047.0	2153.	DISTANCE CUT-OFF
1007.0	0.1	ANGLE CUT-OFF	1048.0	1734.	DISTANCE CUT-OFF
1008.0	0.1	ANGLE CUT-OFF	1049.0	1309.	DISTANCE CUT-OFF
1009.0	595.	DISTANCE CUT-OFF	1050.0	974.	DISTANCE CUT-OFF
1010.0	1475.	DISTANCE CUT-OFF	1051.0	914.	DISTANCE CUT-OFF
1011.0	2192.	DISTANCE CUT-OFF	1052.0	930.	DISTANCE CUT-OFF
1012.0	2289.	DISTANCE CUT-OFF	1053.0	945.	DISTANCE CUT-OFF
1013.0	1752.	DISTANCE CUT-OFF	1054.0	917.	DISTANCE CUT-OFF
1014.0	822.	DISTANCE CUT-OFF	1055.0	760.	DISTANCE CUT-OFF
1015.0	492.	DISTANCE CUT-OFF	1056.0	855.	DISTANCE CUT-OFF
1016.0	392.	DISTANCE CUT-OFF	1057.0	1228.	DISTANCE CUT-OFF
1017.0	439.	DISTANCE CUT-OFF	1058.0	1340.	DISTANCE CUT-OFF
1018.0	368.	DISTANCE CUT-OFF	1059.0	1410.	DISTANCE CUT-OFF
1019.0	0.1	ANGLE CUT-OFF	1060.0	1393.	DISTANCE CUT-OFF
1020.0	412.	DISTANCE CUT-OFF	1061.0	1339.	DISTANCE CUT-OFF
1021.0	423.	DISTANCE CUT-OFF	1062.0	1412.	DISTANCE CUT-OFF
1022.0	363.	DISTANCE CUT-OFF	1063.0	1517.	DISTANCE CUT-OFF
1023.0	0.0	ANGLE CUT-OFF	1064.0	1868.	DISTANCE CUT-OFF
1024.0	1068.	DISTANCE CUT-OFF	1065.0	1958.	DISTANCE CUT-OFF
1025.0	1839.	DISTANCE CUT-OFF	1066.0	1949.	DISTANCE CUT-OFF
1026.0	2347.	DISTANCE CUT-OFF	1067.0	2417.	DISTANCE CUT-OFF
1027.0	2334.	DISTANCE CUT-OFF	1068.0	2050.	DISTANCE CUT-OFF

1069.0	2169.	DISTANCE CUT-OFF	1111.0	1692.	DISTANCE CUT-OFF
1070.0	2223.	DISTANCE CUT-OFF	1112.0	1180.	DISTANCE CUT-OFF
1071.0	1783.	DISTANCE CUT-OFF	1113.0	352.	DISTANCE CUT-OFF
1072.0	925.	DISTANCE CUT-OFF	1114.0	0.0	ANGLE CUT-OFF
1073.0	0.0	ANGLE CUT-OFF	1115.0	385.	DISTANCE CUT-OFF
1074.0	0.1	ANGLE CUT-OFF	1116.0	510.	DISTANCE CUT-OFF
1075.0	0.1	ANGLE CUT-OFF	1117.0	0.1	ANGLE CUT-OFF
1076.0	0.0	ANGLE CUT-OFF	1118.0	403.	DISTANCE CUT-OFF
1077.0	0.0	ANGLE CUT-OFF	1119.0	626.	DISTANCE CUT-OFF
1078.0	0.1	ANGLE CUT-OFF	1120.0	961.	DISTANCE CUT-OFF
1079.0	0.1	ANGLE CUT-OFF	1121.0	964.	DISTANCE CUT-OFF
1080.0	0.0	ANGLE CUT-OFF	1122.0	959.	DISTANCE CUT-OFF
1081.0	888.	DISTANCE CUT-OFF	1123.0	951.	DISTANCE CUT-OFF
1082.0	1240.	DISTANCE CUT-OFF	1124.0	938.	DISTANCE CUT-OFF
1083.0	1729.	DISTANCE CUT-OFF	1125.0	938.	DISTANCE CUT-OFF
1084.0	1626.	DISTANCE CUT-OFF	1126.0	946.	DISTANCE CUT-OFF
1085.0	1077.	DISTANCE CUT-OFF	1127.0	757.	DISTANCE CUT-OFF
1086.0	415.	DISTANCE CUT-OFF	1128.0	0.1	ANGLE CUT-OFF
1087.0	1784.	DISTANCE CUT-OFF	1129.0	0.1	ANGLE CUT-OFF
1088.0	2562.	DISTANCE CUT-OFF	1130.0	790.	DISTANCE CUT-OFF
1089.0	2609.	DISTANCE CUT-OFF	1131.0	992.	DISTANCE CUT-OFF
1090.0	1982.	DISTANCE CUT-OFF	1132.0	560.	DISTANCE CUT-OFF
1091.0	712.	DISTANCE CUT-OFF	1133.0	659.	DISTANCE CUT-OFF
1092.0	0.0	ANGLE CUT-OFF	1134.0	1027.	DISTANCE CUT-OFF
1093.0	0.0	ANGLE CUT-OFF	1135.0	1029.	DISTANCE CUT-OFF
1094.0	0.0	ANGLE CUT-OFF	1147.0	1652.	DISTANCE CUT-OFF
1095.0	0.1	ANGLE CUT-OFF	1148.0	1186.	DISTANCE CUT-OFF
1096.0	0.0	ANGLE CUT-OFF	1148.0	1485.	DISTANCE CUT-OFF
1097.0	0.0	ANGLE CUT-OFF	1149.0	2761.	DISTANCE CUT-OFF
1098.0	0.0	ANGLE CUT-OFF	1150.0	2740.	DISTANCE CUT-OFF
1099.0	0.0	ANGLE CUT-OFF	1151.0	970.	DISTANCE CUT-OFF
1100.0	532.	DISTANCE CUT-OFF	1152.0	1314.	DISTANCE CUT-OFF
1101.0	477.	DISTANCE CUT-OFF	1153.0	2748.	DISTANCE CUT-OFF
1102.0	502.	DISTANCE CUT-OFF	640.0	1085.	DISTANCE CUT-OFF
1103.0	520.	DISTANCE CUT-OFF	641.0	1105.	DISTANCE CUT-OFF
1104.0	482.	DISTANCE CUT-OFF	642.0	1132.	DISTANCE CUT-OFF
1105.0	0.0	ANGLE CUT-OFF	643.0	1242.	DISTANCE CUT-OFF
1106.0	342.	DISTANCE CUT-OFF	644.0	1405.	DISTANCE CUT-OFF
1107.0	1708.	DISTANCE CUT-OFF	645.0	1418.	DISTANCE CUT-OFF
1108.0	2457.	DISTANCE CUT-OFF	646.0	1351.	DISTANCE CUT-OFF
1109.0	2690.	DISTANCE CUT-OFF	1136.0	1116.	DISTANCE CUT-OFF
1110.0	2349.	DISTANCE CUT-OFF	1137.0	1106.	DISTANCE CUT-OFF

1138.0	1237.	DISTANCE CUT-OFF	1186.0	439.	DISTANCE CUT-OFF
1139.0	1388.	DISTANCE CUT-OFF	1187.0	440.	DISTANCE CUT-OFF
1140.0	1419.	DISTANCE CUT-OFF	1188.0	415.	DISTANCE CUT-OFF
1141.0	1422.	DISTANCE CUT-OFF	1189.0	396.	DISTANCE CUT-OFF
1142.0	1381.	DISTANCE CUT-OFF	1190.0	380.	DISTANCE CUT-OFF
1143.0	956.	DISTANCE CUT-OFF	1191.0	729.	DISTANCE CUT-OFF
1144.0	953.	DISTANCE CUT-OFF	1192.0	727.	DISTANCE CUT-OFF
1145.0	954.	DISTANCE CUT-OFF	1193.0	718.	DISTANCE CUT-OFF
1146.0	1016.	DISTANCE CUT-OFF	1194.0	665.	DISTANCE CUT-OFF
1147.0	875.	DISTANCE CUT-OFF	1195.0	615.	DISTANCE CUT-OFF
1154.0	2139.	DISTANCE CUT-OFF	1196.0	590.	DISTANCE CUT-OFF
1155.0	2622.	DISTANCE CUT-OFF	1197.0	532.	DISTANCE CUT-OFF
1156.0	2749.	DISTANCE CUT-OFF	1198.0	491.	DISTANCE CUT-OFF
1157.0	2474.	DISTANCE CUT-OFF	1199.0	401.	DISTANCE CUT-OFF
1158.0	1737.	DISTANCE CUT-OFF	1200.0	0.7	ANGLE CUT-OFF
1159.0	1268.	DISTANCE CUT-OFF	1201.0	0.0	ANGLE CUT-OFF
1160.0	899.	DISTANCE CUT-OFF	1202.0	0.5	ANGLE CUT-OFF
1161.0	536.	DISTANCE CUT-OFF	1203.0	0.9	ANGLE CUT-OFF
1162.0	545.	DISTANCE CUT-OFF	1204.0	0.8	ANGLE CUT-OFF
1163.0	381.	DISTANCE CUT-OFF	1205.0	0.1	ANGLE CUT-OFF
1164.0	406.	DISTANCE CUT-OFF	1206.0	152.5	1.2 12.4 17.4 0.0 0.0 1.212035 64.9-30.0 59.9 0.0 -1.0 1.9 -
1165.0	427.	DISTANCE CUT-OFF	21.8 -10.8	0.0 -30.5	0.0 2.5 0.2
1166.0	452.	DISTANCE CUT-OFF	1207.0	0.9	ANGLE CUT-OFF
1167.0	449.	DISTANCE CUT-OFF	1208.0	0.9	ANGLE CUT-OFF
1168.0	430.	DISTANCE CUT-OFF	1209.0	0.6	ANGLE CUT-OFF
1169.0	405.	DISTANCE CUT-OFF	1210.0	0.0	ANGLE CUT-OFF
1170.0	375.	DISTANCE CUT-OFF	1211.0	0.6	ANGLE CUT-OFF
1171.0	350.	DISTANCE CUT-OFF	1212.0	395.	DISTANCE CUT-OFF
1172.0	341.	DISTANCE CUT-OFF	1213.0	483.	DISTANCE CUT-OFF
1173.0	340.	DISTANCE CUT-OFF	1214.0	529.	DISTANCE CUT-OFF
1174.0	340.	DISTANCE CUT-OFF	1215.0	596.	DISTANCE CUT-OFF
1175.0	340.	DISTANCE CUT-OFF	1216.0	612.	DISTANCE CUT-OFF
1176.0	332.	DISTANCE CUT-OFF	1217.0	656.	DISTANCE CUT-OFF
1177.0	331.	DISTANCE CUT-OFF	1218.0	714.	DISTANCE CUT-OFF
1178.0	331.	DISTANCE CUT-OFF	1219.0	724.	DISTANCE CUT-OFF
1179.0	331.	DISTANCE CUT-OFF	1220.0	727.	DISTANCE CUT-OFF
1180.0	331.	DISTANCE CUT-OFF	336.0	93.5	5.7 5.5 17.4 0.0 0.0 5.712385 5.5 0.0 71.1 0.0 -1.0 0.4 -
1181.0	332.	DISTANCE CUT-OFF	15.0 -8.8	0.0 0.0	0.0 2.5 49.2
1182.0	343.	DISTANCE CUT-OFF	337.0	71.7	4.8 5.6 17.4 0.0 0.0 4.812385 5.5 0.0 71.1 0.0 -1.0 0.0 -
1183.0	368.	DISTANCE CUT-OFF	15.7 -7.7	0.0 0.0	0.0 2.5 49.2
1184.0	396.	DISTANCE CUT-OFF	338.0	70.6	3.9 5.6 17.4 0.0 0.0 3.912385 5.5 0.0 71.1 0.0 -1.0 0.1 -
1185.0	421.	DISTANCE CUT-OFF	16.7 -7.7	0.0 0.0	0.0 2.5 48.3

339.0 67.9 8.5 5.9 17.4 0.0 0.0 8.512384 5.4 0.0 71.5 0.0 -1.0 0.2 -
13.2 -7.6 0.0 0.0 0.0 2.5 52.4
340.0 0.8 ANGLE CUT-OFF
350.0 77.3 7.5 6.3 17.4 0.0 0.0 7.512095 177.0-30.0 72.2 0.0 -3.5 0.0 -
13.8 -8.0 0.0 -0.9 0.0 2.5 48.5
351.0 73.0 30.8 6.3 17.4 0.0 0.0 30.813500 25.0 0.0 72.2 0.0 -3.5 0.0 -
7.7 -7.8 0.0 0.0 0.0 2.5 55.7
352.0 73.1 27.6 6.0 17.4 0.0 0.0 27.613499 25.0 0.0 72.2 0.0 -3.5 0.0 -
8.1 -7.8 0.0 0.0 0.0 2.5 55.3
353.0 73.8 8.1 5.6 17.4 0.0 0.0 8.113499 25.0 0.0 72.2 0.0 -3.5 0.0 -
13.5 -7.8 0.0 0.0 0.0 2.5 49.9
354.0 72.9 11.0 5.6 17.4 0.0 0.0 11.013499 25.0 0.0 72.2 0.0 -1.0 0.0 -
12.1 -7.8 0.0 0.0 0.0 2.5 53.8
355.0 73.6 12.4 5.5 17.4 0.0 0.0 12.412385 5.6 0.0 72.2 0.0 -1.0 0.0 -
11.6 -7.8 0.0 0.0 0.0 2.5 54.3
1221.0 0.0 ANGLE CUT-OFF
1222.0 307. DISTANCE CUT-OFF
1229.0 301. DISTANCE CUT-OFF
1230.0 0.0 ANGLE CUT-OFF
1231.0 0.0 ANGLE CUT-OFF
1232.0 362. DISTANCE CUT-OFF
1233.0 346. DISTANCE CUT-OFF
1234.0 0.0 ANGLE CUT-OFF
1235.0 360. DISTANCE CUT-OFF
1236.0 344. DISTANCE CUT-OFF
1237.0 344. DISTANCE CUT-OFF
1238.0 342. DISTANCE CUT-OFF
1239.0 339. DISTANCE CUT-OFF
1240.0 349. DISTANCE CUT-OFF
1241.0 346. DISTANCE CUT-OFF
1242.0 345. DISTANCE CUT-OFF
1243.0 335. DISTANCE CUT-OFF
1244.0 329. DISTANCE CUT-OFF
1245.0 339. DISTANCE CUT-OFF
1246.0 334. DISTANCE CUT-OFF
1247.0 333. DISTANCE CUT-OFF
1248.0 333. DISTANCE CUT-OFF
1249.0 334. DISTANCE CUT-OFF
1250.0 0.0 ANGLE CUT-OFF
1251.0 0.0 ANGLE CUT-OFF
1252.0 0.0 ANGLE CUT-OFF
1253.0 0.0 ANGLE CUT-OFF

1254.0 0.0 ANGLE CUT-OFF
1255.0 0.0 ANGLE CUT-OFF
1256.0 0.0 ANGLE CUT-OFF
1257.0 0.0 ANGLE CUT-OFF
1258.0 0.0 ANGLE CUT-OFF
1259.0 0.1 ANGLE CUT-OFF
1260.0 0.0 ANGLE CUT-OFF
1261.0 327. DISTANCE CUT-OFF
1223.0 0.1 ANGLE CUT-OFF
1224.0 0.0 ANGLE CUT-OFF
1225.0 0.0 ANGLE CUT-OFF
1226.0 1023. DISTANCE CUT-OFF
1227.0 1675. DISTANCE CUT-OFF
1228.0 1798. DISTANCE CUT-OFF
1262.0 1566. DISTANCE CUT-OFF
1263.0 1804. DISTANCE CUT-OFF
1264.0 2054. DISTANCE CUT-OFF
1265.0 2096. DISTANCE CUT-OFF
1266.0 2091. DISTANCE CUT-OFF
1267.0 2104. DISTANCE CUT-OFF
1268.0 2098. DISTANCE CUT-OFF
1269.0 2095. DISTANCE CUT-OFF
1270.0 2097. DISTANCE CUT-OFF
1271.0 2049. DISTANCE CUT-OFF
1272.0 1987. DISTANCE CUT-OFF
1273.0 1714. DISTANCE CUT-OFF
1274.0 1563. DISTANCE CUT-OFF
1275.0 1446. DISTANCE CUT-OFF
1276.0 0.0 ANGLE CUT-OFF
1277.0 0.0 ANGLE CUT-OFF
1278.0 0.0 ANGLE CUT-OFF
1279.0 0.0 ANGLE CUT-OFF
1280.0 790. DISTANCE CUT-OFF
1281.0 1110. DISTANCE CUT-OFF
1282.0 2645. DISTANCE CUT-OFF
1283.0 2632. DISTANCE CUT-OFF
1284.0 2177. DISTANCE CUT-OFF
1285.0 1402. DISTANCE CUT-OFF
1286.0 1159. DISTANCE CUT-OFF
1287.0 1145. DISTANCE CUT-OFF
1288.0 1242. DISTANCE CUT-OFF
1289.0 2414. DISTANCE CUT-OFF

1290.0 2799. DISTANCE CUT-OFF
 1291.0 2486. DISTANCE CUT-OFF
 1292.0 2217. DISTANCE CUT-OFF
 1293.0 1177. DISTANCE CUT-OFF
 1294.0 1762. DISTANCE CUT-OFF
 1295.0 2401. DISTANCE CUT-OFF
 1296.0 2729. DISTANCE CUT-OFF
 1297.0 2681. DISTANCE CUT-OFF
 1298.0 2654. DISTANCE CUT-OFF
 1299.0 2590. DISTANCE CUT-OFF
 1300.0 1791. DISTANCE CUT-OFF
 1301.0 775. DISTANCE CUT-OFF
 1302.0 1850. DISTANCE CUT-OFF
 1303.0 2501. DISTANCE CUT-OFF
 1304.0 2607. DISTANCE CUT-OFF
 1305.0 2304. DISTANCE CUT-OFF
 1306.0 2190. DISTANCE CUT-OFF
 1307.0 1750. DISTANCE CUT-OFF
 1308.0 1175. DISTANCE CUT-OFF
 1309.0 865. DISTANCE CUT-OFF
 1310.0 580. DISTANCE CUT-OFF
 1311.0 396. DISTANCE CUT-OFF
 1312.0 1364. DISTANCE CUT-OFF
 1313.0 1906. DISTANCE CUT-OFF
 1314.0 2202. DISTANCE CUT-OFF
 1315.0 2421. DISTANCE CUT-OFF
 1316.0 2778. DISTANCE CUT-OFF
 1317.0 2812. DISTANCE CUT-OFF
 1318.0 2091. DISTANCE CUT-OFF
 1319.0 1817. DISTANCE CUT-OFF
 1320.0 1807. DISTANCE CUT-OFF
 1321.0 2102. DISTANCE CUT-OFF
 1322.0 2805. DISTANCE CUT-OFF
 1323.0 2773. DISTANCE CUT-OFF
 1324.0 2437. DISTANCE CUT-OFF
 1325.0 2182. DISTANCE CUT-OFF
 1326.0 1855. DISTANCE CUT-OFF
 1327.0 1397. DISTANCE CUT-OFF
 1328.0 403. DISTANCE CUT-OFF
 1329.0 575. DISTANCE CUT-OFF
 1330.0 878. DISTANCE CUT-OFF
 1331.0 1168. DISTANCE CUT-OFF

1332.0 1754. DISTANCE CUT-OFF
 1333.0 2181. DISTANCE CUT-OFF
 1334.0 2312. DISTANCE CUT-OFF
 1335.0 2601. DISTANCE CUT-OFF
 1336.0 2530. DISTANCE CUT-OFF
 1337.0 1837. DISTANCE CUT-OFF
 1338.0 903. DISTANCE CUT-OFF
 1339.0 1729. DISTANCE CUT-OFF
 1340.0 2608. DISTANCE CUT-OFF
 1341.0 2651. DISTANCE CUT-OFF
 1342.0 2688. DISTANCE CUT-OFF
 1343.0 2733. DISTANCE CUT-OFF
 1344.0 2411. DISTANCE CUT-OFF
 1345.0 1794. DISTANCE CUT-OFF
 1346.0 1189. DISTANCE CUT-OFF
 1347.0 2221. DISTANCE CUT-OFF
 1348.0 2449. DISTANCE CUT-OFF
 1349.0 2801. DISTANCE CUT-OFF
 1350.0 2512. DISTANCE CUT-OFF
 1351.0 1278. DISTANCE CUT-OFF
 1352.0 1163. DISTANCE CUT-OFF
 1353.0 1175. DISTANCE CUT-OFF
 1354.0 1381. DISTANCE CUT-OFF
 1355.0 2138. DISTANCE CUT-OFF
 1356.0 2653. DISTANCE CUT-OFF
 1357.0 2688. DISTANCE CUT-OFF

N7603

REPEAT NO. 0

CATEGORY	LEVEL	CATEGORY	LEVEL	CATEGORY	LEVEL	CATEGORY	LEVEL
2.0	63.2	1.0	68.8	3.0	50.5	4.0	0.0

N7603

*** CONTRIBUTION FROM New Road (Mitigated) IS 68.8 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Existing Road IS 63.2 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Overall (Mitigated) IS 69.9 DBA L10 (1-HOUR)

N8102

HEIGHT OF RECEIVER ABOVE DATUM= 9.8 HEIGHT ABOVE LOCAL GROUND
LEVEL= 9.8

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
----- CORRECTIONS-----> SEG-
NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
GRAD ANGLE HARD SOFT BAR- RET REFL MENT
VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
VIEW GRND EXCE RIER CUT TION TOTAL

27.0 477. DISTANCE CUT-OFF
28.0 337. DISTANCE CUT-OFF
29.0 0.3 ANGLE CUT-OFF
30.0 316. DISTANCE CUT-OFF
31.0 344. DISTANCE CUT-OFF
32.0 0.8 ANGLE CUT-OFF
33.0 0.6 ANGLE CUT-OFF
34.0 0.1 ANGLE CUT-OFF
35.0 0.2 ANGLE CUT-OFF
36.0 0.2 ANGLE CUT-OFF
37.0 0.4 ANGLE CUT-OFF
38.0 376. DISTANCE CUT-OFF
39.0 541. DISTANCE CUT-OFF
40.0 606. DISTANCE CUT-OFF
41.0 603. DISTANCE CUT-OFF
42.0 541. DISTANCE CUT-OFF
43.0 483. DISTANCE CUT-OFF

44.0 449. DISTANCE CUT-OFF
45.0 438. DISTANCE CUT-OFF
46.0 410. DISTANCE CUT-OFF
47.0 440. DISTANCE CUT-OFF
48.0 470. DISTANCE CUT-OFF
49.0 496. DISTANCE CUT-OFF
50.0 497. DISTANCE CUT-OFF
51.0 495. DISTANCE CUT-OFF
52.0 496. DISTANCE CUT-OFF
53.0 0.8 ANGLE CUT-OFF
54.0 0.4 ANGLE CUT-OFF
55.0 0.4 ANGLE CUT-OFF
56.0 0.2 ANGLE CUT-OFF
57.0 0.3 ANGLE CUT-OFF
58.0 0.2 ANGLE CUT-OFF
59.0 0.2 ANGLE CUT-OFF
60.0 0.5 ANGLE CUT-OFF
61.0 314. DISTANCE CUT-OFF
62.0 466. DISTANCE CUT-OFF
63.0 594. DISTANCE CUT-OFF
64.0 706. DISTANCE CUT-OFF
65.0 787. DISTANCE CUT-OFF
66.0 852. DISTANCE CUT-OFF
67.0 878. DISTANCE CUT-OFF
68.0 881. DISTANCE CUT-OFF
69.0 882. DISTANCE CUT-OFF
70.0 921. DISTANCE CUT-OFF
71.0 907. DISTANCE CUT-OFF
72.0 856. DISTANCE CUT-OFF
73.0 792. DISTANCE CUT-OFF
74.0 709. DISTANCE CUT-OFF
75.0 609. DISTANCE CUT-OFF
76.0 609. DISTANCE CUT-OFF
77.0 613. DISTANCE CUT-OFF
78.0 652. DISTANCE CUT-OFF
79.0 677. DISTANCE CUT-OFF
80.0 713. DISTANCE CUT-OFF
100.0 457. DISTANCE CUT-OFF
101.0 460. DISTANCE CUT-OFF
102.0 460. DISTANCE CUT-OFF
103.0 458. DISTANCE CUT-OFF
104.0 1.0 ANGLE CUT-OFF

105.0 0.6 ANGLE CUT-OFF
 106.0 0.5 ANGLE CUT-OFF
 107.0 0.2 ANGLE CUT-OFF
 108.0 0.0 ANGLE CUT-OFF
 109.0 0.2 ANGLE CUT-OFF
 110.0 0.1 ANGLE CUT-OFF
 111.0 0.7 ANGLE CUT-OFF
 112.0 137.4 1.0 10.6 5.2 0.0 0.0 1.012195 25.7-23.8 64.2 0.0 -1.0 0.0 -
 22.4 -10.3 0.0 -7.7 0.0 3.5 26.3
 113.0 154.8 1.5 8.6 5.2 0.0 0.0 1.512380 9.1 -3.4 64.2 0.0 -1.0 0.0 -
 20.7 -10.7 0.0 -3.4 0.0 4.0 32.4
 114.0 155.1 1.8 7.9 5.2 0.0 0.0 1.812380 9.2 -4.0 64.2 0.0 -1.0 0.0 -
 19.9 -10.7 0.0 -4.0 0.0 4.0 32.6
 115.0 104.5 1.5 7.4 5.2 0.0 0.0 1.512380 9.2 -4.3 72.3 0.0 -1.0 0.0 -
 20.8 -9.0 0.0 -4.3 0.0 4.0 41.2
 116.0 72.7 1.1 7.3 5.2 0.0 0.0 1.112380 9.3 -4.6 72.3 0.0 -1.0 0.1 -
 22.1 -7.5 0.0 -4.6 0.0 3.2 40.4
 117.0 34.4 1.2 7.4 5.2 0.0 0.0 1.212380 9.3 -4.6 72.3 0.0 -1.0 0.1 -
 21.8 -4.5 0.0 -4.6 0.0 4.0 44.5
 126.0 0.4 ANGLE CUT-OFF
 127.0 0.0 ANGLE CUT-OFF
 129.0 470. DISTANCE CUT-OFF
 130.0 467. DISTANCE CUT-OFF
 131.0 472. DISTANCE CUT-OFF
 132.0 0.0 ANGLE CUT-OFF
 133.0 0.0 ANGLE CUT-OFF
 134.0 0.0 ANGLE CUT-OFF
 135.0 0.0 ANGLE CUT-OFF
 136.0 0.0 ANGLE CUT-OFF
 137.0 0.0 ANGLE CUT-OFF
 138.0 0.0 ANGLE CUT-OFF
 139.0 0.0 ANGLE CUT-OFF
 140.0 0.0 ANGLE CUT-OFF
 141.0 0.0 ANGLE CUT-OFF
 142.0 0.2 ANGLE CUT-OFF
 143.0 0.4 ANGLE CUT-OFF
 144.0 0.8 ANGLE CUT-OFF
 145.0 0.6 ANGLE CUT-OFF
 146.0 0.0 ANGLE CUT-OFF
 147.0 0.0 ANGLE CUT-OFF
 148.0 0.0 ANGLE CUT-OFF
 149.0 0.0 ANGLE CUT-OFF

150.0 0.0 ANGLE CUT-OFF
 151.0 0.7 ANGLE CUT-OFF
 152.0 309. DISTANCE CUT-OFF
 153.0 365. DISTANCE CUT-OFF
 154.0 325. DISTANCE CUT-OFF
 155.0 536. DISTANCE CUT-OFF
 156.0 625. DISTANCE CUT-OFF
 157.0 682. DISTANCE CUT-OFF
 158.0 677. DISTANCE CUT-OFF
 159.0 753. DISTANCE CUT-OFF
 160.0 800. DISTANCE CUT-OFF
 161.0 830. DISTANCE CUT-OFF
 162.0 832. DISTANCE CUT-OFF
 163.0 744. DISTANCE CUT-OFF
 164.0 657. DISTANCE CUT-OFF
 165.0 578. DISTANCE CUT-OFF
 166.0 401. DISTANCE CUT-OFF
 167.0 318. DISTANCE CUT-OFF
 168.0 732. DISTANCE CUT-OFF
 169.0 730. DISTANCE CUT-OFF
 170.0 725. DISTANCE CUT-OFF
 171.0 710. DISTANCE CUT-OFF
 172.0 726. DISTANCE CUT-OFF
 173.0 724. DISTANCE CUT-OFF
 174.0 719. DISTANCE CUT-OFF
 175.0 720. DISTANCE CUT-OFF
 176.0 717. DISTANCE CUT-OFF
 177.0 359. DISTANCE CUT-OFF
 178.0 698. DISTANCE CUT-OFF
 179.0 643. DISTANCE CUT-OFF
 180.0 0.3 ANGLE CUT-OFF
 181.0 337. DISTANCE CUT-OFF
 182.0 679. DISTANCE CUT-OFF
 183.0 781. DISTANCE CUT-OFF
 184.0 622. DISTANCE CUT-OFF
 185.0 0.0 ANGLE CUT-OFF
 188.0 360. DISTANCE CUT-OFF
 189.0 462. DISTANCE CUT-OFF
 190.0 463. DISTANCE CUT-OFF
 191.0 467. DISTANCE CUT-OFF
 192.0 498. DISTANCE CUT-OFF
 193.0 456. DISTANCE CUT-OFF

194.0	310.	DISTANCE CUT-OFF	318.0	0.5	ANGLE CUT-OFF
195.0		0.0 ANGLE CUT-OFF	319.0	0.9	ANGLE CUT-OFF
196.0		0.0 ANGLE CUT-OFF	320.0	139.0	1.6 6.3 5.2 0.0 0.0 1.613494 25.0-24.6 71.2 0.0 -1.0 0.0 -
197.0		0.0 ANGLE CUT-OFF	20.6	-10.2	0.0 -24.8 0.0 2.5 17.1
198.0		0.0 ANGLE CUT-OFF	321.0	139.0	1.5 6.3 5.2 0.0 0.0 1.513494 25.0-24.5 71.2 0.0 -1.0 0.0 -
199.0		0.0 ANGLE CUT-OFF	20.7	-10.2	0.0 -24.7 0.0 2.5 17.1
200.0		0.0 ANGLE CUT-OFF	322.0	173.0	10.7 6.0 5.2 0.0 0.0 10.712118 171.0-30.0 71.1 0.0 -1.0 0.0 -
201.0		0.0 ANGLE CUT-OFF	12.2	-11.2	0.0 -24.2 0.0 2.5 25.0
202.0		0.0 ANGLE CUT-OFF	323.0	181.9	6.9 5.6 5.2 0.0 0.0 6.912118 171.0-30.0 71.1 0.0 -1.0 0.0 -
203.0		0.0 ANGLE CUT-OFF	14.1	-11.4	0.0 -30.2 0.0 2.5 16.9
209.0	320.	DISTANCE CUT-OFF	341.0	137.1	1.4 6.2 5.2 0.0 0.0 1.413494 25.0-25.0 71.5 0.0 -1.0 0.0 -
210.0	500.	DISTANCE CUT-OFF	21.0	-10.2	0.0 -25.2 0.0 2.5 16.6
211.0	501.	DISTANCE CUT-OFF	342.0	140.0	1.2 6.2 5.2 0.0 0.0 1.213494 25.0-25.0 71.5 0.0 -1.0 0.0 -
212.0	512.	DISTANCE CUT-OFF	21.9	-10.3	0.0 -25.2 0.0 2.5 15.6
213.0	519.	DISTANCE CUT-OFF	343.0		0.9 ANGLE CUT-OFF
214.0	519.	DISTANCE CUT-OFF	344.0		0.5 ANGLE CUT-OFF
215.0	517.	DISTANCE CUT-OFF	345.0		0.0 ANGLE CUT-OFF
216.0	509.	DISTANCE CUT-OFF	346.0		0.0 ANGLE CUT-OFF
217.0	509.	DISTANCE CUT-OFF	347.0		0.0 ANGLE CUT-OFF
218.0	500.	DISTANCE CUT-OFF	348.0		0.0 ANGLE CUT-OFF
219.0	502.	DISTANCE CUT-OFF	349.0		0.0 ANGLE CUT-OFF
220.0	502.	DISTANCE CUT-OFF	432.0	118.1	5.0 6.8 5.2 0.0 0.0 5.012118 171.0-30.0 69.2 0.0 -1.0 0.0 -
221.0	480.	DISTANCE CUT-OFF	15.5	-9.5	0.0 -30.4 0.0 2.5 15.3
222.0	476.	DISTANCE CUT-OFF	433.0	159.4	7.2 5.9 5.2 0.0 0.0 7.212118 171.0-30.0 69.2 0.0 -1.0 0.0 -
223.0	513.	DISTANCE CUT-OFF	14.0	-10.8	0.0 -30.4 0.0 2.5 15.5
306.0	178.5	4.7 5.5 5.2 0.0 0.0 4.712118 171.0-30.0 69.9 0.0 -1.0 0.2 -	434.0	192.1	9.7 5.6 5.2 0.0 0.0 9.712095 177.0-30.0 69.2 0.0 -1.0 0.2 -
15.8	-11.3	0.0 -30.2 0.0 2.5 14.3	12.7	-11.6	0.0 -30.9 0.0 2.5 15.7
307.0	179.4	4.4 5.6 5.2 0.0 0.0 4.412096 177.0-30.0 69.9 0.0 -1.0 0.1 -	445.0		0.0 ANGLE CUT-OFF
16.1	-11.3	0.0 -30.4 0.0 2.5 13.7	446.0		0.0 ANGLE CUT-OFF
308.0	181.3	3.0 5.7 5.2 0.0 0.0 3.012095 177.0-30.0 69.9 0.0 -3.5 0.0 -	447.0		0.0 ANGLE CUT-OFF
17.8	-11.4	0.0 -30.9 0.0 2.5 8.8	448.0		0.0 ANGLE CUT-OFF
309.0	180.3	4.4 5.7 5.2 0.0 0.0 4.412095 177.0-30.0 69.9 0.0 -3.5 0.0 -	449.0		0.0 ANGLE CUT-OFF
16.1	-11.3	0.0 -31.0 0.0 2.5 10.5	450.0		0.0 ANGLE CUT-OFF
310.0	179.7	4.2 5.8 5.2 0.0 0.0 4.212095 177.0-30.0 72.7 0.0 -3.5 0.2 -	451.0		0.0 ANGLE CUT-OFF
16.3	-11.3	0.0 -30.6 0.0 2.5 13.7	452.0		0.4 ANGLE CUT-OFF
311.0		0.0 ANGLE CUT-OFF	453.0		0.0 ANGLE CUT-OFF
312.0		0.0 ANGLE CUT-OFF	454.0		0.0 ANGLE CUT-OFF
313.0		0.0 ANGLE CUT-OFF	455.0		0.0 ANGLE CUT-OFF
314.0		0.0 ANGLE CUT-OFF	456.0		0.0 ANGLE CUT-OFF
315.0		0.0 ANGLE CUT-OFF	457.0		0.0 ANGLE CUT-OFF
316.0		0.0 ANGLE CUT-OFF	458.0	107.8	3.2 5.7 5.2 0.0 0.0 3.212118 171.0-30.0 71.0 0.0 -1.0 0.6 -
317.0		0.4 ANGLE CUT-OFF	17.5	-9.2	0.0 -30.2 0.0 2.5 16.2

459.0 76.5 1.7 6.2 5.2 0.0 0.0 1.712118 171.0-30.0 71.0 0.0 -1.0 0.5 -
20.4 -7.7 0.0 -30.3 0.0 2.5 14.6
460.0 77.2 3.9 6.8 5.2 0.0 0.0 3.912118 171.0-30.0 71.0 0.0 -3.5 0.8 -
16.6 -7.8 0.0 -29.1 0.0 2.5 17.3
461.0 89.0 77.1 8.9 5.2 0.0 0.0 77.113494 25.0-23.7 71.0 0.0 -3.5 0.5 -
3.7 -8.4 0.0 -4.7 0.0 2.5 53.7
462.0 89.4 14.9 10.1 5.2 0.0 0.0 14.912074 116.6-30.0 71.0 0.0 -3.5 0.0 -
10.8 -8.4 0.0 -8.6 0.0 2.5 42.2
463.0 0.0 ANGLE CUT-OFF
464.0 0.0 ANGLE CUT-OFF
465.0 0.0 ANGLE CUT-OFF
466.0 68.6 9.4 10.6 5.2 0.0 0.0 9.412074 116.6-30.0 74.2 0.0 -3.5 0.4 -
12.8 -7.3 0.0 -12.2 0.0 2.5 41.3
467.0 68.6 39.2 10.9 5.2 0.0 0.0 39.212380 10.1 -1.2 74.2 0.0 -3.5 0.0 -
6.6 -7.3 0.0 -1.2 0.0 2.5 58.1
468.0 68.7 47.2 8.9 5.2 0.0 0.0 47.212118 171.0-30.0 74.2 0.0 -3.5 0.0 -
5.8 -7.3 0.0 -3.0 0.0 2.5 57.1
469.0 72.3 5.1 6.8 5.2 0.0 0.0 5.112118 171.0-30.0 72.6 0.0 -3.5 0.0 -
15.4 -7.5 0.0 -30.5 0.0 2.5 18.2
470.0 67.8 1.7 6.2 5.2 0.0 0.0 1.712118 171.0-30.0 72.6 0.0 -1.0 0.0 -
20.4 -7.2 0.0 -30.5 0.0 2.5 16.0
471.0 66.9 2.1 5.8 5.2 0.0 0.0 2.112118 171.0-30.0 72.6 0.0 -1.0 0.0 -
19.3 -7.2 0.0 -30.5 0.0 2.5 17.1
472.0 317. DISTANCE CUT-OFF
473.0 320. DISTANCE CUT-OFF
474.0 2003. DISTANCE CUT-OFF
475.0 1993. DISTANCE CUT-OFF
476.0 1949. DISTANCE CUT-OFF
477.0 962. DISTANCE CUT-OFF
478.0 1941. DISTANCE CUT-OFF
479.0 1983. DISTANCE CUT-OFF
480.0 1996. DISTANCE CUT-OFF
481.0 1640. DISTANCE CUT-OFF
482.0 2066. DISTANCE CUT-OFF
483.0 2135. DISTANCE CUT-OFF
484.0 1879. DISTANCE CUT-OFF
485.0 1399. DISTANCE CUT-OFF
486.0 646. DISTANCE CUT-OFF
487.0 1386. DISTANCE CUT-OFF
488.0 1956. DISTANCE CUT-OFF
489.0 2128. DISTANCE CUT-OFF
490.0 2018. DISTANCE CUT-OFF

491.0 1832. DISTANCE CUT-OFF
492.0 1930. DISTANCE CUT-OFF
493.0 1000. DISTANCE CUT-OFF
494.0 0.1 ANGLE CUT-OFF
495.0 1573. DISTANCE CUT-OFF
496.0 1972. DISTANCE CUT-OFF
497.0 2259. DISTANCE CUT-OFF
498.0 2108. DISTANCE CUT-OFF
499.0 1027. DISTANCE CUT-OFF
500.0 0.0 ANGLE CUT-OFF
501.0 1561. DISTANCE CUT-OFF
502.0 2162. DISTANCE CUT-OFF
503.0 1204. DISTANCE CUT-OFF
504.0 1380. DISTANCE CUT-OFF
505.0 1614. DISTANCE CUT-OFF
506.0 1860. DISTANCE CUT-OFF
507.0 2075. DISTANCE CUT-OFF
508.0 2190. DISTANCE CUT-OFF
509.0 2227. DISTANCE CUT-OFF
510.0 2225. DISTANCE CUT-OFF
511.0 1068. DISTANCE CUT-OFF
512.0 1346. DISTANCE CUT-OFF
513.0 1452. DISTANCE CUT-OFF
514.0 1823. DISTANCE CUT-OFF
515.0 2002. DISTANCE CUT-OFF
516.0 2140. DISTANCE CUT-OFF
517.0 2213. DISTANCE CUT-OFF
518.0 2209. DISTANCE CUT-OFF
519.0 2112. DISTANCE CUT-OFF
520.0 1942. DISTANCE CUT-OFF
521.0 1929. DISTANCE CUT-OFF
522.0 1943. DISTANCE CUT-OFF
523.0 2101. DISTANCE CUT-OFF
524.0 2202. DISTANCE CUT-OFF
525.0 2193. DISTANCE CUT-OFF
526.0 2133. DISTANCE CUT-OFF
527.0 2021. DISTANCE CUT-OFF
528.0 1804. DISTANCE CUT-OFF
529.0 1498. DISTANCE CUT-OFF
530.0 1282. DISTANCE CUT-OFF
531.0 1118. DISTANCE CUT-OFF
532.0 2217. DISTANCE CUT-OFF

533.0	2002.	DISTANCE CUT-OFF
534.0	1935.	DISTANCE CUT-OFF
535.0	1898.	DISTANCE CUT-OFF
536.0	640.	DISTANCE CUT-OFF
537.0	648.	DISTANCE CUT-OFF
538.0	2296.	DISTANCE CUT-OFF
539.0	2037.	DISTANCE CUT-OFF
540.0	1375.	DISTANCE CUT-OFF
541.0	757.	DISTANCE CUT-OFF
542.0	630.	DISTANCE CUT-OFF
543.0	645.	DISTANCE CUT-OFF
544.0	626.	DISTANCE CUT-OFF
545.0	635.	DISTANCE CUT-OFF
546.0	639.	DISTANCE CUT-OFF
547.0	974.	DISTANCE CUT-OFF
548.0	1933.	DISTANCE CUT-OFF
549.0	862.	DISTANCE CUT-OFF
550.0	1195.	DISTANCE CUT-OFF
551.0	1448.	DISTANCE CUT-OFF
552.0	1718.	DISTANCE CUT-OFF
553.0	1892.	DISTANCE CUT-OFF
554.0	2135.	DISTANCE CUT-OFF
555.0	2339.	DISTANCE CUT-OFF
556.0	2583.	DISTANCE CUT-OFF
557.0	2586.	DISTANCE CUT-OFF
558.0	2832.	DISTANCE CUT-OFF
559.0	2943.	DISTANCE CUT-OFF
560.0	2970.	DISTANCE CUT-OFF
561.0	2360.	DISTANCE CUT-OFF
562.0	1841.	DISTANCE CUT-OFF
563.0	1387.	DISTANCE CUT-OFF
564.0	638.	DISTANCE CUT-OFF
565.0		0.0 ANGLE CUT-OFF
566.0		0.0 ANGLE CUT-OFF
567.0		0.1 ANGLE CUT-OFF
568.0		0.1 ANGLE CUT-OFF
569.0		0.1 ANGLE CUT-OFF
570.0	908.	DISTANCE CUT-OFF
571.0	1219.	DISTANCE CUT-OFF
572.0		0.2 ANGLE CUT-OFF
573.0		0.1 ANGLE CUT-OFF
574.0		0.1 ANGLE CUT-OFF

575.0		0.0 ANGLE CUT-OFF
576.0	661.	DISTANCE CUT-OFF
577.0	1564.	DISTANCE CUT-OFF
578.0	2465.	DISTANCE CUT-OFF
579.0	2029.	DISTANCE CUT-OFF
580.0	2042.	DISTANCE CUT-OFF
581.0	2039.	DISTANCE CUT-OFF
582.0	2021.	DISTANCE CUT-OFF
583.0	2026.	DISTANCE CUT-OFF
584.0	2016.	DISTANCE CUT-OFF
585.0	2962.	DISTANCE CUT-OFF
586.0	2869.	DISTANCE CUT-OFF
587.0	3089.	DISTANCE CUT-OFF
588.0	3025.	DISTANCE CUT-OFF
589.0	2847.	DISTANCE CUT-OFF
590.0	2820.	DISTANCE CUT-OFF
591.0	2643.	DISTANCE CUT-OFF
592.0	2632.	DISTANCE CUT-OFF
593.0	2628.	DISTANCE CUT-OFF
594.0	2800.	DISTANCE CUT-OFF
595.0	2936.	DISTANCE CUT-OFF
596.0	3038.	DISTANCE CUT-OFF
597.0	3062.	DISTANCE CUT-OFF
598.0	2888.	DISTANCE CUT-OFF
599.0	2921.	DISTANCE CUT-OFF
600.0		0.0 ANGLE CUT-OFF
601.0	1485.	DISTANCE CUT-OFF
602.0	2170.	DISTANCE CUT-OFF
603.0	2164.	DISTANCE CUT-OFF
604.0	2172.	DISTANCE CUT-OFF
605.0	2165.	DISTANCE CUT-OFF
606.0	2165.	DISTANCE CUT-OFF
607.0	2156.	DISTANCE CUT-OFF
608.0	2160.	DISTANCE CUT-OFF
609.0	2137.	DISTANCE CUT-OFF
610.0	1873.	DISTANCE CUT-OFF
611.0	1876.	DISTANCE CUT-OFF
612.0	2313.	DISTANCE CUT-OFF
613.0	1498.	DISTANCE CUT-OFF
614.0	490.	DISTANCE CUT-OFF
615.0	588.	DISTANCE CUT-OFF
616.0	1655.	DISTANCE CUT-OFF

617.0 2296. DISTANCE CUT-OFF
 618.0 2688. DISTANCE CUT-OFF
 619.0 2677. DISTANCE CUT-OFF
 620.0 2675. DISTANCE CUT-OFF
 621.0 2609. DISTANCE CUT-OFF
 622.0 1821. DISTANCE CUT-OFF
 622.0 876. DISTANCE CUT-OFF
 623.0 0.0 ANGLE CUT-OFF
 624.0 613. DISTANCE CUT-OFF
 625.0 1302. DISTANCE CUT-OFF
 626.0 1671. DISTANCE CUT-OFF
 627.0 1887. DISTANCE CUT-OFF
 628.0 1892. DISTANCE CUT-OFF
 629.0 1949. DISTANCE CUT-OFF
 630.0 1953. DISTANCE CUT-OFF
 631.0 1926. DISTANCE CUT-OFF
 632.0 2102. DISTANCE CUT-OFF
 633.0 1991. DISTANCE CUT-OFF
 634.0 2090. DISTANCE CUT-OFF
 635.0 1597. DISTANCE CUT-OFF
 636.0 1028. DISTANCE CUT-OFF
 637.0 0.1 ANGLE CUT-OFF
 638.0 688. DISTANCE CUT-OFF
 639.0 479. DISTANCE CUT-OFF
 647.0 1228. DISTANCE CUT-OFF
 648.0 683. DISTANCE CUT-OFF
 649.0 657. DISTANCE CUT-OFF
 650.0 586. DISTANCE CUT-OFF
 651.0 630. DISTANCE CUT-OFF
 652.0 636. DISTANCE CUT-OFF
 653.0 632. DISTANCE CUT-OFF
 654.0 674. DISTANCE CUT-OFF
 655.0 767. DISTANCE CUT-OFF
 656.0 1382. DISTANCE CUT-OFF
 657.0 2026. DISTANCE CUT-OFF
 658.0 2278. DISTANCE CUT-OFF
 659.0 2289. DISTANCE CUT-OFF
 660.0 2971. DISTANCE CUT-OFF
 661.0 2917. DISTANCE CUT-OFF
 662.0 2800. DISTANCE CUT-OFF
 663.0 2531. DISTANCE CUT-OFF
 666.0 2247. DISTANCE CUT-OFF

667.0 975. DISTANCE CUT-OFF
 668.0 713. DISTANCE CUT-OFF
 669.0 715. DISTANCE CUT-OFF
 670.0 2321. DISTANCE CUT-OFF
 671.0 3044. DISTANCE CUT-OFF
 672.0 3041. DISTANCE CUT-OFF
 673.0 646. DISTANCE CUT-OFF
 674.0 1590. DISTANCE CUT-OFF
 675.0 446. DISTANCE CUT-OFF
 676.0 1187. DISTANCE CUT-OFF
 677.0 325. DISTANCE CUT-OFF
 678.0 710. DISTANCE CUT-OFF
 679.0 679. DISTANCE CUT-OFF
 680.0 641. DISTANCE CUT-OFF
 681.0 602. DISTANCE CUT-OFF
 682.0 601. DISTANCE CUT-OFF
 683.0 614. DISTANCE CUT-OFF
 684.0 708. DISTANCE CUT-OFF
 685.0 772. DISTANCE CUT-OFF
 686.0 859. DISTANCE CUT-OFF
 687.0 922. DISTANCE CUT-OFF
 688.0 905. DISTANCE CUT-OFF
 689.0 0.2 ANGLE CUT-OFF
 690.0 0.1 ANGLE CUT-OFF
 691.0 0.0 ANGLE CUT-OFF
 692.0 0.3 ANGLE CUT-OFF
 693.0 0.5 ANGLE CUT-OFF
 694.0 0.6 ANGLE CUT-OFF
 695.0 0.4 ANGLE CUT-OFF
 696.0 138.6 1.8 7.9 5.2 0.0 0.0 1.812380 9.1 -3.8 70.6 0.0 -1.0 0.2 -
 19.9 -10.2 0.0 -3.8 0.0 2.5 38.4
 697.0 123.7 1.1 8.8 5.2 0.0 0.0 1.112195 25.7-27.6 70.6 0.0 -1.0 0.9 -
 22.2 -9.8 0.0 -5.9 0.0 2.5 35.1
 698.0 0.9 ANGLE CUT-OFF
 699.0 0.6 ANGLE CUT-OFF
 700.0 0.9 ANGLE CUT-OFF
 701.0 81.0 1.2 7.3 5.2 0.0 0.0 1.212380 9.2 -4.5 70.8 0.0 -1.0 0.0 -
 21.6 -8.0 0.0 -4.5 0.0 2.5 38.2
 702.0 116.7 1.6 7.4 5.2 0.0 0.0 1.612380 9.2 -4.3 70.8 0.0 -1.0 0.3 -
 20.4 -9.5 0.0 -4.3 0.0 2.5 38.4
 703.0 893. DISTANCE CUT-OFF
 704.0 877. DISTANCE CUT-OFF

705.0	871.	DISTANCE CUT-OFF
706.0	842.	DISTANCE CUT-OFF
707.0	784.	DISTANCE CUT-OFF
708.0	695.	DISTANCE CUT-OFF
709.0	592.	DISTANCE CUT-OFF
710.0	466.	DISTANCE CUT-OFF
711.0	307.	DISTANCE CUT-OFF
712.0		0.5 ANGLE CUT-OFF
713.0		0.1 ANGLE CUT-OFF
714.0		0.1 ANGLE CUT-OFF
715.0		0.1 ANGLE CUT-OFF
716.0		0.3 ANGLE CUT-OFF
717.0		0.2 ANGLE CUT-OFF
718.0		0.2 ANGLE CUT-OFF
719.0		0.3 ANGLE CUT-OFF
720.0	462.	DISTANCE CUT-OFF
721.0	470.	DISTANCE CUT-OFF
722.0	469.	DISTANCE CUT-OFF
723.0	470.	DISTANCE CUT-OFF
730.0	768.	DISTANCE CUT-OFF
731.0	703.	DISTANCE CUT-OFF
732.0	599.	DISTANCE CUT-OFF
733.0	778.	DISTANCE CUT-OFF
734.0	780.	DISTANCE CUT-OFF
735.0	780.	DISTANCE CUT-OFF
736.0	778.	DISTANCE CUT-OFF
741.0		0.2 ANGLE CUT-OFF
742.0	337.	DISTANCE CUT-OFF
743.0	439.	DISTANCE CUT-OFF
744.0	566.	DISTANCE CUT-OFF
745.0	674.	DISTANCE CUT-OFF
746.0	762.	DISTANCE CUT-OFF
747.0	839.	DISTANCE CUT-OFF
748.0	838.	DISTANCE CUT-OFF
749.0	817.	DISTANCE CUT-OFF
750.0	761.	DISTANCE CUT-OFF
751.0	683.	DISTANCE CUT-OFF
752.0	728.	DISTANCE CUT-OFF
753.0	728.	DISTANCE CUT-OFF
754.0	733.	DISTANCE CUT-OFF
755.0	734.	DISTANCE CUT-OFF
756.0	735.	DISTANCE CUT-OFF

757.0		0.0 ANGLE CUT-OFF
758.0	467.	DISTANCE CUT-OFF
759.0	460.	DISTANCE CUT-OFF
760.0	461.	DISTANCE CUT-OFF
761.0		0.0 ANGLE CUT-OFF
762.0	1875.	DISTANCE CUT-OFF
763.0	1867.	DISTANCE CUT-OFF
764.0	1651.	DISTANCE CUT-OFF
765.0	1305.	DISTANCE CUT-OFF
766.0	645.	DISTANCE CUT-OFF
767.0		0.0 ANGLE CUT-OFF
768.0	687.	DISTANCE CUT-OFF
769.0	1874.	DISTANCE CUT-OFF
770.0	2593.	DISTANCE CUT-OFF
771.0	2667.	DISTANCE CUT-OFF
772.0	2669.	DISTANCE CUT-OFF
773.0	2679.	DISTANCE CUT-OFF
774.0	2348.	DISTANCE CUT-OFF
775.0	1618.	DISTANCE CUT-OFF
776.0	613.	DISTANCE CUT-OFF
777.0	541.	DISTANCE CUT-OFF
778.0	1407.	DISTANCE CUT-OFF
779.0	2304.	DISTANCE CUT-OFF
780.0	491.	DISTANCE CUT-OFF
781.0	680.	DISTANCE CUT-OFF
782.0		0.0 ANGLE CUT-OFF
783.0	1013.	DISTANCE CUT-OFF
784.0	1586.	DISTANCE CUT-OFF
785.0	2104.	DISTANCE CUT-OFF
786.0	2052.	DISTANCE CUT-OFF
787.0	2144.	DISTANCE CUT-OFF
788.0	1923.	DISTANCE CUT-OFF
789.0	1957.	DISTANCE CUT-OFF
790.0	1959.	DISTANCE CUT-OFF
799.0	766.	DISTANCE CUT-OFF
800.0	766.	DISTANCE CUT-OFF
801.0	767.	DISTANCE CUT-OFF
802.0	773.	DISTANCE CUT-OFF
803.0	778.	DISTANCE CUT-OFF
804.0	772.	DISTANCE CUT-OFF
805.0	772.	DISTANCE CUT-OFF
806.0	772.	DISTANCE CUT-OFF

807.0 318. DISTANCE CUT-OFF
808.0 376. DISTANCE CUT-OFF
809.0 531. DISTANCE CUT-OFF
810.0 706. DISTANCE CUT-OFF
811.0 768. DISTANCE CUT-OFF
812.0 767. DISTANCE CUT-OFF
813.0 772. DISTANCE CUT-OFF
814.0 772. DISTANCE CUT-OFF
815.0 710. DISTANCE CUT-OFF
816.0 543. DISTANCE CUT-OFF
817.0 385. DISTANCE CUT-OFF
818.0 325. DISTANCE CUT-OFF
819.0 323. DISTANCE CUT-OFF
820.0 325. DISTANCE CUT-OFF
821.0 101.7 5.1 5.3 5.2 0.0 0.0 5.112118 171.0-30.0 59.1 0.0 -1.0 0.2 -
15.5 -8.9 0.0 -30.2 0.0 2.5 6.2
822.0 168.3 1.3 5.7 5.2 0.0 0.0 1.312118 171.0-30.0 59.1 0.0 -1.0 0.5 -
21.3 -11.0 0.0 -30.2 0.0 2.5 -1.4
823.0 234.7 2.0 5.9 5.2 0.0 0.0 2.012118 171.0-30.0 59.1 0.0 -1.0 0.2 -
19.6 -12.5 0.0 -30.1 0.0 2.5 -1.4
824.0 291.9 5.3 6.1 5.2 0.0 0.0 5.312118 171.0-30.0 59.1 0.0 -1.0 0.3 -
15.3 -13.4 0.0 -30.1 0.0 2.5 2.1
825.0 385. DISTANCE CUT-OFF
826.0 411. DISTANCE CUT-OFF
827.0 405. DISTANCE CUT-OFF
828.0 356. DISTANCE CUT-OFF
829.0 301. DISTANCE CUT-OFF
830.0 296.7 8.9 5.9 5.2 0.0 0.0 8.925851 45.5-30.3 54.0 0.0 -1.0 0.0 -
13.0 -13.5 0.0 -25.0 0.0 2.5 4.0
831.0 351. DISTANCE CUT-OFF
832.0 398. DISTANCE CUT-OFF
833.0 407. DISTANCE CUT-OFF
834.0 381. DISTANCE CUT-OFF
835.0 0.0 ANGLE CUT-OFF
836.0 0.0 ANGLE CUT-OFF
837.0 316. DISTANCE CUT-OFF
838.0 462. DISTANCE CUT-OFF
839.0 508. DISTANCE CUT-OFF
840.0 475. DISTANCE CUT-OFF
841.0 471. DISTANCE CUT-OFF
842.0 469. DISTANCE CUT-OFF

843.0 235.9 1.2 3.5 5.2 0.0 0.0 1.212095 177.0-30.0 70.4 0.0 -1.0 0.0 -
21.6 -12.5 0.0 -30.5 0.0 3.8 8.6
844.0 247.8 1.2 3.3 5.2 0.0 0.0 1.212095 177.0-30.0 70.4 0.0 -1.0 0.2 -
21.6 -12.7 0.0 -30.4 0.0 2.5 7.4
845.0 322. DISTANCE CUT-OFF
846.0 361. DISTANCE CUT-OFF
847.0 362. DISTANCE CUT-OFF
848.0 381. DISTANCE CUT-OFF
849.0 376. DISTANCE CUT-OFF
850.0 450. DISTANCE CUT-OFF
851.0 471. DISTANCE CUT-OFF
852.0 0.7 ANGLE CUT-OFF
853.0 0.9 ANGLE CUT-OFF
854.0 338. DISTANCE CUT-OFF
855.0 395. DISTANCE CUT-OFF
856.0 435. DISTANCE CUT-OFF
857.0 458. DISTANCE CUT-OFF
858.0 478. DISTANCE CUT-OFF
859.0 492. DISTANCE CUT-OFF
860.0 496. DISTANCE CUT-OFF
861.0 0.8 ANGLE CUT-OFF
862.0 89.2 1.0 -4.2 5.2 0.0 0.0 1.013494 25.0-30.2 76.3 0.0 1.4 0.0 -
22.5 -8.4 0.0 -30.5 0.0 4.0 20.3
863.0 0.5 ANGLE CUT-OFF
864.0 0.1 ANGLE CUT-OFF
865.0 0.5 ANGLE CUT-OFF
866.0 0.9 ANGLE CUT-OFF
867.0 0.7 ANGLE CUT-OFF
868.0 0.3 ANGLE CUT-OFF
869.0 0.3 ANGLE CUT-OFF
870.0 0.3 ANGLE CUT-OFF
871.0 0.2 ANGLE CUT-OFF
872.0 0.2 ANGLE CUT-OFF
873.0 83.6 1.2 -1.9 5.2 0.0 0.0 1.212095 177.0-30.0 74.1 0.0 1.4 1.0 -
21.9 -8.1 0.0 -30.3 0.0 4.0 20.2
874.0 84.8 1.6 0.7 5.2 0.0 0.0 1.612095 177.0-30.0 74.1 0.0 1.4 1.0 -
20.5 -8.2 0.0 -30.4 0.0 4.0 21.4
875.0 93.5 3.2 3.0 5.2 0.0 0.0 3.212096 177.0-30.0 74.1 0.0 -3.5 0.6 -
17.5 -8.6 0.0 -30.3 0.0 4.0 18.8
876.0 95.0 4.6 4.5 5.2 0.0 0.0 4.612118 171.0-30.0 71.8 0.0 -3.5 0.3 -
16.0 -8.6 0.0 -30.2 0.0 2.5 16.3

877.0 85.3 2.6 5.3 5.2 0.0 0.0 2.612118 171.0-30.0 71.8 0.0 -1.0 0.4 -
 18.5 -8.2 0.0 -30.3 0.0 2.5 16.7
 878.0 63.8 2.0 5.2 5.2 0.0 0.0 2.012118 171.0-30.0 75.0 0.0 -1.0 0.0 -
 19.5 -7.0 0.0 -30.4 0.0 2.5 19.6
 879.0 69.9 4.0 4.3 5.2 0.0 0.0 4.012096 177.0-30.0 75.0 0.0 -3.5 0.0 -
 16.5 -7.4 0.0 -30.4 0.0 2.5 19.7

N8102

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT

VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL
 880.0 74.1 2.1 2.8 5.2 0.0 0.0 2.112095 177.0-30.0 74.0 0.0 -3.5 0.0 -
 19.4 -7.6 0.0 -30.5 0.0 3.8 16.8
 881.0 74.1 2.2 -0.6 5.2 0.0 0.0 2.212095 177.0-30.0 74.0 0.0 -1.0 0.0 -
 19.1 -7.6 0.0 -30.4 0.0 3.2 19.1

882.0 0.2 ANGLE CUT-OFF
 883.0 310. DISTANCE CUT-OFF
 884.0 376. DISTANCE CUT-OFF
 885.0 451. DISTANCE CUT-OFF
 886.0 536. DISTANCE CUT-OFF
 887.0 594. DISTANCE CUT-OFF
 888.0 669. DISTANCE CUT-OFF
 889.0 659. DISTANCE CUT-OFF
 890.0 669. DISTANCE CUT-OFF
 891.0 735. DISTANCE CUT-OFF
 892.0 884. DISTANCE CUT-OFF
 893.0 996. DISTANCE CUT-OFF
 894.0 1136. DISTANCE CUT-OFF
 895.0 1223. DISTANCE CUT-OFF
 896.0 1226. DISTANCE CUT-OFF
 897.0 1276. DISTANCE CUT-OFF
 898.0 1252. DISTANCE CUT-OFF
 899.0 1078. DISTANCE CUT-OFF
 900.0 778. DISTANCE CUT-OFF
 901.0 400. DISTANCE CUT-OFF
 902.0 0.3 ANGLE CUT-OFF
 903.0 0.2 ANGLE CUT-OFF
 904.0 0.3 ANGLE CUT-OFF

905.0 0.4 ANGLE CUT-OFF
 906.0 0.1 ANGLE CUT-OFF
 907.0 0.3 ANGLE CUT-OFF
 908.0 0.3 ANGLE CUT-OFF
 909.0 0.3 ANGLE CUT-OFF
 910.0 0.2 ANGLE CUT-OFF
 911.0 1304. DISTANCE CUT-OFF
 912.0 1361. DISTANCE CUT-OFF
 913.0 1386. DISTANCE CUT-OFF
 914.0 1393. DISTANCE CUT-OFF
 915.0 1370. DISTANCE CUT-OFF
 916.0 1300. DISTANCE CUT-OFF
 917.0 1165. DISTANCE CUT-OFF
 918.0 927. DISTANCE CUT-OFF
 919.0 701. DISTANCE CUT-OFF
 920.0 511. DISTANCE CUT-OFF
 921.0 328. DISTANCE CUT-OFF
 922.0 0.1 ANGLE CUT-OFF
 923.0 0.1 ANGLE CUT-OFF
 924.0 0.3 ANGLE CUT-OFF
 925.0 0.5 ANGLE CUT-OFF
 926.0 0.6 ANGLE CUT-OFF
 927.0 0.2 ANGLE CUT-OFF
 928.0 0.1 ANGLE CUT-OFF
 929.0 0.0 ANGLE CUT-OFF
 930.0 0.1 ANGLE CUT-OFF
 931.0 0.2 ANGLE CUT-OFF
 932.0 0.6 ANGLE CUT-OFF
 933.0 0.2 ANGLE CUT-OFF
 934.0 0.1 ANGLE CUT-OFF
 935.0 0.3 ANGLE CUT-OFF
 936.0 327. DISTANCE CUT-OFF
 937.0 424. DISTANCE CUT-OFF
 938.0 509. DISTANCE CUT-OFF
 939.0 627. DISTANCE CUT-OFF
 940.0 743. DISTANCE CUT-OFF
 941.0 788. DISTANCE CUT-OFF
 942.0 773. DISTANCE CUT-OFF
 943.0 629. DISTANCE CUT-OFF
 944.0 0.1 ANGLE CUT-OFF
 945.0 589. DISTANCE CUT-OFF
 946.0 1182. DISTANCE CUT-OFF

947.0	1382.	DISTANCE CUT-OFF	989.0	586.	DISTANCE CUT-OFF
948.0	1388.	DISTANCE CUT-OFF	990.0	0.0	ANGLE CUT-OFF
949.0	1320.	DISTANCE CUT-OFF	991.0	2379.	DISTANCE CUT-OFF
950.0	1264.	DISTANCE CUT-OFF	992.0	2259.	DISTANCE CUT-OFF
951.0	1178.	DISTANCE CUT-OFF	993.0	2593.	DISTANCE CUT-OFF
952.0	1263.	DISTANCE CUT-OFF	994.0	2767.	DISTANCE CUT-OFF
953.0	1259.	DISTANCE CUT-OFF	995.0	2768.	DISTANCE CUT-OFF
954.0	1185.	DISTANCE CUT-OFF	996.0	2768.	DISTANCE CUT-OFF
955.0	1224.	DISTANCE CUT-OFF	997.0	2769.	DISTANCE CUT-OFF
956.0	1265.	DISTANCE CUT-OFF	998.0	2703.	DISTANCE CUT-OFF
957.0	1275.	DISTANCE CUT-OFF	999.0	2311.	DISTANCE CUT-OFF
958.0	1249.	DISTANCE CUT-OFF	1000.0	1717.	DISTANCE CUT-OFF
959.0	1238.	DISTANCE CUT-OFF	1001.0	627.	DISTANCE CUT-OFF
960.0	1258.	DISTANCE CUT-OFF	1002.0	386.	DISTANCE CUT-OFF
961.0	1286.	DISTANCE CUT-OFF	1003.0	390.	DISTANCE CUT-OFF
962.0	1284.	DISTANCE CUT-OFF	1004.0	389.	DISTANCE CUT-OFF
963.0	1238.	DISTANCE CUT-OFF	1005.0	404.	DISTANCE CUT-OFF
964.0	1251.	DISTANCE CUT-OFF	1006.0	379.	DISTANCE CUT-OFF
965.0	1274.	DISTANCE CUT-OFF	1007.0	407.	DISTANCE CUT-OFF
966.0	1291.	DISTANCE CUT-OFF	1008.0	406.	DISTANCE CUT-OFF
967.0	1306.	DISTANCE CUT-OFF	1009.0	743.	DISTANCE CUT-OFF
968.0	1239.	DISTANCE CUT-OFF	1010.0	1616.	DISTANCE CUT-OFF
969.0	1258.	DISTANCE CUT-OFF	1011.0	2289.	DISTANCE CUT-OFF
970.0	1223.	DISTANCE CUT-OFF	1012.0	2319.	DISTANCE CUT-OFF
971.0	1195.	DISTANCE CUT-OFF	1013.0	1703.	DISTANCE CUT-OFF
972.0	1161.	DISTANCE CUT-OFF	1014.0	714.	DISTANCE CUT-OFF
973.0	1126.	DISTANCE CUT-OFF	1015.0	370.	DISTANCE CUT-OFF
974.0	1073.	DISTANCE CUT-OFF	1016.0	0.1	ANGLE CUT-OFF
975.0	1115.	DISTANCE CUT-OFF	1017.0	315.	DISTANCE CUT-OFF
976.0	1152.	DISTANCE CUT-OFF	1018.0	0.1	ANGLE CUT-OFF
977.0	2326.	DISTANCE CUT-OFF	1019.0	0.0	ANGLE CUT-OFF
978.0	2121.	DISTANCE CUT-OFF	1020.0	0.1	ANGLE CUT-OFF
979.0	1824.	DISTANCE CUT-OFF	1021.0	0.1	ANGLE CUT-OFF
980.0	1318.	DISTANCE CUT-OFF	1022.0	0.1	ANGLE CUT-OFF
981.0	0.0	ANGLE CUT-OFF	1023.0	0.0	ANGLE CUT-OFF
982.0	540.	DISTANCE CUT-OFF	1024.0	1216.	DISTANCE CUT-OFF
983.0	1589.	DISTANCE CUT-OFF	1025.0	1970.	DISTANCE CUT-OFF
984.0	2241.	DISTANCE CUT-OFF	1026.0	2431.	DISTANCE CUT-OFF
985.0	2486.	DISTANCE CUT-OFF	1027.0	2355.	DISTANCE CUT-OFF
986.0	2222.	DISTANCE CUT-OFF	1028.0	1735.	DISTANCE CUT-OFF
987.0	2055.	DISTANCE CUT-OFF	1029.0	888.	DISTANCE CUT-OFF
988.0	1626.	DISTANCE CUT-OFF	1030.0	628.	DISTANCE CUT-OFF

1031.0	599.	DISTANCE CUT-OFF	1072.0	1073.	DISTANCE CUT-OFF
1032.0	605.	DISTANCE CUT-OFF	1073.0	0.0	ANGLE CUT-OFF
1033.0	721.	DISTANCE CUT-OFF	1074.0	0.0	ANGLE CUT-OFF
1034.0	1093.	DISTANCE CUT-OFF	1075.0	0.1	ANGLE CUT-OFF
1035.0	1402.	DISTANCE CUT-OFF	1076.0	0.0	ANGLE CUT-OFF
1036.0	1793.	DISTANCE CUT-OFF	1077.0	0.0	ANGLE CUT-OFF
1037.0	1744.	DISTANCE CUT-OFF	1078.0	364.	DISTANCE CUT-OFF
1038.0	1326.	DISTANCE CUT-OFF	1079.0	355.	DISTANCE CUT-OFF
1039.0	896.	DISTANCE CUT-OFF	1080.0	0.0	ANGLE CUT-OFF
1040.0	492.	DISTANCE CUT-OFF	1081.0	776.	DISTANCE CUT-OFF
1041.0	406.	DISTANCE CUT-OFF	1082.0	1144.	DISTANCE CUT-OFF
1042.0	371.	DISTANCE CUT-OFF	1083.0	1662.	DISTANCE CUT-OFF
1042.0	389.	DISTANCE CUT-OFF	1084.0	1552.	DISTANCE CUT-OFF
1043.0	441.	DISTANCE CUT-OFF	1085.0	974.	DISTANCE CUT-OFF
1044.0	1191.	DISTANCE CUT-OFF	1086.0	560.	DISTANCE CUT-OFF
1045.0	2024.	DISTANCE CUT-OFF	1087.0	1923.	DISTANCE CUT-OFF
1046.0	2459.	DISTANCE CUT-OFF	1088.0	2654.	DISTANCE CUT-OFF
1047.0	2265.	DISTANCE CUT-OFF	1089.0	2628.	DISTANCE CUT-OFF
1048.0	1869.	DISTANCE CUT-OFF	1090.0	1927.	DISTANCE CUT-OFF
1049.0	1454.	DISTANCE CUT-OFF	1091.0	591.	DISTANCE CUT-OFF
1050.0	871.	DISTANCE CUT-OFF	1092.0	0.0	ANGLE CUT-OFF
1051.0	808.	DISTANCE CUT-OFF	1093.0	0.0	ANGLE CUT-OFF
1052.0	825.	DISTANCE CUT-OFF	1094.0	0.0	ANGLE CUT-OFF
1053.0	841.	DISTANCE CUT-OFF	1095.0	0.2	ANGLE CUT-OFF
1054.0	811.	DISTANCE CUT-OFF	1096.0	0.0	ANGLE CUT-OFF
1055.0	648.	DISTANCE CUT-OFF	1097.0	0.0	ANGLE CUT-OFF
1056.0	746.	DISTANCE CUT-OFF	1098.0	0.1	ANGLE CUT-OFF
1057.0	1137.	DISTANCE CUT-OFF	1099.0	0.0	ANGLE CUT-OFF
1058.0	1255.	DISTANCE CUT-OFF	1100.0	679.	DISTANCE CUT-OFF
1059.0	1329.	DISTANCE CUT-OFF	1101.0	623.	DISTANCE CUT-OFF
1060.0	1311.	DISTANCE CUT-OFF	1102.0	649.	DISTANCE CUT-OFF
1061.0	1254.	DISTANCE CUT-OFF	1103.0	666.	DISTANCE CUT-OFF
1062.0	1331.	DISTANCE CUT-OFF	1104.0	628.	DISTANCE CUT-OFF
1063.0	1442.	DISTANCE CUT-OFF	1105.0	0.0	ANGLE CUT-OFF
1064.0	1814.	DISTANCE CUT-OFF	1106.0	0.0	ANGLE CUT-OFF
1065.0	1912.	DISTANCE CUT-OFF	1107.0	1633.	DISTANCE CUT-OFF
1066.0	1902.	DISTANCE CUT-OFF	1108.0	2448.	DISTANCE CUT-OFF
1067.0	2411.	DISTANCE CUT-OFF	1109.0	2755.	DISTANCE CUT-OFF
1068.0	2045.	DISTANCE CUT-OFF	1110.0	2464.	DISTANCE CUT-OFF
1069.0	2186.	DISTANCE CUT-OFF	1111.0	1834.	DISTANCE CUT-OFF
1070.0	2296.	DISTANCE CUT-OFF	1112.0	1328.	DISTANCE CUT-OFF
1071.0	1910.	DISTANCE CUT-OFF	1113.0	496.	DISTANCE CUT-OFF

1114.0	0.0	ANGLE CUT-OFF	1141.0	1354.	DISTANCE CUT-OFF
1115.0	0.0	ANGLE CUT-OFF	1142.0	1310.	DISTANCE CUT-OFF
1116.0	387.	DISTANCE CUT-OFF	1143.0	858.	DISTANCE CUT-OFF
1117.0	328.	DISTANCE CUT-OFF	1144.0	856.	DISTANCE CUT-OFF
1118.0	0.1	ANGLE CUT-OFF	1145.0	857.	DISTANCE CUT-OFF
1119.0	507.	DISTANCE CUT-OFF	1146.0	922.	DISTANCE CUT-OFF
1120.0	855.	DISTANCE CUT-OFF	1147.0	774.	DISTANCE CUT-OFF
1121.0	859.	DISTANCE CUT-OFF	1154.0	2107.	DISTANCE CUT-OFF
1122.0	853.	DISTANCE CUT-OFF	1155.0	2646.	DISTANCE CUT-OFF
1123.0	845.	DISTANCE CUT-OFF	1156.0	2824.	DISTANCE CUT-OFF
1124.0	832.	DISTANCE CUT-OFF	1157.0	2593.	DISTANCE CUT-OFF
1125.0	833.	DISTANCE CUT-OFF	1158.0	1883.	DISTANCE CUT-OFF
1126.0	841.	DISTANCE CUT-OFF	1159.0	1416.	DISTANCE CUT-OFF
1127.0	644.	DISTANCE CUT-OFF	1160.0	1045.	DISTANCE CUT-OFF
1128.0	0.0	ANGLE CUT-OFF	1161.0	461.	DISTANCE CUT-OFF
1129.0	384.	DISTANCE CUT-OFF	1162.0	470.	DISTANCE CUT-OFF
1130.0	684.	DISTANCE CUT-OFF	1163.0	479.	DISTANCE CUT-OFF
1131.0	893.	DISTANCE CUT-OFF	1164.0	487.	DISTANCE CUT-OFF
1132.0	445.	DISTANCE CUT-OFF	1165.0	490.	DISTANCE CUT-OFF
1133.0	548.	DISTANCE CUT-OFF	1166.0	465.	DISTANCE CUT-OFF
1134.0	926.	DISTANCE CUT-OFF	1167.0	432.	DISTANCE CUT-OFF
1135.0	929.	DISTANCE CUT-OFF	1168.0	381.	DISTANCE CUT-OFF
1147.0	1587.	DISTANCE CUT-OFF	1169.0	332.	DISTANCE CUT-OFF
1148.0	1334.	DISTANCE CUT-OFF	1170.0	276.8	3.0 12.3 5.2 0.0 0.0 3.012006 118.3-30.0 75.9 0.0 -1.0 0.5 -
1148.0	1633.	DISTANCE CUT-OFF			17.8 -13.2 0.0 -30.4 0.0 3.8 17.8
1149.0	2853.	DISTANCE CUT-OFF	1171.0	238.3	3.3 12.8 5.2 0.0 0.0 3.312006 118.3-30.0 75.9 0.0 -1.0 0.4 -
1150.0	2777.	DISTANCE CUT-OFF			17.3 -12.5 0.0 -30.4 0.0 4.0 19.1
1151.0	870.	DISTANCE CUT-OFF	1172.0	224.8	7.2 12.4 5.2 0.0 0.0 7.212006 118.3-30.0 75.9 0.0 -1.0 0.0 -
1152.0	1462.	DISTANCE CUT-OFF			14.0 -12.3 0.0 -30.4 0.0 4.0 22.2
1153.0	2831.	DISTANCE CUT-OFF	1173.0	223.0	8.0 11.4 5.2 0.0 0.0 8.012000 118.3-30.0 75.9 0.0 -1.0 0.0 -
640.0	994.	DISTANCE CUT-OFF			13.5 -12.2 0.0 -30.4 0.0 4.0 22.8
641.0	1016.	DISTANCE CUT-OFF	1174.0	223.7	9.9 10.3 5.2 0.0 0.0 9.912000 118.3-30.0 75.9 0.0 -1.0 0.0 -
642.0	1044.	DISTANCE CUT-OFF			12.6 -12.3 0.0 -31.5 0.0 4.0 22.5
643.0	1162.	DISTANCE CUT-OFF	1175.0		0.0 ANGLE CUT-OFF
644.0	1336.	DISTANCE CUT-OFF	1176.0		0.0 ANGLE CUT-OFF
645.0	1351.	DISTANCE CUT-OFF	1177.0		0.0 ANGLE CUT-OFF
646.0	1279.	DISTANCE CUT-OFF	1178.0		0.0 ANGLE CUT-OFF
1136.0	1026.	DISTANCE CUT-OFF	1179.0	214.7	11.0 10.3 5.2 0.0 0.0 11.012000 118.3-30.0 71.4 0.0 -1.0 0.5
1137.0	1016.	DISTANCE CUT-OFF			-12.2 -12.1 0.0 -31.3 0.0 2.5 17.8
1138.0	1156.	DISTANCE CUT-OFF	1180.0	214.6	8.0 11.4 5.2 0.0 0.0 8.012000 118.3-30.0 71.4 0.0 -1.0 0.6 -
1139.0	1318.	DISTANCE CUT-OFF			13.5 -12.1 0.0 -30.4 0.0 2.5 17.5
1140.0	1352.	DISTANCE CUT-OFF			

1181.0 215.6 7.1 12.4 5.2 0.0 0.0 7.112006 118.3-30.0 71.4 0.0 -1.0 0.5 -	1211.0 0.2 ANGLE CUT-OFF
14.1 -12.1 0.0 -30.4 0.0 2.5 16.8	1212.0 1.0 ANGLE CUT-OFF
1182.0 232.4 3.3 12.8 5.2 0.0 0.0 3.312006 118.3-30.0 71.4 0.0 -1.0 0.0 -	1213.0 372. DISTANCE CUT-OFF
17.4 -12.4 0.0 -30.3 0.0 2.5 12.8	1214.0 428. DISTANCE CUT-OFF
1183.0 271.6 2.9 12.3 5.2 0.0 0.0 2.912006 118.3-30.0 71.4 0.0 -1.0 0.0 -	1215.0 515. DISTANCE CUT-OFF
18.0 -13.1 0.0 -30.3 0.0 2.5 11.5	1216.0 536. DISTANCE CUT-OFF
1184.0 324. DISTANCE CUT-OFF	1217.0 599. DISTANCE CUT-OFF
1185.0 373. DISTANCE CUT-OFF	1218.0 698. DISTANCE CUT-OFF
1186.0 422. DISTANCE CUT-OFF	1219.0 721. DISTANCE CUT-OFF
1187.0 463. DISTANCE CUT-OFF	1220.0 728. DISTANCE CUT-OFF
1188.0 478. DISTANCE CUT-OFF	336.0 236.6 3.0 5.5 5.2 0.0 0.0 3.012118 171.0-30.0 71.1 0.0 -1.0 0.4 -
1189.0 476. DISTANCE CUT-OFF	17.8 -12.5 0.0 -30.2 0.0 2.5 12.5
1190.0 472. DISTANCE CUT-OFF	337.0 201.4 3.1 5.6 5.2 0.0 0.0 3.112118 171.0-30.0 71.1 0.0 -1.0 0.0 -
1191.0 727. DISTANCE CUT-OFF	17.6 -11.8 0.0 -30.1 0.0 2.5 13.1
1192.0 724. DISTANCE CUT-OFF	338.0 199.8 2.9 5.6 5.2 0.0 0.0 2.912118 171.0-30.0 71.1 0.0 -1.0 0.1 -
1193.0 702. DISTANCE CUT-OFF	17.9 -11.8 0.0 -30.1 0.0 2.5 12.9
1194.0 610. DISTANCE CUT-OFF	339.0 195.9 8.4 5.9 5.2 0.0 0.0 8.412118 171.0-30.0 71.5 0.0 -1.0 0.2 -
1195.0 539. DISTANCE CUT-OFF	13.3 -11.7 0.0 -24.1 0.0 2.5 24.1
1196.0 505. DISTANCE CUT-OFF	340.0 147.8 1.5 6.2 5.2 0.0 0.0 1.513494 25.0-24.6 71.5 0.0 -1.0 0.0 -
1197.0 430. DISTANCE CUT-OFF	20.7 -10.5 0.0 -24.9 0.0 2.5 16.9
1198.0 380. DISTANCE CUT-OFF	350.0 0.0 ANGLE CUT-OFF
1199.0 272.2 1.1 24.8 5.2 0.0 0.0 1.112006 118.3-30.0 72.0 0.0 -1.0 0.0 -	351.0 0.0 ANGLE CUT-OFF
22.3 -13.1 0.0 -30.2 0.0 4.0 9.4	352.0 200.7 6.0 6.0 5.2 0.0 0.0 6.012095 177.0-30.0 72.2 0.0 -3.5 0.0 -
1200.0 0.2 ANGLE CUT-OFF	14.8 -11.8 0.0 -30.6 0.0 2.5 14.0
1201.0 0.4 ANGLE CUT-OFF	353.0 203.5 2.8 5.6 5.2 0.0 0.0 2.812095 177.0-30.0 72.2 0.0 -3.5 0.0 -
1202.0 189.0 2.1 19.2 5.2 0.0 0.0 2.112006 118.3-30.0 72.0 0.0 -1.0 0.0 -	18.1 -11.9 0.0 -30.8 0.0 2.5 10.4
19.3 -11.6 0.0 -31.6 0.0 2.5 11.0	354.0 200.7 4.2 5.6 5.2 0.0 0.0 4.212095 177.0-30.0 72.2 0.0 -1.0 0.0 -
1203.0 253.1 2.1 16.2 5.2 0.0 0.0 2.113146 36.0-30.1 72.0 0.0 -1.0 0.0 -	16.3 -11.8 0.0 -30.8 0.0 2.5 14.8
19.4 -12.8 0.0 -32.0 0.0 2.5 9.3	355.0 202.3 5.7 5.5 5.2 0.0 0.0 5.712118 171.0-30.0 72.2 0.0 -1.0 0.0 -
1204.0 267.7 1.6 14.1 5.2 0.0 0.0 1.612006 118.3-30.0 72.0 0.0 -1.0 0.0 -	15.0 -11.8 0.0 -30.1 0.0 2.5 16.8
20.4 -13.0 0.0 -30.3 0.0 2.5 9.8	1221.0 0.0 ANGLE CUT-OFF
1205.0 158.4 1.3 12.4 5.2 0.0 0.0 1.312006 118.3-30.0 72.0 0.0 -1.0 0.0 -	1222.0 0.0 ANGLE CUT-OFF
21.5 -10.8 0.0 -30.7 0.0 2.5 10.5	1229.0 0.0 ANGLE CUT-OFF
1206.0 286.4 2.1 12.4 5.2 0.0 0.0 2.112006 118.3-30.0 59.9 0.0 -1.0 1.9 -	1230.0 0.0 ANGLE CUT-OFF
19.3 -13.3 0.0 -31.1 0.0 2.5 -0.4	1231.0 0.0 ANGLE CUT-OFF
1207.0 278.6 1.6 14.1 5.2 0.0 0.0 1.612006 118.3-30.0 59.9 0.0 -1.0 2.1 -	1232.0 0.0 ANGLE CUT-OFF
20.4 -13.2 0.0 -30.2 0.0 2.5 -0.3	1233.0 0.0 ANGLE CUT-OFF
1208.0 252.0 2.0 16.2 5.2 0.0 0.0 2.012006 118.3-30.0 59.9 0.0 -1.0 1.9 -	1234.0 1.0 ANGLE CUT-OFF
19.5 -12.8 0.0 -31.2 0.0 2.5 -0.2	1235.0 0.0 ANGLE CUT-OFF
1209.0 196.3 2.2 19.2 5.2 0.0 0.0 2.212006 118.3-30.0 59.9 0.0 -1.0 1.7 -	1236.0 0.0 ANGLE CUT-OFF
19.1 -11.7 0.0 -31.2 0.0 2.5 1.1	1237.0 0.0 ANGLE CUT-OFF
1210.0 0.3 ANGLE CUT-OFF	1238.0 0.0 ANGLE CUT-OFF

1239.0	0.0	ANGLE CUT-OFF	1275.0	1415.	DISTANCE CUT-OFF
1240.0	0.0	ANGLE CUT-OFF	1276.0	0.0	ANGLE CUT-OFF
1241.0	0.0	ANGLE CUT-OFF	1277.0	0.0	ANGLE CUT-OFF
1242.0	0.0	ANGLE CUT-OFF	1278.0	0.0	ANGLE CUT-OFF
1243.0	0.0	ANGLE CUT-OFF	1279.0	0.2	ANGLE CUT-OFF
1244.0	0.0	ANGLE CUT-OFF	1280.0	935.	DISTANCE CUT-OFF
1245.0	0.0	ANGLE CUT-OFF	1281.0	1257.	DISTANCE CUT-OFF
1246.0	0.0	ANGLE CUT-OFF	1282.0	2651.	DISTANCE CUT-OFF
1247.0	0.0	ANGLE CUT-OFF	1283.0	2634.	DISTANCE CUT-OFF
1248.0	0.0	ANGLE CUT-OFF	1284.0	2121.	DISTANCE CUT-OFF
1249.0	0.0	ANGLE CUT-OFF	1285.0	1298.	DISTANCE CUT-OFF
1250.0	0.0	ANGLE CUT-OFF	1286.0	1045.	DISTANCE CUT-OFF
1251.0	0.0	ANGLE CUT-OFF	1287.0	1030.	DISTANCE CUT-OFF
1252.0	0.0	ANGLE CUT-OFF	1288.0	1130.	DISTANCE CUT-OFF
1253.0	0.0	ANGLE CUT-OFF	1289.0	2374.	DISTANCE CUT-OFF
1254.0	0.0	ANGLE CUT-OFF	1290.0	2832.	DISTANCE CUT-OFF
1255.0	0.0	ANGLE CUT-OFF	1291.0	2587.	DISTANCE CUT-OFF
1256.0	0.0	ANGLE CUT-OFF	1292.0	2336.	DISTANCE CUT-OFF
1257.0	0.0	ANGLE CUT-OFF	1293.0	1323.	DISTANCE CUT-OFF
1258.0	0.0	ANGLE CUT-OFF	1294.0	1898.	DISTANCE CUT-OFF
1259.0	0.0	ANGLE CUT-OFF	1295.0	2507.	DISTANCE CUT-OFF
1260.0	0.0	ANGLE CUT-OFF	1296.0	2789.	DISTANCE CUT-OFF
1261.0	0.0	ANGLE CUT-OFF	1297.0	2755.	DISTANCE CUT-OFF
1223.0	326.	DISTANCE CUT-OFF	1298.0	2733.	DISTANCE CUT-OFF
1224.0	0.1	ANGLE CUT-OFF	1299.0	2679.	DISTANCE CUT-OFF
1225.0	0.0	ANGLE CUT-OFF	1300.0	1927.	DISTANCE CUT-OFF
1226.0	934.	DISTANCE CUT-OFF	1301.0	924.	DISTANCE CUT-OFF
1227.0	1626.	DISTANCE CUT-OFF	1302.0	1985.	DISTANCE CUT-OFF
1228.0	1759.	DISTANCE CUT-OFF	1303.0	2598.	DISTANCE CUT-OFF
1262.0	1705.	DISTANCE CUT-OFF	1304.0	2619.	DISTANCE CUT-OFF
1263.0	1931.	DISTANCE CUT-OFF	1305.0	2273.	DISTANCE CUT-OFF
1264.0	2150.	DISTANCE CUT-OFF	1306.0	2149.	DISTANCE CUT-OFF
1265.0	2175.	DISTANCE CUT-OFF	1307.0	1676.	DISTANCE CUT-OFF
1266.0	2148.	DISTANCE CUT-OFF	1308.0	1072.	DISTANCE CUT-OFF
1267.0	2177.	DISTANCE CUT-OFF	1309.0	750.	DISTANCE CUT-OFF
1268.0	2181.	DISTANCE CUT-OFF	1310.0	455.	DISTANCE CUT-OFF
1269.0	2181.	DISTANCE CUT-OFF	1311.0	541.	DISTANCE CUT-OFF
1270.0	2178.	DISTANCE CUT-OFF	1312.0	1511.	DISTANCE CUT-OFF
1271.0	2103.	DISTANCE CUT-OFF	1313.0	2044.	DISTANCE CUT-OFF
1272.0	2025.	DISTANCE CUT-OFF	1314.0	2330.	DISTANCE CUT-OFF
1273.0	1711.	DISTANCE CUT-OFF	1315.0	2538.	DISTANCE CUT-OFF
1274.0	1543.	DISTANCE CUT-OFF	1316.0	2861.	DISTANCE CUT-OFF

31.0 436. DISTANCE CUT-OFF
 32.0 390. DISTANCE CUT-OFF
 33.0 270.4 1.1 5.4 6.0 0.0 0.0 1.112740 5.3-1.6 62.6 0.0 -1.0 0.5 -
 22.3 -13.1 0.0 -1.7 0.0 2.5 27.5
 34.0 0.5 ANGLE CUT-OFF
 35.0 0.7 ANGLE CUT-OFF
 36.0 0.7 ANGLE CUT-OFF
 37.0 324. DISTANCE CUT-OFF
 38.0 471. DISTANCE CUT-OFF
 39.0 583. DISTANCE CUT-OFF
 40.0 601. DISTANCE CUT-OFF
 41.0 546. DISTANCE CUT-OFF
 42.0 446. DISTANCE CUT-OFF
 43.0 371. DISTANCE CUT-OFF
 44.0 330. DISTANCE CUT-OFF
 45.0 316. DISTANCE CUT-OFF
 46.0 0.0 ANGLE CUT-OFF
 47.0 319. DISTANCE CUT-OFF
 48.0 359. DISTANCE CUT-OFF
 49.0 397. DISTANCE CUT-OFF
 50.0 400. DISTANCE CUT-OFF
 51.0 399. DISTANCE CUT-OFF
 52.0 405. DISTANCE CUT-OFF
 53.0 0.0 ANGLE CUT-OFF
 54.0 0.0 ANGLE CUT-OFF
 55.0 0.0 ANGLE CUT-OFF
 56.0 0.0 ANGLE CUT-OFF
 57.0 0.0 ANGLE CUT-OFF
 58.0 0.7 ANGLE CUT-OFF
 59.0 0.6 ANGLE CUT-OFF
 60.0 0.9 ANGLE CUT-OFF
 61.0 354. DISTANCE CUT-OFF
 62.0 476. DISTANCE CUT-OFF
 63.0 576. DISTANCE CUT-OFF
 64.0 660. DISTANCE CUT-OFF
 65.0 717. DISTANCE CUT-OFF
 66.0 758. DISTANCE CUT-OFF
 67.0 772. DISTANCE CUT-OFF
 68.0 774. DISTANCE CUT-OFF
 69.0 775. DISTANCE CUT-OFF
 70.0 797. DISTANCE CUT-OFF
 71.0 767. DISTANCE CUT-OFF

72.0 715. DISTANCE CUT-OFF
 73.0 654. DISTANCE CUT-OFF
 74.0 578. DISTANCE CUT-OFF
 75.0 489. DISTANCE CUT-OFF
 76.0 489. DISTANCE CUT-OFF
 77.0 492. DISTANCE CUT-OFF
 78.0 526. DISTANCE CUT-OFF
 79.0 548. DISTANCE CUT-OFF
 80.0 579. DISTANCE CUT-OFF
 100.0 341. DISTANCE CUT-OFF
 101.0 340. DISTANCE CUT-OFF
 102.0 337. DISTANCE CUT-OFF
 103.0 332. DISTANCE CUT-OFF
 104.0 0.0 ANGLE CUT-OFF
 105.0 0.0 ANGLE CUT-OFF
 106.0 0.9 ANGLE CUT-OFF
 107.0 0.5 ANGLE CUT-OFF
 108.0 0.3 ANGLE CUT-OFF
 109.0 0.1 ANGLE CUT-OFF
 110.0 0.1 ANGLE CUT-OFF
 111.0 0.3 ANGLE CUT-OFF
 112.0 0.7 ANGLE CUT-OFF
 113.0 0.0 ANGLE CUT-OFF
 114.0 0.0 ANGLE CUT-OFF
 115.0 0.9 ANGLE CUT-OFF
 116.0 0.3 ANGLE CUT-OFF
 117.0 0.0 ANGLE CUT-OFF
 126.0 36.1 3.5 5.7 6.0 0.0 0.0 3.512072 116.6-30.0 63.2 0.0 -1.0 0.0 -
 17.2 -4.7 0.0 -30.0 0.0 2.7 13.0
 127.0 35.8 5.3 5.3 6.0 0.0 0.0 5.312072 116.6-30.0 68.8 0.0 -1.0 0.1 -
 15.3 -4.7 0.0 -30.2 0.0 2.5 20.2
 129.0 606. DISTANCE CUT-OFF
 130.0 603. DISTANCE CUT-OFF
 131.0 609. DISTANCE CUT-OFF
 132.0 215.2 5.4 6.0 6.0 0.0 0.0 5.412103 177.0-30.0 71.8 0.0 -1.0 0.0 -
 15.2 -12.1 0.0 -30.9 0.0 2.5 15.1
 133.0 217.7 6.4 6.1 6.0 0.0 0.0 6.412105 177.0-30.0 71.8 0.0 -1.0 0.1 -
 14.5 -12.1 0.0 -30.7 0.0 2.5 16.1
 134.0 217.1 1.2 6.2 6.0 0.0 0.0 1.212111 171.0-30.0 71.8 0.0 -1.0 0.0 -
 21.6 -12.1 0.0 -30.5 0.0 2.5 9.1
 135.0 210.7 1.1 6.2 6.0 0.0 0.0 1.112109 171.0-30.0 71.8 0.0 -1.0 0.0 -
 22.1 -12.0 0.0 -30.5 0.0 2.5 8.7

136.0	214.7	1.9	6.4	6.0	0.0	0.0	1.912107	171.0-30.0	71.8	0.0	-1.0	0.2	-	168.0	873.	DISTANCE CUT-OFF
19.8	-12.1	0.0	-30.4	0.0	2.5	11.2								169.0	869.	DISTANCE CUT-OFF
137.0	218.8	1.1	6.4	6.0	0.0	0.0	1.112109	171.0-30.0	71.4	0.0	-1.0	0.0	-	170.0	858.	DISTANCE CUT-OFF
22.3	-12.2	0.0	-30.2	0.0	2.5	8.2								171.0	840.	DISTANCE CUT-OFF
138.0	264.2	2.2	5.8	6.0	0.0	0.0	2.212109	171.0-30.0	71.4	0.0	-1.0	0.0	-	172.0	863.	DISTANCE CUT-OFF
19.1	-13.0	0.0	-30.2	0.0	2.5	10.6								173.0	860.	DISTANCE CUT-OFF
139.0	242.9	4.5	5.7	6.0	0.0	0.0	4.512105	177.0-30.0	71.4	0.0	-1.0	0.2	-	174.0	851.	DISTANCE CUT-OFF
16.0	-12.6	0.0	-30.5	0.0	2.5	14.0								175.0	852.	DISTANCE CUT-OFF
140.0	244.5	3.8	5.9	6.0	0.0	0.0	3.812103	177.0-30.0	71.4	0.0	-1.0	0.0	-	176.0	843.	DISTANCE CUT-OFF
16.8	-12.6	0.0	-30.8	0.0	2.5	12.7								177.0	431.	DISTANCE CUT-OFF
141.0	241.6	6.1	5.9	6.0	0.0	0.0	6.112101	177.0-30.0	71.4	0.0	-1.0	0.0	-	178.0	835.	DISTANCE CUT-OFF
14.7	-12.6	0.0	-30.8	0.0	2.5	14.8								179.0	771.	DISTANCE CUT-OFF
142.0														180.0		0.2 ANGLE CUT-OFF
143.0														181.0	392.	DISTANCE CUT-OFF
144.0														182.0	800.	DISTANCE CUT-OFF
145.0														183.0	922.	DISTANCE CUT-OFF
146.0	238.2	1.9	6.1	6.0	0.0	0.0	1.912107	171.0-30.0	73.4	0.0	-1.0	0.2	-	184.0	735.	DISTANCE CUT-OFF
19.7	-12.5	0.0	-30.2	0.0	2.5	12.7								185.0		0.0 ANGLE CUT-OFF
147.0	234.8	1.1	6.1	6.0	0.0	0.0	1.112107	171.0-30.0	73.4	0.0	-1.0	0.0	-	188.0	446.	DISTANCE CUT-OFF
22.0	-12.5	0.0	-30.2	0.0	2.5	10.2								189.0	450.	DISTANCE CUT-OFF
148.0														190.0	454.	DISTANCE CUT-OFF
149.0	191.5	1.2	6.5	6.0	0.0	0.0	1.212107	171.0-30.0	73.4	0.0	-1.0	0.0	-	191.0	461.	DISTANCE CUT-OFF
21.7	-11.6	0.0	-30.3	0.0	2.5	11.3								192.0	548.	DISTANCE CUT-OFF
150.0	218.2	2.7	6.2	6.0	0.0	0.0	2.712073	116.6-30.0	73.4	0.0	-1.0	0.0	-	193.0	554.	DISTANCE CUT-OFF
18.2	-12.2	0.0	-30.3	0.0	2.5	14.2								194.0	446.	DISTANCE CUT-OFF
151.0														195.0	366.	DISTANCE CUT-OFF
152.0														196.0	362.	DISTANCE CUT-OFF
153.0	373.													197.0	369.	DISTANCE CUT-OFF
154.0	440.													198.0	373.	DISTANCE CUT-OFF
155.0	391.													199.0	354.	DISTANCE CUT-OFF
156.0	637.													200.0	364.	DISTANCE CUT-OFF
157.0	739.													201.0	390.	DISTANCE CUT-OFF
158.0	806.													202.0	380.	DISTANCE CUT-OFF
159.0	801.													203.0	385.	DISTANCE CUT-OFF
160.0	887.													209.0	308.	DISTANCE CUT-OFF
161.0	940.													210.0	641.	DISTANCE CUT-OFF
162.0	971.													211.0	642.	DISTANCE CUT-OFF
163.0	973.													212.0	653.	DISTANCE CUT-OFF
164.0	880.													213.0	660.	DISTANCE CUT-OFF
165.0	784.													214.0	660.	DISTANCE CUT-OFF
166.0	697.													215.0	658.	DISTANCE CUT-OFF
167.0	500.													216.0	650.	DISTANCE CUT-OFF
167.0	408.															DISTANCE CUT-OFF

217.0 650. DISTANCE CUT-OFF
 218.0 641. DISTANCE CUT-OFF
 219.0 644. DISTANCE CUT-OFF
 220.0 643. DISTANCE CUT-OFF
 221.0 621. DISTANCE CUT-OFF
 222.0 617. DISTANCE CUT-OFF
 223.0 654. DISTANCE CUT-OFF
 306.0 214.6 6.3 5.5 6.0 0.0 0.0 0.1 0 0.0 0.0 69.9 0.0 -1.0 0.2 -14.5 -
 12.1 0.0 0.0 0.0 2.5 45.0
 307.0 214.5 5.2 5.6 6.0 0.0 0.0 0.1 0 0.0 0.0 69.9 0.0 -1.0 0.1 -15.4 -
 12.1 0.0 0.0 0.0 2.5 44.0
 308.0 214.0 3.2 5.7 6.0 0.0 0.0 1.612385 5.5 -2.0 69.9 0.0 -3.5 0.0 -
 17.6 -12.1 0.0 -1.0 0.0 2.5 38.2
 309.0 214.5 4.3 5.7 6.0 0.0 0.0 4.312382 5.6 -1.5 69.9 0.0 -3.5 0.0 -
 16.2 -12.1 0.0 -1.5 0.0 2.5 39.1
 310.0 215.0 4.6 5.8 6.0 0.0 0.0 4.613499 25.0 -21.7 72.7 0.0 -3.5 0.2 -
 15.9 -12.1 0.0 -10.4 0.0 2.5 33.5
 311.0 215.5 11.7 6.1 6.0 0.0 0.0 11.712095 177.0 -30.0 72.7 0.0 -3.5 0.3 -
 11.9 -12.1 0.0 -27.5 0.0 2.5 20.5
 312.0 213.8 9.5 6.5 6.0 0.0 0.0 9.512097 177.0 -30.0 72.7 0.0 -3.5 0.2 -
 12.8 -12.1 0.0 -27.4 0.0 2.5 19.6
 313.0 227.0 5.9 6.6 6.0 0.0 0.0 5.912099 177.0 -30.0 72.7 0.0 -3.5 0.0 -
 14.8 -12.3 0.0 -28.6 0.0 2.5 16.0
 314.0 211.1 5.0 6.1 6.0 0.0 0.0 5.012099 177.0 -30.0 72.7 0.0 -3.5 0.0 -
 15.6 -12.0 0.0 -30.7 0.0 2.5 13.4
 315.0 211.4 2.0 5.6 6.0 0.0 0.0 2.012101 177.0 -30.0 72.7 0.0 -1.0 0.0 -
 19.5 -12.0 0.0 -30.7 0.0 2.5 12.0
 316.0 195.3 1.1 5.7 6.0 0.0 0.0 1.112101 177.0 -30.0 72.7 0.0 -1.0 1.3 -
 22.0 -11.7 0.0 -30.9 0.0 2.5 10.9
 317.0 0.0 ANGLE CUT-OFF
 318.0 0.0 ANGLE CUT-OFF
 319.0 0.0 ANGLE CUT-OFF
 320.0 0.0 ANGLE CUT-OFF
 321.0 0.0 ANGLE CUT-OFF
 322.0 0.0 ANGLE CUT-OFF
 323.0 215.1 10.0 5.6 6.0 0.0 0.0 0.2 0 0.0 0.0 71.1 0.0 -1.0 0.0 -12.6 -
 12.1 0.0 0.0 0.0 2.5 47.9
 341.0 0.0 ANGLE CUT-OFF
 342.0 0.0 ANGLE CUT-OFF
 343.0 0.0 ANGLE CUT-OFF
 344.0 0.0 ANGLE CUT-OFF

345.0 218.7 1.0 6.0 6.0 0.0 0.0 1.012101 177.0 -30.0 72.2 0.0 -1.0 0.0 -
 22.4 -12.2 0.0 -30.8 0.0 2.5 8.3
 346.0 224.5 1.8 6.1 6.0 0.0 0.0 1.812101 177.0 -30.0 72.2 0.0 -1.0 0.2 -
 20.1 -12.3 0.0 -30.8 0.0 2.5 10.7
 347.0 233.5 2.2 6.1 6.0 0.0 0.0 2.212099 177.0 -30.0 72.2 0.0 -3.5 0.2 -
 19.2 -12.4 0.0 -30.5 0.0 2.5 9.3
 348.0 227.9 2.9 6.3 6.0 0.0 0.0 2.912099 177.0 -30.0 72.2 0.0 -3.5 0.4 -
 17.9 -12.3 0.0 -30.4 0.0 2.5 11.0
 349.0 237.4 5.7 6.4 6.0 0.0 0.0 5.712097 177.0 -30.0 72.2 0.0 -3.5 0.0 -
 15.0 -12.5 0.0 -26.3 0.0 2.5 17.4
 432.0 0.7 ANGLE CUT-OFF
 433.0 47.2 2.3 5.9 6.0 0.0 0.0 0.0 0 0.0 0.0 69.2 0.0 -1.0 0.0 -19.0 -
 5.7 0.0 0.0 0.0 2.5 46.0
 434.0 141.4 6.2 5.6 6.0 0.0 0.0 5.912385 5.5 -1.9 69.2 0.0 -1.0 0.2 -
 14.6 -10.3 0.0 -1.5 0.0 2.5 44.5
 445.0 308. DISTANCE CUT-OFF
 446.0 311. DISTANCE CUT-OFF
 447.0 306. DISTANCE CUT-OFF
 448.0 306. DISTANCE CUT-OFF
 449.0 308. DISTANCE CUT-OFF
 450.0 327. DISTANCE CUT-OFF
 451.0 332. DISTANCE CUT-OFF
 452.0 0.9 ANGLE CUT-OFF
 453.0 280.6 2.5 5.7 6.0 0.0 0.0 2.512012 118.3 -30.0 68.2 0.0 -1.0 0.0 -
 18.6 -13.2 0.0 -30.3 0.0 2.5 7.6
 454.0 317. DISTANCE CUT-OFF
 455.0 317. DISTANCE CUT-OFF
 456.0 317. DISTANCE CUT-OFF
 457.0 312. DISTANCE CUT-OFF
 458.0 26.8 1.1 5.7 6.0 0.0 0.0 0.0 0 0.0 0.0 71.0 0.0 -1.0 0.6 -22.2 -
 3.5 0.0 0.0 0.0 2.5 47.4
 459.0 56.4 1.6 6.2 6.0 0.0 0.0 0.0 0 0.0 0.0 71.0 0.0 -1.0 0.5 -20.5 -
 6.5 0.0 0.0 0.0 2.5 46.0
 460.0 55.8 3.9 6.8 6.0 0.0 0.0 0.1 0 0.0 0.0 71.0 0.0 -3.5 0.8 -16.6 -
 6.4 0.0 0.0 0.0 2.5 47.8
 461.0 45.1 110.9 8.9 6.0 0.0 0.0 1.9 0 0.0 0.0 71.0 0.0 -3.5 0.5 -2.1 -
 5.6 0.0 0.0 0.0 2.5 62.8
 462.0 44.6 31.9 10.1 6.0 0.0 0.0 26.412012 118.3 -30.0 71.0 0.0 -3.5 0.0 -
 7.5 -5.5 0.0 -7.6 0.0 2.5 49.4
 463.0 69.2 3.5 9.0 6.0 0.0 0.0 3.512012 118.3 -30.0 71.0 0.0 -3.5 0.0 -
 17.1 -7.3 0.0 -31.0 0.0 2.5 14.6

464.0 33.7 1.5 9.0 6.0 0.0 0.0 1.512012 118.3-30.0 74.2 0.0 -3.5 1.7 -
 20.7 -4.5 0.0 -30.6 0.0 2.5 19.1
 465.0 37.1 4.5 9.9 6.0 0.0 0.0 4.512336 30.0-30.1 74.2 0.0 -3.5 0.4 -
 16.0 -4.8 0.0 -30.8 0.0 2.5 22.0
 466.0 65.3 26.4 10.6 6.0 0.0 0.0 12.012012 118.3-30.0 74.2 0.0 -3.5 0.4
 -8.3 -7.1 0.0 -2.7 0.0 2.5 55.5
 467.0 65.2 39.1 10.9 6.0 0.0 0.0 0.7 0 0.0 0.0 74.2 0.0 -3.5 0.0 -6.6 -
 7.1 0.0 0.0 0.0 2.5 59.5
 468.0 65.2 55.7 8.9 6.0 0.0 0.0 1.0 0 0.0 0.0 74.2 0.0 -3.5 0.0 -5.1 -
 7.1 0.0 0.0 0.0 2.5 61.0
 469.0 61.9 5.1 6.8 6.0 0.0 0.0 0.1 0 0.0 0.0 72.6 0.0 -3.5 0.0 -15.4 -
 6.9 0.0 0.0 0.0 2.5 49.3
 470.0 66.2 1.8 6.2 6.0 0.0 0.0 0.0 0 0.0 0.0 72.6 0.0 -1.0 0.0 -19.9 -
 7.1 0.0 0.0 0.0 2.5 47.1

N8103

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
 ----- CORRECTIONS -----> SEG-
 NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
 GRAD ANGLE HARD SOFT BAR- RET REFL MENT
 VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
 VIEW GRND EXCE RIER CUT TION TOTAL
 471.0 67.0 2.4 5.8 6.0 0.0 0.0 0.0 0 0.0 0.0 72.6 0.0 -1.0 0.0 -18.8 -
 7.2 0.0 0.0 0.0 2.5 48.1

472.0 304. DISTANCE CUT-OFF
 473.0 309. DISTANCE CUT-OFF
 474.0 1878. DISTANCE CUT-OFF
 475.0 1869. DISTANCE CUT-OFF
 476.0 1830. DISTANCE CUT-OFF
 477.0 912. DISTANCE CUT-OFF
 478.0 1822. DISTANCE CUT-OFF
 479.0 1860. DISTANCE CUT-OFF
 480.0 1871. DISTANCE CUT-OFF
 481.0 1514. DISTANCE CUT-OFF
 482.0 1924. DISTANCE CUT-OFF
 483.0 1994. DISTANCE CUT-OFF
 484.0 1744. DISTANCE CUT-OFF
 485.0 1287. DISTANCE CUT-OFF
 486.0 577. DISTANCE CUT-OFF
 487.0 1274. DISTANCE CUT-OFF
 488.0 1818. DISTANCE CUT-OFF

489.0 1987. DISTANCE CUT-OFF
 490.0 1878. DISTANCE CUT-OFF
 491.0 1697. DISTANCE CUT-OFF
 492.0 1800. DISTANCE CUT-OFF
 493.0 924. DISTANCE CUT-OFF
 494.0 0.1 ANGLE CUT-OFF
 495.0 1484. DISTANCE CUT-OFF
 496.0 1854. DISTANCE CUT-OFF
 497.0 2118. DISTANCE CUT-OFF
 498.0 1972. DISTANCE CUT-OFF
 499.0 954. DISTANCE CUT-OFF
 500.0 0.0 ANGLE CUT-OFF
 501.0 1468. DISTANCE CUT-OFF
 502.0 2025. DISTANCE CUT-OFF
 503.0 1109. DISTANCE CUT-OFF
 504.0 1276. DISTANCE CUT-OFF
 505.0 1498. DISTANCE CUT-OFF
 506.0 1733. DISTANCE CUT-OFF
 507.0 1938. DISTANCE CUT-OFF
 508.0 2049. DISTANCE CUT-OFF
 509.0 2086. DISTANCE CUT-OFF
 510.0 2087. DISTANCE CUT-OFF
 511.0 979. DISTANCE CUT-OFF
 512.0 1244. DISTANCE CUT-OFF
 513.0 1344. DISTANCE CUT-OFF
 514.0 1697. DISTANCE CUT-OFF
 515.0 1867. DISTANCE CUT-OFF
 516.0 2000. DISTANCE CUT-OFF
 517.0 2072. DISTANCE CUT-OFF
 518.0 2071. DISTANCE CUT-OFF
 519.0 1982. DISTANCE CUT-OFF
 520.0 1824. DISTANCE CUT-OFF
 521.0 1811. DISTANCE CUT-OFF
 522.0 1824. DISTANCE CUT-OFF
 523.0 1971. DISTANCE CUT-OFF
 524.0 2063. DISTANCE CUT-OFF
 525.0 2051. DISTANCE CUT-OFF
 526.0 1993. DISTANCE CUT-OFF
 527.0 1885. DISTANCE CUT-OFF
 528.0 1678. DISTANCE CUT-OFF
 529.0 1387. DISTANCE CUT-OFF
 530.0 1182. DISTANCE CUT-OFF

531.0	1026.	DISTANCE CUT-OFF	573.0		0.1 ANGLE CUT-OFF
532.0	2080.	DISTANCE CUT-OFF	574.0		0.1 ANGLE CUT-OFF
533.0	1881.	DISTANCE CUT-OFF	575.0		0.0 ANGLE CUT-OFF
534.0	1818.	DISTANCE CUT-OFF	576.0	588.	DISTANCE CUT-OFF
535.0	1782.	DISTANCE CUT-OFF	577.0	1449.	DISTANCE CUT-OFF
536.0	575.	DISTANCE CUT-OFF	578.0	2324.	DISTANCE CUT-OFF
537.0	582.	DISTANCE CUT-OFF	579.0	1891.	DISTANCE CUT-OFF
538.0	2173.	DISTANCE CUT-OFF	580.0	1907.	DISTANCE CUT-OFF
539.0	1943.	DISTANCE CUT-OFF	581.0	1907.	DISTANCE CUT-OFF
540.0	1334.	DISTANCE CUT-OFF	582.0	1891.	DISTANCE CUT-OFF
541.0	756.	DISTANCE CUT-OFF	583.0	1890.	DISTANCE CUT-OFF
542.0	637.	DISTANCE CUT-OFF	584.0	1878.	DISTANCE CUT-OFF
543.0	651.	DISTANCE CUT-OFF	585.0	2831.	DISTANCE CUT-OFF
544.0	633.	DISTANCE CUT-OFF	586.0	2744.	DISTANCE CUT-OFF
545.0	642.	DISTANCE CUT-OFF	587.0	2948.	DISTANCE CUT-OFF
546.0	645.	DISTANCE CUT-OFF	588.0	2884.	DISTANCE CUT-OFF
547.0	962.	DISTANCE CUT-OFF	589.0	2721.	DISTANCE CUT-OFF
548.0	1868.	DISTANCE CUT-OFF	590.0	2695.	DISTANCE CUT-OFF
549.0	856.	DISTANCE CUT-OFF	591.0	2527.	DISTANCE CUT-OFF
550.0	1172.	DISTANCE CUT-OFF	592.0	2516.	DISTANCE CUT-OFF
551.0	1411.	DISTANCE CUT-OFF	593.0	2512.	DISTANCE CUT-OFF
552.0	1666.	DISTANCE CUT-OFF	594.0	2675.	DISTANCE CUT-OFF
553.0	1830.	DISTANCE CUT-OFF	595.0	2804.	DISTANCE CUT-OFF
554.0	2060.	DISTANCE CUT-OFF	596.0	2897.	DISTANCE CUT-OFF
555.0	2251.	DISTANCE CUT-OFF	597.0	2924.	DISTANCE CUT-OFF
556.0	2479.	DISTANCE CUT-OFF	598.0	2762.	DISTANCE CUT-OFF
557.0	2482.	DISTANCE CUT-OFF	599.0	2792.	DISTANCE CUT-OFF
558.0	2712.	DISTANCE CUT-OFF	600.0		0.0 ANGLE CUT-OFF
559.0	2814.	DISTANCE CUT-OFF	601.0	1382.	DISTANCE CUT-OFF
560.0	2838.	DISTANCE CUT-OFF	602.0	2029.	DISTANCE CUT-OFF
561.0	2219.	DISTANCE CUT-OFF	603.0	2024.	DISTANCE CUT-OFF
562.0	1716.	DISTANCE CUT-OFF	604.0	2031.	DISTANCE CUT-OFF
563.0	1281.	DISTANCE CUT-OFF	605.0	2024.	DISTANCE CUT-OFF
564.0	567.	DISTANCE CUT-OFF	606.0	2025.	DISTANCE CUT-OFF
565.0		0.0 ANGLE CUT-OFF	607.0	2016.	DISTANCE CUT-OFF
566.0		0.1 ANGLE CUT-OFF	608.0	2019.	DISTANCE CUT-OFF
567.0		0.1 ANGLE CUT-OFF	609.0	1996.	DISTANCE CUT-OFF
568.0		0.2 ANGLE CUT-OFF	610.0	1746.	DISTANCE CUT-OFF
569.0		0.1 ANGLE CUT-OFF	611.0	1749.	DISTANCE CUT-OFF
570.0	818.	DISTANCE CUT-OFF	612.0	2198.	DISTANCE CUT-OFF
571.0	1112.	DISTANCE CUT-OFF	613.0	1424.	DISTANCE CUT-OFF
572.0		0.3 ANGLE CUT-OFF	614.0	468.	DISTANCE CUT-OFF

615.0	556.	DISTANCE CUT-OFF	663.0	2431.	DISTANCE CUT-OFF
616.0	1567.	DISTANCE CUT-OFF	666.0	2161.	DISTANCE CUT-OFF
617.0	2176.	DISTANCE CUT-OFF	667.0	962.	DISTANCE CUT-OFF
618.0	2546.	DISTANCE CUT-OFF	668.0	714.	DISTANCE CUT-OFF
619.0	2536.	DISTANCE CUT-OFF	669.0	717.	DISTANCE CUT-OFF
620.0	2534.	DISTANCE CUT-OFF	670.0	2211.	DISTANCE CUT-OFF
621.0	2474.	DISTANCE CUT-OFF	671.0	2903.	DISTANCE CUT-OFF
622.0	1731.	DISTANCE CUT-OFF	672.0	2900.	DISTANCE CUT-OFF
622.0	837.	DISTANCE CUT-OFF	673.0	610.	DISTANCE CUT-OFF
623.0	0.0	ANGLE CUT-OFF	674.0	1511.	DISTANCE CUT-OFF
624.0	572.	DISTANCE CUT-OFF	675.0	418.	DISTANCE CUT-OFF
625.0	1223.	DISTANCE CUT-OFF	676.0	1126.	DISTANCE CUT-OFF
626.0	1573.	DISTANCE CUT-OFF	677.0	313.	DISTANCE CUT-OFF
627.0	1777.	DISTANCE CUT-OFF	678.0	576.	DISTANCE CUT-OFF
628.0	1782.	DISTANCE CUT-OFF	679.0	549.	DISTANCE CUT-OFF
629.0	1835.	DISTANCE CUT-OFF	680.0	516.	DISTANCE CUT-OFF
630.0	1839.	DISTANCE CUT-OFF	681.0	482.	DISTANCE CUT-OFF
631.0	1814.	DISTANCE CUT-OFF	682.0	481.	DISTANCE CUT-OFF
632.0	1978.	DISTANCE CUT-OFF	683.0	492.	DISTANCE CUT-OFF
633.0	1865.	DISTANCE CUT-OFF	684.0	576.	DISTANCE CUT-OFF
634.0	1959.	DISTANCE CUT-OFF	685.0	634.	DISTANCE CUT-OFF
635.0	1492.	DISTANCE CUT-OFF	686.0	718.	DISTANCE CUT-OFF
636.0	955.	DISTANCE CUT-OFF	687.0	789.	DISTANCE CUT-OFF
637.0	0.1	ANGLE CUT-OFF	688.0	785.	DISTANCE CUT-OFF
638.0	660.	DISTANCE CUT-OFF	689.0	0.1	ANGLE CUT-OFF
639.0	463.	DISTANCE CUT-OFF	690.0	0.3	ANGLE CUT-OFF
647.0	1166.	DISTANCE CUT-OFF	691.0	0.3	ANGLE CUT-OFF
648.0	614.	DISTANCE CUT-OFF	692.0	0.6	ANGLE CUT-OFF
649.0	589.	DISTANCE CUT-OFF	693.0	1.0	ANGLE CUT-OFF
650.0	522.	DISTANCE CUT-OFF	694.0	0.0	ANGLE CUT-OFF
651.0	637.	DISTANCE CUT-OFF	695.0	0.7	ANGLE CUT-OFF
652.0	642.	DISTANCE CUT-OFF	696.0	0.0	ANGLE CUT-OFF
653.0	638.	DISTANCE CUT-OFF	697.0	0.6	ANGLE CUT-OFF
654.0	677.	DISTANCE CUT-OFF	698.0	0.5	ANGLE CUT-OFF
655.0	765.	DISTANCE CUT-OFF	699.0	0.2	ANGLE CUT-OFF
656.0	1340.	DISTANCE CUT-OFF	700.0	0.0	ANGLE CUT-OFF
657.0	1933.	DISTANCE CUT-OFF	701.0	0.4	ANGLE CUT-OFF
658.0	2157.	DISTANCE CUT-OFF	702.0	0.0	ANGLE CUT-OFF
659.0	2166.	DISTANCE CUT-OFF	703.0	778.	DISTANCE CUT-OFF
660.0	2838.	DISTANCE CUT-OFF	704.0	769.	DISTANCE CUT-OFF
661.0	2789.	DISTANCE CUT-OFF	705.0	766.	DISTANCE CUT-OFF
662.0	2681.	DISTANCE CUT-OFF	706.0	750.	DISTANCE CUT-OFF

707.0	713.	DISTANCE CUT-OFF
708.0	650.	DISTANCE CUT-OFF
709.0	573.	DISTANCE CUT-OFF
710.0	475.	DISTANCE CUT-OFF
711.0	348.	DISTANCE CUT-OFF
712.0		0.9 ANGLE CUT-OFF
713.0		0.5 ANGLE CUT-OFF
714.0		0.6 ANGLE CUT-OFF
715.0		0.9 ANGLE CUT-OFF
716.0		0.0 ANGLE CUT-OFF
717.0		0.0 ANGLE CUT-OFF
718.0		1.0 ANGLE CUT-OFF
719.0		0.0 ANGLE CUT-OFF
720.0	333.	DISTANCE CUT-OFF
721.0	347.	DISTANCE CUT-OFF
722.0	351.	DISTANCE CUT-OFF
723.0	351.	DISTANCE CUT-OFF
730.0	909.	DISTANCE CUT-OFF
731.0	837.	DISTANCE CUT-OFF
732.0	716.	DISTANCE CUT-OFF
733.0	919.	DISTANCE CUT-OFF
734.0	921.	DISTANCE CUT-OFF
735.0	921.	DISTANCE CUT-OFF
736.0	920.	DISTANCE CUT-OFF
741.0		0.2 ANGLE CUT-OFF
742.0	428.	DISTANCE CUT-OFF
743.0	542.	DISTANCE CUT-OFF
744.0	683.	DISTANCE CUT-OFF
745.0	803.	DISTANCE CUT-OFF
746.0	898.	DISTANCE CUT-OFF
747.0	980.	DISTANCE CUT-OFF
748.0	979.	DISTANCE CUT-OFF
749.0	957.	DISTANCE CUT-OFF
750.0	895.	DISTANCE CUT-OFF
751.0	807.	DISTANCE CUT-OFF
752.0	858.	DISTANCE CUT-OFF
753.0	857.	DISTANCE CUT-OFF
754.0	868.	DISTANCE CUT-OFF
755.0	870.	DISTANCE CUT-OFF
756.0	872.	DISTANCE CUT-OFF
757.0	41.6 3.9 5.7 6.0 0.0 0.0 3.912072 116.6-30.0 67.3 0.0 -1.0 0.0 -	
16.6 -5.3 0.0 -30.1 0.0 2.9 17.2		

758.0	605.	DISTANCE CUT-OFF
759.0	596.	DISTANCE CUT-OFF
760.0	597.	DISTANCE CUT-OFF
761.0	42.8 6.2 5.3 6.0 0.0 0.0 6.212072 116.6-30.0 68.4 0.0 -1.0 0.0 -	
14.6 -5.4 0.0 -30.2 0.0 3.4 20.6		
762.0	1766.	DISTANCE CUT-OFF
763.0	1758.	DISTANCE CUT-OFF
764.0	1554.	DISTANCE CUT-OFF
765.0	1226.	DISTANCE CUT-OFF
766.0	601.	DISTANCE CUT-OFF
767.0		0.0 ANGLE CUT-OFF
768.0	659.	DISTANCE CUT-OFF
769.0	1780.	DISTANCE CUT-OFF
770.0	2458.	DISTANCE CUT-OFF
771.0	2526.	DISTANCE CUT-OFF
772.0	2528.	DISTANCE CUT-OFF
773.0	2537.	DISTANCE CUT-OFF
774.0	2225.	DISTANCE CUT-OFF
775.0	1532.	DISTANCE CUT-OFF
776.0	579.	DISTANCE CUT-OFF
777.0	516.	DISTANCE CUT-OFF
778.0	1338.	DISTANCE CUT-OFF
779.0	2189.	DISTANCE CUT-OFF
780.0	475.	DISTANCE CUT-OFF
781.0	652.	DISTANCE CUT-OFF
782.0		0.0 ANGLE CUT-OFF
783.0	942.	DISTANCE CUT-OFF
784.0	1482.	DISTANCE CUT-OFF
785.0	1972.	DISTANCE CUT-OFF
786.0	1923.	DISTANCE CUT-OFF
787.0	2018.	DISTANCE CUT-OFF
788.0	1811.	DISTANCE CUT-OFF
789.0	1843.	DISTANCE CUT-OFF
790.0	1845.	DISTANCE CUT-OFF
799.0	901.	DISTANCE CUT-OFF
800.0	901.	DISTANCE CUT-OFF
801.0	902.	DISTANCE CUT-OFF
802.0	911.	DISTANCE CUT-OFF
803.0	915.	DISTANCE CUT-OFF
804.0	907.	DISTANCE CUT-OFF
805.0	906.	DISTANCE CUT-OFF
806.0	907.	DISTANCE CUT-OFF

878.0 69.8 2.4 5.2 6.0 0.0 0.0 0.0 0 0.0 0.0 75.0 0.0 -1.0 0.0 -18.7 -
 7.4 0.0 0.0 0.0 2.5 50.4
 879.0 64.1 4.0 4.3 6.0 0.0 0.0 0.1 0 0.0 0.0 75.0 0.0 -3.5 0.0 -16.5 -
 7.0 0.0 0.0 0.0 2.5 50.5
 880.0 59.9 1.8 2.8 6.0 0.0 0.0 0.0 0 0.0 0.0 74.0 0.0 -3.5 0.0 -20.0 -
 6.7 0.0 0.0 0.0 4.0 47.8
 881.0 59.9 1.9 -0.6 6.0 0.0 0.0 1.613502 5.0-14.4 74.0 0.0 -1.0 0.0 -
 19.8 -6.8 0.0 -6.7 0.0 4.0 43.7
 882.0 0.1 ANGLE CUT-OFF
 883.0 0.2 ANGLE CUT-OFF
 884.0 0.2 ANGLE CUT-OFF
 885.0 315. DISTANCE CUT-OFF
 886.0 403. DISTANCE CUT-OFF
 887.0 464. DISTANCE CUT-OFF
 888.0 542. DISTANCE CUT-OFF
 889.0 531. DISTANCE CUT-OFF
 890.0 543. DISTANCE CUT-OFF
 891.0 613. DISTANCE CUT-OFF
 892.0 772. DISTANCE CUT-OFF
 893.0 894. DISTANCE CUT-OFF
 894.0 1050. DISTANCE CUT-OFF
 895.0 1150. DISTANCE CUT-OFF
 896.0 1151. DISTANCE CUT-OFF
 897.0 1227. DISTANCE CUT-OFF
 898.0 1248. DISTANCE CUT-OFF
 899.0 1125. DISTANCE CUT-OFF
 900.0 869. DISTANCE CUT-OFF
 901.0 522. DISTANCE CUT-OFF
 902.0 412. DISTANCE CUT-OFF
 903.0 371. DISTANCE CUT-OFF
 904.0 368. DISTANCE CUT-OFF
 905.0 0.7 ANGLE CUT-OFF
 906.0 0.3 ANGLE CUT-OFF
 907.0 0.1 ANGLE CUT-OFF
 908.0 0.2 ANGLE CUT-OFF
 909.0 0.2 ANGLE CUT-OFF
 910.0 0.2 ANGLE CUT-OFF
 911.0 1240. DISTANCE CUT-OFF
 912.0 1312. DISTANCE CUT-OFF
 913.0 1345. DISTANCE CUT-OFF
 914.0 1356. DISTANCE CUT-OFF
 915.0 1321. DISTANCE CUT-OFF

916.0 1230. DISTANCE CUT-OFF
 917.0 1070. DISTANCE CUT-OFF
 918.0 808. DISTANCE CUT-OFF
 919.0 568. DISTANCE CUT-OFF
 920.0 372. DISTANCE CUT-OFF
 921.0 0.2 ANGLE CUT-OFF
 922.0 0.0 ANGLE CUT-OFF
 923.0 0.2 ANGLE CUT-OFF
 924.0 407. DISTANCE CUT-OFF
 925.0 402. DISTANCE CUT-OFF
 926.0 390. DISTANCE CUT-OFF
 927.0 0.3 ANGLE CUT-OFF
 928.0 0.2 ANGLE CUT-OFF
 929.0 0.2 ANGLE CUT-OFF
 930.0 0.1 ANGLE CUT-OFF
 931.0 0.2 ANGLE CUT-OFF
 932.0 0.4 ANGLE CUT-OFF
 933.0 0.1 ANGLE CUT-OFF
 934.0 0.1 ANGLE CUT-OFF
 935.0 0.1 ANGLE CUT-OFF
 936.0 0.2 ANGLE CUT-OFF
 937.0 0.3 ANGLE CUT-OFF
 938.0 374. DISTANCE CUT-OFF
 939.0 497. DISTANCE CUT-OFF
 940.0 620. DISTANCE CUT-OFF
 941.0 668. DISTANCE CUT-OFF
 942.0 652. DISTANCE CUT-OFF
 943.0 500. DISTANCE CUT-OFF
 944.0 0.0 ANGLE CUT-OFF
 945.0 712. DISTANCE CUT-OFF
 946.0 1246. DISTANCE CUT-OFF
 947.0 1389. DISTANCE CUT-OFF
 948.0 1356. DISTANCE CUT-OFF
 949.0 1259. DISTANCE CUT-OFF
 950.0 1189. DISTANCE CUT-OFF
 951.0 1087. DISTANCE CUT-OFF
 952.0 1190. DISTANCE CUT-OFF
 953.0 1185. DISTANCE CUT-OFF
 954.0 1097. DISTANCE CUT-OFF
 955.0 1146. DISTANCE CUT-OFF
 956.0 1197. DISTANCE CUT-OFF
 957.0 1211. DISTANCE CUT-OFF

958.0	1179.	DISTANCE CUT-OFF	1000.0	1615.	DISTANCE CUT-OFF
959.0	1166.	DISTANCE CUT-OFF	1001.0	577.	DISTANCE CUT-OFF
960.0	1188.	DISTANCE CUT-OFF	1002.0	383.	DISTANCE CUT-OFF
961.0	1223.	DISTANCE CUT-OFF	1003.0	387.	DISTANCE CUT-OFF
962.0	1220.	DISTANCE CUT-OFF	1004.0	386.	DISTANCE CUT-OFF
963.0	1167.	DISTANCE CUT-OFF	1005.0	401.	DISTANCE CUT-OFF
964.0	1181.	DISTANCE CUT-OFF	1006.0	377.	DISTANCE CUT-OFF
965.0	1205.	DISTANCE CUT-OFF	1007.0	404.	DISTANCE CUT-OFF
966.0	1225.	DISTANCE CUT-OFF	1008.0	403.	DISTANCE CUT-OFF
967.0	1243.	DISTANCE CUT-OFF	1009.0	719.	DISTANCE CUT-OFF
968.0	1165.	DISTANCE CUT-OFF	1010.0	1537.	DISTANCE CUT-OFF
969.0	1185.	DISTANCE CUT-OFF	1011.0	2161.	DISTANCE CUT-OFF
970.0	1139.	DISTANCE CUT-OFF	1012.0	2177.	DISTANCE CUT-OFF
971.0	1105.	DISTANCE CUT-OFF	1013.0	1587.	DISTANCE CUT-OFF
972.0	1064.	DISTANCE CUT-OFF	1014.0	648.	DISTANCE CUT-OFF
973.0	1022.	DISTANCE CUT-OFF	1015.0	323.	DISTANCE CUT-OFF
974.0	965.	DISTANCE CUT-OFF	1016.0	0.1	ANGLE CUT-OFF
975.0	1014.	DISTANCE CUT-OFF	1017.0	0.1	ANGLE CUT-OFF
976.0	1057.	DISTANCE CUT-OFF	1018.0	0.1	ANGLE CUT-OFF
977.0	2238.	DISTANCE CUT-OFF	1019.0	0.0	ANGLE CUT-OFF
978.0	2045.	DISTANCE CUT-OFF	1020.0	0.1	ANGLE CUT-OFF
979.0	1765.	DISTANCE CUT-OFF	1021.0	0.1	ANGLE CUT-OFF
980.0	1286.	DISTANCE CUT-OFF	1022.0	0.1	ANGLE CUT-OFF
981.0	0.0	ANGLE CUT-OFF	1023.0	0.0	ANGLE CUT-OFF
982.0	481.	DISTANCE CUT-OFF	1024.0	1167.	DISTANCE CUT-OFF
983.0	1485.	DISTANCE CUT-OFF	1025.0	1872.	DISTANCE CUT-OFF
984.0	2112.	DISTANCE CUT-OFF	1026.0	2297.	DISTANCE CUT-OFF
985.0	2388.	DISTANCE CUT-OFF	1027.0	2214.	DISTANCE CUT-OFF
986.0	2141.	DISTANCE CUT-OFF	1028.0	1619.	DISTANCE CUT-OFF
987.0	1983.	DISTANCE CUT-OFF	1029.0	814.	DISTANCE CUT-OFF
988.0	1579.	DISTANCE CUT-OFF	1030.0	567.	DISTANCE CUT-OFF
989.0	593.	DISTANCE CUT-OFF	1031.0	539.	DISTANCE CUT-OFF
990.0	0.0	ANGLE CUT-OFF	1032.0	546.	DISTANCE CUT-OFF
991.0	2246.	DISTANCE CUT-OFF	1033.0	656.	DISTANCE CUT-OFF
992.0	2130.	DISTANCE CUT-OFF	1034.0	1009.	DISTANCE CUT-OFF
993.0	2453.	DISTANCE CUT-OFF	1035.0	1305.	DISTANCE CUT-OFF
994.0	2626.	DISTANCE CUT-OFF	1036.0	1680.	DISTANCE CUT-OFF
995.0	2627.	DISTANCE CUT-OFF	1037.0	1633.	DISTANCE CUT-OFF
996.0	2628.	DISTANCE CUT-OFF	1038.0	1234.	DISTANCE CUT-OFF
997.0	2629.	DISTANCE CUT-OFF	1039.0	823.	DISTANCE CUT-OFF
998.0	2562.	DISTANCE CUT-OFF	1040.0	439.	DISTANCE CUT-OFF
999.0	2183.	DISTANCE CUT-OFF	1041.0	357.	DISTANCE CUT-OFF

1042.0	324.	DISTANCE CUT-OFF	1083.0	1557.	DISTANCE CUT-OFF
1042.0	341.	DISTANCE CUT-OFF	1084.0	1453.	DISTANCE CUT-OFF
1043.0	391.	DISTANCE CUT-OFF	1085.0	902.	DISTANCE CUT-OFF
1044.0	1101.	DISTANCE CUT-OFF	1086.0	554.	DISTANCE CUT-OFF
1045.0	1896.	DISTANCE CUT-OFF	1087.0	1840.	DISTANCE CUT-OFF
1046.0	2318.	DISTANCE CUT-OFF	1088.0	2524.	DISTANCE CUT-OFF
1047.0	2147.	DISTANCE CUT-OFF	1089.0	2488.	DISTANCE CUT-OFF
1048.0	1779.	DISTANCE CUT-OFF	1090.0	1814.	DISTANCE CUT-OFF
1049.0	1391.	DISTANCE CUT-OFF	1091.0	542.	DISTANCE CUT-OFF
1050.0	799.	DISTANCE CUT-OFF	1092.0	0.0	ANGLE CUT-OFF
1051.0	739.	DISTANCE CUT-OFF	1093.0	0.1	ANGLE CUT-OFF
1052.0	756.	DISTANCE CUT-OFF	1094.0	0.0	ANGLE CUT-OFF
1053.0	771.	DISTANCE CUT-OFF	1095.0	0.2	ANGLE CUT-OFF
1054.0	742.	DISTANCE CUT-OFF	1096.0	0.0	ANGLE CUT-OFF
1055.0	588.	DISTANCE CUT-OFF	1097.0	0.0	ANGLE CUT-OFF
1056.0	681.	DISTANCE CUT-OFF	1098.0	0.1	ANGLE CUT-OFF
1057.0	1052.	DISTANCE CUT-OFF	1099.0	0.0	ANGLE CUT-OFF
1058.0	1165.	DISTANCE CUT-OFF	1100.0	661.	DISTANCE CUT-OFF
1059.0	1236.	DISTANCE CUT-OFF	1101.0	608.	DISTANCE CUT-OFF
1060.0	1218.	DISTANCE CUT-OFF	1102.0	632.	DISTANCE CUT-OFF
1061.0	1164.	DISTANCE CUT-OFF	1103.0	649.	DISTANCE CUT-OFF
1062.0	1237.	DISTANCE CUT-OFF	1104.0	613.	DISTANCE CUT-OFF
1063.0	1343.	DISTANCE CUT-OFF	1105.0	0.0	ANGLE CUT-OFF
1064.0	1701.	DISTANCE CUT-OFF	1106.0	0.0	ANGLE CUT-OFF
1065.0	1794.	DISTANCE CUT-OFF	1107.0	1534.	DISTANCE CUT-OFF
1066.0	1785.	DISTANCE CUT-OFF	1108.0	2314.	DISTANCE CUT-OFF
1067.0	2276.	DISTANCE CUT-OFF	1109.0	2616.	DISTANCE CUT-OFF
1068.0	1910.	DISTANCE CUT-OFF	1110.0	2349.	DISTANCE CUT-OFF
1069.0	2046.	DISTANCE CUT-OFF	1111.0	1758.	DISTANCE CUT-OFF
1070.0	2159.	DISTANCE CUT-OFF	1112.0	1281.	DISTANCE CUT-OFF
1071.0	1806.	DISTANCE CUT-OFF	1113.0	494.	DISTANCE CUT-OFF
1072.0	1027.	DISTANCE CUT-OFF	1114.0	0.0	ANGLE CUT-OFF
1073.0	0.1	ANGLE CUT-OFF	1115.0	0.0	ANGLE CUT-OFF
1074.0	0.0	ANGLE CUT-OFF	1116.0	342.	DISTANCE CUT-OFF
1075.0	0.1	ANGLE CUT-OFF	1117.0	336.	DISTANCE CUT-OFF
1076.0	0.0	ANGLE CUT-OFF	1118.0	0.1	ANGLE CUT-OFF
1077.0	0.0	ANGLE CUT-OFF	1119.0	456.	DISTANCE CUT-OFF
1078.0	363.	DISTANCE CUT-OFF	1120.0	786.	DISTANCE CUT-OFF
1079.0	355.	DISTANCE CUT-OFF	1121.0	790.	DISTANCE CUT-OFF
1080.0	0.0	ANGLE CUT-OFF	1122.0	784.	DISTANCE CUT-OFF
1081.0	715.	DISTANCE CUT-OFF	1123.0	776.	DISTANCE CUT-OFF
1082.0	1064.	DISTANCE CUT-OFF	1124.0	763.	DISTANCE CUT-OFF

1125.0	763.	DISTANCE CUT-OFF	1158.0	1818.	DISTANCE CUT-OFF
1126.0	771.	DISTANCE CUT-OFF	1159.0	1379.	DISTANCE CUT-OFF
1127.0	584.	DISTANCE CUT-OFF	1160.0	1029.	DISTANCE CUT-OFF
1128.0	0.0	ANGLE CUT-OFF	1161.0	597.	DISTANCE CUT-OFF
1129.0	391.	DISTANCE CUT-OFF	1162.0	606.	DISTANCE CUT-OFF
1130.0	616.	DISTANCE CUT-OFF	1163.0	352.	DISTANCE CUT-OFF
1131.0	816.	DISTANCE CUT-OFF	1164.0	352.	DISTANCE CUT-OFF
1132.0	388.	DISTANCE CUT-OFF	1165.0	350.	DISTANCE CUT-OFF
1133.0	486.	DISTANCE CUT-OFF	1166.0	326.	DISTANCE CUT-OFF
1134.0	851.	DISTANCE CUT-OFF	1167.0	301.	DISTANCE CUT-OFF
1135.0	854.	DISTANCE CUT-OFF	1168.0	0.0	ANGLE CUT-OFF
1147.0	1481.	DISTANCE CUT-OFF	1169.0	0.0	ANGLE CUT-OFF
1148.0	1303.	DISTANCE CUT-OFF	1170.0	0.0	ANGLE CUT-OFF
1148.0	1585.	DISTANCE CUT-OFF	1171.0	0.0	ANGLE CUT-OFF
1149.0	2722.	DISTANCE CUT-OFF	1172.0	0.0	ANGLE CUT-OFF
1150.0	2636.	DISTANCE CUT-OFF	1173.0	0.0	ANGLE CUT-OFF
1151.0	795.	DISTANCE CUT-OFF	1174.0	0.0	ANGLE CUT-OFF
1152.0	1421.	DISTANCE CUT-OFF	1175.0	0.0	ANGLE CUT-OFF
1153.0	2696.	DISTANCE CUT-OFF	1176.0	152.8	10.0 8.1 6.0 0.0 0.0 10.012000 118.3-30.0 75.9 0.0 -1.0 0.0
640.0	909.	DISTANCE CUT-OFF	-12.6 -10.6	0.0 -31.3	0.0 2.5 22.9
641.0	930.	DISTANCE CUT-OFF	1177.0	168.5	12.1 8.4 6.0 0.0 0.0 12.112339 30.0-30.2 71.4 0.0 -1.0 0.2 -
642.0	956.	DISTANCE CUT-OFF	11.7 -11.1	0.0 -32.1	0.0 2.5 18.2
643.0	1068.	DISTANCE CUT-OFF	1178.0	0.0	ANGLE CUT-OFF
644.0	1232.	DISTANCE CUT-OFF	1179.0	0.0	ANGLE CUT-OFF
645.0	1246.	DISTANCE CUT-OFF	1180.0	0.0	ANGLE CUT-OFF
646.0	1178.	DISTANCE CUT-OFF	1181.0	0.0	ANGLE CUT-OFF
1136.0	941.	DISTANCE CUT-OFF	1182.0	0.0	ANGLE CUT-OFF
1137.0	931.	DISTANCE CUT-OFF	1183.0	0.0	ANGLE CUT-OFF
1138.0	1062.	DISTANCE CUT-OFF	1184.0	0.0	ANGLE CUT-OFF
1139.0	1215.	DISTANCE CUT-OFF	1185.0	0.0	ANGLE CUT-OFF
1140.0	1247.	DISTANCE CUT-OFF	1186.0	0.0	ANGLE CUT-OFF
1141.0	1250.	DISTANCE CUT-OFF	1187.0	322.	DISTANCE CUT-OFF
1142.0	1208.	DISTANCE CUT-OFF	1188.0	339.	DISTANCE CUT-OFF
1143.0	780.	DISTANCE CUT-OFF	1189.0	340.	DISTANCE CUT-OFF
1144.0	778.	DISTANCE CUT-OFF	1190.0	341.	DISTANCE CUT-OFF
1145.0	778.	DISTANCE CUT-OFF	1191.0	591.	DISTANCE CUT-OFF
1146.0	840.	DISTANCE CUT-OFF	1192.0	589.	DISTANCE CUT-OFF
1147.0	700.	DISTANCE CUT-OFF	1193.0	571.	DISTANCE CUT-OFF
1154.0	1982.	DISTANCE CUT-OFF	1194.0	497.	DISTANCE CUT-OFF
1155.0	2505.	DISTANCE CUT-OFF	1195.0	441.	DISTANCE CUT-OFF
1156.0	2688.	DISTANCE CUT-OFF	1196.0	414.	DISTANCE CUT-OFF
1157.0	2482.	DISTANCE CUT-OFF	1197.0	357.	DISTANCE CUT-OFF

1198.0	318.	DISTANCE CUT-OFF	1221.0	0.0	ANGLE CUT-OFF
1199.0		0.0	1222.0	146.3	5.7 8.4 6.0 0.0 0.0 5.712012 118.3-30.0 74.4 0.0 -1.0 0.1 -
1200.0		0.4	15.0	-10.5	0.0 -30.2 0.0 2.5 20.3
1201.0		0.4	1229.0	164.4	6.2 8.4 6.0 0.0 0.0 6.212012 118.3-30.0 74.4 0.0 -1.0 0.0 -
1202.0		0.0	14.6	-10.9	0.0 -30.4 0.0 2.5 20.0
1203.0		0.0	1230.0	144.6	9.1 8.2 6.0 0.0 0.0 9.112010 118.3-30.0 74.4 0.0 -1.0 0.0 -
1204.0		0.0	13.0	-10.4	0.0 -31.4 0.0 2.5 21.1
1205.0		0.0	1231.0	27.8	1.6 7.8 6.0 0.0 0.0 1.612010 118.3-30.0 74.4 0.0 -1.0 0.0 -
1206.0		0.0	20.5	-3.7	0.0 -32.2 0.0 2.5 19.5
1207.0		0.0	1232.0	183.1	6.0 7.6 6.0 0.0 0.0 6.012010 118.3-30.0 74.4 0.0 -1.0 0.1 -
1208.0		0.0	14.8	-11.4	0.0 -30.4 0.0 2.5 19.4
1209.0		0.0	1233.0	245.0	7.7 7.7 6.0 0.0 0.0 7.712012 118.3-30.0 74.4 0.0 -1.0 0.0 -
1210.0		0.3	13.7	-12.7	0.0 -30.1 0.0 2.5 19.4
1211.0		0.4	1234.0	152.7	5.7 7.9 6.0 0.0 0.0 5.712012 118.3-30.0 74.4 0.0 -1.0 0.4 -
1212.0		0.0	15.0	-10.6	0.0 -30.2 0.0 2.5 20.5
1213.0	310.	DISTANCE CUT-OFF	1235.0	200.1	7.2 7.9 6.0 0.0 0.0 7.212012 118.3-30.0 73.8 0.0 -1.0 0.1 -
1214.0	354.	DISTANCE CUT-OFF	14.0	-11.8	0.0 -30.1 0.0 2.5 19.5
1215.0	421.	DISTANCE CUT-OFF	1236.0	175.5	11.3 6.9 6.0 0.0 0.0 11.312012 118.3-30.0 74.0 0.0 -1.0 0.0
1216.0	438.	DISTANCE CUT-OFF	-12.0	-11.2	0.0 -30.2 0.0 2.5 22.1
1217.0	487.	DISTANCE CUT-OFF	1237.0	175.4	5.0 5.4 6.0 0.0 0.0 5.012012 118.3-30.0 75.2 0.0 -1.0 0.0 -
1218.0	567.	DISTANCE CUT-OFF	15.5	-11.2	0.0 -31.1 0.0 2.5 18.9
1219.0	586.	DISTANCE CUT-OFF	1238.0	172.6	3.4 4.9 6.0 0.0 0.0 3.412063 116.6-30.0 74.0 0.0 -1.0 0.0 -
1220.0	591.	DISTANCE CUT-OFF	17.2	-11.2	0.0 -30.1 0.0 2.5 17.0
336.0	235.8	3.5 5.5 6.0 0.0 0.0 0.1 0 0.0 0.0 71.1 0.0 -1.0 0.4 -17.1-	1239.0	169.3	2.9 5.6 6.0 0.0 0.0 2.912063 116.6-30.0 74.0 0.0 -1.0 0.4 -
12.5	0.0	0.0 0.0 2.5 43.4	17.9	-11.1	0.0 -30.0 0.0 2.5 16.9
337.0	234.5	4.7 5.6 6.0 0.0 0.0 0.1 0 0.0 0.0 71.1 0.0 -1.0 0.0 -15.9-	1240.0	180.4	1.8 6.1 6.0 0.0 0.0 1.812063 116.6-30.0 74.0 0.0 -1.0 0.1 -
12.5	0.0	0.0 0.0 2.5 44.2	20.1	-11.3	0.0 -30.1 0.0 2.5 14.1
338.0		0.6	1241.0	177.5	2.1 5.8 6.0 0.0 0.0 2.112063 116.6-30.0 71.8 0.0 -1.0 0.0 -
339.0		0.0	19.3	-11.3	0.0 -27.0 0.0 2.5 15.7
340.0		0.0	1242.0	177.0	1.1 5.5 6.0 0.0 0.0 1.112069 116.6-30.0 71.8 0.0 -1.0 0.0 -
350.0	245.3	9.7 6.3 6.0 0.0 0.0 9.712096 177.0-30.0 72.2 0.0 -3.5 0.0 -	22.1	-11.3	0.0 -15.9 0.0 2.5 24.0
12.7	-12.7	0.0 -26.8 0.0 2.5 19.0	1243.0	166.4	1.1 5.4 6.0 0.0 0.0 1.112068 116.6-30.0 70.7 0.0 -1.0 0.1 -
351.0	237.3	10.6 6.3 6.0 0.0 0.0 10.612095 177.0-30.0 72.2 0.0 -3.5 0.0 -	22.3	-11.0	0.0 -30.1 0.0 2.5 8.9
12.3	-12.5	0.0 -25.2 0.0 2.5 21.2	1244.0	159.7	1.9 5.8 6.0 0.0 0.0 1.912064 116.6-30.0 70.7 0.0 -1.0 0.2 -
352.0	237.8	8.5 6.0 6.0 0.0 0.0 8.513499 25.0-19.8 72.2 0.0 -3.5 0.0 -	19.7	-10.8	0.0 -18.0 0.0 2.5 23.9
13.2	-12.5	0.0 -3.2 0.0 2.5 42.3	1245.0	171.9	1.7 6.1 6.0 0.0 0.0 1.712063 116.6-30.0 74.0 0.0 -1.0 0.0 -
353.0	236.7	2.9 5.6 6.0 0.0 0.0 0.612385 5.4-1.9 72.2 0.0 -3.5 0.0 -	20.3	-11.1	0.0 -30.0 0.0 2.5 14.1
17.9	-12.5	0.0 -0.5 0.0 2.5 40.3	1246.0	165.7	2.9 5.5 6.0 0.0 0.0 2.912063 116.6-30.0 74.0 0.0 -1.0 0.0 -
354.0	237.4	4.8 5.6 6.0 0.0 0.0 0.1 0 0.0 0.0 72.2 0.0 -1.0 0.0 -15.8-	17.9	-11.0	0.0 -30.1 0.0 2.5 16.5
12.5	0.0	0.0 0.0 2.5 45.4	1247.0	164.2	3.3 4.8 6.0 0.0 0.0 3.312063 116.6-30.0 74.0 0.0 -1.0 0.0 -
355.0	237.3	7.3 5.5 6.0 0.0 0.0 0.1 0 0.0 0.0 72.2 0.0 -1.0 0.0 -13.9-	17.4	-10.9	0.0 -30.1 0.0 2.5 17.1
12.5	0.0	0.0 0.0 2.5 47.3			

1248.0 164.6 4.8 5.3 6.0 0.0 0.0 4.812012 118.3-30.0 74.0 0.0 -1.0 0.5 -
15.7 -11.0 0.0 -30.8 0.0 2.5 18.5
1249.0 165.4 11.1 6.9 6.0 0.0 0.0 11.112012 118.3-30.0 75.4 0.0 -1.0 0.6
-12.1 -11.0 0.0 -30.4 0.0 2.5 24.0

N8103

SEGMENT DIST ANGLE HT AV HT PER SPD SCR N MAJOR BARRIER BASIC <--
----- CORRECTIONS-----> SEG-
NUMBER ANCE OF OF OF CENT CHNG ANGL ----- NOISE LOW SUR-
GRAD ANGLE HARD SOFT BAR- RET REFL MENT
VIEW C/WAY PROP N SOFT NO. HT ATT LEVEL FLOW FACE IENT
VIEW GRND EXCE RIER CUT TION TOTAL
1250.0 120.5 4.9 8.1 6.0 0.0 0.0 4.912012 118.3-30.0 75.4 0.0 -1.0 0.1 -
15.6 -9.6 0.0 -30.2 0.0 2.5 21.6
1251.0 44.2 2.7 7.4 6.0 0.0 0.0 2.712010 118.3-30.0 75.7 0.0 -1.0 0.0 -
18.3 -5.5 0.0 -31.6 0.0 2.5 21.8
1252.0 51.7 1.7 7.3 6.0 0.0 0.0 1.712010 118.3-30.0 75.7 0.0 -1.0 0.1 -
20.3 -6.1 0.0 -31.0 0.0 2.5 19.9
1253.0 54.9 1.6 8.0 6.0 0.0 0.0 1.612012 118.3-30.0 75.7 0.0 -1.0 0.5 -
20.5 -6.4 0.0 -30.6 0.0 2.5 20.2
1254.0 74.1 1.2 8.0 6.0 0.0 0.0 1.212012 118.3-30.0 75.7 0.0 -1.0 0.0 -
21.7 -7.6 0.0 -30.4 0.0 2.5 17.5
1255.0 0.2 ANGLE CUT-OFF
1256.0 0.6 ANGLE CUT-OFF
1257.0 0.1 ANGLE CUT-OFF
1258.0 41.4 1.1 7.3 6.0 0.0 0.0 1.112012 118.3-30.0 74.1 0.0 -1.0 0.4 -
22.0 -5.2 0.0 -30.8 0.0 2.5 18.0
1259.0 95.1 2.4 7.6 6.0 0.0 0.0 2.412012 118.3-30.0 74.0 0.0 -1.0 0.2 -
18.7 -8.6 0.0 -30.3 0.0 2.5 18.1
1260.0 220.5 4.5 7.6 6.0 0.0 0.0 4.512012 118.3-30.0 55.4 0.0 -1.0 0.2 -
16.1 -12.2 0.0 -30.1 0.0 2.5 -1.3
1261.0 260.6 5.4 7.8 6.0 0.0 0.0 5.412012 118.3-30.0 55.4 0.0 -1.0 0.2 -
15.2 -12.9 0.0 -30.1 0.0 2.5 -1.1
1223.0 348. DISTANCE CUT-OFF
1224.0 0.1 ANGLE CUT-OFF
1225.0 0.0 ANGLE CUT-OFF
1226.0 847. DISTANCE CUT-OFF
1227.0 1510. DISTANCE CUT-OFF
1228.0 1637. DISTANCE CUT-OFF
1262.0 1623. DISTANCE CUT-OFF
1263.0 1828. DISTANCE CUT-OFF

1264.0 2022. DISTANCE CUT-OFF
1265.0 2040. DISTANCE CUT-OFF
1266.0 2008. DISTANCE CUT-OFF
1267.0 2039. DISTANCE CUT-OFF
1268.0 2047. DISTANCE CUT-OFF
1269.0 2048. DISTANCE CUT-OFF
1270.0 2043. DISTANCE CUT-OFF
1271.0 1962. DISTANCE CUT-OFF
1272.0 1884. DISTANCE CUT-OFF
1273.0 1575. DISTANCE CUT-OFF
1274.0 1413. DISTANCE CUT-OFF
1275.0 1290. DISTANCE CUT-OFF
1276.0 76.7 3.2 5.5 6.0 0.0 0.0 3.212068 116.6-30.0 66.5 0.0 -1.0 0.0 -
17.5 -7.7 0.0 -30.2 0.0 2.7 12.8
1277.0 69.1 2.9 5.5 6.0 0.0 0.0 2.912068 116.6-30.0 66.6 0.0 -1.0 0.0 -
18.0 -7.3 0.0 -30.1 0.0 2.5 12.7
1278.0 0.5 ANGLE CUT-OFF
1279.0 0.6 ANGLE CUT-OFF
1280.0 925. DISTANCE CUT-OFF
1281.0 1230. DISTANCE CUT-OFF
1282.0 2513. DISTANCE CUT-OFF
1283.0 2497. DISTANCE CUT-OFF
1284.0 2009. DISTANCE CUT-OFF
1285.0 1228. DISTANCE CUT-OFF
1286.0 987. DISTANCE CUT-OFF
1287.0 973. DISTANCE CUT-OFF
1288.0 1068. DISTANCE CUT-OFF
1289.0 2253. DISTANCE CUT-OFF
1290.0 2691. DISTANCE CUT-OFF
1291.0 2461. DISTANCE CUT-OFF
1292.0 2224. DISTANCE CUT-OFF
1293.0 1264. DISTANCE CUT-OFF
1294.0 1809. DISTANCE CUT-OFF
1295.0 2385. DISTANCE CUT-OFF
1296.0 2650. DISTANCE CUT-OFF
1297.0 2618. DISTANCE CUT-OFF
1298.0 2598. DISTANCE CUT-OFF
1299.0 2548. DISTANCE CUT-OFF
1300.0 1840. DISTANCE CUT-OFF
1301.0 891. DISTANCE CUT-OFF
1302.0 1894. DISTANCE CUT-OFF
1303.0 2470. DISTANCE CUT-OFF

1304.0 2480. DISTANCE CUT-OFF
 1305.0 2147. DISTANCE CUT-OFF
 1306.0 2028. DISTANCE CUT-OFF
 1307.0 1576. DISTANCE CUT-OFF
 1308.0 1000. DISTANCE CUT-OFF
 1309.0 693. DISTANCE CUT-OFF
 1310.0 413. DISTANCE CUT-OFF
 1311.0 534. DISTANCE CUT-OFF
 1312.0 1455. DISTANCE CUT-OFF
 1313.0 1959. DISTANCE CUT-OFF
 1314.0 2229. DISTANCE CUT-OFF
 1315.0 2425. DISTANCE CUT-OFF
 1316.0 2727. DISTANCE CUT-OFF
 1317.0 2695. DISTANCE CUT-OFF
 1318.0 1922. DISTANCE CUT-OFF
 1319.0 1643. DISTANCE CUT-OFF
 1320.0 1633. DISTANCE CUT-OFF
 1321.0 1933. DISTANCE CUT-OFF
 1322.0 2686. DISTANCE CUT-OFF
 1323.0 2722. DISTANCE CUT-OFF
 1324.0 2439. DISTANCE CUT-OFF
 1325.0 2211. DISTANCE CUT-OFF
 1326.0 1912. DISTANCE CUT-OFF
 1327.0 1485. DISTANCE CUT-OFF
 1328.0 541. DISTANCE CUT-OFF
 1329.0 408. DISTANCE CUT-OFF
 1330.0 706. DISTANCE CUT-OFF
 1331.0 993. DISTANCE CUT-OFF
 1332.0 1580. DISTANCE CUT-OFF
 1333.0 2018. DISTANCE CUT-OFF
 1334.0 2156. DISTANCE CUT-OFF
 1335.0 2472. DISTANCE CUT-OFF
 1336.0 2494. DISTANCE CUT-OFF
 1337.0 1882. DISTANCE CUT-OFF
 1338.0 1012. DISTANCE CUT-OFF
 1339.0 1784. DISTANCE CUT-OFF
 1340.0 2563. DISTANCE CUT-OFF
 1341.0 2596. DISTANCE CUT-OFF
 1342.0 2624. DISTANCE CUT-OFF
 1343.0 2653. DISTANCE CUT-OFF
 1344.0 2395. DISTANCE CUT-OFF
 1345.0 1839. DISTANCE CUT-OFF

1346.0 1276. DISTANCE CUT-OFF
 1347.0 2228. DISTANCE CUT-OFF
 1348.0 2430. DISTANCE CUT-OFF
 1349.0 2690. DISTANCE CUT-OFF
 1350.0 2356. DISTANCE CUT-OFF
 1351.0 1104. DISTANCE CUT-OFF
 1352.0 991. DISTANCE CUT-OFF
 1353.0 1003. DISTANCE CUT-OFF
 1354.0 1206. DISTANCE CUT-OFF
 1355.0 1968. DISTANCE CUT-OFF
 1356.0 2522. DISTANCE CUT-OFF
 1357.0 2598. DISTANCE CUT-OFF

N8103

REPEAT NO. 0

CATEGORY LEVEL	CATEGORY LEVEL	CATEGORY LEVEL	CATEGORY LEVEL
2.0	66.7	1.0	60.5
3.0	0.0	4.0	0.0

*** CONTRIBUTION FROM New Road (Mitigated) IS 60.5 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Existing Road IS 66.7 DBA L10 (1-HOUR)

*** CONTRIBUTION FROM Overall (Mitigated) IS 67.6 DBA L10 (1-HOUR)

+++ Calculation Run 1 completed at 17:38:10

Errors : 0

Warnings: 1

