

Appendix 12-2

List of Bird Species Recorded and typical utilisation of habitats in Ecological Assessment Area

All species have been recorded in Adjacent Area in HK outside LMC Loop apart from two (indicated by *). Species that have been recorded in LMC Loop are indicated by ‘Y’ (parentheses mean that the species was only recorded in flight over LMC Loop). Habitats in which species are typically recorded in the Ecological Assessment Area are indicated by an ‘x’. Sources: Carey *et al.* 2001, Hong Kong Bird Reports (HKBR) 1999-2004, HKBWS/AFCD Waterbird Monitoring Programme Dec 1998 to Mar 2010) and surveys carried out for this Study.

Nomenclature follows Carey *et al.* (2001) and subsequent revisions listed in HKBR. Conservation status assessments refer to BirdLife International (BLI), Fellowes *et al.* (2002) and listing as 1st or 2nd grade wildlife in China by Wang (1998). Assessments by Fellowes *et al.* comprise LC=Local Concern, RC=Regional Concern, GC=Global Concern, P=Potential, while those in parentheses indicate the assessment is on the basis of restrictedness in breeding and/or roosting sites rather than on general occurrence.

Key to habitats

R = reed marsh

M = marsh

P = pond

C = channelised watercourse

N = natural watercourse

W = mitigation wetland

G = grassland and grassland/shrubland

O = orchard

DA = dry agricultural land

WA = wet agricultural land,

WG = seasonally wet grassland

S = shrubland,

SW = secondary woodland /plantation

V = village/village edge/urban-residential area,
wasteground

| Species | Conservation Status | | | LMC Loop | Habitats | | | | | | | | | | | | | |
|---|---------------------|----------|-------|----------|----------|---|---|---|---|---|---|---|----|----|----|---|----|---|
| | BLI | Fellowes | China | | R | M | P | C | N | W | G | O | DA | WA | WG | S | SW | V |
| Little Grebe 小鵝鶩 <i>Tachybaptus ruficollis</i> | | LC | | | | x | x | | x | | | | | | | | | |
| Great Crested Grebe 鳳頭鵝鶩 <i>Podiceps cristatus</i> | | RC | | | | | x | | | | | | | | | | | |
| Black-necked Grebe 黑頸鵝鶩 <i>Podiceps nigricollis</i> | | | | | | | x | | | | | | | | | | | |
| Great Cormorant 鸕鶿 <i>Phalacrocorax carbo</i> | | PRC | | Y | | | x | | x | | | | | | | | | |
| Grey Heron 蒼鷺 <i>Ardea cinerea</i> | | PRC | | Y | x | x | x | x | x | | | | | | | | | |
| Purple Heron 草鷺 <i>Ardea purpurea</i> | | RC | | Y | x | x | | | x | | | | | | | | | |
| Great Egret 大白鷺 <i>Egretta alba</i> | | PRC(RC) | | Y | | x | x | x | x | | | | | | | | | |
| Intermediate Egret 中白鷺 <i>Egretta intermedia</i> | | RC | | Y | | x | | | | | | | | | | | | |
| Little Egret 小白鷺 <i>Egretta garzetta</i> | | PRC(RC) | | Y | | x | x | x | x | x | | | | | | | | |
| Cattle Egret 牛背鷺 <i>Bubulcus ibis</i> | | (LC) | | Y | | x | x | | | x | | | | | | x | | |

| Species | Conservation Status | | | LMC Loop | Habitats | | | | | | | | | | | | | |
|---|---------------------|----------|-------|----------|----------|---|---|---|---|---|---|---|----|----|----|---|----|---|
| | BLI | Fellowes | China | | R | M | P | C | N | W | G | O | DA | WA | WG | S | SW | V |
| Chinese Pond Heron 池鷺 <i>Ardeola bacchus</i> | | PRC(RC) | | Y | | x | x | x | x | x | | | | | | | | |
| Striated Heron 綠鷺 <i>Butorides striatus</i> | | (LC) | | | | | x | | | | | | | | | | | |
| Black-crowned Night Heron 夜鷺 <i>Nycticorax nycticorax</i> | | (LC) | | Y | | | x | | | | | | | | | | | |
| Yellow Bittern 黃葦鶉 <i>Ixobrychus sinensis</i> | | (LC) | | Y | x | x | | | | | | | | | | | | |
| Von Schrenck's Bittern 紫背葦鶉 <i>Ixobrychus eurhythmus</i> | | RC | | | | x | | | | | | | | | | | | |
| Cinnamon Bittern 栗葦鶉 <i>Ixobrychus cinnamomeus</i> | | LC | | Y | x | x | | | | x | | | | | | | | |
| Black Bittern 黑鶉 <i>Dupetor flavicollis</i> | | LC | | | | x | | | | | | | | | | | | |
| Eurasian Bittern 大麻鶉 <i>Botaurus stellaris</i> | | RC | | | x | | | | | | | | | | | | | |
| Black Stork 黑鶉 <i>Ciconia nigra</i> | | RC | 1 | | | | x | | | | | | | | | | | |
| Oriental Stork 東方白鶉 <i>Ciconia boyciana</i> | EN | GC | | | | | x | | | | | | | | | | | |
| Eurasian Spoonbill 白琵鶉 <i>Platalea leucorodia</i> | | LC | 2 | | | | x | | | | | | | | | | | |
| Black-faced Spoonbill 黑臉琵鶉 <i>Platalea minor</i> | E | PGC | 2 | (Y) | | | x | x | x | | | | | | | | | |
| Lesser Whistling Duck 栗樹鴨 <i>Dendrocygna javanica</i> | | | | | | | x | | | | | | | | | | | |
| Greater White-fronted Goose 白額雁 <i>Anser albifrons</i> | | | 2 | | | | x | | | | | | | | | | | |
| Lesser White-fronted Goose 小白額雁 <i>Anser erythropus</i> | VU | | | | | | x | | | | | | | | | | | |
| Mandarin Duck 鴛鴦 <i>Aix galericulata</i> | | | 2 | | | | | | | | | | | | | | | |
| Eurasian Wigeon 赤頸鴨 <i>Anas penelope</i> | | RC | | | | | x | | | x | | | | | | | | |
| Falcat Duck 羅紋鴨 <i>Anas falcata</i> | NT | RC | | | | | x | | | | | | | | | | | |
| Gadwall 赤膀鴨 <i>Anas strepera</i> | | | | | | | x | | | | | | | | | | | |
| Common Teal 綠翅鴨 <i>Anas crecca</i> | | RC | | | | | x | x | | x | | | | | | | | |
| Mallard 綠頭鴨 <i>Anas platyrhynchos</i> | | RC | | | | | x | | | | | | | | | | | |
| Indian Spot-billed Duck 印緬斑嘴鴨 <i>Anas poecilorhyncha</i> | | RC | | | | | x | | | | | | | | | | | |
| Chinese Spot-billed Duck 中華斑嘴鴨 <i>Anas zonorhyncha</i> | | RC | | | | | x | | | | | | | | | | | |
| Northern Pintail 針尾鴨 <i>Anas acuta</i> | | RC | | | | | x | | x | | | | | | | | | |
| Garganey 白眉鴨 <i>Anas querquedula</i> | | | | | | | x | x | | | | | | | | | | |
| Northern Shoveler 琵嘴鴨 <i>Anas clypeata</i> | | RC | | | | | x | | | | | | | | | | | |
| Common Pochard 紅頭潛鴨 <i>Aythya ferina</i> | | | | | | | x | | | | | | | | | | | |
| Baer's Pochard 青頭潛鴨 <i>Aythya baeri</i> | EN | | | | | | x | | | | | | | | | | | |
| Ferruginous Duck 白眼潛鴨 <i>Aythya nyroca</i> | NT | | | | | | x | | | | | | | | | | | |
| Tufted Duck 鳳頭潛鴨 <i>Aythya fuligula</i> | | LC | | | | | x | x | | | | | | | | | | |
| Greater Scaup 斑背潛鴨 <i>Aythya marila</i> | | | | | | | x | | | | | | | | | | | |
| Red-breasted Merganser 紅胸秋沙鴨 <i>Mergus serrator</i> | | LC | | | | | x | | | | | | | | | | | |
| Osprey 鶚 <i>Pandion haliaetus</i> | | RC | 2 | (Y) | | | x | | | | | | | | | | | |

| Species | Conservation Status | | | LMC Loop | Habitats | | | | | | | | | | | | | | |
|---|---------------------|----------|-------|----------|----------|---|---|---|---|---|---|---|----|----|----|---|----|---|---|
| | BLI | Fellowes | China | | R | M | P | C | N | W | G | O | DA | WA | WG | S | SW | V | |
| Black Baza 黑冠鵟隼 <i>Aviceda leuphotes</i> | | | | | | | | | | | | | | | | | | X | |
| Crested Honey Buzzard 鳳頭蜂鷹 <i>Pernis ptilorhynchus</i> | | LC | 2 | | | | | | | | | | | | | | | X | X |
| Black-winged Kite 黑翅鳶 <i>Elanus caeruleus</i> | | LC | 2 | | | X | X | | | | | | | | | | | | |
| Black Kite 黑鳶 <i>Milvus migrans</i> | | (RC) | | Y | | | X | | X | | X | | | | | | | | X |
| White-bellied Sea Eagle 白腹海鵟 <i>Haliaeetus leucogaster</i> | | (RC) | 2 | | | | X | | | | | | | | | | | | |
| Crested Serpent Eagle 蛇雕 <i>Spilornis cheela</i> | | (LC) | | | | | | | | | | | | | | | | X | X |
| Pied Harrier 鵲鶉 <i>Circus melanoleucos</i> | | LC | | Y | X | | | | | | | | | | | | | | |
| Eastern Marsh Harrier 白腹鵲 <i>Circus spilonotus</i> | | LC | | Y | X | | | | | | | | | | | | | | |
| Crested Goshawk 鳳頭鷹 <i>Accipiter trivirgatus</i> | | | | | | | | | | | | | | | | | | X | X |
| Chinese Goshawk 赤腹鷹 <i>Accipiter soloensis</i> | | | | (Y) | | | | | | | | | | | | | | X | |
| Japanese Sparrowhawk 日本松雀鷹 <i>Accipiter gularis</i> | | | | Y | | | X | | | | X | | | | | | | | |
| Besra 松雀鷹 <i>Accipiter virgatus</i> | | | | | | | | | | | | | | | | | | X | X |
| Eurasian Sparrowhawk 雀鷹 <i>Accipiter nisus</i> | | | 2 | | | X | X | | | | | | | | | | | | |
| Common Buzzard 普通鵟 <i>Buteo buteo</i> | | | | Y | | X | X | | | | X | | | | | | | | |
| Greater Spotted Eagle 烏鵟 <i>Aquila clanga</i> | V | GC | 2 | Y | | | X | | | | X | | | | | | | | |
| Steppe Eagle 草原鵟 <i>Aquila nipalensis</i> | | | 2 | | | | X | | | | | | | | | | | | |
| Eastern Imperial Eagle 白肩鵟 <i>Aquila heliaca</i> | V | GC | 1 | Y | | | X | | | | X | | | | | | | | |
| Bonelli's Eagle 白腹山鵟 <i>Hieraaetus fasciatus</i> | | (RC) | 2 | (Y) | | | X | | | | X | | | | | | | | |
| Common Kestrel 紅隼 <i>Falco tinnunculus</i> | | | | Y | | | X | | | | X | | | | | | | | |
| Amur Falcon 阿穆爾隼 <i>Falco amurensis</i> | | | 2 | | | | X | | | | | | | | | | | | |
| Eurasian Hobby 燕隼 <i>Falco subbuteo</i> | | (LC) | | (Y) | | | X | | | | | | | | | | | | |
| Peregrine Falcon 遊隼 <i>Falco peregrinus</i> | | | | (Y) | | X | X | | | | | | | | | | | | |
| Chinese Francolin 中華鷓鴣 <i>Francolinus pintadeanus</i> | | | | | | | | | | | X | | | | | | | | |
| Japanese Quail 鶉 <i>Coturnix japonica</i> | NT | | | | | | | | | | X | | | | | | | | |
| Yellow-legged Buttonquail 黃腳三趾鶉 <i>Turnix tanki</i> | | | | | | | | | | | X | | | | | | | | |
| Slaty-breasted Rail 灰胸秧雞 <i>Gallirallus striatus</i> | | RC | | | | X | | | | | | | | | | | | | |
| Western Water Rail 西方秧雞 <i>Rallus aquaticus</i> | | LC | | | | X | | | | | | | | | | | | | |
| Baillon's Crake 小田雞 <i>Porzana pusilla</i> | | | | | | X | | | X | | | | | | X | | | | |
| Ruddy-breasted Crake 紅胸田雞 <i>Porzana fusca</i> | | LC | | | | X | | | | | | | | | | | | | |
| White-breasted Waterhen 白胸苦惡鳥 <i>Amaurornis phoenicurus</i> | | | | Y | X | X | X | X | X | X | | | | X | X | | | | |
| Watercock 董雞 <i>Gallixrea cinerea</i> | | RC | | | | X | | | | | | | | | | | | | |
| Common Moorhen 黑水雞 <i>Gallinula chloropus</i> | | | | Y | X | X | X | | | | | | | | | | | | |

| Species | Conservation Status | | | LMC Loop | Habitats | | | | | | | | | | | | | |
|--|---------------------|-----------------|-------|----------|----------|---|---|---|---|---|---|---|----|----|----|---|----|---|
| | BLI | Fellowes | China | | R | M | P | C | N | W | G | O | DA | WA | WG | S | SW | V |
| Eurasian Coot 白骨頂 <i>Fulica atra</i> | | RC | | | | | x | | | | | | | | | | | |
| Pheasant-tailed Jacana 水雉 <i>Hydrophasianus chirurgus</i> | | LC | | Y | | x | x | | | | | | | | | | | |
| Greater Painted-snipe 彩鶺 <i>Rostratula benghalensis</i> | | LC | | | | x | | | | x | | | | | | | | |
| Black-winged Stilt 黑翅長腳鶺 <i>Himantopus himantopus</i> | | RC | | (Y) | | | x | | | | | | | | | | | |
| Pied Avocet 反嘴鶺 <i>Recurvirostra avosetta</i> | | RC | | | | | x | | | | | | | | | | | |
| Oriental Pratincole 普通燕鶺 <i>Glareola maldivarum</i> | | LC | | (Y) | | | x | | | | | | | | | | | |
| Northern Lapwing 鳳頭麥雞 <i>Vanellus vanellus</i> | | LC | | | | | x | | | | | | | | | | | |
| Grey-headed Lapwing 灰頭麥雞 <i>Vanellus cinereus</i> | | LC | | | | | x | | | | | | | | | | | |
| Pacific Golden Plover 太平洋金斑鶺 <i>Pluvialis fulva</i> | | LC | | | | | x | | | | | | | | | | | |
| Little Ringed Plover 金眶鶺 <i>Charadrius dubius</i> | | (LC) | | (Y) | | | x | | x | | | | | | | | | |
| Kentish Plover 環頸鶺 <i>Charadrius alexandrinus</i> | | RC | | | | | x | | | | | | | | | | | |
| Lesser Sand Plover 蒙古沙鶺 <i>Charadrius mongolus</i> | | LC | | | | | x | | | | | | | | | | | |
| Greater Sand Plover 鐵嘴沙鶺 <i>Charadrius leschenaultii</i> | | RC | | | | | x | | | | | | | | | | | |
| Black-tailed Godwit 黑尾塍鶺 <i>Limosa limosa</i> | | LC | | | | | x | | | | | | | | | | | |
| Little Curlew 小杓鶺 <i>Numenius minutus</i> | | LC | | | | | x | | | | | | | | | | | |
| Eurasian Curlew 白腰杓鶺 <i>Numenius arquata</i> | NT | RC | | | | | x | | | | | | | | | | | |
| Spotted Redshank 鶴鶺 <i>Tringa erythropus</i> | | RC | | | | | x | | | | | | | | | | | |
| Common Redshank 紅腳鶺 <i>Tringa totanus</i> | | | | | | | x | | | | | | | | | | | |
| Marsh Sandpiper 澤鶺 <i>Tringa stagnatilis</i> | | RC | | (Y) | | | x | | | | | | | | | | | |
| Common Greenshank 青腳鶺 <i>Tringa nebularia</i> | | RC | | (Y) | | | x | | | | | | | | | | | |
| Nordmann's Greenshank 小青腳鶺 <i>Tringa guttifer</i> | EN | GC | 2 | | | | x | | | | | | | | | | | |
| Green Sandpiper 白腰草鶺 <i>Tringa ochropus</i> | | | | (Y) | | | x | | x | x | | | | | | | | |
| Wood Sandpiper 林鶺 <i>Tringa glareola</i> | | LC | | Y | | | x | x | x | | | | | | | | | |
| Common Sandpiper 磯鶺 <i>Actitis hypoleucos</i> | | | | (Y) | | | x | x | x | | | | | | | | | |
| Grey-tailed Tattler 灰尾漂鶺 <i>Tringa brevipes</i> | | LC | | | | | x | | | | | | | | | | | |
| Red-necked Phalarope 紅頸瓣蹼鶺 <i>Phalaropus lobatus</i> | | | | | | | x | | | | | | | | | | | |
| Eurasian Woodcock 丘鶺 <i>Scolopax rusticola</i> | | | | | | | | | | | | | | | | x | x | |
| Pintail/Swinhoe's Snipe 針尾/大沙錐 <i>Gallinago stenura/megala</i> | | LC ¹ | | Y | | | x | | | | | | | | | | | |
| Common Snipe 扇尾沙錐 <i>Gallinago gallinago</i> | | | | Y | | | x | | | | | | | | | | | |
| Sanderling 三趾濱鶺 <i>Calidris alba</i> | | LC | | | | | x | | | | | | | | | | | |

¹ Species generally inseparable in field. Conservation status assessment refers to *G. megala*.

| Species | Conservation Status | | | LMC Loop | Habitats | | | | | | | | | | | | | |
|---|---------------------|----------|-------|----------|----------|---|---|---|---|---|---|---|----|----|----|---|----|---|
| | BLI | Fellowes | China | | R | M | P | C | N | W | G | O | DA | WA | WG | S | SW | V |
| Red-necked Stint 紅頸濱鷸 <i>Calidris ruficollis</i> | | LC | | | | | x | | | | | | | | | | | |
| Temminck's Stint 青腳濱鷸 <i>Calidris temminckii</i> | | LC | | | | | x | | | | | | | | | | | |
| Long-toed Stint 長趾濱鷸 <i>Calidris subminuta</i> | | LC | | | | | x | | | | | | | | | | | |
| Pectoral Sandpiper 斑胸濱鷸 <i>Calidris melanotos</i> | | LC | | | | | x | | | | | | | | | | | |
| Sharp-tailed Sandpiper 尖尾濱鷸 <i>Calidris acuminata</i> | | | | | | | x | | | | | | | | | | | |
| Dunlin 黑腹濱鷸 <i>Calidris alpina</i> | | RC | | | | | x | | | | | | | | | | | |
| Curlew Sandpiper 彎嘴濱鷸 <i>Calidris ferruginea</i> | | | | | | | x | | | | | | | | | | | |
| Ruff 流蘇鷸 <i>Philomachus pugnax</i> | | LC | | | | | x | | | | | | | | | | | |
| Heuglin's Gull 灰氏銀鷗 <i>Larus fuscus</i> | | LC | | | | | x | | | | | | | | | | | |
| Caspian Gull 黃腳銀鷗 <i>Larus cachinnans</i> | | LC | | | | | x | | | | | | | | | | | |
| Black-headed Gull 紅嘴鷗 <i>Larus ridibundus</i> | | PRC | | (Y) | | | x | | | | | | | | | | | |
| Whiskered Tern 鬚浮鷗 <i>Chlidonias hybridus</i> | | | | | | | x | | | | | | | | | | | |
| White-winged Tern 白翅浮鷗 <i>Chlidonias leucopterus</i> | | | | | | | x | | | | | | | | | | | |
| Gull-billed Tern 鷗嘴噪鷗 <i>Gelochelidon nilotica</i> | | | | | | | x | | | | | | | | | | | |
| Little Tern 白額燕鷗 <i>Sternula albifrons</i> | | LC | | | | | x | | | | | | | | | | | |
| Rock Dove 原鴿 <i>Columba livia</i> | | | | (Y) | | | x | | | | | | | | | | | x |
| Oriental Turtle Dove 山斑鳩 <i>Streptopelia orientalis</i> | | | | Y | | | x | | | | | | | | | x | x | |
| Red Turtle Dove 火斑鳩 <i>Streptopelia tranquebarica</i> | | | | Y | | | x | | | | | | | | | | | |
| Spotted Dove 珠頸斑鳩 <i>Streptopelia chinensis</i> | | | | Y | | | x | | | | x | x | x | x | | x | x | x |
| Common Emerald Dove 綠翅金鳩 <i>Chalcophaps indica</i> | | | | | | | | | | | | | | | | x | x | |
| Chestnut-winged Cuckoo 紅翅鳳頭鵲 <i>Clamator coromandus</i> | | | | | | | | | | | | | | | | x | x | |
| Large Hawk Cuckoo 大鷹鵲 <i>Hierococcyx sparveroides</i> | | | | | | | | | | | | | | | | x | x | |
| Indian Cuckoo 四聲杜鵑 <i>Cuculus micropterus</i> | | | | | | | | | | | | | | | | | | x |
| Horsfield's Cuckoo 中杜鵑 <i>Cuculus horsfieldi</i> | | | | Y | | | x | | | | | | | | | | x | |
| Plaintive Cuckoo 八聲杜鵑 <i>Cacomantis merulinus</i> | | | | Y | | | | | | | | | | | | | | x |
| Common Koel 噪鵲 <i>Eudynamis scolopacea</i> | | | | Y | | | | | | | | | | | | | | x |
| Greater Coucal 褐翅鴉鵲 <i>Centropus sinensis</i> | | | | Y | | | | | | | | | | | | | x | x |
| Lesser Coucal 小鴉鵲 <i>Centropus bengalensis</i> | | | 2 | Y | | | | | | | x | | | | | | | |
| Eurasian Eagle Owl 雕鵂 <i>Bubo bubo</i> | | RC | | | | | | | | | x | | | | | | | |
| Asian Barred Owlet 斑頭鵂鵂 <i>Glaucidium cuculoides</i> | | | | Y | | | | | | | | | | | | | | x |
| Savanna Nightjar 林夜鷹 <i>Caprimulgus affinis</i> | | | | Y | | | | | | | x | | | | | | | |
| Himalayan Swiftlet 短嘴金絲燕 <i>Collocalia brevirostris</i> | | | | | | | x | | | | | | | | | | | |

| Species | Conservation Status | | | LMC Loop | Habitats | | | | | | | | | | | | | |
|---|---------------------|----------|-------|----------|----------|---|---|---|---|---|---|---|----|----|----|---|----|---|
| | BLI | Fellowes | China | | R | M | P | C | N | W | G | O | DA | WA | WG | S | SW | V |
| Silver-backed Needletail 灰喉針尾雨燕 <i>Hirundapus cochinchinensis</i> | | | 2 | | | x | x | | | | | | | | | | | |
| Pacific Swift 白腰雨燕 <i>Apus pacificus</i> | | (LC) | | (Y) | | | x | | | | | | | | | | | |
| Little Swift 小白腰雨燕 <i>Apus nipalensis</i> | | | | (Y) | | | x | | | | | | | | | | | x |
| Pied Kingfisher 斑魚狗 <i>Ceryle rudis</i> | | (LC) | | Y | | | x | | | | | | | | | | | |
| Common Kingfisher 普通翠鳥 <i>Alcedo atthis</i> | | - | | Y | | | x | | x | x | | | | | | | | |
| White-throated Kingfisher 白胸翡翠 <i>Halcyon smyrnensis</i> | | (LC) | | Y | x | x | x | | x | | | | | | | | | |
| Black-capped Kingfisher 藍翡翠 <i>Halcyon pileata</i> | | (LC) | | | | | x | | | | | | | | | | | |
| Blue-tailed Bee-eater 栗喉蜂虎 <i>Merops philippinus</i> | | | | | | x | x | | | | | | | | | | | |
| Eurasian Hoopoe 戴勝 <i>Upupa epops</i> | | | | | | | x | | | | x | | | | | | | |
| Eurasian Wryneck 蟻鴛 <i>Jynx torquilla</i> | | | | Y | | | x | | | | x | | | | | | | |
| Eurasian Skylark 雲雀 <i>Alauda arvensis</i> | | | | | | | x | | | | | | | | | | | |
| Oriental Skylark 小雲雀 <i>Alauda gulgula</i> | | LC | | | | | x | | | | | | | | | | | |
| Australasian Bushlark 歌百靈 <i>Mirafra javanica</i> | | | | | | | | | | | x | | | | | | | |
| Pale Martin 淡色沙燕 <i>Riparia diluta</i> | | | | (Y) | x | | x | | | | | | | | | | | |
| Barn Swallow 家燕 <i>Hirundo rustica</i> | | | | (Y) | x | x | x | | | | | | x | | | | | x |
| Red-rumped Swallow 金腰燕 <i>Hirundo daurica</i> | | | | (Y) | x | x | x | | | | | | | | | | | |
| Common House Martin 白腹毛腳燕 <i>Delichon urbicum</i> | | | | | x | x | x | x | x | x | x | x | x | x | x | | | |
| Asian House Martin 煙腹毛腳燕 <i>Delichon dasypus</i> | | | | | | x | | | | | | | | | | | | |
| Eastern Yellow Wagtail 黃鵲鴝 <i>Motacilla tschutschensis</i> | | | | Y | x | x | x | x | x | x | | | x | x | x | | | |
| Citrine Wagtail 黃頭鵲鴝 <i>Motacilla citreola</i> | | LC | | | | | x | | | | | | x | | | | | |
| Grey Wagtail 灰鵲鴝 <i>Motacilla cinerea</i> | | | | Y | | | x | | x | x | | | x | | | | | |
| White Wagtail 白鵲鴝 <i>Motacilla alba</i> | | | | Y | x | x | x | x | x | x | | | x | x | | | | x |
| Richard's Pipit 田鸚 <i>Anthus richardi</i> | | | | Y | | | x | | | | | x | | x | x | | | |
| Blyth's Pipit 布氏鸚 <i>Anthus godlewskii</i> | | | | | | | | | | | | x | | | | | | |
| Olive-backed Pipit 樹鸚 <i>Anthus hodgsoni</i> | | | | Y | | | | | | | | | | | | x | | x |
| Red-throated Pipit 紅喉鸚 <i>Anthus cervinus</i> | | LC | | Y | | x | x | | | x | | | | | | | | |
| Pechora Pipit 北鸚 <i>Anthus gustavi</i> | | | | | | x | | | | | | | | | x | | | |
| Buff-bellied Pipit 黃腹鸚 <i>Anthus rubescens</i> | | LC | | | | | x | | | | | | | | | | | |
| Black-winged Cuckoo-shrike 暗灰鵲鴝 <i>Coracina melaschistos</i> | | | | Y | | | | | | | | | | | | | x | x |
| Ashy Minivet 灰山椒鳥 <i>Pericrocotus divaricatus</i> | | | | | | | | | | | | | | | | | x | x |
| Red-whiskered Bulbul 紅耳鸚 <i>Pycnonotus jocosus</i> | | | | Y | x | | x | | | | | | x | | | | x | |

| Species | Conservation Status | | | LMC Loop | Habitats | | | | | | | | | | | | | |
|---|---------------------|----------|-------|----------|----------|---|---|---|---|---|---|---|----|----|----|---|----|---|
| | BLI | Fellowes | China | | R | M | P | C | N | W | G | O | DA | WA | WG | S | SW | V |
| Chinese Bulbul 白頭鶇 <i>Pycnonotus sinensis</i> | | | | Y | x | | x | | | | x | x | | | | x | x | x |
| Sooty-headed Bulbul 白喉紅臀鶇 <i>Pycnonotus aurigaster</i> | | | | Y | | | x | | | | x | | | | | | | x |
| Chestnut Bulbul 栗背短腳鶇 <i>Hypsipetes castanonotus</i> | | | | Y | | | | | | | x | | | | | x | x | |
| Black Bulbul 黑短腳鶇 <i>Hypsipetes leucocephalus</i> | | | | | | | | | | | | | | | | | x | |
| Brown Shrike 紅尾伯勞 <i>Lanius cristatus</i> | | | | Y | x | | x | | | | x | | x | | | | | x |
| Red-backed Shrike 紅背伯勞 <i>Lanius collurio</i> * | | | | Y | x | | | | | | | | | | | | | |
| Long-tailed Shrike 棕背伯勞 <i>Lanius schach</i> | | | | Y | x | | x | | | | x | | x | x | | x | | x |
| Siberian Rubythroat 紅喉歌鶇 <i>Luscinia calliope</i> | | | | Y | x | | | | | | | | | | | x | | |
| Siberian Blue Robin 藍歌鶇 <i>Luscinia cyane</i> | | LC | | | | | | | | | | | | | | x | | |
| Bluethroat 藍喉歌鶇 <i>Luscinia svecica</i> | | LC | | Y | x | x | | | | | | | | | | | | |
| Red-flanked Bluetail 紅脇藍尾鶇 <i>Tarsiger cyanurus</i> | | | | | | | | | | | | | | | | x | | x |
| Oriental Magpie Robin 鶇鶇 <i>Copsychus saularis</i> | | | | Y | | | x | x | x | x | x | | x | | | | | x |
| Daurian Redstart 北紅尾鶇 <i>Phoenicurus auroreus</i> | | | | Y | | | | | | | | | x | | | x | | x |
| Common Stonechat 黑喉石(即鳥) <i>Saxicola stejnegeri</i> | | | | Y | x | | | | | | x | | | | | | | |
| Blue Rock Thrush 藍磯鶇 <i>Monticola solitarius</i> | | | | | | | | | | | | | | | | | x | x |
| Scaly Thrush 虎斑地鶇 <i>Zoothera dauma</i> | | | | | | | | | | | | | | | | x | | x |
| Common Blackbird 烏鶇 <i>Turdus merula</i> | | | | Y | | | | | | | | | | | | x | | x |
| Grey-backed Thrush 灰背鶇 <i>Turdus hortulorum</i> | | | | Y | | | | | | | | | | | | x | x | x |
| Pale Thrush 白腹鶇 <i>Turdus pallidus</i> | | | | | | | | | | | | | | | | x | x | |
| Naumann's Thrush 紅尾鶇 <i>Turdus naumanni</i> | | LC | | | | x | x | | | | | | | | | | | |
| Dusky Thrush 斑鶇 <i>Turdus eunomus</i> | | | | | | x | x | | | | | | | | | | | |
| Masked Laughingthrush 黑臉噪鶇 <i>Garrulax perspicillatus</i> | | | | Y | | | | | | | | | | | | | | x |
| Hwamei 畫眉 <i>Garrulax canorus</i> | | | | | | | | | | | | | | | | | x | |
| Asian Stubtail Warbler 鱗頭樹鶇 <i>Urosphena squameiceps</i> | | | | | | | | | | | | | | | | x | x | |
| Manchurian Bush Warbler 日本樹鶇 <i>Cettia canturians</i> | | | | Y | | | | | | | x | | | | | x | | |
| Brownish-flanked Bush Warbler 強腳樹鶇 <i>Cettia fortipes</i> | | | | Y | x | | | | | | | | | | | x | | |
| Russet Bush Warbler 高山短翅鶇 <i>Bradypterus mandelli</i> | | | | Y | | | | | | | x | | | | x | | | |
| Lanceolated Warbler 矛紋蝗鶇 <i>Locustella lanceolata</i> | | | | Y | x | | | | | x | | | | | x | | | |
| Pallas's Grasshopper Warbler 小蝗鶇 <i>Locustella certhiola</i> | | LC | | Y | x | | | | | | | | | | x | | | |
| Styan's Grasshopper Warbler 史氏蝗鶇 <i>Locustella pleskei</i> | V | GC | | | | x | | | | | | | | | | | | |
| Black-browed Reed Warbler 黑眉葦鶇 <i>Acrocephalus bistrigiceps</i> | | | | Y | x | | | | | | x | | | | | | | |
| Manchurian Reed Warbler 遠東葦鶇 <i>Acrocephalus tangorum</i> | | | | | x | | | | | | | | | | | | | |

| Species | Conservation Status | | | LMC Loop | Habitats | | | | | | | | | | | | | | |
|---|---------------------|----------|-------|----------|----------|---|---|---|---|---|---|---|----|----|----|---|----|---|---|
| | BLI | Fellowes | China | | R | M | P | C | N | W | G | O | DA | WA | WG | S | SW | V | |
| Paddyfield Warbler 稻田葦鶯 <i>Acrocephalus agricola</i> | | | | | x | | | | | | | | | | | | | | |
| Oriental Reed Warbler 東方大葦鶯 <i>Acrocephalus orientalis</i> | | | | Y | x | | | | | | x | | | | x | | | | |
| Thick-billed Warbler 厚嘴葦鶯 <i>Acrocephalus aedon</i> * | | | | Y | x | | | | | | | | | | | | | | |
| Zitting Cisticola 棕扇尾鶯 <i>Cisticola juncidis</i> | | LC | | Y | x | | | | | | x | | | | | | | | |
| Golden-headed Cisticola 金頭扇尾鶯 <i>Cisticola exilis</i> | | LC | | Y | x | | | | | | x | | | | | | | | |
| Yellow-bellied Prinia 黃腹鷓鴣 <i>Prinia flaviventris</i> | | | | Y | x | | | | | | x | | | x | | | | | |
| Plain Prinia 純色鷓鴣 <i>Prinia inornata</i> | | | | Y | x | | | | | | x | | | x | | | | | |
| Mountain Tailorbird 金頭縫葉鶯 <i>Orthotomus cuculatus</i> | | | | | | | | | | | | | | | | x | | | |
| Common Tailorbird 長尾縫葉鶯 <i>Orthotomus sutorius</i> | | | | | | | | | | | x | | | | | x | | x | |
| Common Chiffchaff 嘰喳柳鶯 <i>Phylloscopus collybita</i> | | | | | | | | | | | | | | | | x | | | |
| Dusky Warbler 褐柳鶯 <i>Phylloscopus fuscatus</i> | | | | Y | x | x | | | | | x | | | x | x | | | x | |
| Pallas's Leaf Warbler 黃腰柳鶯 <i>Phylloscopus proregulus</i> | | | | Y | | | | | | | | | | | | x | x | | |
| Yellow-browed Warbler 黃眉柳鶯 <i>Phylloscopus inornatus</i> | | | | Y | | | | | | | x | | | | x | x | x | | |
| Arctic Warbler 極北柳鶯 <i>Phylloscopus borealis</i> | | | | Y | | | | | | | | | | | | x | x | x | |
| Pale-legged Leaf Warbler 淡腳柳鶯 <i>Phylloscopus tenellipes</i> | | | | | | | | | | | | | | | | x | x | | |
| Grey-streaked Flycatcher 灰紋鶇 <i>Muscicapa griseisticta</i> | | | | | | | | | | | | | | | | | x | | |
| Asian Brown Flycatcher 北灰鶇 <i>Muscicapa dauurica</i> | | | | Y | | | | | | | | | | | | x | x | x | |
| Yellow-rumped Flycatcher 白眉姬鶇 <i>Ficedula zanthopygia</i> | | | | Y | | | | | | | | | | | | | x | | |
| Red-throated Flycatcher 紅喉姬鶇 <i>Ficedula albicilla</i> | | | | Y | | x | | x | x | | x | | | | | | | x | |
| Black-naped Monarch 黑枕王鶇 <i>Hypothymis azurea</i> | | | | | | | | | | | | | | | | | x | | |
| Asian Paradise-Flycatcher 壽帶 <i>Terpsiphone paradisi</i> | | LC | | | | | | | | | | | | | | | | x | |
| Japanese Paradise-Flycatcher 紫壽帶 <i>Terpsiphone atrocaudata</i> | NT | LC | | | | | | | | | | | | | | | | x | |
| Chinese Penduline Tit 中華攀雀 <i>Remiz consobrinus</i> | | RC | | Y | x | | | | | | | | | | | | | | |
| Great Tit 大山雀 <i>Parus major</i> | | | | Y | | | | | | | | | | | | | x | x | x |
| Buff-bellied Flowerpecker 紅胸啄花鳥 <i>Dicaeum ignipectus</i> | | | | | | | | | | | | | | | | | x | x | x |
| Scarlet-backed Flowerpecker 朱背啄花鳥 <i>Dicaeum cruentatum</i> | | | | | | | | | | | | | | | | | x | x | x |
| Japanese White-eye 暗綠繡眼鳥 <i>Zosterops japonicus</i> | | | | Y | | | | | | | x | | | | | | x | x | x |
| Chestnut-eared Bunting 栗耳鶇 <i>Emberiza fucata</i> | | LC | | Y | | | | | | | x | | | | | | | | |
| Little Bunting 小鶇 <i>Emberiza pusilla</i> | | | | Y | | | x | | | | | | x | | | | | | |
| Yellow-breasted Bunting 黃胸鶇 <i>Emberiza aureola</i> | V | RC | | Y | x | x | | | | | | | x | x | | | | | |
| Chestnut Bunting 栗鶇 <i>Emberiza rutila</i> | | | | Y | | | | | | | x | | | | | | x | | |
| Black-headed Bunting 黑頭鶇 <i>Emberiza melanocephala</i> | | | | | | | x | | | | | | | | | | | | |

| Species | Conservation Status | | | LMC Loop | Habitats | | | | | | | | | | | | | |
|---|---------------------|----------|-------|----------|----------|---|---|---|---|---|---|---|----|----|----|---|----|---|
| | BLI | Fellowes | China | | R | M | P | C | N | W | G | O | DA | WA | WG | S | SW | V |
| Japanese Yellow Bunting 硫磺鷓 <i>Emberiza sulphurata</i> | V | GC | | | | | x | | | | | | | | | | | |
| Black-faced Bunting 灰頭鷓 <i>Emberiza spodocephala</i> | | | | Y | x | x | x | x | x | x | | x | x | | | x | | x |
| Pallas's Reed Bunting 葦鷓 <i>Emberiza pallasi</i> | | | | | x | x | x | | | | | | | | | | | |
| Common Reed Bunting 蘆鷓 <i>Emberiza schoeniclus</i> | | | | | x | x | x | | | | | | | | | | | |
| Chinese Grosbeak 黑尾蠟嘴雀 <i>Eophona migratoria</i> | | LC | | Y | | | | | | | | | | | | | x | x |
| White-rumped Munia 白腰文鳥 <i>Lonchura striata</i> | | | | Y | | | | | | | | | | | | | | x |
| Scaly-breasted Munia 斑文鳥 <i>Lonchura punctulata</i> | | | | Y | | x | | | | | x | | | | | | | |
| Eurasian Tree Sparrow 樹麻雀 <i>Passer montanus</i> | | | | Y | | | x | | | | | | | | | | | x |
| Baya Weaver 黃胸織布鳥 <i>Ploceus philippinus</i> | | | | | | | | | | | x | | | | | | | |
| Red-billed Starling 絲光椋鳥 <i>Sturnus sericeus</i> | | GC | | Y | | x | x | x | x | x | | | | | | | | |
| Chestnut-cheeked Starling 紫背椋鳥 <i>Agropsar philippensis</i> | | | | | | x | x | | | | | | | | | | | |
| Daurian Starling 北椋鳥 <i>Sturnus sturninus</i> | | LC | | | | | x | | | | x | | | | | | | x |
| Rosy Starling 粉紅椋鳥 <i>Pastor roseus</i> | | | | | | | x | | | | x | | | | | | | |
| Common Starling 紫翅椋鳥 <i>Sturnus vulgaris</i> | | LC | | | | | x | | | | x | | | | | | | |
| White-cheeked Starling 灰椋鳥 <i>Sturnus cineraceus</i> | | PRC | | Y | | | x | | | | | | | | | | | |
| Black-collared Starling 黑領椋鳥 <i>Sturnus nigricollis</i> | | | | Y | | | x | | | | x | | x | x | | | | x |
| White-shouldered Starling 灰背椋鳥 <i>Sturnus sinensis</i> | | (LC) | | Y | | | x | | | | x | | | | | | | x |
| Common Myna 家八哥 <i>Acridotheres tristis</i> | | | | | | | x | | | | | | | | | | | |
| Crested Myna 八哥 <i>Acridotheres cristatellus</i> | | | | Y | | | x | x | x | x | x | | | | | | | x |
| Black-naped Oriole 黑枕黃鸝 <i>Oriolus chinensis</i> | | LC | | Y | | | | | | | | | | | | | | x |
| Black Drongo 黑卷尾 <i>Dicrurus macrocercus</i> | | | | Y | | | | | | | | | | | | | | |
| Ashy Drongo 灰卷尾 <i>Dicrurus leucophaeus</i> | | LC | | | | | | | | | | | | | | | x | x |
| Hair-crested Drongo 髮冠卷尾 <i>Dicrurus hottentottus</i> | | | | | | | x | | | | x | | | | | | | x |
| Azure-winged Magpie 灰喜鵲 <i>Cyanopica cyanus</i> | | | | | | | x | | | | | | | | | | x | x |
| Blue Magpie 紅嘴藍鵲 <i>Urocissa erythrorhyncha</i> | | | | Y | | | | | | | | | | | | | x | |
| Grey Treepie 灰樹鵲 <i>Dendrocitta formosae</i> | | LC | | | | | | | | | | | | | | | | x |
| Common Magpie 喜鵲 <i>Pica pica</i> | | | | Y | | | x | | | | | | | | | | | x |
| Carrion Crow 小嘴烏鴉 <i>Corvus corone</i> | | | | | | | x | | | | | | | | | | | |
| Large-billed Crow 大嘴烏鴉 <i>Corvus macrorhynchos</i> | | | | Y | | | x | | | | | | | | | | x | x |
| Collared Crow 白頸鴉 <i>Corvus torquatus</i> | NT | LC | | Y | | x | x | | | | | | | | | | | |