

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)							Overall Noise Level [C] = [A] + [B]	Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures		Direct Mitigation Measures Required?
				non-Project Roads [A]			Project Roads [B]						[C] - [A] dB(A)	≥ 1.0 dB(A)	Predicted Noise Levels from Project Roads [B] dB(A)	> Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Flyover	Underpass Access	Other Connecting Roads								
P3a	3/F	19.4	70	0.0	0.0	53.8	0.0	0.0	1.5	53.8	N	0.0	N	1.5	N	N	
	4/F	22.4	70	0.0	0.0	59.5	0.0	0.0	1.6	59.5	N	0.0	N	1.6	N	N	
	5/F	25.4	70	0.0	0.0	62.7	0.0	0.0	1.2	62.7	N	0.0	N	1.2	N	N	
	6/F	28.4	70	0.0	0.0	63.3	0.0	0.0	1.2	63.3	N	0.0	N	1.2	N	N	
	7/F	31.4	70	0.0	0.0	63.3	0.0	0.0	1.2	63.3	N	0.0	N	1.2	N	N	
	8/F	34.4	70	0.0	0.0	63.3	0.0	0.0	1.2	63.3	N	0.0	N	1.2	N	N	
P3b	3/F	19.4	70	0.0	27.9	64.6	0.0	0.0	0.0	64.6	N	0.0	N	0.0	N	N	
	4/F	22.4	70	0.0	27.9	71.5	0.0	0.0	0.0	71.5	Y	0.0	N	0.0	N	N	
	5/F	25.4	70	0.0	27.9	72.0	0.0	0.0	0.0	72.0	Y	0.0	N	0.0	N	N	
	6/F	28.4	70	0.0	27.9	71.9	0.0	0.0	0.0	71.9	Y	0.0	N	0.0	N	N	
	7/F	31.4	70	0.0	27.9	71.8	0.0	0.0	0.0	71.8	Y	0.0	N	0.0	N	N	
	8/F	34.4	70	0.0	27.9	71.7	0.0	0.0	0.0	71.7	Y	0.0	N	0.0	N	N	
P5	6/F	32.8	70	53.4	71.0	62.9	6.7	59.1	35.3	71.9	Y	0.2	N	59.1	N	N	
	7/F	35.8	70	53.5	71.0	63.0	6.7	58.9	35.3	71.9	Y	0.2	N	58.9	N	N	
	8/F	38.8	70	53.5	70.8	63.0	6.7	58.8	35.3	71.8	Y	0.3	N	58.8	N	N	
	9/F	41.8	70	53.6	70.7	63.1	6.7	58.6	35.4	71.7	Y	0.2	N	58.6	N	N	
	10/F	44.8	70	53.6	70.6	63.1	6.7	58.4	35.4	71.6	Y	0.2	N	58.4	N	N	
	11/F	47.8	70	53.6	70.5	63.2	6.7	58.3	35.4	71.5	Y	0.2	N	58.3	N	N	
	12/F	50.8	70	53.6	70.4	63.2	6.7	58.1	35.5	71.4	Y	0.2	N	58.1	N	N	
	13/F	53.8	70	53.6	70.3	63.2	6.6	58.0	35.5	71.4	Y	0.2	N	58.0	N	N	
14/F	56.8	70	53.6	70.1	63.2	6.6	57.8	35.5	71.2	Y	0.2	N	57.8	N	N		
P9	6/F	32.8	70	54.0	69.8	61.2	8.1	54.3	35.8	70.6	Y	0.1	N	54.4	N	N	
	7/F	35.8	70	54.1	69.7	61.3	8.2	54.3	35.8	70.5	Y	0.1	N	54.4	N	N	
	8/F	38.8	70	54.1	69.5	61.4	8.2	54.2	35.8	70.3	N	0.1	N	54.3	N	N	
	9/F	41.8	70	54.2	69.4	61.5	8.3	54.2	35.9	70.3	N	0.1	N	54.3	N	N	
	10/F	44.8	70	54.2	69.4	61.5	8.3	54.1	35.9	70.3	N	0.1	N	54.2	N	N	
	11/F	47.8	70	54.2	69.3	61.6	8.5	54.0	35.9	70.2	N	0.1	N	54.1	N	N	
	12/F	50.8	70	54.2	69.2	61.6	8.5	54.0	36.0	70.1	N	0.1	N	54.1	N	N	
	13/F	53.8	70	54.2	69.1	61.6	8.6	53.9	36.0	70.0	N	0.1	N	54.0	N	N	
14/F	56.8	70	54.2	68.9	61.7	8.7	53.8	36.0	69.9	N	0.1	N	53.9	N	N		
P16	5/F	32.6	70	54.2	67.2	56.3	20.1	43.4	38.0	67.8	N	0.1	N	44.5	N	N	
	6/F	35.6	70	54.2	67.2	56.3	20.6	43.4	38.0	67.8	N	0.1	N	44.5	N	N	
	7/F	38.6	70	54.2	67.2	56.3	21.0	43.4	38.0	67.8	N	0.1	N	44.5	N	N	
	8/F	41.6	70	54.2	67.1	56.3	21.4	43.4	38.0	67.7	N	0.1	N	44.5	N	N	
	9/F	44.6	70	54.2	67.0	56.3	22.0	43.4	38.0	67.6	N	0.0	N	44.5	N	N	
	10/F	47.6	70	54.2	66.9	56.3	22.5	43.4	38.0	67.5	N	0.0	N	44.5	N	N	
	11/F	50.6	70	54.2	66.8	56.4	23.0	43.4	38.0	67.4	N	0.0	N	44.5	N	N	
	12/F	53.6	70	54.2	66.7	56.4	23.6	43.4	38.0	67.3	N	0.0	N	44.5	N	N	
13/F	56.6	70	54.2	66.7	56.5	24.3	43.3	37.9	67.3	N	0.0	N	44.4	N	N		
14/F	59.6	70	54.2	66.5	56.5	24.9	43.3	37.9	67.2	N	0.1	N	44.4	N	N		
P17	3/F	21.6	70	59.5	66.6	57.2	21.2	42.1	45.1	67.8	N	0.0	N	46.9	N	N	
	4/F	24.6	70	59.5	67.0	57.1	21.6	42.1	45.2	68.1	N	0.0	N	46.9	N	N	
	5/F	27.6	70	59.5	67.2	57.1	22.0	42.1	45.2	68.3	N	0.1	N	46.9	N	N	
	6/F	30.6	70	59.5	67.2	57.0	22.5	42.1	45.2	68.3	N	0.1	N	46.9	N	N	
	7/F	33.6	70	59.5	67.2	57.0	23.0	42.1	45.2	68.3	N	0.1	N	46.9	N	N	
	8/F	36.6	70	59.6	67.2	56.9	23.5	42.0	45.2	68.3	N	0.1	N	46.9	N	N	
	9/F	39.6	70	59.6	67.2	56.9	24.0	42.0	45.2	68.3	N	0.1	N	46.9	N	N	
	10/F	42.6	70	59.6	67.1	56.8	24.7	42.0	45.2	68.2	N	0.1	N	46.9	N	N	
	11/F	45.6	70	59.6	67.1	56.8	25.2	42.0	45.2	68.2	N	0.1	N	46.9	N	N	
	12/F	48.6	70	59.6	67.0	56.7	25.9	42.0	45.3	68.1	N	0.0	N	47.0	N	N	
	13/F	51.6	70	59.6	66.9	56.7	26.5	42.0	45.3	68.0	N	0.0	N	47.0	N	N	
	P19	6/F	32.8	70	60.5	68.3	57.9	36.0	40.6	48.1	69.3	N	0.0	N	49.0	N	N
		7/F	35.8	70	60.5	68.3	57.8	36.0	40.6	48.1	69.3	N	0.0	N	49.0	N	N
8/F		38.8	70	60.6	68.3	57.7	36.0	40.6	48.1	69.3	N	0.0	N	49.0	N	N	
9/F		41.8	70	60.6	68.4	57.7	36.1	40.6	48.1	69.4	N	0.0	N	49.0	N	N	
10/F		44.8	70	60.6	68.3	57.6	36.2	40.6	48.1	69.3	N	0.0	N	49.0	N	N	
11/F		47.8	70	60.6	68.3	57.5	36.4	40.6	48.1	69.3	N	0.0	N	49.1	N	N	

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)							Overall Noise Level [C] = [A] + [B]	Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures		Direct Mitigation Measures Required?
				non-Project Roads [A]			Project Roads [B]						[C] - [A] dB(A)	≥ 1.0 dB(A)	Predicted Noise Levels from Project Roads [B] dB(A)	> Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Flyover	Underpass Access	Other Connecting Roads								
P19	12/F	50.8	70	60.6	68.4	57.4	36.5	40.6	48.2	69.4	N	0.0	N	49.1	N	N	
	13/F	53.8	70	60.6	68.3	57.3	36.8	40.6	48.1	69.3	N	0.0	N	49.1	N	N	
	14/F	56.8	70	60.7	68.3	57.3	37.0	40.6	48.2	69.3	N	0.0	N	49.2	N	N	
	15/F	59.8	70	60.8	68.3	57.2	37.4	40.6	48.2	69.3	N	0.0	N	49.2	N	N	
P22	5/F	29.1	70	61.6	68.9	59.2	40.8	39.3	50.7	70.1	N	0.1	N	51.4	N	N	
	6/F	32.1	70	61.6	68.9	59.1	40.9	39.4	50.7	70.1	N	0.1	N	51.4	N	N	
	7/F	35.1	70	61.7	68.9	59.0	40.9	39.4	50.7	70.1	N	0.1	N	51.4	N	N	
	8/F	38.1	70	61.7	68.9	58.9	40.9	39.5	50.7	70.1	N	0.1	N	51.4	N	N	
	9/F	41.1	70	61.7	69.0	58.8	40.9	39.5	50.7	70.1	N	0.0	N	51.4	N	N	
	10/F	44.1	70	61.7	69.1	58.7	40.9	39.5	50.7	70.2	N	0.1	N	51.4	N	N	
	11/F	47.1	70	61.7	69.0	58.6	41.0	39.5	50.7	70.1	N	0.0	N	51.4	N	N	
	12/F	50.1	70	61.7	69.0	58.5	41.0	39.5	50.7	70.1	N	0.0	N	51.4	N	N	
	13/F	53.1	70	61.8	69.0	58.4	41.1	39.5	50.7	70.1	N	0.0	N	51.4	N	N	
	14/F	56.1	70	61.9	68.9	58.3	41.2	39.5	50.7	70.1	N	0.1	N	51.4	N	N	
	15/F	59.1	70	61.9	68.8	58.2	41.4	39.5	50.8	70.0	N	0.1	N	51.6	N	N	
	16/F	62.1	70	61.9	68.8	58.1	41.7	39.5	50.8	70.0	N	0.1	N	51.6	N	N	
P24	6/F	32.8	70	62.8	69.5	61.0	44.1	38.5	52.0	70.9	Y	0.1	N	52.8	N	N	
	7/F	35.8	70	62.8	69.5	60.9	44.1	38.5	52.0	70.9	Y	0.1	N	52.8	N	N	
	8/F	38.8	70	62.8	69.6	60.8	44.1	38.5	52.0	70.9	Y	0.0	N	52.8	N	N	
	9/F	41.8	70	62.8	69.5	60.7	44.1	38.5	52.0	70.9	Y	0.1	N	52.8	N	N	
	10/F	44.8	70	62.9	69.5	60.6	44.1	38.5	52.0	70.9	Y	0.1	N	52.8	N	N	
	11/F	47.8	70	62.9	69.4	60.5	44.1	38.6	52.0	70.8	Y	0.1	N	52.8	N	N	
	12/F	50.8	70	62.9	69.3	60.4	44.1	38.6	52.0	70.7	Y	0.1	N	52.8	N	N	
	13/F	53.8	70	63.0	69.2	60.3	44.1	38.6	52.0	70.6	Y	0.0	N	52.8	N	N	
	14/F	56.8	70	63.0	69.1	60.2	44.1	38.6	52.0	70.6	Y	0.1	N	52.8	N	N	
	15/F	59.8	70	63.0	69.0	60.1	44.2	38.6	52.0	70.5	Y	0.1	N	52.8	N	N	
16/F	62.8	70	63.0	68.9	59.9	44.3	38.6	52.0	70.4	Y	0.1	N	52.8	N	N		
P27	8/F	41.8	70	64.1	69.2	63.3	45.8	37.8	52.9	71.2	Y	0.1	N	53.8	N	N	
	9/F	44.8	70	64.2	69.1	63.1	45.8	37.8	52.9	71.2	Y	0.1	N	53.8	N	N	
	10/F	47.8	70	64.3	68.9	63.0	45.7	37.8	52.9	71.0	Y	0.0	N	53.8	N	N	
	11/F	50.8	70	64.4	68.8	62.9	45.7	37.8	52.9	71.0	Y	0.1	N	53.8	N	N	
	12/F	53.8	70	64.6	68.7	62.8	45.6	37.8	52.9	70.9	Y	0.0	N	53.8	N	N	
	13/F	56.8	70	64.8	68.6	62.8	45.6	37.8	52.9	70.9	Y	0.0	N	53.8	N	N	
	14/F	59.8	70	65.0	68.4	62.7	45.5	37.8	52.9	70.9	Y	0.1	N	53.7	N	N	
	15/F	62.8	70	65.2	68.3	62.6	45.5	37.9	52.9	70.8	Y	0.0	N	53.7	N	N	
16/F	65.8	70	65.4	68.2	62.5	45.4	37.9	52.9	70.8	Y	0.1	N	53.7	N	N		
P28	8/F	40.3	70	65.8	66.9	67.2	45.5	37.0	54.3	71.5	Y	0.1	N	54.9	N	N	
	9/F	43.3	70	65.9	66.8	67.0	45.5	37.0	54.3	71.5	Y	0.1	N	54.9	N	N	
	10/F	46.3	70	66.2	66.7	66.9	45.4	37.0	54.3	71.5	Y	0.1	N	54.9	N	N	
	11/F	49.3	70	66.5	66.6	66.8	45.4	37.0	54.3	71.5	Y	0.1	N	54.9	N	N	
	12/F	52.3	70	66.8	66.5	66.8	45.3	37.0	54.3	71.6	Y	0.1	N	54.9	N	N	
	13/F	55.3	70	67.1	66.3	66.7	45.2	37.0	54.3	71.6	Y	0.1	N	54.9	N	N	
	14/F	58.3	70	67.3	66.2	66.6	45.2	37.0	54.3	71.6	Y	0.1	N	54.9	N	N	
	15/F	61.3	70	67.5	66.1	66.5	45.1	37.0	54.3	71.6	Y	0.1	N	54.9	N	N	
	16/F	64.3	70	67.6	66.0	66.5	45.0	37.0	54.3	71.6	Y	0.1	N	54.9	N	N	
	17/F	67.3	70	67.7	65.9	66.4	44.9	37.0	54.2	71.6	Y	0.1	N	54.8	N	N	
	18/F	70.3	70	67.8	65.7	66.3	44.9	37.0	54.2	71.6	Y	0.1	N	54.8	N	N	
	19/F	73.3	70	67.9	65.6	66.2	44.8	37.1	54.2	71.5	Y	0.0	N	54.7	N	N	
20/F	76.3	70	67.9	65.5	66.1	44.7	37.1	54.2	71.5	Y	0.1	N	54.7	N	N		
21/F	79.3	70	68.0	65.4	66.0	44.7	37.1	54.2	71.5	Y	0.1	N	54.7	N	N		
P29	7/F	36.6	70	66.1	64.1	69.7	46.6	36.4	54.9	72.1	Y	0.1	N	55.6	N	N	
	8/F	39.6	70	66.1	64.0	69.6	46.5	36.4	54.8	72.1	Y	0.1	N	55.5	N	N	
	9/F	42.6	70	66.3	63.9	69.5	46.4	36.4	54.8	72.0	Y	0.1	N	55.4	N	N	
	10/F	45.6	70	66.4	63.8	69.3	46.3	36.5	54.8	71.9	Y	0.1	N	55.4	N	N	
	11/F	48.6	70	66.5	63.7	69.2	46.1	36.5	54.8	71.9	Y	0.1	N	55.4	N	N	
	12/F	51.6	70	66.7	63.6	69.1	46.1	36.5	54.8	71.9	Y	0.1	N	55.4	N	N	
13/F	54.6	70	66.8	63.5	68.9	46.0	36.5	54.8	71.8	Y	0.1	N	55.4	N	N		

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)							Overall Noise Level [C] = [A] + [B]	Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures		Direct Mitigation Measures Required?
				non-Project Roads [A]			Project Roads [B]						[C] - [A] dB(A)	≥ 1.0 dB(A)	Predicted Noise Levels from Project Roads [B] dB(A)	> Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Flyover	Underpass Access	Other Connecting Roads								
P29	14/F	57.6	70	66.9	63.4	68.8	45.9	36.5	54.8	71.8	Y	0.1	N	55.4	N	N	
	15/F	60.6	70	67.0	63.3	68.7	45.8	36.5	54.7	71.7	Y	0.1	N	55.3	N	N	
	16/F	63.6	70	67.1	63.2	68.6	45.7	36.5	54.7	71.7	Y	0.1	N	55.3	N	N	
	17/F	66.6	70	67.3	63.1	68.4	45.6	36.5	54.7	71.7	Y	0.1	N	55.3	N	N	
	18/F	69.6	70	67.4	63.0	68.3	45.5	36.4	54.7	71.6	Y	0.1	N	55.3	N	N	
	19/F	72.6	70	67.6	62.8	68.2	45.4	36.4	54.6	71.6	Y	0.1	N	55.2	N	N	
	20/F	75.6	70	67.7	62.7	68.1	45.3	36.4	54.6	71.6	Y	0.1	N	55.1	N	N	
	21/F	78.6	70	67.8	62.6	67.9	45.2	36.4	54.6	71.6	Y	0.1	N	55.1	N	N	
	22/F	81.6	70	67.9	62.5	67.8	45.2	36.5	54.6	71.6	Y	0.1	N	55.1	N	N	
P50	-	6.2	65*	38.1	18.9	32.2	10.9	0.0	31.5	39.8	N	0.7	N	31.5	N	N	
HT3	7/F	39.7	70	56.6	65.2	67.8	21.4	0.0	50.2	70.0	N	0.1	N	50.2	N	N	
	8/F	42.5	70	58.2	65.2	67.9	21.9	0.0	50.7	70.1	N	0.0	N	50.7	N	N	
	9/F	45.3	70	59.9	65.2	68.0	22.5	0.0	51.2	70.3	N	0.0	N	51.2	N	N	
	10/F	48.1	70	61.4	65.2	68.0	23.1	0.0	51.7	70.5	Y	0.1	N	51.7	N	N	
	11/F	50.9	70	62.6	65.1	67.9	23.9	0.0	52.2	70.6	Y	0.1	N	52.2	N	N	
	12/F	53.7	70	63.6	65.0	67.8	24.6	0.0	52.6	70.7	Y	0.1	N	52.6	N	N	
	13/F	56.5	70	64.5	64.9	67.7	25.6	0.0	53.0	70.8	Y	0.1	N	53.0	N	N	
	15/F	59.3	70	65.1	64.8	67.6	26.7	0.0	53.4	70.9	Y	0.1	N	53.4	N	N	
	16/F	62.1	70	65.7	64.6	67.5	28.1	0.0	53.8	71.0	Y	0.1	N	53.8	N	N	
	17/F	64.9	70	66.1	64.5	67.4	30.2	0.0	54.1	71.0	Y	0.1	N	54.1	N	N	
	18/F	67.7	70	66.4	64.4	67.3	31.3	0.0	54.3	71.1	Y	0.1	N	54.3	N	N	
	19/F	70.5	70	66.7	64.3	67.2	32.9	0.0	54.5	71.1	Y	0.1	N	54.5	N	N	
	20/F	73.3	70	67.0	64.1	67.1	33.8	0.0	54.8	71.1	Y	0.1	N	54.8	N	N	
	21/F	76.1	70	67.1	64.0	67.0	34.2	0.0	54.9	71.1	Y	0.1	N	54.9	N	N	
	22/F	78.9	70	67.2	63.9	66.9	34.4	0.0	55.0	71.1	Y	0.1	N	55.0	N	N	
	23/F	81.7	70	67.3	63.8	66.8	34.6	0.0	55.1	71.1	Y	0.1	N	55.1	N	N	
	25/F	84.5	70	67.3	63.7	66.7	34.6	0.0	55.2	71.0	Y	0.1	N	55.2	N	N	
	27/F	90.1	70	67.4	63.4	66.6	34.6	0.0	55.2	71.0	Y	0.1	N	55.2	N	N	
	28/F	92.9	70	67.4	63.3	66.5	34.6	0.0	55.3	70.9	Y	0.1	N	55.3	N	N	
	29/F	95.7	70	67.4	63.2	66.4	34.6	0.0	55.3	70.9	Y	0.1	N	55.3	N	N	
	30/F	98.5	70	67.5	63.1	66.3	34.5	0.0	55.3	70.9	Y	0.1	N	55.3	N	N	
	31/F	101.3	70	67.5	63.0	66.2	34.5	0.0	55.3	70.8	Y	0.1	N	55.3	N	N	
	32/F	104.1	70	67.5	62.9	66.1	34.4	0.0	55.3	70.8	Y	0.1	N	55.3	N	N	
	33/F	106.9	70	67.5	62.8	66.0	34.4	0.0	55.4	70.7	Y	0.1	N	55.4	N	N	
	35/F	109.7	70	67.6	62.7	66.0	34.3	0.0	55.4	70.8	Y	0.2	N	55.4	N	N	
	36/F	112.5	70	67.6	62.6	65.9	34.3	0.0	55.4	70.7	Y	0.1	N	55.4	N	N	
	37/F	115.3	70	67.6	62.5	65.8	34.2	0.0	55.4	70.7	Y	0.2	N	55.4	N	N	
	38/F	118.1	70	67.6	62.4	65.7	34.2	0.0	55.5	70.6	Y	0.1	N	55.5	N	N	
	39/F	120.9	70	67.7	62.3	65.6	34.2	0.0	55.5	70.6	Y	0.1	N	55.5	N	N	
	40/F	123.7	70	67.6	62.2	65.6	34.1	0.0	55.5	70.6	Y	0.2	N	55.5	N	N	
	41/F	126.5	70	67.6	62.1	65.5	34.1	0.0	55.5	70.5	Y	0.1	N	55.5	N	N	
	42/F	129.3	70	67.6	62.0	65.4	34.0	0.0	55.5	70.5	Y	0.2	N	55.5	N	N	
	43/F	132.1	70	67.6	62.0	65.3	34.0	0.0	55.5	70.4	N	0.1	N	55.5	N	N	
45/F	134.9	70	67.6	61.9	65.3	33.9	0.0	55.5	70.4	N	0.1	N	55.5	N	N		
46/F	137.7	70	67.6	61.8	65.2	33.9	0.0	55.5	70.4	N	0.2	N	55.5	N	N		
47/F	140.5	70	67.6	61.7	65.1	33.8	0.0	55.5	70.3	N	0.1	N	55.5	N	N		
48/F	143.3	70	67.6	61.6	65.0	33.8	0.0	55.5	70.3	N	0.1	N	55.5	N	N		
49/F	146.1	70	67.6	61.5	64.9	33.7	0.0	55.5	70.3	N	0.2	N	55.5	N	N		
50/F	148.9	70	67.6	61.5	64.9	33.7	0.0	55.5	70.3	N	0.2	N	55.5	N	N		
51/F	151.7	70	67.6	61.4	64.8	33.6	0.0	55.5	70.2	N	0.1	N	55.5	N	N		
52/F	154.5	70	67.6	61.3	64.8	33.6	0.0	55.4	70.2	N	0.1	N	55.4	N	N		
55/F	160.1	70	67.5	61.1	64.6	33.5	0.0	55.4	70.1	N	0.2	N	55.4	N	N		
56/F	162.9	70	67.5	61.1	64.5	33.5	0.0	55.4	70.0	N	0.1	N	55.4	N	N		
57/F	165.7	70	67.5	61.0	64.5	33.4	0.0	55.3	70.0	N	0.1	N	55.3	N	N		
58/F	168.5	70	67.5	60.9	64.4	33.4	0.0	55.3	70.0	N	0.2	N	55.3	N	N		
59/F	171.3	70	67.4	60.9	64.3	33.3	0.0	55.3	69.9	N	0.2	N	55.3	N	N		
60/F	174.1	70	67.4	60.8	64.3	33.3	0.0	55.3	69.9	N	0.2	N	55.3	N	N		

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)							Overall Noise Level [C] = [A] + [B]	Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures		Direct Mitigation Measures Required?
				non-Project Roads [A]			Project Roads [B]						[C] - [A] dB(A)	≥ 1.0 dB(A)	Predicted Noise Levels from Project Roads [B] dB(A)	> Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Flyover	Underpass Access	Other Connecting Roads								
HT3	61/F	176.9	70	67.4	60.7	64.2	33.2	0.0	55.3	69.8	N	0.1	N	55.3	N	N	
	62/F	179.7	70	67.4	60.7	64.2	33.2	0.0	55.2	69.8	N	0.1	N	55.2	N	N	
	63/F	182.5	70	67.4	60.6	64.1	33.1	0.0	55.2	69.8	N	0.2	N	55.2	N	N	
	65/F	185.3	70	67.3	60.6	64.0	33.1	0.0	55.2	69.7	N	0.1	N	55.2	N	N	
	66/F	188.1	70	67.3	60.5	64.0	33.0	0.0	55.1	69.7	N	0.2	N	55.1	N	N	
	67/F	190.9	70	67.3	60.4	63.9	33.0	0.0	55.1	69.7	N	0.2	N	55.1	N	N	
	68/F	193.7	70	67.3	60.4	63.9	33.0	0.0	55.1	69.7	N	0.2	N	55.1	N	N	
	69/F	196.5	70	67.3	60.3	63.8	32.9	0.0	55.1	69.6	N	0.1	N	55.1	N	N	
	70/F	199.3	70	67.3	60.2	63.7	32.9	0.0	55.0	69.6	N	0.2	N	55.0	N	N	
	71/F	202.1	70	67.3	60.2	63.7	32.8	0.0	55.0	69.6	N	0.2	N	55.0	N	N	
	72/F	204.9	70	67.3	60.1	63.6	32.8	0.0	55.0	69.5	N	0.1	N	55.0	N	N	
	73/F	207.7	70	67.2	60.1	63.6	32.7	0.0	54.9	69.5	N	0.2	N	54.9	N	N	
	75/F	210.5	70	67.2	60.0	63.5	32.7	0.0	54.9	69.4	N	0.1	N	54.9	N	N	
	76/F	213.3	70	67.1	59.9	63.5	32.6	0.0	54.9	69.4	N	0.2	N	54.9	N	N	
	77/F	216.1	70	67.2	59.9	63.4	32.6	0.0	54.8	69.4	N	0.2	N	54.8	N	N	
	78/F	218.9	70	67.2	59.8	63.4	32.6	0.0	54.8	69.4	N	0.2	N	54.8	N	N	
79/F	221.7	70	67.1	59.8	63.3	32.5	0.0	54.8	69.3	N	0.2	N	54.8	N	N		
80/F	224.5	70	67.1	59.7	63.3	32.5	0.0	54.7	69.3	N	0.2	N	54.7	N	N		
HT1	7/F	39.7	70	58.5	71.0	62.1	0.0	38.4	48.5	71.8	Y	0.1	N	48.9	N	N	
	8/F	42.5	70	58.8	70.9	62.0	0.0	38.5	48.8	71.7	Y	0.0	N	49.2	N	N	
	9/F	45.3	70	59.0	70.7	61.9	0.0	38.5	48.9	71.5	Y	0.0	N	49.3	N	N	
	10/F	48.1	70	59.2	70.5	61.8	0.0	38.6	49.1	71.4	Y	0.1	N	49.5	N	N	
	11/F	50.9	70	59.5	70.3	61.7	0.0	38.7	49.2	71.2	Y	0.0	N	49.6	N	N	
	12/F	53.7	70	59.7	70.1	61.6	0.0	38.7	49.4	71.0	Y	0.0	N	49.8	N	N	
	13/F	56.5	70	60.0	70.0	61.4	0.0	38.8	49.6	71.0	Y	0.1	N	49.9	N	N	
	15/F	59.3	70	60.4	69.8	61.3	0.0	38.8	49.7	70.8	Y	0.0	N	50.0	N	N	
	16/F	62.1	70	60.9	69.6	61.2	0.0	38.9	49.9	70.7	Y	0.0	N	50.2	N	N	
	17/F	64.9	70	61.2	69.5	61.1	0.0	38.9	50.0	70.7	Y	0.1	N	50.3	N	N	
	18/F	67.7	70	61.6	69.4	61.0	0.0	38.9	50.1	70.6	Y	0.0	N	50.4	N	N	
	19/F	70.5	70	62.1	69.2	60.9	0.0	38.9	50.2	70.5	Y	0.0	N	50.5	N	N	
	20/F	73.3	70	62.6	69.0	60.8	0.0	39.0	50.3	70.4	N	0.0	N	50.6	N	N	
	21/F	76.1	70	62.8	68.9	60.7	0.0	39.0	50.4	70.4	N	0.0	N	50.7	N	N	
	22/F	78.9	70	63.1	68.8	60.6	0.0	39.0	50.5	70.4	N	0.1	N	50.8	N	N	
	23/F	81.7	70	63.4	68.6	60.6	0.0	39.0	50.6	70.3	N	0.1	N	50.9	N	N	
	25/F	84.5	70	63.6	68.5	60.5	0.0	39.0	50.7	70.3	N	0.1	N	51.0	N	N	
	27/F	90.1	70	64.0	68.3	60.3	0.0	39.0	50.8	70.2	N	0.1	N	51.1	N	N	
	28/F	92.9	70	64.1	68.1	60.2	0.0	39.0	50.9	70.1	N	0.1	N	51.2	N	N	
	29/F	95.7	70	64.2	68.0	60.1	0.0	39.0	50.9	70.0	N	0.0	N	51.2	N	N	
	30/F	98.5	70	64.3	67.9	60.1	0.0	39.0	50.9	70.0	N	0.1	N	51.2	N	N	
	31/F	101.3	70	64.4	67.8	60.0	0.0	39.0	50.9	70.0	N	0.1	N	51.2	N	N	
	32/F	104.1	70	64.5	67.7	60.0	0.0	39.0	50.9	69.9	N	0.0	N	51.2	N	N	
	33/F	106.9	70	64.5	67.6	59.9	0.0	39.0	50.9	69.9	N	0.1	N	51.2	N	N	
	35/F	109.7	70	64.5	67.5	59.8	0.0	38.9	50.9	69.8	N	0.1	N	51.2	N	N	
	36/F	112.5	70	64.6	67.4	59.8	0.0	38.9	50.9	69.8	N	0.1	N	51.2	N	N	
	37/F	115.3	70	64.6	67.3	59.7	0.0	38.9	51.0	69.7	N	0.1	N	51.3	N	N	
	38/F	118.1	70	64.6	67.2	59.6	0.0	38.9	51.0	69.6	N	0.0	N	51.3	N	N	
	39/F	120.9	70	64.6	67.1	59.6	0.0	38.9	51.0	69.6	N	0.1	N	51.3	N	N	
	40/F	123.7	70	64.6	67.0	59.5	0.0	38.9	51.0	69.5	N	0.1	N	51.3	N	N	
41/F	126.5	70	64.6	66.9	59.5	0.0	38.9	51.0	69.4	N	0.0	N	51.3	N	N		
42/F	129.3	70	64.7	66.8	59.4	0.0	38.9	51.0	69.4	N	0.1	N	51.3	N	N		
43/F	132.1	70	64.7	66.7	59.3	0.0	38.9	51.0	69.4	N	0.1	N	51.3	N	N		
45/F	134.9	70	64.7	66.6	59.3	0.0	38.9	51.1	69.3	N	0.1	N	51.4	N	N		
46/F	137.7	70	64.8	66.5	59.2	0.0	38.9	51.1	69.3	N	0.1	N	51.4	N	N		
47/F	140.5	70	64.8	66.4	59.2	0.0	38.9	51.2	69.2	N	0.1	N	51.4	N	N		
48/F	143.3	70	64.9	66.3	59.1	0.0	38.9	51.2	69.2	N	0.1	N	51.4	N	N		
49/F	146.1	70	64.9	66.3	59.1	0.0	38.9	51.3	69.2	N	0.1	N	51.5	N	N		
50/F	148.9	70	65.1	66.2	59.0	0.0	38.9	51.3	69.2	N	0.1	N	51.5	N	N		

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)							Overall Noise Level [C] = [A] + [B]	Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures		Direct Mitigation Measures Required?
				non-Project Roads [A]			Project Roads [B]						[C] - [A] dB(A)	≥ 1.0 dB(A)	Predicted Noise Levels from Project Roads [B] dB(A)	> Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Flyover	Underpass Access	Other Connecting Roads								
HT1	51/F	151.7	70	65.2	66.1	59.0	0.0	38.9	51.3	69.2	N	0.1	N	51.5	N	N	
	52/F	154.5	70	65.3	66.0	58.9	0.0	38.8	51.4	69.2	N	0.1	N	51.6	N	N	
	55/F	160.1	70	65.4	65.9	58.8	0.0	38.8	51.5	69.2	N	0.1	N	51.7	N	N	
	56/F	162.9	70	65.5	65.8	58.8	0.0	38.8	51.5	69.2	N	0.1	N	51.7	N	N	
	57/F	165.7	70	65.5	65.7	58.7	0.0	38.8	51.5	69.1	N	0.1	N	51.7	N	N	
	58/F	168.5	70	65.5	65.7	58.7	0.0	38.8	51.5	69.1	N	0.1	N	51.7	N	N	
	59/F	171.3	70	65.5	65.6	58.6	0.0	38.8	51.6	69.1	N	0.1	N	51.8	N	N	
	60/F	174.1	70	65.5	65.5	58.6	0.0	38.8	51.6	69.0	N	0.1	N	51.8	N	N	
	61/F	176.9	70	65.5	65.5	58.5	0.0	38.8	51.6	69.0	N	0.1	N	51.8	N	N	
	62/F	179.7	70	65.5	65.4	58.5	0.0	38.8	51.6	69.0	N	0.1	N	51.8	N	N	
	63/F	182.5	70	65.5	65.3	58.5	0.0	38.8	51.7	68.9	N	0.1	N	51.9	N	N	
	65/F	185.3	70	65.5	65.3	58.4	0.0	38.8	51.7	68.9	N	0.1	N	51.9	N	N	
	66/F	188.1	70	65.5	65.2	58.4	0.0	38.7	51.7	68.9	N	0.1	N	51.9	N	N	
	67/F	190.9	70	65.5	65.2	58.3	0.0	38.7	51.7	68.9	N	0.1	N	51.9	N	N	
	68/F	193.7	70	65.5	65.1	58.3	0.0	38.7	51.7	68.8	N	0.1	N	51.9	N	N	
	69/F	196.5	70	65.5	65.0	58.2	0.0	38.7	51.7	68.8	N	0.1	N	51.9	N	N	
	70/F	199.3	70	65.5	65.0	58.2	0.0	38.7	51.7	68.8	N	0.1	N	51.9	N	N	
	71/F	202.1	70	65.5	64.9	58.2	0.0	38.7	51.7	68.7	N	0.1	N	51.9	N	N	
	72/F	204.9	70	65.5	64.8	58.1	0.0	38.7	51.7	68.7	N	0.1	N	51.9	N	N	
	73/F	207.7	70	65.5	64.8	58.1	0.0	38.7	51.7	68.7	N	0.1	N	51.9	N	N	
	75/F	210.5	70	65.5	64.7	58.0	0.0	38.7	51.7	68.6	N	0.1	N	51.9	N	N	
	76/F	213.3	70	65.5	64.7	58.0	0.0	38.7	51.6	68.6	N	0.1	N	51.8	N	N	
	77/F	216.1	70	65.4	64.6	58.0	0.0	38.7	51.6	68.5	N	0.1	N	51.8	N	N	
	78/F	218.9	70	65.4	64.6	57.9	0.0	38.6	51.6	68.5	N	0.1	N	51.8	N	N	
	79/F	221.7	70	65.4	64.5	57.9	0.0	38.6	51.6	68.5	N	0.1	N	51.8	N	N	
	80/F	224.5	70	65.4	64.5	57.8	0.0	38.6	51.6	68.5	N	0.1	N	51.8	N	N	
VT1	10/F	47.7	70	38.7	54.0	78.0	7.0	21.5	11.1	78.0	Y	0.0	N	22.0	N	N	
	11/F	50.5	70	39.1	54.1	77.7	7.4	22.4	11.3	77.7	Y	0.0	N	22.9	N	N	
	12/F	53.3	70	39.5	54.1	77.5	7.7	23.6	11.6	77.5	Y	0.0	N	24.0	N	N	
	15/F	56.1	70	39.9	54.1	77.3	8.0	24.9	11.9	77.3	Y	0.0	N	25.2	N	N	
	16/F	58.9	70	40.3	54.1	77.0	8.3	26.3	12.1	77.0	Y	0.0	N	26.5	N	N	
	17/F	61.7	70	40.8	54.3	76.9	8.5	28.0	12.3	76.9	Y	0.0	N	28.2	N	N	
	18/F	64.5	70	41.3	54.5	76.7	8.8	30.0	12.6	76.7	Y	0.0	N	30.1	N	N	
	19/F	67.3	70	41.8	55.0	76.5	9.0	32.2	13.0	76.5	Y	0.0	N	32.3	N	N	
	20/F	70.1	70	42.4	55.4	76.3	9.3	35.2	13.2	76.3	Y	0.0	N	35.2	N	N	
	21/F	72.9	70	43.1	55.7	76.1	9.5	38.8	13.6	76.1	Y	0.0	N	38.8	N	N	
	22/F	75.7	70	43.9	55.9	76.0	9.8	41.2	13.9	76.0	Y	0.0	N	41.2	N	N	
	23/F	78.5	70	44.8	56.1	75.8	10.0	41.9	14.2	75.9	Y	0.1	N	41.9	N	N	
	25/F	81.3	70	45.9	56.3	75.6	10.2	42.0	14.6	75.7	Y	0.0	N	42.0	N	N	
	26/F	84.1	70	46.9	56.5	75.5	10.3	42.1	15.0	75.6	Y	0.0	N	42.1	N	N	
	27/F	86.9	70	48.2	56.7	75.4	10.5	42.0	15.4	75.5	Y	0.0	N	42.0	N	N	
	28/F	89.7	70	49.3	56.8	75.3	10.7	42.0	15.9	75.4	Y	0.0	N	42.0	N	N	
	30/F	95.3	70	50.9	56.9	75.0	11.2	41.9	16.8	75.1	Y	0.0	N	41.9	N	N	
	31/F	98.1	70	51.3	56.9	74.9	11.3	41.9	17.4	75.0	Y	0.0	N	41.9	N	N	
	32/F	100.9	70	51.6	56.9	74.8	11.5	41.8	17.8	74.9	Y	0.0	N	41.8	N	N	
	33/F	103.7	70	51.9	57.0	74.6	11.7	41.8	18.4	74.7	Y	0.0	N	41.8	N	N	
	35/F	106.5	70	52.2	57.1	74.5	11.8	41.7	18.9	74.6	Y	0.0	N	41.7	N	N	
	36/F	109.3	70	52.3	57.2	74.4	12.1	41.7	19.5	74.5	Y	0.0	N	41.7	N	N	
	37/F	112.1	70	52.5	57.3	74.3	12.3	41.7	20.1	74.4	Y	0.0	N	41.7	N	N	
	38/F	114.9	70	52.6	57.4	74.2	12.4	41.6	20.8	74.3	Y	0.0	N	41.6	N	N	
	39/F	117.7	70	52.7	57.6	74.1	12.7	41.6	21.9	74.2	Y	0.0	N	41.7	N	N	
	40/F	120.5	70	52.7	57.9	74.0	12.9	41.6	22.0	74.1	Y	0.0	N	41.7	N	N	
	41/F	123.3	70	52.8	58.1	73.9	13.2	41.6	22.3	74.0	Y	0.0	N	41.7	N	N	
	42/F	126.1	70	52.8	58.6	73.8	13.4	41.5	22.8	74.0	Y	0.0	N	41.6	N	N	
	43/F	128.9	70	52.9	58.9	73.7	13.6	41.5	23.6	73.9	Y	0.0	N	41.6	N	N	
	45/F	131.7	70	52.9	59.2	73.6	13.8	41.4	24.1	73.8	Y	0.0	N	41.5	N	N	
	46/F	134.5	70	53.0	59.3	73.5	14.1	41.4	24.7	73.7	Y	0.0	N	41.5	N	N	

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)							Overall Noise Level [C] = [A] + [B]	Exceedance Overall > Criteria	Impact Contribution from Project Roads		Check Direct Measures		Direct Mitigation Measures Required?
				non-Project Roads [A]			Project Roads [B]						[C] - [A] dB(A)	≥ 1.0 dB(A)	Predicted Noise Levels from Project Roads [B] dB(A)	> Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Flyover	Underpass Access	Other Connecting Roads								
VT1	47/F	137.3	70	53.0	59.5	73.4	14.3	41.3	25.1	73.6	Y	0.0	N	41.4	N	N	
	48/F	140.1	70	53.1	59.5	73.3	14.6	41.3	25.4	73.5	Y	0.0	N	41.4	N	N	
	49/F	142.9	70	53.2	59.6	73.3	14.9	41.2	25.7	73.5	Y	0.0	N	41.3	N	N	
	50/F	145.7	70	53.2	59.7	73.2	14.9	41.2	26.0	73.4	Y	0.0	N	41.3	N	N	
	51/F	148.5	70	53.3	59.8	73.1	15.2	41.2	26.2	73.3	Y	0.0	N	41.3	N	N	
	52/F	151.3	70	53.3	59.8	73.0	15.5	41.1	26.3	73.2	Y	0.0	N	41.3	N	N	
	53/F	154.1	70	53.4	59.9	72.9	15.8	41.2	26.5	73.2	Y	0.0	N	41.4	N	N	
	55/F	156.9	70	53.5	60.0	72.8	16.1	41.1	26.6	73.1	Y	0.0	N	41.3	N	N	
	57/F	162.5	70	53.6	60.1	72.7	16.7	41.0	26.9	73.0	Y	0.0	N	41.2	N	N	
	58/F	165.3	70	53.7	60.1	72.6	17.0	41.0	26.9	72.9	Y	0.0	N	41.2	N	N	
	59/F	168.1	70	53.8	60.1	72.5	17.3	40.9	26.9	72.8	Y	0.0	N	41.1	N	N	
	60/F	170.9	70	53.8	60.2	72.5	17.6	41.0	27.0	72.8	Y	0.0	N	41.2	N	N	
	61/F	173.7	70	53.9	60.2	72.4	17.9	40.9	27.0	72.7	Y	0.0	N	41.1	N	N	
	62/F	176.5	70	54.0	60.2	72.3	18.3	40.9	27.1	72.6	Y	0.0	N	41.1	N	N	
	63/F	179.3	70	54.1	60.2	72.3	18.6	40.8	27.2	72.6	Y	0.0	N	41.0	N	N	
	65/F	182.1	70	54.2	60.2	72.2	18.9	40.9	27.2	72.5	Y	0.0	N	41.1	N	N	
	66/F	184.9	70	54.2	60.2	72.1	19.2	40.9	27.2	72.4	Y	0.0	N	41.1	N	N	
	67/F	187.7	70	54.3	60.2	72.1	19.6	40.8	27.1	72.4	Y	0.0	N	41.0	N	N	
	68/F	190.5	70	54.3	60.1	72.0	20.1	40.9	27.3	72.3	Y	0.0	N	41.1	N	N	
	69/F	193.3	70	54.3	60.1	71.9	20.7	40.8	27.3	72.3	Y	0.1	N	41.0	N	N	
70/F	196.1	70	54.4	60.1	71.9	21.4	40.8	27.3	72.3	Y	0.1	N	41.0	N	N		
LCS	1/F	8.2	65	32.9	51.2	83.5	1.9	16.7	5.0	83.5	Y	0.0	N	17.1	N	N	
	2/F	11.2	65	33.2	51.2	83.0	2.1	16.7	5.0	83.0	Y	0.0	N	17.1	N	N	
	3/F	14.2	65	33.4	51.2	82.3	2.1	16.7	5.0	82.3	Y	0.0	N	17.1	N	N	
	4/F	17.2	65	33.7	51.2	81.7	2.7	16.7	4.9	81.7	Y	0.0	N	17.1	N	N	
	5/F	20.2	65	34.0	51.2	81.2	3.3	16.7	5.5	81.2	Y	0.0	N	17.2	N	N	

Note: **Bold** figures with shaded boxes denote exceedance of relevant noise criteria
(*) Reference made to the criteria for educational institution