

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)				Exceedance Overall > Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Overall Noise Level		
P3a	3/F	19.4	70.4	0.0	0.0	53.7	53.7	N	
	4/F	22.4	70.4	0.0	0.0	59.3	59.3	N	
	5/F	25.4	70	0.0	0.0	62.5	62.5	N	
	6/F	28.4	70	0.0	0.0	63.1	63.1	N	
	7/F	31.4	70	0.0	0.0	63.2	63.2	N	
	8/F	34.4	70	0.0	0.0	63.1	63.1	N	
P3b	3/F	19.4	70	0.0	26.8	64.4	64.4	N	
	4/F	22.4	70	0.0	26.8	71.2	71.2	Y	
	5/F	25.4	70	0.0	26.8	71.8	71.8	Y	
	6/F	28.4	70	0.0	26.7	71.7	71.7	Y	
	7/F	31.4	70	0.0	26.7	71.6	71.6	Y	
	8/F	34.4	70	0.0	26.8	71.5	71.5	Y	
P5	6/F	32.8	70	53.3	69.8	62.6	70.7	Y	
	7/F	35.8	70	53.3	69.8	62.7	70.7	Y	
	8/F	38.8	70	53.3	69.7	62.8	70.6	Y	
	9/F	41.8	70	53.4	69.6	62.9	70.5	Y	
	10/F	44.8	70	53.4	69.5	62.9	70.5	Y	
	11/F	47.8	70	53.5	69.4	62.9	70.4	N	
	12/F	50.8	70	53.5	69.3	62.9	70.3	N	
	13/F	53.8	70	53.5	69.2	63.0	70.2	N	
14/F	56.8	70	53.5	69.1	63.0	70.1	N		
P9	6/F	32.8	70	53.9	68.5	60.9	69.4	N	
	7/F	35.8	70	53.9	68.5	61.1	69.3	N	
	8/F	38.8	70	54.0	68.4	61.2	69.3	N	
	9/F	41.8	70	54.0	68.3	61.3	69.2	N	
	10/F	44.8	70	54.0	68.3	61.3	69.2	N	
	11/F	47.8	70	54.0	68.2	61.3	69.1	N	
	12/F	50.8	70	54.0	68.1	61.4	69.1	N	
	13/F	53.8	70	54.0	68.0	61.4	69.0	N	
14/F	56.8	70	54.1	67.9	61.4	68.9	N		
P16	5/F	32.6	70	54.0	66.0	56.0	66.7	N	
	6/F	35.6	70	54.0	66.1	56.0	66.7	N	
	7/F	38.6	70	54.0	66.1	56.0	66.7	N	
	8/F	41.6	70	54.0	66.0	56.0	66.6	N	
	9/F	44.6	70	54.0	65.9	56.0	66.6	N	
	10/F	47.6	70	54.0	65.8	56.1	66.5	N	
	11/F	50.6	70	54.0	65.7	56.1	66.4	N	
	12/F	53.6	70	54.0	65.6	56.1	66.4	N	
13/F	56.6	70	54.1	65.6	56.2	66.3	N		
14/F	59.6	70	54.1	65.4	56.2	66.2	N		
P17	3/F	21.6	70	59.3	65.5	56.4	66.9	N	
	4/F	24.6	70	59.4	65.9	56.4	67.2	N	
	5/F	27.6	70	59.4	66.1	56.3	67.3	N	
	6/F	30.6	70.4	59.4	66.1	56.3	67.3	N	
	7/F	33.6	70.4	59.4	66.1	56.3	67.3	N	
	8/F	36.6	70.4	59.4	66.1	56.2	67.3	N	
	9/F	39.6	70.4	59.5	66.1	56.2	67.3	N	
	10/F	42.6	70.4	59.5	66.0	56.1	67.2	N	
	11/F	45.6	70.4	59.5	66.0	56.1	67.2	N	
	12/F	48.6	70	59.5	65.9	56.1	67.1	N	
	13/F	51.6	70	59.5	65.8	56.0	67.1	N	
	P19	6/F	32.8	70	60.4	67.5	57.0	68.6	N
		7/F	35.8	70	60.4	67.4	56.9	68.5	N
8/F		38.8	70	60.4	67.4	56.8	68.5	N	
9/F		41.8	70	60.4	67.5	56.8	68.6	N	
10/F		44.8	70	60.4	67.4	56.7	68.5	N	
11/F		47.8	70	60.4	67.4	56.6	68.5	N	
12/F		50.8	70	60.4	67.4	56.5	68.5	N	
13/F		53.8	70	60.5	67.3	56.5	68.4	N	
14/F		56.8	70	60.5	67.3	56.4	68.4	N	
15/F		59.8	70	60.6	67.3	56.4	68.4	N	

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)				Exceedance Overall > Criteria	
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Overall Noise Level		
P22	5/F	29.1	70.4	61.5	68.0	58.1	69.2	N	
	6/F	32.1	70	61.5	68.0	58.0	69.2	N	
	7/F	35.1	70	61.5	68.0	57.9	69.2	N	
	8/F	38.1	70	61.5	68.0	57.8	69.2	N	
	9/F	41.1	70	61.5	68.0	57.7	69.2	N	
	10/F	44.1	70	61.5	68.1	57.6	69.3	N	
	11/F	47.1	70.4	61.6	68.0	57.6	69.2	N	
	12/F	50.1	70	61.6	68.0	57.5	69.2	N	
	13/F	53.1	70	61.7	68.0	57.4	69.2	N	
	14/F	56.1	70	61.7	67.9	57.3	69.1	N	
	15/F	59.1	70	61.7	67.8	57.2	69.0	N	
	16/F	62.1	70	61.7	67.7	57.1	69.0	N	
	P24	6/F	32.8	70	62.7	68.5	59.9	69.9	N
		7/F	35.8	70	62.7	68.5	59.8	69.9	N
		8/F	38.8	70	62.7	68.5	59.7	69.9	N
		9/F	41.8	70	62.7	68.5	59.6	69.9	N
10/F		44.8	70	62.7	68.4	59.5	69.8	N	
11/F		47.8	70	62.7	68.3	59.4	69.8	N	
12/F		50.8	70	62.7	68.2	59.3	69.7	N	
13/F		53.8	70	62.8	68.1	59.2	69.6	N	
14/F		56.8	70	62.8	68.0	59.1	69.5	N	
15/F		59.8	70	62.8	67.9	59.0	69.5	N	
16/F		62.8	70	62.9	67.8	58.8	69.4	N	
P27		8/F	41.8	70	64.0	68.0	62.0	70.2	N
		9/F	44.8	70	64.0	67.9	61.9	70.1	N
		10/F	47.8	70	64.2	67.8	61.8	70.1	N
		11/F	50.8	70	64.3	67.7	61.7	70.0	N
		12/F	53.8	70	64.5	67.6	61.6	70.0	N
	13/F	56.8	70.4	64.7	67.4	61.5	69.9	N	
	14/F	59.8	70	64.9	67.3	61.4	69.9	N	
	15/F	62.8	70	65.1	67.2	61.4	69.9	N	
P28	8/F	40.3	70	65.6	65.8	65.9	70.5	Y	
	9/F	43.3	70	65.8	65.7	65.7	70.5	Y	
	10/F	46.3	70.4	66.0	65.6	65.6	70.5	Y	
	11/F	49.3	70	66.4	65.5	65.5	70.6	Y	
	12/F	52.3	70	66.7	65.4	65.5	70.7	Y	
	13/F	55.3	70	67.0	65.2	65.4	70.7	Y	
	14/F	58.3	70	67.2	65.1	65.3	70.8	Y	
	15/F	61.3	70	67.3	65.0	65.2	70.8	Y	
	16/F	64.3	70	67.4	64.9	65.2	70.8	Y	
	17/F	67.3	70	67.5	64.8	65.1	70.7	Y	
	18/F	70.3	70	67.7	64.6	65.0	70.8	Y	
	19/F	73.3	70	67.7	64.5	64.9	70.7	Y	
	20/F	76.3	70	67.8	64.4	64.8	70.7	Y	
	21/F	79.3	70	67.9	64.3	64.7	70.7	Y	
	P29	7/F	36.6	70.4	65.9	63.0	68.3	71.0	Y
		8/F	39.6	70	66.0	62.9	68.2	71.0	Y
9/F		42.6	70	66.1	62.8	68.1	70.9	Y	
10/F		45.6	70	66.3	62.7	67.9	70.9	Y	
11/F		48.6	70	66.4	62.6	67.8	70.9	Y	
12/F		51.6	70	66.5	62.5	67.7	70.8	Y	
13/F		54.6	70	66.6	62.4	67.5	70.8	Y	
14/F		57.6	70	66.7	62.3	67.4	70.8	Y	
15/F		60.6	70	66.8	62.2	67.3	70.7	Y	
16/F		63.6	70	67.0	62.1	67.2	70.7	Y	
17/F		66.6	70	67.1	62.0	67.0	70.7	Y	
18/F		69.6	70	67.3	61.9	66.9	70.7	Y	
19/F		72.6	70	67.4	61.7	66.8	70.7	Y	
20/F		75.6	70	67.5	61.6	66.7	70.7	Y	
21/F		78.6	70	67.6	61.5	66.5	70.7	Y	
22/F		81.6	70	67.7	61.4	66.4	70.7	Y	
P50	-	6.2	65*	38.0	18.0	32.2	39.0	N	

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)				Exceedance Overall > Criteria
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Overall Noise Level	
HT3	7/F	39.7	70	56.4	63.9	66.3	68.6	N
	8/F	42.5	70	58.0	64.0	66.5	68.8	N
	9/F	45.3	70	59.7	64.0	66.6	69.1	N
	10/F	48.1	70	61.2	64.0	66.6	69.3	N
	11/F	50.9	70	62.5	63.9	66.6	69.4	N
	12/F	53.7	70	63.5	63.8	66.5	69.6	N
	13/F	56.5	70	64.3	63.7	66.4	69.7	N
	15/F	59.3	70	65.0	63.6	66.3	69.9	N
	16/F	62.1	70	65.5	63.4	66.2	70.0	N
	17/F	64.9	70	65.9	63.3	66.1	70.1	N
	18/F	67.7	70	66.3	63.2	66.0	70.1	N
	19/F	70.5	70	66.6	63.1	65.9	70.2	N
	20/F	73.3	70	66.8	62.9	65.8	70.2	N
	21/F	76.1	70	66.9	62.8	65.7	70.2	N
	22/F	78.9	70	67.0	62.7	65.6	70.2	N
	23/F	81.7	70	67.1	62.6	65.5	70.2	N
	25/F	84.5	70	67.1	62.5	65.4	70.2	N
	27/F	90.1	70	67.2	62.2	65.2	70.1	N
	28/F	92.9	70	67.2	62.1	65.2	70.1	N
	29/F	95.7	70	67.3	62.0	65.1	70.1	N
	30/F	98.5	70	67.3	61.9	65.0	70.0	N
	31/F	101.3	70	67.3	61.8	64.9	70.0	N
	32/F	104.1	70	67.3	61.7	64.8	69.9	N
	33/F	106.9	70	67.3	61.6	64.7	69.9	N
	35/F	109.7	70	67.4	61.5	64.6	69.9	N
	36/F	112.5	70	67.4	61.4	64.5	69.9	N
	37/F	115.3	70	67.4	61.3	64.5	69.9	N
	38/F	118.1	70	67.5	61.2	64.4	69.8	N
	39/F	120.9	70	67.5	61.1	64.3	69.8	N
	40/F	123.7	70	67.5	61.0	64.2	69.8	N
	41/F	126.5	70	67.5	60.9	64.1	69.7	N
	42/F	129.3	70	67.5	60.8	64.1	69.7	N
	43/F	132.1	70	67.5	60.8	64.0	69.7	N
	45/F	134.9	70	67.5	60.7	63.9	69.6	N
	46/F	137.7	70	67.5	60.6	63.8	69.6	N
	47/F	140.5	70	67.4	60.5	63.8	69.6	N
	48/F	143.3	70	67.4	60.4	63.7	69.5	N
	49/F	146.1	70	67.4	60.3	63.6	69.5	N
	50/F	148.9	70	67.4	60.3	63.5	69.5	N
	51/F	151.7	70	67.4	60.2	63.5	69.4	N
52/F	154.5	70	67.4	60.1	63.4	69.4	N	
55/F	160.1	70	67.3	59.9	63.2	69.3	N	
56/F	162.9	70	67.3	59.9	63.2	69.3	N	
57/F	165.7	70	67.3	59.8	63.1	69.2	N	
58/F	168.5	70	67.3	59.7	63.1	69.2	N	
59/F	171.3	70	67.3	59.7	63.0	69.2	N	
60/F	174.1	70	67.3	59.6	62.9	69.1	N	
61/F	176.9	70	67.2	59.5	62.9	69.1	N	
62/F	179.7	70	67.2	59.5	62.8	69.1	N	
63/F	182.5	70	67.2	59.4	62.7	69.0	N	
65/F	185.3	70	67.2	59.4	62.7	69.0	N	
66/F	188.1	70	67.2	59.3	62.6	69.0	N	
67/F	190.9	70	67.2	59.2	62.6	68.9	N	
68/F	193.7	70	67.1	59.2	62.5	68.9	N	
69/F	196.5	70	67.1	59.1	62.5	68.9	N	
70/F	199.3	70	67.1	59.0	62.4	68.8	N	
71/F	202.1	70	67.1	59.0	62.3	68.8	N	
72/F	204.9	70	67.1	58.9	62.3	68.8	N	
73/F	207.7	70	67.1	58.9	62.2	68.8	N	
75/F	210.5	70	67.0	58.8	62.2	68.7	N	
76/F	213.3	70	67.0	58.7	62.1	68.7	N	
77/F	216.1	70	67.0	58.7	62.1	68.7	N	
78/F	218.9	70	67.0	58.6	62.0	68.6	N	
79/F	221.7	70	67.0	58.6	62.0	68.6	N	
80/F	224.5	70	66.9	58.5	61.9	68.6	N	

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)				Exceedance Overall > Criteria
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Overall Noise Level	
HT1	7/F	39.7	70	58.3	69.9	60.8	70.7	Y
	8/F	42.5	70	58.6	69.8	60.6	70.6	Y
	9/F	45.3	70	58.8	69.6	60.5	70.4	N
	10/F	48.1	70	59.1	69.4	60.4	70.3	N
	11/F	50.9	70	59.3	69.2	60.3	70.1	N
	12/F	53.7	70	59.5	69.0	60.2	70.0	N
	13/F	56.5	70	59.8	68.9	60.1	69.9	N
	15/F	59.3	70	60.2	68.7	60.0	69.8	N
	16/F	62.1	70	60.7	68.5	59.9	69.7	N
	17/F	64.9	70	61.1	68.4	59.8	69.6	N
	18/F	67.7	70	61.5	68.2	59.7	69.5	N
	19/F	70.5	70	61.9	68.1	59.6	69.5	N
	20/F	73.3	70	62.4	67.9	59.5	69.5	N
	21/F	76.1	70	62.7	67.8	59.4	69.4	N
	22/F	78.9	70	63.0	67.7	59.3	69.4	N
	23/F	81.7	70	63.2	67.5	59.2	69.3	N
	25/F	84.5	70	63.5	67.4	59.1	69.3	N
	27/F	90.1	70	63.8	67.2	59.0	69.2	N
	28/F	92.9	70	64.0	67.0	58.9	69.2	N
	29/F	95.7	70	64.1	66.9	58.8	69.1	N
	30/F	98.5	70	64.2	66.8	58.8	69.1	N
	31/F	101.3	70	64.2	66.7	58.7	69.0	N
	32/F	104.1	70	64.3	66.5	58.7	69.0	N
	33/F	106.9	70	64.3	66.4	58.6	68.9	N
	35/F	109.7	70	64.4	66.3	58.5	68.9	N
	36/F	112.5	70	64.4	66.2	58.5	68.8	N
	37/F	115.3	70	64.4	66.1	58.4	68.8	N
	38/F	118.1	70	64.4	66.0	58.3	68.7	N
	39/F	120.9	70	64.4	65.9	58.3	68.7	N
	40/F	123.7	70	64.4	65.8	58.2	68.6	N
	41/F	126.5	70	64.5	65.7	58.2	68.6	N
	42/F	129.3	70	64.5	65.6	58.1	68.5	N
	43/F	132.1	70	64.5	65.6	58.1	68.5	N
	45/F	134.9	70	64.5	65.5	58.0	68.4	N
	46/F	137.7	70	64.6	65.4	58.0	68.4	N
	47/F	140.5	70	64.6	65.3	57.9	68.4	N
	48/F	143.3	70	64.7	65.2	57.8	68.4	N
	49/F	146.1	70	64.7	65.2	57.8	68.4	N
	50/F	148.9	70	64.9	65.1	57.7	68.4	N
	51/F	151.7	70	65.0	65.0	57.7	68.4	N
	52/F	154.5	70	65.1	64.9	57.7	68.4	N
	55/F	160.1	70	65.2	64.8	57.6	68.4	N
	56/F	162.9	70	65.3	64.7	57.5	68.4	N
	57/F	165.7	70	65.3	64.6	57.5	68.3	N
	58/F	168.5	70	65.3	64.5	57.4	68.3	N
	59/F	171.3	70	65.3	64.5	57.4	68.3	N
	60/F	174.1	70	65.3	64.4	57.3	68.3	N
	61/F	176.9	70	65.3	64.3	57.3	68.2	N
	62/F	179.7	70	65.3	64.3	57.3	68.2	N
	63/F	182.5	70	65.3	64.2	57.2	68.2	N
	65/F	185.3	70	65.3	64.1	57.2	68.1	N
	66/F	188.1	70	65.3	64.1	57.1	68.1	N
	67/F	190.9	70	65.3	64.0	57.1	68.1	N
	68/F	193.7	70	65.3	64.0	57.0	68.1	N
	69/F	196.5	70	65.3	63.9	57.0	68.0	N
	70/F	199.3	70	65.3	63.8	57.0	68.0	N
	71/F	202.1	70	65.3	63.8	56.9	68.0	N
	72/F	204.9	70	65.3	63.7	56.9	68.0	N
	73/F	207.7	70	65.3	63.7	56.9	67.9	N
	75/F	210.5	70	65.3	63.6	56.8	67.9	N
	76/F	213.3	70	65.3	63.5	56.8	67.9	N
	77/F	216.1	70	65.3	63.5	56.8	67.8	N
	78/F	218.9	70	65.3	63.4	56.7	67.8	N
	79/F	221.7	70	65.3	63.4	56.7	67.8	N
	80/F	224.5	70	65.3	63.3	56.6	67.8	N

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria dB(A)	Predicted Noise Level, dB(A)				Exceedance Overall > Criteria
				West Kowloon Highway	Road Works at West Kowloon	Other Existing Roads	Overall Noise Level	
VT1	10/F	47.7	70	38.5	52.8	77.7	77.7	Y
	11/F	50.5	70	39.0	52.9	77.4	77.5	Y
	12/F	53.3	70	39.4	52.9	77.2	77.3	Y
	15/F	56.1	70	39.8	52.9	77.0	77.0	Y
	16/F	58.9	70	40.2	52.9	76.8	76.8	Y
	17/F	61.7	70	40.6	53.0	76.6	76.6	Y
	18/F	64.5	70	41.2	53.2	76.4	76.4	Y
	19/F	67.3	70	41.7	53.7	76.2	76.3	Y
	20/F	70.1	70	42.3	54.2	76.1	76.1	Y
	21/F	72.9	70	42.9	54.6	75.9	75.9	Y
	22/F	75.7	70	43.7	54.9	75.7	75.8	Y
	23/F	78.5	70	44.6	55.2	75.6	75.6	Y
	25/F	81.3	70	45.7	55.4	75.4	75.4	Y
	26/F	84.1	70	46.8	55.7	75.3	75.3	Y
	27/F	86.9	70	48.0	55.8	75.1	75.2	Y
	28/F	89.7	70	49.1	56.0	75.0	75.1	Y
	30/F	95.3	70	50.7	56.1	74.7	74.8	Y
	31/F	98.1	70	51.2	56.1	74.6	74.7	Y
	32/F	100.9	70	51.5	56.2	74.5	74.6	Y
	33/F	103.7	70	51.8	56.2	74.4	74.5	Y
	35/F	106.5	70	52.0	56.3	74.3	74.4	Y
	36/F	109.3	70	52.2	56.4	74.1	74.2	Y
	37/F	112.1	70	52.3	56.5	74.0	74.1	Y
	38/F	114.9	70	52.4	56.6	73.9	74.1	Y
	39/F	117.7	70	52.5	56.8	73.8	74.0	Y
	40/F	120.5	70	52.6	57.0	73.7	73.9	Y
	41/F	123.3	70	52.6	57.3	73.7	73.8	Y
	42/F	126.1	70	52.7	57.7	73.6	73.7	Y
	43/F	128.9	70	52.8	58.0	73.5	73.6	Y
	45/F	131.7	70	52.8	58.3	73.4	73.5	Y
	46/F	134.5	70	52.9	58.4	73.3	73.4	Y
	47/F	137.3	70	52.9	58.5	73.2	73.4	Y
48/F	140.1	70	52.9	58.6	73.1	73.3	Y	
49/F	142.9	70	53.0	58.7	73.0	73.2	Y	
50/F	145.7	70	53.0	58.7	72.9	73.1	Y	
51/F	148.5	70	53.1	58.8	72.8	73.0	Y	
52/F	151.3	70	53.1	58.9	72.7	72.9	Y	
53/F	154.1	70	53.2	59.0	72.7	72.9	Y	
55/F	156.9	70	53.3	59.0	72.6	72.8	Y	
57/F	162.5	70	53.5	59.1	72.4	72.7	Y	
58/F	165.3	70	53.5	59.2	72.3	72.6	Y	
59/F	168.1	70	53.6	59.2	72.3	72.6	Y	
60/F	170.9	70	53.7	59.3	72.2	72.5	Y	
61/F	173.7	70	53.7	59.2	72.1	72.4	Y	
62/F	176.5	70	53.8	59.3	72.1	72.4	Y	
63/F	179.3	70	53.9	59.2	72.0	72.3	Y	
65/F	182.1	70	54.0	59.3	71.9	72.2	Y	
66/F	184.9	70	54.0	59.2	71.8	72.1	Y	
67/F	187.7	70	54.1	59.2	71.8	72.1	Y	
68/F	190.5	70	54.1	59.2	71.7	72.1	Y	
69/F	193.3	70	54.2	59.2	71.7	72.0	Y	
70/F	196.1	70	54.2	59.2	71.6	72.0	Y	
LCS	1/F	8.2	65	32.8	50.0	83.3	83.3	Y
	2/F	11.2	65	33.1	50.0	82.7	82.7	Y
	3/F	14.2	65	33.3	50.0	82.1	82.1	Y
	4/F	17.2	65	33.6	50.0	81.5	81.5	Y
	5/F	20.2	65	33.9	50.0	80.9	80.9	Y

Note: **Bold** figures with shaded boxes denote exceedance of relevant noise criteria
(*) Reference made to the criteria for educational institution