

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria, dB(A)	Predicted Noise Level (PNL), dB(A)	Exceedance PNL > Criteria (Y/N)
P3a	3/F	19.4	70	52.9	N
	4/F	22.4	70	57.4	N
	5/F	25.4	70	61.1	N
	6/F	28.4	70	62.3	N
	7/F	31.4	70	62.5	N
	8/F	34.4	70	62.5	N
P3b	3/F	19.4	70	64.1	N
	4/F	22.4	70	70.8	Y
	5/F	25.4	70	71.2	Y
	6/F	28.4	70	71.1	Y
	7/F	31.4	70	71.1	Y
	8/F	34.4	70	71.0	Y
P5	6/F	32.8	70	74.2	Y
	7/F	35.8	70	74.0	Y
	8/F	38.8	70	73.7	Y
	9/F	41.8	70	73.4	Y
	10/F	44.8	70	73.2	Y
	11/F	47.8	70	73.0	Y
	12/F	50.8	70	72.8	Y
	13/F	53.8	70	72.6	Y
P9	6/F	32.8	70	74.2	Y
	7/F	35.8	70	73.9	Y
	8/F	38.8	70	73.7	Y
	9/F	41.8	70	73.4	Y
	10/F	44.8	70	73.2	Y
	11/F	47.8	70	73.0	Y
	12/F	50.8	70	72.8	Y
	13/F	53.8	70	72.6	Y
P16	5/F	32.6	70	73.1	Y
	6/F	35.6	70	72.8	Y
	7/F	38.6	70	72.6	Y
	8/F	41.6	70	72.4	Y
	9/F	44.6	70	72.2	Y
	10/F	47.6	70	72.0	Y
	11/F	50.6	70	71.8	Y
	12/F	53.6	70	71.6	Y
P17	5/F	32.6	70	73.1	Y
	6/F	35.6	70	72.8	Y
	7/F	38.6	70	72.6	Y
	8/F	41.6	70	72.4	Y
	9/F	44.6	70	72.2	Y
	10/F	47.6	70	72.0	Y
	11/F	50.6	70	71.8	Y
	12/F	53.6	70	71.6	Y
P19	6/F	32.8	70	72.4	Y
	7/F	35.8	70	72.3	Y
	8/F	38.8	70	72.2	Y
	9/F	41.8	70	72.0	Y
	10/F	44.8	70	71.9	Y
	11/F	47.8	70	71.7	Y
	12/F	50.8	70	71.6	Y
	13/F	53.8	70	71.5	Y
P22	6/F	32.8	70	72.4	Y
	7/F	35.8	70	72.3	Y
	8/F	38.8	70	72.2	Y
	9/F	41.8	70	72.0	Y
	10/F	44.8	70	71.9	Y
	11/F	47.8	70	71.7	Y
	12/F	50.8	70	71.6	Y
	13/F	53.8	70	71.5	Y
P24	5/F	29.1	70	72.6	Y
	6/F	32.1	70	72.5	Y
	7/F	35.1	70	72.3	Y
	8/F	38.1	70	72.2	Y
	9/F	41.1	70	72.1	Y
	10/F	44.1	70	71.9	Y
	11/F	47.1	70	71.8	Y
	12/F	50.1	70	71.7	Y
P24	6/F	32.8	70	72.5	Y
	7/F	35.8	70	72.4	Y
	8/F	38.8	70	72.2	Y
	9/F	41.8	70	72.1	Y
	10/F	44.8	70	72.0	Y
	11/F	47.8	70	71.8	Y
	12/F	50.8	70	71.7	Y

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria, dB(A)	Predicted Noise Level (PNL), dB(A)	Exceedance PNL > Criteria (Y/N)
P24	13/F	53.8	70	71.6	Y
	14/F	56.8	70	71.5	Y
	15/F	59.8	70	71.4	Y
	16/F	62.8	70	71.2	Y
P27	8/F	41.8	70	72.2	Y
	9/F	44.8	70	72.1	Y
	10/F	47.8	70	71.9	Y
	11/F	50.8	70	71.8	Y
	12/F	53.8	70	71.7	Y
	13/F	56.8	70	71.6	Y
	14/F	59.8	70	71.6	Y
	15/F	62.8	70	71.5	Y
P28	8/F	40.3	70	72.4	Y
	9/F	43.3	70	72.3	Y
	10/F	46.3	70	72.2	Y
	11/F	49.3	70	72.2	Y
	12/F	52.3	70	72.2	Y
	13/F	55.3	70	72.1	Y
	14/F	58.3	70	72.1	Y
	15/F	61.3	70	72.0	Y
	16/F	64.3	70	72.0	Y
	17/F	67.3	70	71.9	Y
	18/F	70.3	70	71.8	Y
	19/F	73.3	70	71.8	Y
P29	7/F	36.6	70	72.4	Y
	8/F	39.6	70	72.3	Y
	9/F	42.6	70	72.2	Y
	10/F	45.6	70	72.2	Y
	11/F	48.6	70	72.1	Y
	12/F	51.6	70	72.0	Y
	13/F	54.6	70	71.9	Y
	14/F	57.6	70	71.8	Y
	15/F	60.6	70	71.7	Y
	16/F	63.6	70	71.7	Y
	17/F	66.6	70	71.6	Y
	18/F	69.6	70	71.6	Y
P50	7/F	36.6	70	72.4	Y
	8/F	39.6	70	72.3	Y
	9/F	42.6	70	72.2	Y
	10/F	45.6	70	72.2	Y
	11/F	48.6	70	72.1	Y
	12/F	51.6	70	72.0	Y
	13/F	54.6	70	71.9	Y
	14/F	57.6	70	71.8	Y
	15/F	60.6	70	71.7	Y
	16/F	63.6	70	71.7	Y
	17/F	66.6	70	71.6	Y
	18/F	69.6	70	71.6	Y
HT3	7/F	39.7	70	70.1	N
	8/F	42.5	70	70.8	Y
	9/F	45.3	70	71.1	Y
	10/F	48.1	70	71.3	Y
	11/F	50.9	70	71.3	Y
	12/F	53.7	70	71.4	Y
	13/F	56.5	70	71.4	Y
	14/F	59.3	70	71.4	Y
	15/F	62.1	70	71.4	Y
	16/F	64.9	70	71.4	Y
	17/F	67.7	70	71.3	Y
	18/F	70.5	70	71.3	Y
19/F	73.3	70	71.3	Y	
20/F	76.1	70	71.3	Y	
21/F	78.9	70	71.2	Y	
22/F	81.7	70	71.2	Y	
23/F	84.5	70	71.1	Y	
24/F	87.3	70	71.1	Y	
25/F	90.1	70	71.0	Y	
26/F	92.9	70	70.9	Y	
27/F	95.7	70	70.9	Y	
28/F	98.5	70	70.8	Y	
29/F	101.3	70	70.7	Y	
30/F	104.1	70	70.7	Y	
31/F	106.9	70	70.6	Y	
32/F	109.7	70	70.6	Y	
33/F	112.5	70	70.6	Y	
34/F	115.3	70	70.5	Y	
35/F	118.1	70	70.5	Y	
36/F	120.9	70	70.4	N	
37/F	123.7	70	70.4	N	
38/F	126.5	70	70.3	N	
39/F	129.3	70	70.3	N	
40/F	132.1	70	70.2	N	
41/F	134.9	70	70.2	N	
42/F	137.7	70	70.1	N	
43/F	140.5	70	70.1	N	

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria, dB(A)	Predicted Noise Level (PNL), dB(A)	Exceedance PNL > Criteria (Y/N)
HT3	48/F	143.3	70	70.0	N
	49/F	146.1	70	70.0	N
	50/F	148.9	70	69.9	N
	51/F	151.7	70	69.9	N
	52/F	154.5	70	69.8	N
	55/F	160.1	70	69.7	N
	56/F	162.9	70	69.7	N
	57/F	165.7	70	69.7	N
	58/F	168.5	70	69.6	N
	59/F	171.3	70	69.6	N
	60/F	174.1	70	69.5	N
	61/F	176.9	70	69.5	N
	62/F	179.7	70	69.5	N
	63/F	182.5	70	69.4	N
	65/F	185.3	70	69.4	N
	66/F	188.1	70	69.3	N
	67/F	190.9	70	69.3	N
	68/F	193.7	70	69.3	N
	69/F	196.5	70	69.2	N
	70/F	199.3	70	69.2	N
71/F	202.1	70	69.1	N	
72/F	204.9	70	69.1	N	
73/F	207.7	70	69.1	N	
75/F	210.5	70	69.0	N	
76/F	213.3	70	69.0	N	
77/F	216.1	70	69.0	N	
78/F	218.9	70	68.9	N	
79/F	221.7	70	68.9	N	
80/F	224.5	70	68.8	N	
HT1	7/F	39.7	70	73.3	Y
	8/F	42.5	70	73.1	Y
	9/F	45.3	70	72.9	Y
	10/F	48.1	70	72.7	Y
	11/F	50.9	70	72.5	Y
	12/F	53.7	70	72.3	Y
	13/F	56.5	70	72.1	Y
	15/F	59.3	70	72.0	Y
	16/F	62.1	70	71.8	Y
	17/F	64.9	70	71.7	Y
	18/F	67.7	70	71.6	Y
	19/F	70.5	70	71.5	Y
	20/F	73.3	70	71.4	Y
	21/F	76.1	70	71.3	Y
	22/F	78.9	70	71.2	Y
	23/F	81.7	70	71.1	Y
	25/F	84.5	70	71.0	Y
	27/F	90.1	70	70.8	Y
	28/F	92.9	70	70.7	Y
	29/F	95.7	70	70.7	Y
	30/F	98.5	70	70.6	Y
	31/F	101.3	70	70.5	Y
	32/F	104.1	70	70.4	N
	33/F	106.9	70	70.4	N
	35/F	109.7	70	70.3	N
	36/F	112.5	70	70.2	N
	37/F	115.3	70	70.1	N
	38/F	118.1	70	70.1	N
	39/F	120.9	70	70.0	N
	40/F	123.7	70	69.9	N
	41/F	126.5	70	69.9	N
	42/F	129.3	70	69.8	N
	43/F	132.1	70	69.7	N
	45/F	134.9	70	69.7	N
	46/F	137.7	70	69.6	N
47/F	140.5	70	69.6	N	
48/F	143.3	70	69.5	N	
49/F	146.1	70	69.5	N	
50/F	148.9	70	69.5	N	
51/F	151.7	70	69.5	N	
52/F	154.5	70	69.4	N	
55/F	160.1	70	69.4	N	
56/F	162.9	70	69.3	N	
57/F	165.7	70	69.3	N	
58/F	168.5	70	69.2	N	
59/F	171.3	70	69.2	N	
60/F	174.1	70	69.2	N	
61/F	176.9	70	69.1	N	
62/F	179.7	70	69.1	N	
63/F	182.5	70	69.1	N	
65/F	185.3	70	69.0	N	

NSR ID.	Floor	Floor Level (mPD)	Noise Criteria, dB(A)	Predicted Noise Level (PNL), dB(A)	Exceedance PNL > Criteria (Y/N)
HT1	66/F	188.1	70	69.0	N
	67/F	190.9	70	68.9	N
	68/F	193.7	70	68.9	N
	69/F	196.5	70	68.8	N
	70/F	199.3	70	68.8	N
	71/F	202.1	70	68.8	N
	72/F	204.9	70	68.7	N
	73/F	207.7	70	68.7	N
	75/F	210.5	70	68.7	N
	76/F	213.3	70	68.6	N
	77/F	216.1	70	68.6	N
	78/F	218.9	70	68.5	N
79/F	221.7	70	68.5	N	
80/F	224.5	70	68.5	N	
VT1	10/F	47.7	70	77.3	Y
	11/F	50.5	70	77.0	Y
	12/F	53.3	70	76.8	Y
	15/F	56.1	70	76.6	Y
	16/F	58.9	70	76.4	Y
	17/F	61.7	70	76.2	Y
	18/F	64.5	70	76.0	Y
	19/F	67.3	70	75.8	Y
	20/F	70.1	70	75.6	Y
	21/F	72.9	70	75.5	Y
	22/F	75.7	70	75.3	Y
	23/F	78.5	70	75.2	Y
	25/F	81.3	70	75.0	Y
	26/F	84.1	70	74.9	Y
	27/F	86.9	70	74.7	Y
	28/F	89.7	70	74.6	Y
	30/F	95.3	70	74.4	Y
	31/F	98.1	70	74.3	Y
	32/F	100.9	70	74.2	Y
	33/F	103.7	70	74.0	Y
	35/F	106.5	70	73.9	Y
	36/F	109.3	70	73.8	Y
	37/F	112.1	70	73.7	Y
	38/F	114.9	70	73.7	Y
	39/F	117.7	70	73.6	Y
	40/F	120.5	70	73.5	Y
	41/F	123.3	70	73.4	Y
	42/F	126.1	70	73.3	Y
	43/F	128.9	70	73.2	Y
	45/F	131.7	70	73.1	Y
	46/F	134.5	70	73.0	Y
	47/F	137.3	70	72.9	Y
48/F	140.1	70	72.9	Y	
49/F	142.9	70	72.8	Y	
50/F	145.7	70	72.7	Y	
51/F	148.5	70	72.6	Y	
52/F	151.3	70	72.5	Y	
53/F	154.1	70	72.5	Y	
55/F	156.9	70	72.4	Y	
57/F	162.5	70	72.3	Y	
58/F	165.3	70	72.2	Y	
59/F	168.1	70	72.1	Y	
60/F	170.9	70	72.1	Y	
61/F	173.7	70	72.0	Y	
62/F	176.5	70	72.0	Y	
63/F	179.3	70	71.9	Y	
65/F	182.1	70	71.8	Y	
66/F	184.9	70	71.7	Y	
67/F	187.7	70	71.7	Y	
68/F	190.5	70	71.7	Y	
69/F	193.3	70	71.6	Y	
70/F	196.1	70	71.6	Y	
LCS	1/F	8.2	65	83.0	Y
	2/F	11.2	65	82.4	Y
	3/F	14.2	65	81.8	Y
	4/F	17.2	65	81.2	Y
	5/F	20.2	65	80.7	Y

Note: **Bold** figures with shaded boxes denote exceedance of relevant noise criteria
(*) Reference made to the criteria for educational institution