

MANHOLE SCHEDULE FOR PROPOSED SEWERAGE SYSTEM

Upstream Manhole From	Downstream Manhole To	Length(m)	Pipe Size(mm)	Upstream Ground Level (mPD)	Downstream Ground Level (mPD)	Upstream Invert Level (mPD)	Downstream Invert Level (mPD)	Gradient 1 in
F1.1	F1.2	40	450	5.6	6.0	4.16	4.00	250
F1.2	F1.3	40	450	6.0	7.3	4.00	3.84	250
F1.3	F1.4	35	450	7.3	7.3	3.84	3.70	250
F1.4	FMH4028437	15	450	7.3	7.3	1.50	1.35	100
F1.5	F1.6	40	300	7.3	7.3	4.70	4.43	150
F1.6	F1.10	40	300	7.3	7.3	4.43	4.17	150
F1.7	F1.8	40	300	7.3	7.3	4.55	4.15	100
F1.8	F1.9	40	450	7.3	7.3	4.15	3.88	150
F1.9	F1.10	40	450	7.3	7.3	3.88	3.62	150
F1.10	FMH4028454	10	450	7.3	7.3	0.74	0.67	150
F2.1	F2.2	40	225	6	6	3.75	3.75	100
F2.2	F2.3	40	225	6	6	3.75	3.75	100
F2.3	F2.4	40	225	6	6	3.75	3.75	100
F2.4	F2.5	40	225	6	6	3.75	3.75	100
F2.5	F2.6	15	225	6	6	3.75	1.95	75
F2.14	F2.13	40	225	5	5	3.87	3.87	100
F2.13	F2.12	40	225	5	5	3.87	3.87	100
F2.12	F2.11	40	225	5	6	3.87	3.87	100
F2.11	F2.10	40	225	6	6	3.87	3.87	100
F2.10	F2.6	20	225	6	6	3.87	1.95	62
F2.6	F2.7	40	300	6	7	1.95	1.95	100
F2.7	F2.8	40	300	7	7	1.95	1.95	100
F2.8	F2.9	15	300	7	7	1.95	1.95	100
F2.15	F2.9	15	225	6	7	3.00	3.00	100
F3.1	FMH4002142	20	225	4.8	4.8	3.80	3.40	50

NOTE:
1. THE DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING NO. FIGURE 6.8 - 6.18.

P1	FEB 12	LUN	FIRST ISSUE	OW	SHC
Rev	Date	Drawn	Description	Ch'kd	App'd

Client
WEST KOWLOON CULTURAL DISTRICT AUTHORITY



20/F Two Landmark East
100 How Ming Street
Kwun Tong, Kowloon
Hong Kong
T +852 2828 6767
F +852 2827 1823
www.mottmac.com.hk



Project
PROJECT CONSULTANCY STUDY FOR WEST KOWLOON CULTURAL DISTRICT DEVELOPMENT PLAN

Title
PROPOSED SEWERAGE SYSTEM MANHOLE SCHEDULE

Designed	CL	Eng check	KL
Drawn	LUN	Coordination	EC
Dwg check	CL	Approved	SB
Scale at A1	-	Status	Rev
		PRE	P1

Drawing Number
FIGURE 6.19