

## **Appendix 7.1**

---

### **Tree Survey Schedule**

### Tree Assessment Schedule

Project : CE65/2009 (HY) Proposed Road Improvement Works in  
West Kowloon Reclamation - Feasibility Study  
Prepared by Xylem Leung on 27 Aug. 2012  
field survey was conducted Updated on 2 Jul. to 7 Aug. 2012

Tree ID number	Drawing No.	Tree Species (in botanical name)	Chinese Name	Tree maintenance department	Tree Size			Form (Good / Fair / Poor)	Health Condition (Good / Fair / Poor)	Amenity Value (High / Med / Low)	Anticipated survival rate after transplanting (High / Med / Low)	Top of soil level above root collar	Proposed treatment in initial / approved# application (Retain / Transplant / Fell)	in this revision, if applicable (Retain / Transplant / Fell)	Justification (see Notes)	Remarks
					Trunk Diameter DBH (mm)	Overall Height (m)	Average Crown Spread (m)									
T1	PBA-CE44-K-CV-0163	<i>Livistona chinensis</i>	蒲葵	LCSD	140	3	1	Poor	Fair	Low	Medium		Retain			Imbalanced form (severe)
T2	PBA-CE44-K-CV-0163	<i>Livistona chinensis</i>	蒲葵	LCSD	150	3	1	Poor	Fair	Low	Medium		Retain			Imbalanced form (moderate)
T3	PBA-CE44-K-CV-0163	<i>Livistona chinensis</i>	蒲葵	LCSD	150	3	1	Poor	Fair	Low	Medium		Retain			Imbalanced form (moderate)
T4	PBA-CE44-K-CV-0163	<i>Livistona chinensis</i>	蒲葵	LCSD	160	3	1	Poor	Fair	Low	Medium		Fell		a,c,f	Imbalanced form (moderate)
T5	PBA-CE44-K-CV-0163	<i>Livistona chinensis</i>	蒲葵	LCSD	160	3	1	Poor	Fair	Low	Medium		Fell		a,c,f	Imbalanced form (moderate)
T6	PBA-CE44-K-CV-0163	<i>Livistona chinensis</i>	蒲葵	LCSD	150	3	1	Poor	Fair	Low	Medium		Fell		a,c,f	Imbalanced form (moderate)
T7	PBA-CE44-K-CV-0163	<i>Livistona chinensis</i>	蒲葵	LCSD	150	3	1	Poor	Fair	Low	Medium		Fell		a,c,f	Imbalanced form (moderate)
T8	PBA-CE44-K-CV-0163	<i>Livistona chinensis</i>	蒲葵	LCSD	150	3	1	Poor	Fair	Low	Medium		Fell		a,c,f	Leaning, Imbalanced form (moderate)
T9	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	280	8	4	Fair	Good	Medium	Medium		Transplant		a	-
T10	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	220	5	3	Poor	Fair	Low	Medium		Fell		a,c,f	Pencling
T11	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	250	6	3	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Sparse crown (moderate), Pencling
T12	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	250	6	4	Fair	Good	Medium	Medium		Transplant		a	-
T13	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	250	6	4	Fair	Fair	Medium	Medium		Transplant		a	Sparse crown (slight)
T14	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	250	6	3	Fair	Good	Medium	Medium		Transplant		a	-
T15	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	240	4	3	Fair	Fair	Medium	Medium		Transplant		a	Sparse crown (slight)
T16	PBA-CE44-K-CV-0163	<i>Archontophoenix alexandrae</i>	假桫欏	LCSD	170	5	3	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Sparse crown (moderate), Pencling
T17	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	280	7	3	Fair	Good	Medium	Medium		Transplant		a	-
T18	PBA-CE44-K-CV-0163	<i>Archontophoenix alexandrae</i>	假桫欏	LCSD	100	4	1	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Sparse crown (moderate), Pencling, Hourglass
T19	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	290	8	3	Fair	Good	Medium	Medium		Transplant		a	Imbalanced crown (slight)
T20	PBA-CE44-K-CV-0163	<i>Archontophoenix alexandrae</i>	假桫欏	LCSD	160	6	3	Fair	Fair	Medium	Medium		Transplant		a	Imbalanced crown (slight)
T21	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	300	6	4	Fair	Fair	Medium	Medium		Transplant		a	Imbalanced crown (slight)
T22	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	300	6	4	Fair	Fair	Medium	Medium		Transplant		a	Imbalanced crown (slight)
T23	PBA-CE44-K-CV-0163	<i>Roystonea regia</i>	王棕	LCSD	280	6	4	Fair	Fair	Medium	Medium		Transplant		a	Imbalanced crown (slight)
T24	PBA-CE44-K-CV-0163	<i>Archontophoenix alexandrae</i>	假桫欏	LCSD	150	6	3	Fair	Good	Medium	Medium		Transplant		a	-
T25	PBA-CE44-K-CV-0163	<i>Archontophoenix alexandrae</i>	假桫欏	LCSD	130	5	2	Fair	Fair	Medium	Medium		Transplant		a	-
T26	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	4	4	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (moderate)
T27	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	180	5	5	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (moderate)
T28	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	4	2	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (severe)
T29	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	130	5	3	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (severe)
T30	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	180	4	4	Poor	Fair	Low	High		Fell		a,c,f	Leaning, Imbalanced form (moderate)
T31	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	170	5	3	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (severe)
T32	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	160	5	2	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (severe)
T33	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	190	5	4	Poor	Fair	Low	High		Fell		a,c,f	Bent trunk, Imbalanced crown (moderate)
T34	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	5	3	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (severe)
T35	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	130	4	3	Poor	Fair	Low	High		Fell		a,c,f	Leaning, Imbalanced crown (slight)
T36	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	4	4	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (severe)
T37	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	150	5	4	Poor	Fair	Low	High		Fell		a,c,f	Leaning, Imbalanced form (moderate)
T38	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	160	6	3	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (severe)
T39	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	170	4	3	Poor	Fair	Low	High		Fell		a,c,f	Broken leader, Imbalanced crown
T40	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	5	3	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (moderate)
T41	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	130	5	2	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (severe)
T42	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	5	2	Poor	Fair	Low	High		Retain			Imbalanced crown (severe)
T43	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	130	5	3	Poor	Fair	Low	High		Retain			Imbalanced crown (severe)
T44	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	5	2	Poor	Fair	Low	High		Fell		a,c,f	Imbalanced crown (severe)
T45	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	160	4	3	Poor	Fair	Low	High		Retain			Imbalanced crown (severe)
T46	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	150	6	3	Poor	Fair	Low	High		Retain			Imbalanced crown (severe), Crooked
T47	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	160	4	3	Poor	Fair	Low	High		Retain			Broken leader, Imbalanced crown (moderate)
T48	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	170	4	4	Poor	Fair	Low	High		Retain			Leaning, Imbalanced form (moderate), Epicormics
T49	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	150	5	3	Poor	Fair	Low	High		Retain			Imbalanced crown (moderate)
T50	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	4	2	Poor	Fair	Low	High		Retain			Imbalanced crown (severe)
T51	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	150	5	3	Poor	Fair	Low	High		Retain			Imbalanced crown (severe), Crooked
T52	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	150	4	3	Poor	Fair	Low	High		Retain			Imbalanced crown (severe)
T53	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	130	4	2	Fair	Fair	Medium	High		Retain			Imbalanced crown (slight)
T54	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	4	3	Poor	Fair	Low	High		Retain			Imbalanced crown (severe), Crooked
T55	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	150	4	3	Fair	Fair	Medium	High		Retain			Imbalanced crown (slight)
T56	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	3	3	Poor	Fair	Low	High		Retain			Leaning, Broken leader, Imbalanced crown (severe), Epicormics
T57	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	150	5	3	Poor	Fair	Low	High		Retain			Imbalanced crown (severe)
T58	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	140	4	2	Poor	Fair	Low	High		Retain			Imbalanced crown (severe)
T59	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	130	3	3	Fair	Fair	Medium	High		Retain			Imbalanced crown (slight)
T60	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	150	5	3	Fair	Fair	Medium	High		Retain			Imbalanced crown (slight)
T61	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	110	3	3	Poor	Fair	Low	High		Retain			Imbalanced crown (moderate),
T62	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	130	4	3	Poor	Fair	Low	High		Fell		a,c,f	Leaning, Imbalanced crown (slight), Epicormics
T63	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	150	4	4	Poor	Fair	Low	High		Fell		a,c,f	Leaning, Imbalanced crown (slight), Epicormics
T64	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	160	4	4	Poor	Fair	Low	High		Fell		a,c,f	Leaning, Imbalanced crown (slight), Epicormics
T65	PBA-CE44-K-CV-0163	<i>Bauhinia blakenana</i>	洋紫荊	LCSD	160	4	4	Poor	Fair	Low	High		Retain			Leaning, Imbalanced crown (slight), Epicormics
T66	PBA-CE44-K-CV-0163	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	150	7	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Imbalanced crown (severe), Grown near u-channel
T67	PBA-CE44-K-CV-0163	<i>Syzygium cumini</i>	海南蒲桃	LCSD	160	6	3	Poor	Fair	Low	Medium		Fell		a,c,f	Imbalanced crown (severe), Epicormics, Grown near u-channel
T68	PBA-CE44-K-CV-0163	<i>Syzygium cumini</i>	海南蒲桃	Hyd	150	5	3	Poor	Fair	Low	Medium		Fell		a,c,f	Imbalanced crown (severe), Epicormics
T69	PBA-CE44-K-CV-0163	<i>Ficus microcarpa</i>	細葉榕	LCSD	100	2	4	Poor	Fair	Low	High		Fell		a,c,f	Bent trunk, Imbalanced crown (severe)
T70	PBA-CE44-K-CV-0163	<i>Ficus microcarpa</i>	細葉榕	Hyd	190	6	3	Poor	Fair	Low	High		Fell		a,c,f	Leaning, Imbalanced crown (slight)
WKI 1	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	167	4	2	Poor	Poor	Low	Low		Retain			4 trunks, Sparse crown, Dieback
WKI 2	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	141	4	2	Poor	Poor	Low	Low		Retain			2 trunks, Sparse crown, Dieback
WKI 3	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	199	5	2	Poor	Poor	Low	Low		Retain			5 trunks, Sparse crown, Dieback
WKI 4	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	156	5	1.5	Poor	Poor	Low	Low		Fell		a,b,c,e,f	2 trunks, Sparse crown, Dieback
WKI 5	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	135	4	2	Poor	Poor	Low	Low		Fell		a,b,c,e,f	2 trunks, Sparse crown, Dieback
WKI 6	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	190	5	2	Poor	Poor	Low	Low		Fell		a,b,c,e,f	6 trunks, Sparse crown, Dieback
WKI 7	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	130	3	3	Poor	Fair	Low	Medium		Fell		a,c,f	Leaning
WKI 9	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	110	5	2	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Sparse crown, Dieback
WKI 10	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	158	4	2	Poor	Poor	Low	Low		Fell		a,b,c,e,f	3 trunks, Sparse crown, Dieback
WKI 16	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	209	6	2	Fair	Fair	Medium	Medium		Retain			3 trunks
WKI 17	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	179	6	3	Fair	Fair	Medium	Medium		Retain			3 trunks
WKI 22	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	187	6	2	Poor	Poor	Low	Low		Retain			4 trunks, Sparse crown, Dieback
WKI 24	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	190	6	3	Fair	Fair	Medium	Medium		Retain			4 trunks
WKI 26	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	135	5	2	Poor	Poor	Low	Low		Retain			2 trunks, Sparse crown, Dieback, Vined
WKI 29	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	156	5	2	Poor	Poor	Low	Low		Retain			2 trunks, Sparse crown, Dieback
WKI 32	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	110	4	1	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Sparse crown, Dieback
WKI 33	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	120	4	2	Poor	Poor	Low	Low		Fell		a,b,c,e,f	

Tree ID number	Drawing No.	Tree Species (in botanical name)	Chinese Name	Tree maintenance department	Tree Size			Form (Good / Fair / Poor)	Health Condition (Good / Fair / Poor)	Amenity Value (High / Med / Low)	Anticipated survival rate after transplanting (High / Med / Low)	Top of soil level above root collar	Proposed treatment		Justification (see Notes)	Remarks
					Trunk Diameter DBH (mm)	Overall Height (m)	Average Crown Spread (m)						in initial / approved# application (Retain / Transplant / Fell)	in this revision, if applicable (Retain / Transplant / Fell)		
WKI 37	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	149	5	2	Poor	Poor	Low	Low		Fell		a,b,c,e,f	2 trunks, Sparse crown, Dieback
WKI 85	PBA-CE44-K-CV-0164	<i>Caryota mitis</i>	短穗魚尾葵	LCSD	127	4	2	Fair	Fair	Medium	Low		Retain			2 trunks, Grown near road
WKI 68	PBA-CE44-K-CV-0164	<i>Acacia confusa</i>	台灣相思	LCSD	110	6	4	Poor	Fair	Low	Low		Retain			Inbalanced form (moderate), Grown near road
WKI 69	PBA-CE44-K-CV-0163	<i>Celtis sinensis</i>	朴樹	LCSD	220	7	6	Poor	Fair	Low	Low		Retain			Inbalanced form (moderate), Grown near road
WKI 70	PBA-CE44-K-CV-0163	<i>Acacia confusa</i>	台灣相思	LCSD	140	8	6	Poor	Fair	Low	Low		Retain			Inbalanced form (moderate), Root-plate fused with other trees, Grown near road
WKI 71	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	222	8	6	Poor	Fair	Low	Low		Retain			2 trunks, Forked, Inbalanced form (moderate), Root-plate fused with other trees, Grown near road
WKI 72	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	140	8	3	Poor	Fair	Low	Low		Retain			Inbalanced form (severe), Root-plate fused with other trees, Grown near road, Dead wood was found at the
WKI 74	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	220	8	4	Poor	Fair	Low	Low		Retain			Leaning, Inbalanced form (severe), Root-plate fused with other trees, Grown near road, Dead wood was found at the lower trunk
WKI 75	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	100	5	2	Fair	Fair	Medium	Low		Retain			Leaning, Inbalanced form (slight), Root-plate fused with other trees
WKI 76	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	280	9	4	Fair	Fair	Medium	Low		Retain			Inbalanced form (slight), Root-plate fused with other trees, Grown near road
WKI 77	PBA-CE44-K-CV-0162	<i>Ficus microcarpa</i>	細葉榕	LCSD	177	6	4	Poor	Fair	Low	Low		Retain			2 trunks, Inbalanced form (moderate), Co-dominant, Root-plate fused with other trees, Grown near road
WKI 78	PBA-CE44-K-CV-0162	<i>Ficus microcarpa</i>	細葉榕	LCSD	198	7	5	Poor	Fair	Low	Low		Retain			2 trunks, Inbalanced form (moderate), Co-dominant, Root-plate fused with other trees, Grown near road
WKI 79	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	156	6	6	Poor	Fair	Low	Low		Retain			2 trunks, Forked, Inbalanced form (moderate), Co-dominant
WKI 80	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	144	8	4	Poor	Fair	Low	Low		Retain			2 trunks, Leaning, Inbalanced form
WKI 81	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	170	8	4	Poor	Fair	Low	Low		Retain			2 trunks, Forked, Inbalanced form (moderate), Root-plate fused with other trees
WKI 82	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	120	7	4	Poor	Fair	Low	Low		Retain			Leaning, Bent-trunk, Inbalanced form (severe), Root-plate fused with other trees
WKI 83	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	198	7	5	Poor	Fair	Low	Low		Retain			2 trunks, Leaning, Forked, Inbalanced form (moderate), Root-plate fused with other trees
WKI 84	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	260	8	4	Poor	Fair	Low	Low		Retain			Inbalanced form (moderate), Root-plate fused with other trees
WKI 85	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	220	9	5	Poor	Fair	Low	Low		Retain			Inbalanced form (moderate), Root-plate fused with other trees
WKI 86	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	230	8	3	Poor	Fair	Low	Low		Retain			Leaning, Inbalanced form (moderate), Root-plate fused with other trees
WKI 87	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	240	9	5	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate), Grown near u-channel
WKI 88	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	140	6	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate), Root-plate fused with other trees, Grown near u-channel
WKI 89	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	160	8	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate), Root-plate fused with other trees, Grown near u-channel
WKI 90	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	140	4	3	Poor	Fair	Low	Low		Retain			Bent-trunk, Inbalanced form (severe), Root-plate fused with other trees, Grown near u-channel
WKI 91	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	184	6	6	Poor	Poor	Low	Low		Fell		a,b,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Sparse crown, Root-plate fused with other trees
WKI 93	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	170	5	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate), Root-plate fused with other trees
WKI 94	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	160	6	4	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Inbalanced form (slight), Sparse crown
WKI 95	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	150	6	4	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Inbalanced form (moderate), Sparse crown
WKI 97	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	168	8	6	Poor	Poor	Low	Low		Fell		a,b,c,e,f	3 trunks, Inbalanced form (moderate), Sparse crown, Co-dominant
WKI 98	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	100	4	3	Poor	Fair	Low	Low		Retain			Leaning, Inbalanced form (moderate)
WKI 99	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	333	9	8	Poor	Fair	Low	Low		Retain			2 trunks, Leaning, Forked, Inbalanced form (moderate), Co-dominant
WKI 100	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	156	7	6	Poor	Fair	Low	Low		Retain			2 trunks, Leaning, Forked, Inbalanced form (severe), Co-dominant
WKI 102	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	110	6	5	Poor	Fair	Low	Low		Retain			Leaning, Bent-trunk, Inbalanced form (severe), Epicormics, Root-plate fused with other trees
WKI 103	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	170	7	5	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Inbalanced form (moderate), Co-dominant
WKI 104	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	140	7	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Bent-trunk, Inbalanced form (severe), Root-plate fused with other trees
WKI 105	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	120	5	5	Poor	Fair	Low	Low		Fell		a,c,e,f	Bent-trunk, Inbalanced form (severe), Root-plate fused with other trees
WKI 106	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	130	4	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Bent-trunk, Inbalanced form (severe), Vined, Root-plate fused with other trees
WKI 107	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	170	7	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe), Epicormics
WKI 109	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	200	9	4	Poor	Fair	Low	Low		Retain			Inbalanced form (moderate), Root-plate fused with other trees
WKI 110	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	197	9	5	Poor	Fair	Low	Low		Retain			2 trunks, Forked, Imbalanced form (moderate), Co-dominant, Root-plate fused with other trees
WKI 111	PBA-CE44-K-CV-0162	<i>Litsea glutinosa</i>	潺槁	LCSD	110	5	5	Fair	Fair	Medium	Low		Fell		a,e,f	Inbalanced form (slight)
WKI 112	PBA-CE44-K-CV-0162	<i>Ficus microcarpa</i>	細葉榕	LCSD	186	5	5	Poor	Poor	Low	Low		Retain			2 trunks, Inbalanced form (slight), Sparse crown, Co-dominant
WKI 113	PBA-CE44-K-CV-0162	<i>Celtis sinensis</i>	朴樹	LCSD	140	6	5	Poor	Fair	Low	Medium		Fell		a,f	Leaning
WKI 114	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	156	5	2	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Bent-trunk, Inbalanced form (severe), Co-dominant
WKI 116	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	151	7	7	Poor	Fair	Low	Low		Retain			3 trunks, Inbalanced form (moderate)
WKI 117	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	120	6	3	Poor	Fair	Low	Low		Retain			Leaning, Inbalanced form (severe)
WKI 118	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	190	8	5	Fair	Fair	Medium	Low		Retain			Inbalanced form (slight)
WKI 119	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	130	4	4	Poor	Fair	Low	Low		Retain			Leaning, Inbalanced form (severe)
WKI 121	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	110	5	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe), Root-plate fused with other trees
WKI 122	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	230	8	8	Fair	Fair	Medium	Low		Fell		a,c,e,f	3 trunks, Forked, Inbalanced form
WKI 123	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	139	7	3	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Leaning, Inbalanced form
WKI 124	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	190	8	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (moderate)
WKI 125	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	140	4	2	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Leaning, Bent-trunk, Sparse crown
WKI 126	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	243	8	4	Poor	Fair	Low	Low		Fell		a,c,e,f	3 trunks, Inbalanced form (moderate)
WKI 127	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	110	7	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate)
WKI 128	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	130	4	5	Poor	Fair	Low	Low		Fell		a,c,e,f	Bent-trunk, Inbalanced form (severe)
WKI 129	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	180	7	3	Fair	Fair	Medium	Low		Fell		a,e,f	Inbalanced form (slight)
WKI 132	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	333	8	4	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Leaning, Bent-trunk, Inbalanced form (moderate)
WKI 133	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	120	5	3	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Bent-trunk, Inbalanced form (moderate), Sparse crown, Root-plate fused with other trees
WKI 134	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	366	9	7	Poor	Fair	Low	Low		Fell		a,c,e,f	5 trunks, Bent-trunks, Inbalanced form (slight), Root-plate fused with other trees
WKI 135	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	130	5	5	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Leaning, Bent-trunk, Inbalanced form (severe)
WKI 136	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	166	7	4	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Leaning, Bent-trunk, Inbalanced form (moderate)
WKI 137	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	180	8	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate), Root-plate fused with other trees
WKI 138	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	225	8	2	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Inbalanced form (moderate), Root-plate fused with other trees
WKI 139	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	200	8	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate), Root-plate fused with other trees
WKI 140	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	180	7	4	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Bent-trunk, Inbalanced form (severe), Sparse crown, Root-plate fused with other trees
WKI 141	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	210	5	5	Poor	Fair	Low	Low		Retain			Leaning, Inbalanced form (moderate)

Tree ID number	Drawing No.	Tree Species (in botanical name)	Chinese Name	Tree maintenance department	Tree Size			Form (Good / Fair / Poor)	Health Condition (Good / Fair / Poor)	Amenity Value (High / Med / Low)	Anticipated survival rate after transplanting (High / Med / Low)	Top of soil level above root collar	Proposed treatment		Justification (see Notes)	Remarks
					Trunk Diameter DBH (mm)	Overall Height (m)	Average Crown Spread (m)						in initial / approved# application (Retain / Transplant / Fell)	in this revision, if applicable (Retain / Transplant / Fell)		
WKI 143	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	175	7	4	Poor	Fair	Low	Low		Retain		2 trunks, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 144	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	230	7	7	Poor	Fair	Low	Low		Retain		Leaning, Bent-trunk, Inbalanced form (moderate)	
WKI 145	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	166	8	5	Poor	Fair	Low	Low		Retain		2 trunks, Leaning, Forked, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 146	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	130	6	3	Poor	Poor	Low	Low		Retain		Leaning, Inbalanced form (moderate), Sparse crown, Bark crack	
WKI 148	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	300	9	6	Fair	Fair	Medium	Low		Retain		3 trunks, Inbalanced form (slight), Co-dominant	
WKI 149	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	170	6	5	Poor	Fair	Low	Low		Retain		Leaning, Bent-trunk, Inbalanced form (moderate)	
WKI 150	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	156	6	4	Poor	Fair	Low	Low		Retain		2 trunks, Forked, Inbalanced form (moderate), Co-dominant, Root-plate fused with other trees	
WKI 151	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	310	8	4	Fair	Fair	Medium	Low		Retain		Inbalanced form (slight)	
WKI 152	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	156	7	7	Poor	Fair	Low	Low		Retain		2 trunks, Forked, Inbalanced form (moderate), Co-dominant	
WKI 153	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	240	6	3	Poor	Fair	Low	Low		Retain		Inbalanced form (severe), Root-plate fused with other trees	
WKI 154	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	200	5	4	Poor	Fair	Low	Low		Retain		Inbalanced form (severe), Root-plate fused with other trees	
WKI 155	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	220	6	5	Poor	Fair	Low	Low		Retain		Leaning, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 156	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	220	8	4	Poor	Fair	Low	Low		Retain		2-trunks, Leaning, Inbalanced form (moderate), Cavity on trunk, Co-	
WKI 157	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	130	9	7	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Epicormics	
WKI 159	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	246	8	7	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 160	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	148	7	6	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 161	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	170	9	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate)	
WKI 163	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	184	6	4	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 164	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	192	9	5	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Co-dominant, Root-plate fused with other trees	
WKI 165	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	130	5	5	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Leaning, Bent-trunk, Inbalanced form (moderate), Sparse crown, Root-plate fused with other trees	
WKI 166	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	190	10	6	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight)	
WKI 167	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	170	7	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate)	
WKI 168	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	170	5	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Bent-trunk, Inbalanced form (moderate), Epicormics	
WKI 169	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	160	9	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (severe), Root-plate fused with other trees	
WKI 170	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	269	10	7	Poor	Fair	Low	Low		Fell	a,c,e,f	3 trunks, Bent-trunk, Inbalanced form (moderate), Co-dominant	
WKI 171	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	173	5	5	Poor	Fair	Low	Low		Fell	a,c,e,f	3 trunks, Forked, Inbalanced form (slight), Co-dominant	
WKI 172	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	237	8	6	Poor	Fair	Low	Low		Fell	a,c,e,f	6 trunks, Inbalanced form (moderate)	
WKI 173	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	156	10	7	Poor	Poor	Low	Low		Fell	a,b,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Sparse crown, Co-	
WKI 174	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	208	6	6	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (severe), Cavity on trunk	
WKI 175	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	180	7	5	Poor	Fair	Low	Low		Retain		Leaning, Inbalanced form (moderate)	
WKI 176	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	170	8	6	Poor	Fair	Low	Low		Retain		Leaning, Bent-trunk, Inbalanced form (moderate)	
WKI 177	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	184	6	3	Poor	Fair	Low	Low		Retain		Bent-trunk, Inbalanced form (moderate), Epicormics, Grown near u-	
WKI 178	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	110	4	3	Poor	Fair	Low	Low		Retain		Leaning, Inbalanced form (severe), Grown near u-channel	
WKI 180	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	130	7	6	Poor	Fair	Low	Low		Retain		Bent-trunk, Inbalanced form (severe), Epicormics	
WKI 181	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	120	6	4	Poor	Fair	Low	Low		Retain		3 trunks, Forked, Inbalanced form (moderate), Epicormics, Grown near u-channel	
WKI 182	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	290	9	7	Fair	Fair	Medium	Low		Retain		2 trunks, Forked, Inbalanced form (slight), Co-dominant	
WKI 183	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	210	7	3	Poor	Fair	Low	Low		Retain		Inbalanced form (moderate), Root-plate fused with other trees, Grown near u-channel	
WKI 184	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	220	8	3	Poor	Fair	Low	Low		Retain		Inbalanced form (moderate), Root-plate fused with other trees, Grown near u-channel	
WKI 185	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	110	5	3	Poor	Fair	Low	Low		Retain		Inbalanced form (moderate), Root-plate fused with other trees, Grown near u-channel	
WKI 187	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	240	7	4	Poor	Fair	Low	Low		Retain		Inbalanced form (severe), Root-plate fused with other trees, Grown near u-	
WKI 188	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	220	7	5	Poor	Fair	Low	Low		Retain		Bent-trunk, Inbalanced form (severe), Root-plate fused with other trees, Grown near u-channel	
WKI 189	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	260	6	5	Poor	Fair	Low	Low		Fell	a,c,e,f	4 trunks, Inbalanced form (moderate)	
WKI 190	PBA-CE44-K-CV-0162	<i>Celtis sinensis</i>	朴樹	LCSD	240	7	5	Fair	Fair	Medium	Medium		Transplant	a	Inbalanced form (slight)	
WKI 191	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	130	5	2	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate), Epicormics, Root-plate fused with other	
WKI 192	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	197	7	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Forked, Inbalanced form (moderate), Epicormics, Root-plate fused with other trees	
WKI 193	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	250	8	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (severe), Root-plate fused with other trees	
WKI 194	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	170	7	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 195	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	120	6	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (severe), Root-plate fused with other trees	
WKI 196	PBA-CE44-K-CV-0162	Dead tree	枯死樹木	LCSD	120	5	3	-	-	-	-		Fell	b,c,f	-	
WKI 197	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	298	8	4	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Inbalanced form (moderate), Co-dominant, Root-plate fused with	
WKI 198	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	280	7	5	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Inbalanced form (severe), Co-dominant, Root-plate fused with other	
WKI 199	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	190	5	4	Poor	Fair	Low	Low		Retain		Leaning, Inbalanced form (moderate)	
WKI 201	PBA-CE44-K-CV-0162	<i>Ficus microcarpa</i>	細葉榕	LCSD	233	8	6	Fair	Fair	Medium	Medium		Transplant	a	5 trunks, Inbalanced form (slight), Grown near u-channel	
WKI 202	PBA-CE44-K-CV-0162	<i>Ficus microcarpa</i>	細葉榕	LCSD	130	4	4	Poor	Fair	Low	High		Fell	a,c,f	Leaning, Bent-trunk, Inbalanced form (severe), Under-canopy	
WKI 204	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	190	8	5	Fair	Fair	Medium	Low		Fell	a,e,f	Inbalanced form (slight), Grown near u-channel	
WKI 205	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	241	7	7	Poor	Fair	Low	Low		Retain		2 trunks, Forked, Inbalanced form (moderate), Co-dominant	
WKI 206	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	170	7	6	Poor	Fair	Low	Low		Retain		2 trunks, Leaning, Forked, Inbalanced form (severe), Co-dominant	
WKI 207	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	318	8	4	Fair	Fair	Medium	Low		Fell	a,e	2 trunks, Inbalanced form (slight), Co-dominant	
WKI 208	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	140	8	5	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Leaning, Inbalanced form (moderate), Sparse crown	
WKI 209	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	200	9	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate), Root-plate fused with other trees	
WKI 210	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	177	4	6	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (severe), Co-dominant, Root-plate fused with other trees	
WKI 211	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	241	6	5	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Co-dominant, Root-plate fused with other trees	
WKI 212	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	180	5	7	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (severe), Root-plate fused with other trees	
WKI 214	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	190	8	3	Poor	Fair	Low	Low		Fell	a,c,e,f	Bent-trunk, Inbalanced form (severe), Root-plate fused with other trees	
WKI 215	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	200	6	7	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Bent-trunk, Inbalanced form (severe), Root-plate fused with other	

Tree ID number	Drawing No.	Tree Species (in botanical name)	Chinese Name	Tree maintenance department	Tree Size			Form (Good / Fair / Poor)	Health Condition (Good / Fair / Poor)	Amenity Value (High / Med / Low)	Anticipated survival rate after transplanting (High / Med / Low)	Top of soil level above root collar	Proposed treatment		Justification (see Notes)	Remarks
					Trunk Diameter DBH (mm)	Overall Height (m)	Average Crown Spread (m)						in initial / approved# application (Retain / Transplant / Fell)	in this revision, if applicable (Retain / Transplant / Fell)		
WKI 216	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	206	5	5	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 217	PBA-CE44-K-CV-0162	<i>Ficus microcarpa</i>	細葉榕	LCSD	169	5	4	Poor	Fair	Low	Low		Retain		5 trunks, Inbalanced form (slight), Grown near u-channel	
WKI 218	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	240	8	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Bent-trunk, Inbalanced form (moderate)	
WKI 219	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	140	5	3	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Bent-trunk, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 220	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	194	6	4	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Leaning, Inbalanced form	
WKI 221	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	150	6	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (severe), Root-plate fused with other trees	
WKI 222	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	130	4	3	Poor	Fair	Low	Low		Retain		Leaning, Bent-trunk, Inbalanced form (moderate), Epicormics, Grown near u-channel	
WKI 223	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	197	7	6	Poor	Fair	Low	Low		Retain		Leaning, Forked, Inbalanced form (moderate), Co-dominant	
WKI 224	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	230	7	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Exposed root	
WKI 225	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	230	8	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate), Root-plate fused with other trees	
WKI 226	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	250	8	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate), Root-plate fused with other trees	
WKI 227	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	240	8	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate), Root-plate fused with other trees	
WKI 228	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	220	6	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 229	PBA-CE44-K-CV-0162	<i>Acacia mangium</i>	馬占相思	LCSD	140	6	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 230	PBA-CE44-K-CV-0162	<i>Ficus microcarpa</i>	細葉榕	LCSD	179	5	5	Fair	Fair	Medium	High		Transplant	a	3 trunks, Inbalanced form (slight)	
WKI 232	PBA-CE44-K-CV-0162	<i>Leucaena leucocephala</i>	銀合歡	LCSD	130	5	4	Poor	Poor	Low	Low		Retain		Leaning, Bent-trunk, Inbalanced form (moderate), Sparse crown	
WKI 234	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	260	10	7	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Broken leaders	
WKI 235	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	170	8	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate)	
WKI 236	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	184	7	6	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate)	
WKI 237	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	180	6	3	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 238	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	225	7	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (severe), Root-plate fused with other trees	
WKI 239	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	230	7	5	Poor	Fair	Low	Low		Retain		Bent-trunk, Inbalanced form (severe), Cavity on trunk, Grown near wall	
WKI 240	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	130	6	5	Poor	Fair	Low	Low		Retain		Bent-trunk, Inbalanced form (moderate), Epicormics, Cavity on trunk, Grown near wall, Grown near	
WKI 241	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	140	6	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate), Root-plate fused with other trees	
WKI 242	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	240	8	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Forked, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 243	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	170	9	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Forked, Inbalanced form (moderate), Root-plate fused with other trees	
WKI 247	PBA-CE44-K-CV-0162	<i>Litsea glutinosa</i>	潺槁	LCSD	130	4	3	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Epicormics	
WKI 248	PBA-CE44-K-CV-0162	<i>Leucaena leucocephala</i>	銀合歡	LCSD	140	6	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Bent-trunk, Inbalanced form (moderate)	
WKI 249	PBA-CE44-K-CV-0162	<i>Leucaena leucocephala</i>	銀合歡	LCSD	170	4	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Bent-trunk, Inbalanced form (severe), Root-plate fused with other trees	
WKI 249A	PBA-CE44-K-CV-0162	<i>Sterculia lanceolata</i>	假蘋婆	LCSD	120	4	3	Fair	Fair	Medium	Low		Fell	a,c,e	Inbalanced form (slight), Root-plate fused with other trees	
WKI 250	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	255	7	10	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Co-dominant, Grown near	
WKI 252	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	210	8	7	Poor	Fair	Low	Low		Fell	a,c,e,f	Forked, Inbalanced form (moderate), Grown near wall	
WKI 253	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	160	5	4	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Inbalanced form (moderate), Sparse crown, Grown near wall	
WKI 254	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	192	7	5	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Co-dominant, Grown near	
WKI 256	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	292	8	7	Poor	Fair	Low	Low		Fell	a,c,e	2 trunks, Inbalanced form (moderate), Grown near wall	
WKI 257	PBA-CE44-K-CV-0162	<i>Ficus microcarpa</i>	細葉榕	LCSD	190	6	5	Fair	Fair	Medium	Medium		Transplant	a	Inbalanced form (slight), Epicormics, Root-plate fused with other trees	
WKI 258	PBA-CE44-K-CV-0162	<i>Syzygium cumini</i>	海南蒲桃	LCSD	170	6	3	Fair	Fair	Medium	Low		Fell	a,e	Leaning, Inbalanced form (slight), Root-plate fused with other trees	
WKI 260	PBA-CE44-K-CV-0162	<i>Syzygium cumini</i>	海南蒲桃	LCSD	140	5	3	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Leaning, Inbalanced form (moderate), Sparse crown, Dieback, Epicormics	
WKI 261	PBA-CE44-K-CV-0162	<i>Syzygium cumini</i>	海南蒲桃	LCSD	140	5	2	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Inbalanced form (moderate), Sparse crown, Dieback, Epicormics	
WKI 263	PBA-CE44-K-CV-0162	<i>Leucaena leucocephala</i>	銀合歡	LCSD	130	5	3	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Leaning, Inbalanced form (moderate), Sparse crown	
WKI 265	PBA-CE44-K-CV-0162	<i>Leucaena leucocephala</i>	銀合歡	LCSD	120	4	4	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Leaning, Bent-trunk, Inbalanced form (severe), Sparse crown	
WKI 266	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	215	6	5	Poor	Poor	Low	Low		Fell	a,b,c,e,f	3 trunks, Sparse crown	
WKI 267	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	213	6	5	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Grown near wall	
WKI 268	PBA-CE44-K-CV-0162	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	130	3	2	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (severe), Epicormics, Grown near wall, Grown near utility	
WKI 269	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	250	6	7	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Forked, Inbalanced form (moderate), Grown near wall	
WKI 271	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	191	7	7	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Grown near wall	
WKI 272	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	212	7	7	Fair	Fair	Medium	Low		Fell	a,e	2 trunks, Forked, Inbalanced form (slight), Co-dominant, Grown near wall	
WKI 273	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	156	7	3	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Bent-trunk, Inbalanced form (severe), Grown near wall	
WKI 275	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	190	7	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Bent-trunk, Inbalanced form (moderate), Grown near wall	
WKI 276	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	140	5	3	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate), Grown near wall	
WKI 278	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	191	7	3	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Leaning, Inbalanced form (moderate), Grown near wall	
WKI 279	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	190	7	6	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Grown near wall	
WKI 280	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	160	6	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Root-plate fused with other trees, Grown near wall	
WKI 281	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	222	5	5	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Leaning, Inbalanced form (moderate), Cavity on trunk, Root-plate fused with other trees, Grown near wall	
WKI 282	PBA-CE44-K-CV-0162	<i>Acacia confusa</i>	台灣相思	LCSD	248	5	5	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Leaning, Bent-trunk, Forked, Inbalanced form (moderate), Epicormics, Grown near wall	
WKI 285	PBA-CE44-K-CV-0161	<i>Leucaena leucocephala</i>	銀合歡	LCSD	140	6	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Bent-trunk, Inbalanced form (moderate), Grown near wall	
WKI 286	PBA-CE44-K-CV-0161	<i>Acacia confusa</i>	台灣相思	LCSD	140	5	3	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Grown near wall	
WKI 287	PBA-CE44-K-CV-0161	<i>Acacia confusa</i>	台灣相思	LCSD	178	5	4	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Cavity on trunk, Epicormics, Grown near wall	
WKI 288	PBA-CE44-K-CV-0161	<i>Acacia confusa</i>	台灣相思	LCSD	226	7	6	Fair	Fair	Medium	Low		Fell	a,e	2 trunks, Leaning, Forked, Inbalanced form (slight), Decay on trunk, Co-dominant, Grown near wall	
WKI 289	PBA-CE44-K-CV-0161	<i>Acacia confusa</i>	台灣相思	LCSD	187	6	6	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Leaning, Inbalanced form (moderate), Grown near wall	
WKI 292	PBA-CE44-K-CV-0161	<i>Acacia confusa</i>	台灣相思	LCSD	295	8	8	Fair	Fair	Medium	Low		Fell	a,e	3 trunks, Forked, Inbalanced form (slight), Grown near wall	
WKI 293	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	4	4	Good	Fair	High	Medium		Transplant	a	Grown near wall	
WKI 295	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	170	5	4	Fair	Fair	Medium	Medium		Transplant	a	Inbalanced form (slight), Grown near	
WKI 297	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	150	4	2	Fair	Fair	Medium	Medium		Transplant	a	Inbalanced form (slight), Grown near	
WKI 298	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	5	3	Fair	Fair	Medium	Medium		Transplant	a	Inbalanced form (slight), Grown near	

Tree ID number	Drawing No.	Tree Species (in botanical name)	Chinese Name	Tree maintenance department	Tree Size			Form (Good / Fair / Poor)	Health Condition (Good / Fair / Poor)	Amenity Value (High / Med / Low)	Anticipated survival rate after transplanting (High / Med / Low)	Top of soil level above root collar	Proposed treatment		Justification (see Notes)	Remarks
					Trunk Diameter DBH (mm)	Overall Height (m)	Average Crown Spread (m)						in initial / approved# application (Retain / Transplant / Fell)	in this revision, if applicable (Retain / Transplant / Fell)		
WKI 299	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	6	3	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Imbalanced form (slight), Sparse crown, Crown near wall	
WKI 301	PBA-CE44-K-CV-0161	<i>Acacia confusa</i>	台灣相思	LCSD	158	5	4	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Leaning, Imbalanced form (moderate), Crown near wall	
WKI 302	PBA-CE44-K-CV-0161	<i>Acacia confusa</i>	台灣相思	LCSD	180	5	4	Fair	Fair	Medium	Low		Fell	a,e	Leaning, Imbalanced form (slight), Crown near wall	
WKI 304	PBA-CE44-K-CV-0161	<i>Acacia confusa</i>	台灣相思	LCSD	256	7	7	Fair	Fair	Medium	Low		Fell	a,e	2 trunks, Forked, Imbalanced form (slight), Crown near wall	
WKI 306	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	4	2	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Imbalanced form (slight), Sparse crown, Dieback, Crown near wall	
WKI 307	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	5	3	Good	Fair	High	Medium		Transplant	a	Crown near wall	
WKI 308	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	6	3	Good	Fair	High	Medium		Transplant	a	Crown near wall	
WKI 310	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	150	5	3	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Imbalanced form (slight), Sparse crown, Dieback, Crown near wall	
WKI 311	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	5	3	Fair	Fair	Medium	Medium		Transplant	a	Imbalanced form (slight), Crown near	
WKI 312	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	5	3	Good	Fair	High	Medium		Transplant	a	Crown near wall	
WKI 313	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	170	5	4	Good	Fair	High	Medium		Transplant	a	Crown near wall	
WKI 314	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	170	5	5	Good	Fair	High	Medium		Transplant	a	Crown near wall	
WKI 315	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	150	5	3	Fair	Fair	Medium	Medium		Transplant	a	Imbalanced form (slight), Crown near	
WKI 316	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	150	6	3	Good	Fair	High	Medium		Transplant	a	Crown near wall	
WKI 317	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	4	4	Fair	Fair	Medium	Medium		Transplant	a	Imbalanced form (slight), Crown near	
WKI 318	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	4	3	Poor	Fair	Low	Low		Fell	a,e,f	Imbalanced form (moderate), Crown near wall	
WKI 319	PBA-CE44-K-CV-0161	<i>Acacia confusa</i>	台灣相思	LCSD	220	7	6	Fair	Fair	Medium	Low		Retain		Leaning, Imbalanced form (slight), Crown near wall	
WKI 320	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	150	4	3	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 321	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	5	4	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 322	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	6	3	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 323	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	170	7	4	Good	Fair	High	Low		Retain		Crown near wall	
WKI 324	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	6	3	Poor	Poor	Low	Low		Retain		Imbalanced form (moderate), Sparse crown, Crown near wall	
WKI 327	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	5	3	Good	Fair	High	Low		Retain		Crown near wall	
WKI 328	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	150	6	4	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 329	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	170	5	3	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 330	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	5	3	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 331	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	5	3	Poor	Fair	Low	Low		Retain		Imbalanced form (moderate), Crown near wall	
WKI 332	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	6	4	Good	Fair	High	Low		Retain		Crown near wall	
WKI 333	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	150	5	3	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 334	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	150	4	4	Poor	Poor	Low	Low		Retain		Imbalanced form (slight), Sparse crown, Crown near wall	
WKI 335	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	5	4	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 336	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	5	3	Poor	Poor	Low	Low		Retain		Imbalanced form (moderate), Sparse crown, Crown near wall	
WKI 337	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	150	5	3	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 338	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	5	4	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 339	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	160	5	4	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 340	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	150	5	3	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 341	PBA-CE44-K-CV-0161	<i>Alstonia scholaris</i>	黑板木	LCSD	140	4	3	Poor	Poor	Low	Low		Retain		Imbalanced form (slight), Sparse crown, Crown near wall	
WKI 342	PBA-CE44-K-CV-0166	<i>Livistona chinensis</i>	蒲葵	LCSD	160	3	3	Fair	Good	Medium	High		Retain		Leaning, Imbalanced form (severe)	
WKI 343	PBA-CE44-K-CV-0166	<i>Melia azedarach</i>	苦楝	LCSD	340	9	8	Fair	Good	Medium	Low		Retain		2 trunks, Forked, Imbalanced form (slight), Co-dominant trunks, Decay at root crown (slight), Termites, Root-plate fused with other tree, Crown near	
WKI 344	PBA-CE44-K-CV-0166	<i>Melia azedarach</i>	苦楝	LCSD	332	10	9	Fair	Good	Medium	Low		Retain		2 trunks, Forked, Imbalanced form (slight), Co-dominant trunks, Decay at root crown (slight), Termites, Root-plate fused with other tree, Crown near	
WKI 345	PBA-CE44-K-CV-0166	<i>Cassia siamea</i>	鐵刀木	LCSD	240	13	5	Fair	Good	Medium	Low		Retain		Imbalanced form (slight), Crown near wall; Tree trunk broken at the top by the typhoon 'Vincennes'	
WKI 346	PBA-CE44-K-CV-0166	<i>Cassia siamea</i>	鐵刀木	LCSD	220	13	6	Poor	Good	Low	Low		Retain		Bent-trunk, Broken leader, Imbalanced form (moderate), Crown near wall	
WKI 347	PBA-CE44-K-CV-0166	<i>Cassia siamea</i>	鐵刀木	LCSD	200	13	5	Fair	Good	Medium	Low		Retain		Imbalanced form (slight), Crown near wall	
WKI 348	PBA-CE44-K-CV-0166	<i>Cassia siamea</i>	鐵刀木	LCSD	210	14	5	Fair	Good	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 349	PBA-CE44-K-CV-0166	<i>Cassia siamea</i>	鐵刀木	LCSD	210	13	5	Fair	Good	Medium	Low		Retain		Imbalanced form (slight), Crown near	
WKI 351	PBA-CE44-K-CV-0166	<i>Roystonea regia</i>	王棕	LCSD	280	8	1	Poor	Poor	Low	Low		Retain		Dead spike, Crown near wall	
WKI 352	PBA-CE44-K-CV-0166	<i>Roystonea regia</i>	王棕	LCSD	290	8	4	Good	Good	High	Medium		Retain		-	
WKI 353	PBA-CE44-K-CV-0166	<i>Roystonea regia</i>	王棕	LCSD	230	7	3	Fair	Fair	Medium	Low		Retain		-	
WKI 359	PBA-CE44-K-CV-0166	<i>Cassia fitulosa</i>	豬腳豆	LCSD	110	6	4	Fair	Fair	Medium	Medium		Retain		Stunt growth, Crown near wall	
WKI 360	PBA-CE44-K-CV-0166	<i>Cassia fitulosa</i>	豬腳豆	LCSD	120	7	4	Fair	Fair	Medium	Medium		Transplant	a	Imbalanced form (slight), Pest on leaves, Sign of desiccation, Crown	
WKI 361	PBA-CE44-K-CV-0166	<i>Cassia fitulosa</i>	豬腳豆	LCSD	130	7	4	Fair	Fair	Medium	Medium		Transplant	a	Imbalanced form (slight), Pest on leaves, Sign of desiccation, Crown	
WKI 362	PBA-CE44-K-CV-0166	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	400	8	7	Fair	Good	Medium	Low		Retain		Leaning, Forked, Imbalanced form (slight), Crown near wall	
WKI 363	PBA-CE44-K-CV-0166	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	370	9	4	Poor	Good	Low	Low		Retain		Leaning, Imbalanced form (moderate), Co-dominant, Crown near wall	
WKI 364	PBA-CE44-K-CV-0166	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	380	8	4	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Sparse crown (slight), Crown near wall	
WKI 365	PBA-CE44-K-CV-0166	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	370	8	5	Good	Good	High	Low		Retain		Leaning, Crown near wall	
WKI 366	PBA-CE44-K-CV-0166	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	350	8	5	Good	Good	High	Low		Retain		Leaning, Crown near wall	
WKI 367	PBA-CE44-K-CV-0166	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	270	8	4	Fair	Good	Medium	Low		Retain		Leaning, Imbalanced form (slight), Crown near wall	
WKI 368	PBA-CE44-K-CV-0166	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	270	9	5	Good	Good	High	Low		Retain		Crown near wall	
WKI 369	PBA-CE44-K-CV-0166	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	240	8	3	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Sparse crown (slight), Crown near wall	
WKI 370	PBA-CE44-K-CV-0166	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	320	9	4	Fair	Good	Medium	Low		Retain		Imbalanced form (slight), Crown near wall	
WKI 371	PBA-CE44-K-CV-0167	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	200	7	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Imbalanced form (moderate), Crown near wall	
WKI 372	PBA-CE44-K-CV-0167	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	110	3	1	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Broken leader, Imbalanced form (moderate), Epicormics, Crown near	
WKI 373	PBA-CE44-K-CV-0167	<i>Melaluca cajuputi subsp. Cumingiana</i>	白千層	LCSD	140	4	3	Good	Good	High	Low		Fell	a,e	Leaning, Crown near wall	
WKI 374	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	250	8	3	Poor	Good	Low	Low		Retain		Imbalanced form (moderate), Crown near road, Crown in tree pit	
WKI 375	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	280	8	2	Poor	Fair	Low	Low		Retain		Imbalanced form (severe), Sparse crown (slight), Crown near road	
WKI 376	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	190	7	3	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Sparse crown (slight), Crown near road, Crown in	
WKI 377	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	170	7	3	Poor	Poor	Low	Low		Retain		Imbalanced form (moderate), Sparse crown (moderate), Crown near road, Crown in tree pit	
WKI 379	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	230	7	4	Poor	Fair	Low	Low		Retain		Imbalanced form (moderate), Sparse crown (slight), Exposed dead wood, Crown near road, Crown in tree pit	
WKI 380	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	220	7	3	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Sparse crown (slight), Crown near road, Crown in	
WKI 381	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	230	7	5	Fair	Good	Medium	Low		Retain		Imbalanced form (slight), Crown near road, Crown in tree pit	
WKI 382	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	270	7	4	Poor	Fair	Low	Low		Retain		Imbalanced form (moderate), Sparse crown (slight), Exposed dead wood, Crown near road, Crown in tree pit	
WKI 383	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	210	7	2	Poor	Fair	Low	Low		Retain		Imbalanced form (moderate), Sparse crown (slight), Exposed dead wood, Crown near road, Crown in tree pit	
WKI 384	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	240	7	4	Fair	Fair	Medium	Low		Retain		Imbalanced form (slight), Sparse crown (slight), Crown near road, Crown in	

Tree ID number	Drawing No.	Tree Species (in botanical name)	Chinese Name	Tree maintenance department	Tree Size			Form (Good / Fair / Poor)	Health Condition (Good / Fair / Poor)	Amenity Value (High / Med / Low)	Anticipated survival rate after transplanting (High / Med / Low)	Top of soil level above root collar	Proposed treatment		Justification (see Notes)	Remarks
					Trunk Diameter DBH (mm)	Overall Height (m)	Average Crown Spread (m)						in initial / approved# application (Retain / Transplant / Fell)	in this revision, if applicable (Retain / Transplant / Fell)		
WKI 386	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	200	7	4	Fair	Fair	Medium	Low		Retain			Leaning, Imbalanced form (slight), Sparse crown (slight), Crown near road, Grown in tree pit
WKI 387	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	240	7	4	Fair	Good	Medium	Low		Retain			Imbalanced form (slight), Co-dominant, Cavity on trunk, Grown near road, Grown in tree pit
WKI 388	PBA-CE44-K-CV-0166	<i>Aleurites moluccana</i>	石栗	LCSD	320	8	4	Fair	Good	Medium	Low		Retain			Imbalanced form (slight), Grown near RC structure, Grown near road, Grown in tree pit, Bird nest
WKI 390	PBA-CE44-K-CV-0167	<i>Ficus benjamina</i>	垂葉榕	LCSD	257	6	4	Fair	Good	Medium	High		Retain			3 trunks, Imbalanced form (slight)
WKI 391	PBA-CE44-K-CV-0167	<i>Ficus benjamina</i>	垂葉榕	LCSD	226	6	4	Good	Good	High	High		Retain			5 trunks
WKI 392	PBA-CE44-K-CV-0167	<i>Ficus benjamina</i>	垂葉榕	LCSD	191	6	5	Good	Good	High	Medium		Retain			3 trunks, Grown near RC Structure
WKI 393	PBA-CE44-K-CV-0167	<i>Ficus benjamina</i>	垂葉榕	LCSD	208	6	4	Fair	Good	Medium	Medium		Retain			4 trunks, Imbalanced form (slight), Grown near wall
WKI 393A	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	200	8	3	Fair	Good	Medium	Low		Retain			Imbalanced form (slight), Bent-trunk, Grown near road
WKI 394	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	180	6	3	Poor	Fair	Low	Low		Retain			Imbalanced form (severe), Sparse crown (slight), Epicormics, Grown near imbalanced form (slight), Grown near
WKI 395	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	350	8	4	Fair	Good	Medium	Low		Retain			Imbalanced form (severe), Sparse crown (slight), Grown near road
WKI 396	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	240	7	4	Poor	Fair	Low	Low		Retain			Imbalanced form (severe), Sparse crown (slight), Grown near road
WKI 397	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	170	7	3	Poor	Poor	Low	Low		Retain			Imbalanced form (moderate), Sparse crown (moderate), Grown near road
WKI 398	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	140	6	2	Poor	Poor	Low	Low		Retain			Bent-trunk, Imbalanced form (severe), Sparse crown (moderate), Grown near
WKI 399	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	270	7	3	Poor	Poor	Low	Low		Retain			Leaning, Bent-trunk, Imbalanced form (moderate), Sparse crown (slight), Grown near road
WKI 400	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	120	5	2	Poor	Fair	Low	Low		Retain			Leaning, Broken leader, Imbalanced form (slight), Sparse crown (slight), Grown near road
WKI 401	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	130	4	2	Poor	Poor	Low	Low		Retain			Imbalanced form (slight), Sparse crown (moderate), Grown near road
WKI 402	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	140	6	3	Poor	Poor	Low	Low		Retain			Imbalanced form (slight), Sparse crown (moderate), Epicormics, Grown near
WKI 403	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	190	6	3	Poor	Good	Low	Low		Retain			Imbalanced form (moderate), Grown near road
WKI 404	PBA-CE44-K-CV-0167	<i>Delonix regia</i>	鳳凰木	LCSD	270	5	5	Poor	Fair	Low	Low		Retain			Bent-trunk, Imbalanced form (moderate), Grown near utility, Grown
WKI 405	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	290	8	3	Poor	Good	Low	Low		Retain			Imbalanced form (moderate), Grown near road, Grown near utility, Grown in
WKI 406	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	100	4	2	Poor	Poor	Low	Low		Retain			Leaning, Imbalanced form (severe), Sparse crown (moderate), Grown near road, Grown near utility, Grown in tree
WKI 408	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	320	8	4	Fair	Fair	Medium	Low		Retain			Imbalanced form (slight), Sparse crown (slight), Grown near road, Grown near utility, Grown in tree pit
WKI 418	PBA-CE44-K-CV-0167	<i>Celtis sinensis</i>	朴樹	LCSD	390	7	10	Fair	Good	Medium	Low		Retain			Forked, Imbalanced form (slight), Grown near road, Grown near utility, Grown in tree pit
WKI 420	PBA-CE44-K-CV-0167	<i>Ficus elastica</i>	印度橡樹	LCSD	290	7	6	Poor	Fair	Low	Medium		Retain			1 prop root, Leaning, Bent-trunk, Imbalanced form (moderate), Cavity on trunk, Wilt leaves, Sign of desiccation, Grown near RC structure, Tree trunk broken at the top by the typhoon
WKI 421	PBA-CE44-K-CV-0167	<i>Acacia confusa</i>	台灣相思	LCSD	386	8	7	Poor	Fair	Low	Low		Retain			2 trunks, Forked, Bent-trunk, Imbalanced form (moderate), Epicormics, Co-dominant, Grown near
WKI 423	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	230	9	3	Fair	Good	Medium	Low		Retain			Imbalanced form (slight), Root-plate fused with other tree, Grown near RC
WKI 424	PBA-CE44-K-CV-0167	<i>Ficus benjamina</i>	垂葉榕	LCSD	540	12	8	Fair	Good	Medium	Low		Retain			Imbalanced form (slight), Root-plate fused with other tree, Grown near RC structure, A few branches broken at the top by the typhoon 'Vincente'
WKI 425	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	150	7	2	Fair	Fair	Medium	Low		Retain			Imbalanced form (slight), First on leaves, Under-canopy, Root-plate fused with other tree, Grown near RC
WKI 427	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	330	9	6	Fair	Good	Medium	Low		Fell	a,e		Imbalanced form (slight), Grown near road, Grown near lamp-post
WKI 428	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	320	11	4	Fair	Good	Medium	Low		Fell	a,e		Imbalanced form (slight), Sparse crown (slight), Grown near road
WKI 429	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	250	8	4	Fair	Fair	Medium	Low		Fell	a,e		Sparse crown (slight), Grown near road
WKI 430	PBA-CE44-K-CV-0167	<i>Aleurites moluccana</i>	石栗	LCSD	340	8	4	Fair	Fair	Medium	Low		Fell	a,e		Imbalanced form (slight), Grown near road
WKI 443	PBA-CE44-K-CV-0166	<i>Khaya senegalensis</i>	非洲棟	LCSD	200	7	5	Fair	Good	Medium	Low		Retain			Imbalanced form (slight), Grown in tree-pit, Grown near utility, Grown near
WKI 444	PBA-CE44-K-CV-0166	<i>Khaya senegalensis</i>	非洲棟	LCSD	290	8	5	Good	Good	High	Low		Retain			Grown in treepit, Grown near road
WKI 446	PBA-CE44-K-CV-0166	<i>Michelia x alba</i>	白蘭	LCSD	200	8	6	Fair	Good	Medium	Low		Retain			Imbalanced form (slight), Bent trunk, Grown near RC structure
WKI 448	PBA-CE44-K-CV-0166	<i>Delonix regia</i>	鳳凰木	LCSD	230	6	7	Fair	Good	Medium	Low		Retain			Imbalanced form (slight), Grown near wall, Grown near u-channel
WKI 449	PBA-CE44-K-CV-0166	<i>Melia azedarach</i>	苦楝	LCSD	120	5	2	Poor	Fair	Low	Low		Retain			Leaning, Imbalanced form (severe), Dead branches
WKI 450	PBA-CE44-K-CV-0165	<i>Ficus microcarpa</i>	細葉榕	LCSD	256	10	8	Poor	Fair	Low	Low		Retain			2 trunks, Forked, Imbalanced form (moderate), Grown near wall
WKI 470	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	LCSD	150	4	3	Poor	Fair	Low	Low		Retain			Imbalanced form (moderate)
WKI 473	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	LCSD	140	7	4	Poor	Fair	Low	Low		Retain			Bent-trunk, Imbalanced form (moderate)
WKI 474	PBA-CE44-K-CV-0165	<i>Lagerstroemia speciosa</i>	大花紫薇	LCSD	140	5	3	Fair	Fair	Medium	Medium		Retain			Imbalanced form (slight)
WKI 475	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	160	4	7	Poor	Fair	Low	Low		Retain			Leaning, Bent-trunk, Imbalanced form (severe)
WKI 476	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	LCSD	200	5	5	Poor	Fair	Low	Low		Fell	a,c,e,f		Bent-trunk, Forked, Imbalanced form (moderate), Exposed root; Tree trunk broken by the typhoon 'Vincente'
WKI 479	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	LCSD	160	9	4	Poor	Fair	Low	Low		Retain			Imbalanced form (moderate)
WKI 480	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	LCSD	149	9	4	Poor	Fair	Low	Low		Retain			2 trunks, Forked, Imbalanced form (moderate)
WKI 482	PBA-CE44-K-CV-0165	<i>Syzygium cumini</i>	海南蒲桃	LCSD	160	7	4	Poor	Fair	Low	Medium		Retain			Imbalanced form (moderate)
WKI 485	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	LCSD	202	9	5	Poor	Fair	Low	Low		Retain			2 trunks, Forked, Imbalanced form (moderate), Root-plate fused with other trees
WKI 486	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	LCSD	250	6	4	Poor	Fair	Low	Low		Retain			2 trunks, Leaning, Forked, Root-plate fused with other trees
WKI 487	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	LCSD	160	6	3	Poor	Fair	Low	Low		Retain			Leaning, Imbalanced form (moderate)
WKI 488	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	LCSD	277	8	8	Poor	Fair	Low	Low		Retain			3 trunks, Leaning, Forked, Imbalanced form (moderate)
WKI 489	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	LCSD	150	5	5	Poor	Fair	Low	Low		Retain			Leaning, Imbalanced form (severe), Epicormics
WKI 500	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	LCSD	230	8	5	Poor	Fair	Low	Low		Fell	a,c,e,f		Leaning, Imbalanced form (moderate)
WKI 501	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	LCSD	320	8	5	Poor	Fair	Low	Low		Fell	a,c,e,f		Imbalanced form (moderate)
WKI 514	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	240	10	3	Poor	Fair	Low	Low		Retain			Imbalanced form (moderate), Tree trunk broken at the top by the typhoon
WKI 517	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	290	9	5	Poor	Fair	Low	Low		Fell	a,c,e		Leaning, Bent-trunk, Imbalanced form (moderate)
WKI 518	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	314	9	5	Poor	Fair	Low	Low		Retain			2 trunks, Imbalanced form (moderate)
WKI 518A	PBA-CE44-K-CV-0165	<i>Delonix regia</i>	鳳凰木	LCSD	150	7	5	Poor	Fair	Low	Medium		Fell	a,c		Imbalanced form (moderate)
WKI 519	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	240	8	4	Poor	Fair	Low	Low		Fell	a,c,e		Leaning, Bent-trunk, Imbalanced form (moderate)
WKI 520	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	305	7	5	Poor	Fair	Low	Low		Fell	a,c,e		2 trunks, Forked, Imbalanced form (moderate)
WKI 521	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	170	7	4	Poor	Fair	Low	Low		Fell	a,c,e		Leaning, Forked, Imbalanced form
WKI 522	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	190	10	4	Poor	Fair	Low	Low		Fell	a,c,e		Leaning, Imbalanced form (severe)
WKI 523	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	LCSD	250	9	5	Poor	Fair	Low	Low		Fell	a,c,e		Imbalanced form (severe)
WKI 524	PBA-CE44-K-CV-0165	<i>Delonix regia</i>	鳳凰木	LCSD	240	8	4	Poor	Fair	Low	Medium		Fell	a,c		Imbalanced form (severe)
WKI 525	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	210	7	5	Poor	Fair	Low	Low		Fell	a,c,e		Forked, Imbalanced form (moderate)
WKI 526	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	330	9	4	Poor	Fair	Low	Low		Fell	a,c,e		Bent-trunk, Imbalanced form (moderate)
WKI 527	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	230	9	6	Poor	Fair	Low	Low		Fell	a,c,e		Leaning, Bent-trunk, Imbalanced form (moderate), Grown near u-channel
WKI 528	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	177	9	5	Poor	Fair	Low	Low		Retain			2 trunks, Leaning, Forked, Imbalanced form (moderate)

Tree ID number	Drawing No.	Tree Species (in botanical name)	Chinese Name	Tree maintenance department	Tree Size				Form (Good / Fair / Poor)	Health Condition (Good / Fair / Poor)	Amenity Value (High / Med / Low)	Anticipated survival rate after transplanting (High / Med / Low)	Top of soil level above root collar	Proposed treatment		Justification (see Notes)	Remarks
					Trunk Diameter DBH (mm)	Overall Height (m)	Average Crown Spread (m)	in initial / approved# application (Retain / Transplant / Fell)						in this revision, if applicable (Retain / Transplant / Fell)			
WKI 529	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	Hyd	190	6	3	Poor	Fair	Low	Low		Retain			Bent-trunk, Inbalanced form (severe), Epicormics	
WKI 530	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	180	8	3	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Inbalanced form (severe), Co-dominant	
WKI 531	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	Hyd	130	6	4	Poor	Fair	Low	Low		Retain			Leaning, Bent-trunk, Inbalanced form (severe), Epicormics	
WKI 532	PBA-CE44-K-CV-0165	<i>Ficus microcarpa</i>	細葉榕	LCSD	130	5	4	Poor	Poor	Low	Low		Retain			Leaning, Bent-trunk, Inbalanced form (moderate), Sparse crown	
WKI 542	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	240	9	4	Poor	Fair	Low	Low		Retain			Leaning, Inbalanced form (moderate)	
WKI 544	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	280	9	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe), Grown near u-channel	
WKI 545	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	270	9	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe), Grown near u-channel	
WKI 546	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	341	10	5	Fair	Fair	Medium	Low		Retain			2 trunks, Leaning, Forked, Inbalanced form (slight)	
WKI 547	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	266	8	4	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Inbalanced form (moderate)	
WKI 548	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	240	6	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe), Root-plate fused with others	
WKI 549	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	220	10	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe), Root-plate fused with others	
WKI 550	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	190	10	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe), Root-plate fused with others	
WKI 551	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	230	11	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Bent-trunk, Inbalanced form (severe), Root-plate fused with others	
WKI 556	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	367	11	5	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Inbalanced form (moderate), Root-plate fused with others	
WKI 557	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	270	9	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate), Root-plate fused with others	
WKI 558	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	220	9	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Bent-trunk, Inbalanced form (moderate), Root-plate fused with	
WKI 561	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	197	5	3	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Inbalanced form (moderate)	
WKI 562	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	120	6	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (moderate)	
WKI 563	PBA-CE44-K-CV-0165	<i>Ficus microcarpa</i>	細葉榕	Hyd	100	6	3	Poor	Poor	Low	Low		Fell		a,b,c,e,f	Leaning, Inbalanced form (moderate), Sparse crown	
WKI 565	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	130	5	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (moderate)	
WKI 566	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	243	5	4	Poor	Fair	Low	Low		Fell		a,c,e,f	4 trunks, Inbalanced form (moderate)	
WKI 567	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	LCSD	236	8	4	Poor	Fair	Low	Low		Fell		a,c,e,f	4 trunks, Inbalanced form (moderate), Grown near u-channel	
WKI 570	PBA-CE44-K-CV-0165	<i>Sterculia lanceolata</i>	假蘋婆	Hyd	110	4	4	Fair	Fair	Medium	Low		Fell		a,e	Inbalanced form (slight), Grown near u-channel	
WKI 572	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	250	5	5	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Inbalanced form (moderate)	
WKI 573	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	220	7	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe)	
WKI 574	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	226	6	4	Fair	Fair	Medium	Low		Fell		a,e	2 trunks, Forked, Inbalanced form	
WKI 575	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	100	6	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Bent-trunk, Inbalanced form (severe)	
WKI 576	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	120	7	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Bent-trunk, Inbalanced form (moderate)	
WKI 577	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	110	6	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Forked, Inbalanced form (moderate)	
WKI 578	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	120	6	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Bent-trunk, Inbalanced form (moderate)	
WKI 579	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	120	5	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate)	
WKI 581	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	150	7	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate)	
WKI 582	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	210	7	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Bent-trunk, Inbalanced form (moderate)	
WKI 583	PBA-CE44-K-CV-0165	<i>Celtis sinensis</i>	朴樹	Hyd	100	5	4	Poor	Fair	Low	Medium		Fell		a,c,f	Forked, Inbalanced form (moderate)	
WKI 586	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	220	5	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe), Grown near catch-pit	
WKI 587	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	200	8	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Bent-trunk, Inbalanced form (severe)	
WKI 588	PBA-CE44-K-CV-0165	<i>Albizia lebbbeck</i>	大葉合歡	Hyd	110	4	3	Poor	Fair	Low	Medium		Fell		a,c,f	Leaning, Inbalanced form (moderate)	
WKI 589	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	310	10	6	Fair	Fair	Medium	Low		Fell		a,e,f	Inbalanced form (slight), Cavity on root crown	
WKI 590	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	250	7	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (moderate)	
WKI 591	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	212	7	3	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Leaning, Inbalanced form (moderate)	
WKI 592	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	180	10	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (severe)	
WKI 593	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	220	7	5	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Forked, Inbalanced form (moderate)	
WKI 594	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	330	8	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (moderate), Grown near catch-pit	
WKI 595	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	233	9	5	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Inbalanced form (severe), Co-dominant	
WKI 596	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	130	5	5	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe)	
WKI 600	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	220	8	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Bent-trunk, Inbalanced form (severe), Grown near u-channel	
WKI 602	PBA-CE44-K-CV-0165	<i>Syzygium cumini</i>	海南蒲桃	Hyd	160	6	4	Poor	Fair	Low	Medium		Fell		a,c,f	Inbalanced form (moderate)	
WKI 605	PBA-CE44-K-CV-0165	<i>Syzygium cumini</i>	海南蒲桃	Hyd	150	7	3	Poor	Fair	Low	Medium		Fell		a,c,f	Inbalanced form (moderate)	
WKI 607	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	120	7	6	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe), Epicormics	
WKI 608	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	220	10	5	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate)	
WKI 609	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	Hyd	260	7	4	Fair	Fair	Medium	Low		Fell		a,e	Inbalanced form (moderate), Root-plate fused with other trees	
WKI 610	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	Hyd	120	5	3	Poor	Fair	Low	Low		Fell		a,c,e	Inbalanced form (moderate), Epicormics, Root-plate fused with other	
WKI 611	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	Hyd	230	9	5	Poor	Fair	Low	Low		Fell		a,c,e	Forked, Inbalanced form (moderate), Epicormics	
WKI 614	PBA-CE44-K-CV-0165	<i>Syzygium cumini</i>	海南蒲桃	Hyd	130	6	3	Poor	Fair	Low	Medium		Fell		a,c,f	Inbalanced form (moderate)	
WKI 615	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	300	7	4	Fair	Fair	Medium	Low		Fell		a,e	Inbalanced form (slight)	
WKI 616	PBA-CE44-K-CV-0165	<i>Syzygium cumini</i>	海南蒲桃	Hyd	140	6	3	Poor	Fair	Low	Medium		Fell		a,c,f	Inbalanced form (moderate)	
WKI 618	PBA-CE44-K-CV-0165	<i>Syzygium cumini</i>	海南蒲桃	Hyd	120	4	2	Poor	Fair	Low	Medium		Fell		a,c,f	Inbalanced form (moderate)	
WKI 619	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	150	7	5	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (moderate)	
WKI 621	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	112	7	5	Poor	Fair	Low	Low		Retain			2 trunks, Leaning, Inbalanced form (severe), Epicormics	
WKI 625	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	160	7	4	Fair	Fair	Medium	Low		Fell		a,e	Leaning, Inbalanced form (slight)	
WKI 628	PBA-CE44-K-CV-0165	<i>Celtis sinensis</i>	朴樹	Hyd	178	6	4	Fair	Fair	Medium	Medium		Transplant		a	2 trunks, Leaning, Inbalanced form (slight), Co-dominant	
WKI 630	PBA-CE44-K-CV-0165	<i>Syzygium cumini</i>	海南蒲桃	Hyd	156	4	2	Poor	Fair	Low	Medium		Fell		a,c,f	2 trunks, Forked, Inbalanced form (moderate), Co-dominant	
WKI 631	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	Hyd	220	7	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate)	
WKI 636	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	230	6	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate), Grown near u-channel	
WKI 641	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	Hyd	130	6	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (severe)	
WKI 642	PBA-CE44-K-CV-0165	<i>Eucalyptus camaldulensis</i>	赤桉	Hyd	250	7	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (severe), Termites, Root-plate fused with other trees	
WKI 643	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	Hyd	170	8	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (severe), Root-plate fused with other trees	
WKI 644	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	110	4	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate)	
WKI 645	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	235	8	4	Poor	Fair	Low	Low		Fell		a,c,e,f	4 trunks, Inbalanced form (moderate)	
WKI 649	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	128	4	3	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Epicormics	
WKI 652	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	165	6	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Bent-trunk, Inbalanced form (moderate)	
WKI 654	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	150	6	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (moderate)	
WKI 656	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黃	Hyd	190	9	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate)	
WKI 659	PBA-CE44-K-CV-0165	<i>Eucalyptus camaldulensis</i>	赤桉	Hyd	270	9	4	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate)	
WKI 660	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	156	4	4	Poor	Fair	Low	Low		Fell		a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Co-dominant	
WKI 662	PBA-CE44-K-CV-0165	<i>Peltophorum pterocarpum</i>	雙翼豆	Hyd	130	5	3	Poor	Fair	Low	Low		Fell		a,c,e,f	Inbalanced form (moderate)	
WKI 665	PBA-CE44-K-CV-0165	<i>Syzygium cumini</i>	海南蒲桃	Hyd	160	4	2	Poor	Fair	Low	Low		Fell		a,c,e,f	Leaning, Inbalanced form (moderate), Vined, Grown near u-channel	
WKI 666	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台灣相思	Hyd	171	7	5	Poor	Fair	Low	Low		Fell		a,c,e,f	3 trunks, Forked, Inbalanced form (moderate)	
WKI 667	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	303	8	6	Fair	Fair	Medium	Low		Fell		a,e	4 trunks, Forked, Inbalanced form	



Tree ID number	Drawing No.	Tree Species (in botanical name)	Chinese Name	Tree maintenance department	Tree Size			Form (Good / Fair / Poor)	Health Condition (Good / Fair / Poor)	Amenity Value (High / Med / Low)	Anticipated survival rate after transplanting (High / Med / Low)	Top of soil level above root collar	Proposed treatment		Justification (see Notes)	Remarks
					Trunk Diameter DBH (mm)	Overall Height (m)	Average Crown Spread (m)						in initial / approved# application (Retain / Transplant / Fell)	in this revision, if applicable (Retain / Transplant / Fell)		
WKI 670	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	160	6	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Bent-trunk, Inbalanced form (moderate), Grown near u-channel	
WKI 671	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	220	7	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Grown near u-channel	
WKI 673	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	Hyd	170	10	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate), Cavity on trunk, Grown near u-channel	
WKI 674	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	140	8	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate)	
WKI 675	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	144	6	3	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Inbalanced form (moderate)	
WKI 677	PBA-CE44-K-CV-0165	<i>Syzygium cumini</i>	海南蒲桃	Hyd	120	4	2	Poor	Fair	Low	Low		Fell	a,c,e,f	Bent-trunk, Inbalanced form (moderate), Grown near u-channel	
WKI 678	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	140	7	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Bent-trunk, Inbalanced form (moderate)	
WKI 679	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	Hyd	140	8	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate)	
WKI 680	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	Hyd	260	9	4	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight)	
WKI 681	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	185	8	5	Poor	Fair	Low	Low		Fell	a,c,e,f	3 trunks, Inbalanced form (moderate)	
WKI 683	PBA-CE44-K-CV-0165	<i>Syzygium cumini</i>	海南蒲桃	Hyd	112	4	2	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate), Grown near u-channel	
WKI 684	PBA-CE44-K-CV-0165	<i>Delonix regia</i>	凤凰木	Hyd	270	11	9	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight)	
WKI 685	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	140	4	4	Poor	Fair	Low	Low		Retain		Leaning, Inbalanced form (moderate), Grown near u-channel	
WKI 687	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	141	5	4	Poor	Fair	Low	Low		Retain		2 trunks, Bent-trunk, Forked, Inbalanced form (moderate)	
WKI 688	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	191	9	5	Poor	Fair	Low	Low		Retain		2 trunks, Forked, Inbalanced form (moderate)	
WKI 689	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	120	7	4	Poor	Fair	Low	Low		Fell	a,c,e	Leaning, Inbalanced form (moderate), Epicormics	
WKI 690	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	244	8	5	Fair	Fair	Medium	Low		Retain		3 trunks, Bent-trunk, Forked, Inbalanced form (moderate)	
WKI 691	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	190	7	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate)	
WKI 692	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	Hyd	190	7	3	Poor	Fair	Low	Low		Retain		Leaning, Inbalanced form (moderate)	
WKI 693	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	Hyd	230	8	4	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight)	
WKI 694	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	151	4	2	Poor	Fair	Low	Low		Fell	a,c,e	3 trunks, Inbalanced form (moderate), Epicormics	
WKI 695	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	Hyd	210	7	4	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight)	
WKI 696	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	Hyd	170	7	3	Poor	Fair	Low	Low		Fell	a,c,e	Inbalanced form (moderate)	
WKI 698	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	141	7	5	Poor	Fair	Low	Low		Fell	a,c,e,f	3 trunks, Bent-trunk, Forked, Inbalanced form (moderate)	
WKI 699	PBA-CE44-K-CV-0165	Dead tree	枯死樹木	Hyd	110	4	1	-	-	-	-		Fell	b,c,f		
WKI 700	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	140	7	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Bent-trunk, Inbalanced form (severe)	
WKI 701	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	201	8	4	Poor	Fair	Low	Low		Fell	a,c,e,f	4 trunks, Bent-trunk, Forked, Inbalanced form (moderate)	
WKI 702	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	168	4	2	Poor	Fair	Low	Low		Fell	a,c,e,f	3 trunks, Bent-trunk, Forked, Inbalanced form (moderate)	
WKI 703	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	248	9	5	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Co-dominant	
WKI 704	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	112	5	2	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Forked, Inbalanced form (moderate), Epicormics	
WKI 705	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	210	9	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate)	
WKI 708	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	175	5	4	Poor	Fair	Low	Low		Fell	a,c,e,f	3 trunks, Forked, Inbalanced form (moderate), Epicormics	
WKI 710	PBA-CE44-K-CV-0165	<i>Acacia mangium</i>	馬占相思	Hyd	160	5	3	Poor	Fair	Low	Low		Fell	a,c,e,f	Inbalanced form (moderate)	
WKI 711	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	238	7	5	Poor	Fair	Low	Low		Fell	a,c,e,f	2 trunks, Inbalanced form (moderate)	
WKI 712	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	290	6	5	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Bent-trunk, Inbalanced form (moderate)	
WKI 713	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	200	8	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Bent-trunk, Inbalanced form (moderate)	
WKI 714	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	205	8	6	Poor	Fair	Low	Low		Fell	a,c,e,f	3 trunks, Forked, Inbalanced form (moderate), Grown near u-channel	
WKI 715	PBA-CE44-K-CV-0165	<i>Eucalyptus camaldulensis</i>	赤桉	Hyd	430	14	5	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight)	
WKI 717	PBA-CE44-K-CV-0165	<i>Acacia auriculiformis</i>	耳果相思	LCSD	230	9	5	Poor	Fair	Low	Low		Retain		Leaning, Inbalanced form (moderate), Grown in tree-pit	
WKI 718	PBA-CE44-K-CV-0165	<i>Acacia confusa</i>	台湾相思	Hyd	290	7	7	Poor	Fair	Low	Low		Fell	a,c,e,f	Forked, Inbalanced form (moderate), Grown near wall	
WKI 719	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	210	5	4	Poor	Fair	Low	Low		Fell	a,c,e,f	Broken leader, Inbalanced form (moderate), Grown near wall	
WKI 720	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	200	9	4	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight), Grown near	
WKI 721	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	220	9	4	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight), Grown near	
WKI 722	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	100	6	3	Poor	Poor	Low	Low		Fell	a,b,c,e,f	Leaning, Inbalanced form (moderate), Sparse crown, Grown near wall	
WKI 723	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	150	7	3	Poor	Fair	Low	Low		Fell	a,c,e,f	Leaning, Inbalanced form (moderate), Epicormics, Grown near wall	
WKI 724	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	220	8	4	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight), Grown near	
WKI 725	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	130	6	3	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight), Grown near	
WKI 727	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	200	7	3	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight), Grown near	
WKI 728	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	190	7	3	Fair	Fair	Medium	Low		Fell	a,e	Inbalanced form (slight), Grown near	
WKI 729	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	200	8	4	Fair	Fair	Medium	Low		Retain		Inbalanced form (slight), Grown near	
WKI 731	PBA-CE44-K-CV-0165	<i>Casuarina equisetifolia</i>	木麻黄	LCSD	230	8	5	Fair	Fair	Medium	Low		Retain		Inbalanced form (slight), Grown near	

**Notes**

- a. direct conflict with proposed works
- b. poor health condition
- c. tree with poor form or structure
- d. tree with root ball not extractable for transplanting (e.g. trees grown on slope or roots integrated with building structure)
- e. low survival rate after transplanting
- f. low recovery rate / amenity value after transplanting

**Legends**