

Appendix 9.2 Responses from Government Departments on Relevant Information

本署檔案 EP/RS/0000052421 VI
 OUR REF:
 來函檔案 EC/FW/lc/328011/01/06/02/L0001
 YOUR REF:
 電話 2516 1810
 TEL NO:
 圖文傳真 2960 1761
 FAX NO:
 網址
 HOMEPAGE: <http://www.epd.gov.hk/>

Environmental Protection Department
Environmental Compliance Division
Regional Office (South)
 2/F., Chinachem Exchange Square
 1 Hoi Wan Street
 Quarry Bay, Hong Kong



環境保護署
 環保法規管理科
 區域辦事處(南)
 香港鰂魚涌
 海灣街一號
 華懋交易廣場二樓

19 December 2013

Mott MacDonald
 20/F AIA Kowloon Tower
 Landmark East
 100 How Ming Street, Kwun Tong
 Kowloon, Hong Kong
 [Attn.: Mr. Eric Ching]

Dear Sir,

Tai Shue Wan Development at Ocean Park – Environmental Impact Assessment
Request for Information about Chemical Waste Producer and Spillage/Leakage Incidents

We refer to your letter dated 16 September 2013 concerning the above subject.

With regard to the requested information on chemical waste producers, we understand that you had approached our Territory Control Office to make arrangement for viewing the records in our registry of chemical waste producers.

This office has no record on reported accidents of spillage/leakage of chemicals at Ocean Park. You may check with other relevant departments or concerned parties for such information. In case of queries to the above, please contact the undersigned.

Yours faithfully,

(Peter W. S. Tang)
 Regional Office (South)
 for Director of Environmental Protection

| | To | Action | Inform | Copy | Sign | Date |
|----------|-------------|--------|--------|------|------|------|
| 1 | MPK | | | | | |
| 2 | FAI | | | | | |
| Rec'd | 20 DEC 2013 | | | | | |
| 3 | LC | | | | | |
| 4 | | | | | | |
| File No. | | | | | | |

消防處

香港九龍尖沙咀東部康莊道 1 號
消防總部大廈



FIRE SERVICES DEPARTMENT
FIRE SERVICES HEADQUARTERS
BUILDING,
No.1 Hong Chong Road,
Tsim Sha Tsui East, Kowloon,
Hong Kong.

本處檔號 OUR REF. : (44) in FSD GR 6-5/4 R Pt. 5
來函檔號 YOUR REF. : EC/FW/lc/328011/01/06/02/L0007
電子郵件 E-mail : hkfsdenq@hkfsd.gov.hk
圖文傳真 FAX NO. : 2739 5879
電話 TEL NO. : 2733 7741

20 November 2013

Mott MacDonald Hong Kong Limited
20/F AIA Kowloon Tower,
Landmark East,
100 How Ming Street
Kwun Tong,
Kowloon, Hong Kong.
(Attn: Mr. Eric CHING)

| | To | Action | Informan | Copy | Sign | Date |
|----------|-----|-------------|----------|------|------------|------|
| 1 | BFK | | | | | |
| 2 | GL | | | | Garry 2/12 | |
| Rec'd | | 27 NOV 2013 | | | | |
| 3 | Fw | | | | | 2/12 |
| 4 | EC | | | * | | |
| File No. | | | | | | |

Dear Mr. CHING,

**Tai Shue Wan Development at Ocean Park
– Environmental Impact Assessment
Request for Information of Dangerous Goods & Incident Records**

I refer to your letter of 4.11.2013 regarding the captioned subject.

Please be advised that neither records of dangerous goods license nor incidents of spillage / leakage of dangerous goods were found in connection with the given conditions of your request at the subject location.

If you have further questions, please feel free to contact the undersigned.

Yours sincerely,

(CHAN Derek Armstrong)
for Director of Fire Services