



EXISTING LOCATION DISCHARGE
AT SHUM WAN ROAD

SEWERAGE PROPOSED LOCATION
FOR PROJECT EXISTING 450mm SEWER
ALONG NAM LONG SHAN ROAD

CATCHMENT S1
(EXISTING DISCHARGE LOCATION FOR
EXISTING FACILITIES OF OCEAN PARK)
ADWF=1062 m3/day

CATCHMENT S2(PROJECT)
ADWF = 780.5 m3/day

- A1 75.88-450
X1 75.88-450
- FMH7056255
CL 77.44
A1 76.34-450
X1 76.34-450
- FMH7056259
CL 79.76
A1 78.59-450
X1 78.58-450
- FMH7056260
CL 80.22
A1 79.11-450
X1 79.11-450
- FMH7056261
CL 80.24
A1 79.25-450
X1 79.24-450
- FMH7056262
CL 80.51
A1 79.40-450
X1 79.40-450
- FMH7056263
CL 81.01
A1 79.51-450
X1 79.51-450
- FMH7056256
CL 77.50
A1 76.48-450
X1 76.48-450
- FMH7056257
CL 78.35
A1 77.29-450
X1 77.24-450
- FMH7056258
CL 79.28
A1 78.27-450
X1 78.25-450
- FMH7056264
CL 81.52
A1 80.13-450
X1 80.07-450
- FMH7056265
CL 82.58
A1 81.05-450
X1 81.02-450
- FMH7056266
CL 83.73
A1 82.37-450
X1 82.12-450
- FMH7056267
CL 86.75
A1 85.37-450
X1 85.31-450
- FMH7056268
CL 87.52
X1 86.15-450

Notes

LEGEND:

----- PROPOSED WATER PARK
DEVELOPMENT
(WORK SITE BOUNDARY)

Key to symbols

Reference drawings

E	APR 14	KT	REVISED	MT	SHC
D	MAR 14	GC	REVISED	MT	SHC
C	FEB 14	GC	REVISED	MT	SHC
B	DEC 13	GC	REVISED	MT	SHC
A	OCT 13	GC	-	MT	SHC
Rev	Date	Drawn	Description	Ch'k'd	App'd



20/F Two Landmark East
100 How Ming Street
Kwun Tong, Kowloon
Hong Kong
T +852 2828 5757
F +852 2827 1823
www.mottmac.com.hk

Client



Project

TAI SHUE WAN DEVELOPMENT
AT OCEAN PARK

Title

SEWERAGE CATCHMENT FOR
EXISTING 450mm SEWER ALONG NAM LONG
SHAN ROAD (SHEET 1 OF 3)

Designed		Eng check	
Drawn		Coordination	
Dwg check		Approved	
Scale at A1	1:1000	Status	Rev E

Drawing Number

FIGURE 7.3