


Allied Environmental Consultants Limited  
Acousticians & Environmental Engineers

19/F., Kwan Chart Tower, 6 Tonnochy Road, Wan Chai, Hong Kong  
Tel.: (852) 2815 7028 Fax: (852) 2815 5399 Email: info@aechk.com



Our Ref: 1158/14-0008

28 March 2014

**Environmental Protection Department**  
Environmental Compliance Division  
Regional Office (South)  
Eastern  
2/F, Chinachem Exchange Square,  
1 Hoi Wan Street, Quarry Bay,  
Hong Kong

Dear Sir / Madam,

**CHAI WAN GOVERNMENT COMPLEX AND VEHICLE DEPOT AT SHEUNG TAK STREET, CHAI WAN (PROGRAMME NO. 184GK)**  
**REQUEST FOR INFORMATION: RECORDS OF REGISTERED CHEMICAL WASTE PRODUCERS AND HISTORICAL RECORDS OF CHEMICAL SPILLAGE / LEAKAGE**

We are commissioned by the Architectural Services Department (ArchSD) to conduct an Environmental Impact Assessment (EIA) for a development project at the captioned location (as shown in the enclosed location plan). In accordance with the EIA Study Brief (ESB-267/2014) issued by Environmental Protection Department (EPD) on 5 March 2014 (copy attached), a land contamination assessment at the Project site is required.

We understand that the Project site is currently used by Drainage Services Department (DSD) as works and staging area. In order to facilitate our land contamination assessment for the EIA study, we would be grateful if the following information concerning the Project site can be provided:

- (i) Current and past registration of registered chemical waste producer; and
- (ii) Historical records of chemical spillage / leakage.

Your kind attention is much appreciated. Should you have any queries, please do not hesitate to contact the undersigned or Ms. Carol Chan at 2815-7028.

Yours sincerely,

Grace KWOK  
Director  
Allied Environmental Consultants Limited

Encl.  
ArchSD (Attn: Mr. Lawrence KWAN / SPM225 & Mr. Chester CHAN / PM254)  
GK/cc

本署檔案 EP/RS/0000365048  
OUR REF:  
來函檔案 71158/14-0008  
YOUR REF:  
電話 2516 1818  
TEL NO:  
圖文傳真 2960 1760  
FAX NO:  
網址  
HOMEPAGE: <http://www.epd.gov.hk/>

**Environmental Protection Department**  
**Environmental Compliance Division**  
**Regional Office (South)**  
2/F., Chinachem Exchange Square  
1 Hoi Wan Street  
Quarry Bay, Hong Kong



環境保護署  
環保法規管理科  
區域辦事處(南)  
香港鰂魚涌  
海灣街一號  
華懋交易廣場二樓

10 April 2014  
(By Post & Fax: 2815 5399)

By Letter

To: Allied Environmental Consultants Limited,  
19/F, Kwan Chart Tower, 6 Tonnochy Road,  
Wan Chai, Hong Kong  
Attn: Grace KWOK, Director

Dear Ms Kwok,

**Chai Wan Government Complex & Vehicle Depot at  
Sheung Tak Street, Chain Wan (Programme No. 184GK)**  
**Request for Information - Record of Registered Chemical Waste Producers and Historical  
Records of Chemical Spillage / Leakage**

I refer to your letter referenced above dated 28 March 2014, requesting the following information -

- (1) Current & Past Registration of registered chemical waste producers;
- (2) Historical records of chemical spillage / leakage

According to our records in the Regional Office (South), there are no registered chemical waste producers at the captioned address. Nevertheless, you may like to visit our territory-wide register maintained at the Territory Control Office (in Wan Chai). Please contact our Chief Environmental Protection Inspector, Mr. DO Yuen Tung (Tel: 2835 1087) to make an appointment for the access to the register.

Finally, we do not have any records of chemical leakage or spillage, or any land contamination at the above site within the past 5 years. You are reminded that this information is not exhaustive and you are advised to check with other concerned parties/authorities responsible for handling chemical leakage/spillage incidents. You may also consider taking samples for your study of land contamination, if necessary.

Yours sincerely,

(Rita F.M. LAM)  
for Director of Environmental Protection



Allied Environmental Consultants Limited  
Acousticians & Environmental Engineers

19/F., Kwan Chart Tower, 6 Tonnochy Road, Wan Chai, Hong Kong  
Tel.: (852) 2815 7028 Fax: (852) 2815 5399 Email: info@aechk.com



沛然環境評估  
工程顧問有限公司

Our Ref: 1158/14-0007

28 March 2014

**Fire Services Department**

Licensing & Certification Command  
Dangerous Goods Division  
4th Floor, FSD Kwai Chung Office Building,  
86 Hing Shing Road, Kwai Chung, New Territories

**Attn: Mr. LAM Yau Wing**

Dear Sir,

**CHAI WAN GOVERNMENT COMPLEX AND VEHICLE DEPOT AT SHEUNG TAK STREET, CHAI WAN (PROGRAMME NO. 184GK)  
REQUEST FOR INFORMATION: REGISTRATION OF DANGEROUS GOODS RECORDS AND HISTORICAL RECORDS OF DANGEROUS GOODS SPILLAGE / LEAKAGE**

We are commissioned by the Architectural Services Department (ArchSD) to conduct an Environmental Impact Assessment (EIA) for a development project at the captioned location (as shown in the enclosed location plan). In accordance with the EIA Study Brief (ESB-267/2014) issued by Environmental Protection Department (EPD) on 5 March 2014 (copy attached), a land contamination assessment at the Project site is required.

We understand that the Project site is currently used by Drainage Services Department (DSD) as works and staging area. In order to facilitate our land contamination assessment for the EIA study, we would be grateful if the following information concerning the Project site can be provided:

- (i) Current and past registration of dangerous goods records; and
- (ii) Historical records of dangerous goods spillage / leakage.

Your kind attention is much appreciated. Should you have any queries, please do not hesitate to contact the undersigned or Ms. Carol Chan at 2815-7028.

Yours sincerely,

Grace KWOK  
Director  
Allied Environmental Consultants Limited

Encl.  
ArchSD (Attn: Mr. Lawrence KWAN / SPM225 & Mr. Chester CHAN / PM254)  
GK/cc

*By Letter and Email*

消防處  
香港九龍尖沙咀東部康莊道1號  
消防總部大廈



**FIRE SERVICES DEPARTMENT**  
FIRE SERVICES HEADQUARTERS  
BUILDING,  
No.1 Hong Chong Road,  
Tsim Sha Tsui East, Kowloon,  
Hong Kong.

本處檔號 OUR REF. : (63) in FSD GR 6-5/4 R Pt. 6  
來函檔號 YOUR REF. : 1158/14-0007  
電子郵件 E-mail : hkfsdenq@hkfsd.gov.hk  
圖文傳真 FAX NO. : 2739 5879  
電話 TEL NO. : 2733 7741

29 April 2014

Allied Environmental Consultants Limited  
19/F.,  
Kwan Chart Tower,  
6 Tonnochy Road,  
Wan Chai, Hong Kong.  
**(Attn: Ms. Grace KWOK)**

Dear Ms. KWOK,

**Chai Wan Government Complex and  
Vehicle Depot at Sheung Tak Street, Chai Wan  
Request for Information of Dangerous Goods & Incident Record**

I refer to your letter which was received by this office on 17.4.2014 regarding the captioned request.

Please be advised that neither records of dangerous goods license nor incidents of spillage / leakage of dangerous goods were found in connection with the given conditions of your request at the subject location.

Should you have further questions, please feel free to contact the undersigned.

Yours sincerely,

(Derek Armstrong CHAN)  
for Director of Fire Services

Allied Environmental Consultants Limited  
Acousticians & Environmental Engineers

19/F., Kwan Chart Tower, 6 Tonnochy Road, Wan Chai, Hong Kong  
Tel.: (852) 2815 7028 Fax: (852) 2815 5399 Email: info@aechk.com

Our Ref: 1158/14-0009

28 March 2014

**Lands Department**

Lands Administration Office  
District Lands Office, Hong Kong East  
3/F & 19/F, Southorn Centre,  
130 Hennessy Road, Wan Chai, Hong Kong

**Attn: Ms. CHAN Yin Ling, Yolanda**

Dear Madam,

**CHAI WAN GOVERNMENT COMPLEX AND VEHICLE DEPOT AT SHEUNG TAK STREET, CHAI WAN (PROGRAMME NO. 184GK)  
REQUEST FOR INFORMATION: CURRENT AND PAST LAND USES**

We are commissioned by the Architectural Services Department (ArchSD) to conduct an Environmental Impact Assessment (EIA) for a development project at the captioned location (as shown in the enclosed location plan). In accordance with the EIA Study Brief (ESB-267/2014) issued by Environmental Protection Department (EPD) on 5 March 2014 (copy attached), a land contamination assessment at the Project site is required.

In order to facilitate our land contamination assessment for the EIA study, we would be grateful if the following information concerning the Project site can be provided:

- (i) Current and past land uses of the site detailed with duration;
- (ii) Reported land contamination issues, if any (e.g. spillage or leakage of chemical / dangerous good, etc.); and
- (iii) Requirement on site clearance and / or decontamination of the Project site upon termination of current land use as works area by Drainage Services Department.

Your kind attention is much appreciated. Should you have any queries, please do not hesitate to contact the undersigned or Ms. Carol Chan at 2815-7028.


Yours sincerely,



Grace KWOK  
Director  
Allied Environmental Consultants Limited

Encl.

ArchSD (Attn: Mr. Lawrence KWAN / SPM225 & Mr. Chester CHAN / PM254)  
GK/cc



*By Letter & Email*

電話 Tel: 2835 1664  
圖文傳真 Fax: 2834 4324  
電郵地址 Email: eshkecw@landsd.gov.hk  
本署檔號 Our Ref: (90) in LD DLO/HE 680/EHGS/87  
來函檔號 Your Ref:

來函請註明本署檔號  
Please quote our reference in your reply

Allied Environmental Consultants Limited  
19/F Kwan Chart Tower  
6 Tonnochy Road  
Wan Chai  
Hong Kong

Attn: Ms Grace Kwok

Dear Sirs

**Chai Wan Government Complex and Vehicle Depot at  
Sheung Tak Street, Chai Wan  
(Programme No 184GK)  
Request for Information: Current and Past Land Uses**

I refer to your letter dated 28 March 2014 and the subsequent telephone conversation (Chan/Chan) and would advise as follows:

(i) Current and Past Land Uses of the Site

<u>Period</u>	<u>Previous/Existing Use</u>	<u>Allocatee/Tenant</u>
1.1.1988 - 4.9.1997	Sheung On Temporary Housing Area  (TGLA No GLA-THK 615)	Director of Housing
1.2.2001 - 4.10.2002	Temporary works area for road construction project in Chai Wan Reclamation Area (Contract No HY/2000/17)  (TGLA No GLA-THK 1419)	Director of Highways
14.7.2003 - 30.9.2004	A fee-paying public carpark  (STT No EHX-328)	Kai Hing Trading Company
1.9.2005 - Present	Temporary works area for Drainage Term Contract for Drainage Maintenance and Construction in Hong Kong Islands and Islands Districts  (TGLA No GLA-THK 1700)	Director of Drainage Services

本信息及任何附件只供收件人使用，而其中可能載有機密及／或屬法律特權的資料。敬請注意，未獲許可，不得擅自披露或使用本信息。倘本信息誤傳給你，請立即通知本署，並刪除或銷毀本信息。本署絕不承擔因使用本信息而引致的任何法律責任。

This message including any attachment is intended for the use of the addressee only. It may contain information which is confidential and/or legally privileged. You are hereby notified that no unauthorised disclosure or use of this message is permitted. If you have received this message by mistake, please notify us immediately and delete or destroy this message, as appropriate. Any liability arising from the use of this information is excluded.



我們矢志努力不懈，提供盡善盡美的土地行政服務。  
We strive to achieve excellence in land administration.

香港灣仔軒尼詩道修頓中心三、十九樓  
3/F, 19/F, SOUTHORN CENTRE, 130 HENNESSY ROAD,  
WAN CHAI, HONG KONG

網址 Web Site: www.landsd.gov.hk

By Fax 2815 5399

15 May 2014



You may also note from the enclosed site plan that there is a 132KV cable (EH0034) in the south-western corner of the site which is held under the Block Licence dated 6 April 1990 by the Hongkong Electric Co Ltd and nearly the whole site is within the sewage tunnel protection boundary.

(ii) Reported Land Contamination Issues

Nil.

(iii) Requirement on Site Clearance and/or Decontamination of the Site upon Termination of Current Land Use as Works Area by Drainage Services Department


At the expiration or early determination of TGLA No GLA-THK 1700, the Director of Drainage Services is required to reinstate the site and hand back the site to this office free of structures and debris and cleared of all occupation. There is no requirement for decontamination of the site under the Engineering Conditions of the said TGLA.

Yours faithfully



( Yolanda Chan )  
for District Lands Officer/Hong Kong East

Enc



Allied Environmental Consultants Limited  
Acousticians & Environmental Engineers

19/F., Kwan Chart Tower, 6 Tonnochy Road, Wan Chai, Hong Kong  
Tel.: (852) 2815 7028 Fax: (852) 2815 5399 Email: info@aechk.com



沛然環境評估  
工程顧問有限公司

Our Ref: 1158/14-0012

28 March 2014

**New World First Bus Services Ltd.**  
8 Chong Fu Road  
Chai Wan, Hong Kong

Dear Sir / Madam,

**CHAI WAN GOVERNMENT COMPLEX AND VEHICLE DEPOT AT SHEUNG TAK STREET, CHAI WAN (PROGRAMME NO. 184GK)**  
**REQUEST FOR INFORMATION: REPORTED LAND CONTAMINATION ISSUES ARISING FROM THE OPERATION OF NEW WORLD FIRST BUS CHONG FU ROAD PERMANENT DEPOT**

We are commissioned by the Architectural Services Department (ArchSD) to conduct an Environmental Impact Assessment (EIA) for a development project at the captioned location (as shown in the enclosed location plan). In accordance with the EIA Study Brief (ESB-267/2014) issued by Environmental Protection Department (EPD) on 5 March 2014 (copy attached), a land contamination assessment at the Project site is required.

We understand that the New World First Bus Chong Fu Road Permanent Depot is located adjacent to the Project site. In order to facilitate our land contamination assessment for the EIA study, we would be grateful if the following information concerning the Project site can be provided:

- (i) Reported land contamination issues arising from the operation of New World First Bus Chong Fu Road Permanent Depot to the Project site, if any (e.g. spillage or leakage of, gasoline, diesel, chemical, dangerous goods, etc.)

Your kind attention is much appreciated. Should you have any queries, please do not hesitate to contact the undersigned or Ms. Carol Chan at 2815-7028.

Yours sincerely,

Grace KWOK  
Director  
Allied Environmental Consultants Limited

Encl.

ArchSD (Attn: Mr. Lawrence KWAN / SPM225 & Mr. Chester CHAN / PM254)  
GK/cc

*By Letter & Email*



Your Ref: 1158/14-0012  
Our Ref: BS/CFR/L/20140408

Date: 8 April 2014

**By Email**

Allied Environmental Consultants Limited  
19/F., Kwan Chart Tower,  
6 Tonnochy Road,  
Wan Chai,  
Hong Kong

Dear Grace,

**Chai Wan Government Complex and Vehicle Depot at Sheung Tak Street, Chai Wan (Programme No. 184GK)**  
**Request for information: Reported Land Contamination issues arising from the operation of New World First Bus Chong Fu Road Permanent Depot**

We would like to inform you that there is no reported land contamination issues arising from the operation of our Bus Depot since 12 July 2001 up to this moment.

If you have any further enquiries, please do not hesitate to contact the undersigned at telephone number 2136 2204.


Yours faithfully,  
For and on behalf of  
**New World First Bus Services Ltd.**

Alfee Au  
Senior Building Services Engineer



Allied Environmental Consultants Limited  
Acousticians & Environmental Engineers

19/F., Kwan Chart Tower, 6 Tonnochy Road, Wan Chai, Hong Kong  
Tel.: (852) 2815 7028 Fax: (852) 2815 5399 Email: info@aechk.com



Our Ref: 1158/14-0085

28 October 2014

**Citybus Limited**  
8 Chong Fu Road  
Chai Wan, Hong Kong

By Letter

Dear Sir/Madam,

**CHAI WAN GOVERNMENT COMPLEX AND VEHICLE DEPOT AT SHEUNG TAK STREET, CHAI WAN (PROGRAMME NO. 184GK)**  
**REQUEST FOR INFORMATION: REPORTED LAND CONTAMINATION ISSUES ARISING FROM THE OPERATION OF CITYBUS CHAI WAN DEPOT**

We are commissioned by the Architectural Services Department (ArchSD) to conduct an Environmental Impact Assessment (EIA) for a development project at the captioned location (as shown in the enclosed location plan). In accordance with the EIA Study Brief (ESB-267/2014) issued by Environmental Protection Department (EPD) on 5 March 2014, a land contamination assessment at the Project site is required.

We understand that the Citybus Chai Wan Depot is located adjacent to the Project site. In order to facilitate our land contamination assessment for the EIA study, we would be grateful if the following information concerning the Project site can be provided:

- (i) Reported land contamination issues arising from the operation of Citybus Chai Wan Depot to the Project site, if any (e.g. spillage or leakage of, gasoline, diesel, chemical, dangerous goods, etc.)

Your kind attention is much appreciated. Should you have any queries, please do not hesitate to contact the undersigned or Ms. Carol Chan at 2815-7028.

Yours sincerely,

Carol Chan  
Senior Consultant  
Allied Environmental Consultants Limited

Encl.

ArchSD (Attn: Mr. Lawrence KWAN / SPM225 & Mr. Chester CHAN / PM254)  
GK/cc



周大福企業及新創建集團成員  
Member of Chow Tai Fook Enterprises and NWS Holdings

Your Ref : 1158/14-0085  
Our Ref : BS/CWD/L/20141107

Date : 7 Nov 2014

**By Email**

Allied Environmental Consultants Limited  
19/F., Kwan Chart Tower,  
6 Tonnochy Road,  
Wan Chai,  
Hong Kong

Dear Carol,

**Chai Wan Government Complex and Vehicle Depot at Sheung Tak Street, Chai Wan (Programme No. 184GK)**  
**Request for information : Reported Land Contamination issues arising from the operation of Citybus Chai Wan Depot**


We would like to inform you that there are no reported land contamination issues arising from the operation of our Bus Depot since April 2004 up to this moment.

If you have any further enquiries, please do not hesitate to contact the undersigned at telephone number 2136 2204.

Yours faithfully,  
For and on behalf of  
**New World First Bus Services Ltd.**

Alfee Au  
Senior Building Services Engineer





Our Ref: 1158/14-0087

29 October 2014

**Environmental Protection Department**  
Environmental Compliance Division  
Regional Office (South)  
Eastern  
2/F, Chinachem Exchange Square,  
1 Hoi Wan Street, Quarry Bay,  
Hong Kong

**Attn: Ms. Rita F.M. Lam**

Dear Madam,

**CHAI WAN GOVERNMENT COMPLEX AND VEHICLE DEPOT AT SHEUNG TAK STREET, CHAI WAN  
(PROGRAMME NO. 184GK)  
REQUEST FOR INFORMATION: RECORDS OF REGISTERED CHEMICAL WASTE PRODUCERS AND  
HISTORICAL RECORDS OF CHEMICAL SPILLAGE / LEAKAGE**

We are commissioned by the Architectural Services Department (ArchSD) to conduct an Environmental Impact Assessment (EIA) for a development project at the captioned location (as shown in the enclosed location plan). In accordance with the EIA Study Brief (ESB-267/2014) issued by Environmental Protection Department (EPD) on 5 March 2014, a land contamination assessment at the Project site is required.

Further to your reply dated 10 April 2014 (Your ref: EP/RS/0000365048), we would be grateful if the following information concerning nearby facilities, namely (i) Citybus Chai Wan Depot at 38 Sheung On Street, (ii) New World First Bus Chong Fu Road Depot at 8 Chong Fu Road and (iii) Petrol Filling Station at 8 Sheung Mau Street, can also be provided:

- (i) Current and past registration of registered chemical waste producer; and
- (ii) Historical records of chemical spillage / leakage.


Your kind attention is much appreciated. Should you have any queries, please do not hesitate to contact the undersigned or Ms. Carol Chan at 2815-7028.

Yours sincerely,

Carol Chan  
Senior Consultant  
Allied Environmental Consultants Limited

Encl.  
ArchSD (Attn: Mr. Lawrence KWAN / SPM225 & Mr. Chester CHAN / PM254)  
GK/cc

*By Letter*



本署檔案 (4) in EP/RS/0000365048  
OUR REF: 1158/14-0087  
來函檔案  
YOUR REF: 2516 1818  
電話  
TEL NO: 2960 1760  
圖文傳真  
FAX NO:  
網址  
HOME PAGE: <http://www.epd.gov.hk/>

**Environmental Protection Department**  
**Environmental Compliance Division**  
**Regional Office (South)**  
2/F., Chinachem Exchange Square  
1 Hoi Wan Street  
Quarry Bay, Hong Kong



環境保護署  
環保法規管理科  
區域辦事處(南)  
香港鰂魚涌  
海灣街一號  
華懋交易廣場二樓

**Allied Environmental Consultants Limited**  
Acousticians & Environmental Engineers

19/F., Kwan Chart Tower, 6 Tonnochy Road, Wan Chai, Hong Kong  
Tel.: (852) 2815 7028 Fax: (852) 2815 5399 Email: [info@aechk.com](mailto:info@aechk.com)



沛然環境評估  
工程顧問有限公司

2 December 2014  
(By Post & Email: <[cc@aechk.com](mailto:cc@aechk.com)>)

To: Allied Environmental Consultants Limited,  
19/F, Kwan Chart Tower, 6 Tonnochy Road,  
Wan Chai, Hong Kong  
Attn: Carol CHAN, Senior Consultant

Dear Ms Chan,

**Chai Wan Government Complex & Vehicle Depot at  
Sheung Tat Street, Chain Wan (Programme No. 184GK)**  
**Request for Information - Record of Registered Chemical Waste Producers and Historical  
Records of Chemical Spillage / Leakage**

I refer to your letter referenced above dated 29 October 2014, requesting the following information with respect to the two bus depots and one petrol filling station next to the above site -

- (1) Current & Past Registration of registered chemical waste producers;
- (2) Historical records of chemical spillage / leakage

According to our records in the Regional Office (South), the above three facilities are registered chemical waste producers. Nevertheless, you may like to visit our territory-wide register maintained at the Territory Control Office (in Wan Chai). Please contact our Chief Environmental Protection Inspector, Mr. DO Yuen Tung (Tel: 2835 1017) to make an appointment for the access to the register.

Finally, we do not have any records of chemical leakage or spillage, or any land contamination at the above facilities within the past 5 years. You are reminded that this information is not exhaustive and you are advised to check with other concerned parties/authorities responsible for handling chemical leakage/spillage incidents. You may also consider taking samples for your study of land contamination, if necessary.

Yours sincerely,

(Rita F.M. LAM)

for Director of Environmental Protection

Our Ref: 1158/14-0086

29 October 2014

*By Letter*

**Fire Services Department**  
9th Floor, Fire Services HQ Building,  
1 Hong Chong Road,  
Tsim Sha Tsui East, Kowloon

**Attn: Mr. Derek Armstrong CHAN**

Dear Sir,

**CHAI WAN GOVERNMENT COMPLEX AND VEHICLE DEPOT AT SHEUNG TAK STREET, CHAI  
WAN (PROGRAMME NO. 184GK)**  
**REQUEST FOR INFORMATION: REGISTRATION OF DANGEROUS GOODS RECORDS AND  
HISTORICAL RECORDS OF DANGEROUS GOODS SPILLAGE / LEAKAGE AT NEARBY  
FACILITIES**

We are commissioned by the Architectural Services Department (ArchSD) to conduct an Environmental Impact Assessment (EIA) for a development project at the captioned location (as shown in the enclosed location plan). In accordance with the EIA Study Brief (ESB-267/2014) issued by Environmental Protection Department (EPD) on 5 March 2014, a land contamination assessment at the Project site is required.

Further to your reply dated 17 April 2014 (Your ref: (58) in FSD GR 6-5/4 R Pt. 6), we would be grateful if the following information concerning nearby facilities, namely (i) Citybus Chai Wan Depot at 38 Sheung On Street, (ii) New World First Bus Chong Fu Road Depot at 8 Chong Fu Road and (iii) Petrol Filling Station at 8 Sheung Mau Street, can also be provided:

- (i) Current and past registration of dangerous goods records; and
- (ii) Historical records of dangerous goods spillage / leakage.


Your kind attention is much appreciated. Should you have any queries, please do not hesitate to contact the undersigned or Ms. Carol Chan at 2815-7028.

Yours sincerely,

Carol Chan  
Senior Consultant  
Allied Environmental Consultants Limited

Encl.  
ArchSD (Attn: Mr. Lawrence KWAN / SPM225 & Mr. Chester CHAN / PM254)  
GK/cc





消防處  
香港九龍尖沙咀東部康莊道1號  
消防總部大廈



FIRE SERVICES DEPARTMENT  
FIRE SERVICES HEADQUARTERS  
BUILDING,  
No.1 Hong Chong Road,  
Tsim Sha Tsui East, Kowloon,  
Hong Kong.

本處檔號 OUR REF. : (174) in FSD GR 6-5/4 R Pt. 7  
來函檔號 YOUR REF. : 1158/14-0086  
電子郵件 E-mail : hkfsdenq@hkfsd.gov.hk  
圖文傳真 FAX NO. : 2739 5879  
電話 TEL NO. : 2733 7743

12 November 2014

Allied Environmental Consultants Limited .  
19/F.,  
Kwan Chart Tower,  
6 Tonnochy Road,  
Wan Chai, Hong Kong.  
**(Attn: Ms. Carol CHAN, Senior Consultant)**

Dear Ms. CHAN,

**Chai Wan Government Complex and  
Vehicle Depot at Sheung Tak Street, Chai Wan  
Request for Information of Dangerous Goods & Incident Records**

I refer to your letter of 3.11.2014 regarding the captioned request and reply below in response to your questions seriatim:-

1. Dangerous goods approval has been granted in respect of the captioned address. Please refer to **Appendix A** for details.
2. No record of incidents of spillage / leakage of dangerous goods was found at the aforesaid location with your given conditions.

If you have further questions, please feel free to contact the undersigned.

Yours sincerely,

  
(SHEN Ka-wai)  
for Director of Fire Services

Ref. number and date should be quoted in reference to this letter  
凡提及本信時請引述編號及日期

Appendix A

**Chai Wan Government Complex and Vehicle Depot  
at Sheung Tak Street, Chai Wan  
Request for Information of Dangerous Goods & Incident Records**

	<u>Item</u>	<u>Types</u>	<u>Quantity</u>	<u>Storage Method</u>
PFS at 8 Sheung Mau Street	1	Diesel	22,750L	U/G Tank
	2	Diesel	22,750L	U/G Tank
	3	Petrol	22,750L	U/G Tank
	4	Petrol	22,750L	U/G Tank
Citybus	5	Diesel	45,460L	U/G Tank
	6	Diesel	45,460L	U/G Tank
	7	Diesel	45,460L	U/G Tank
NWFB	8	Diesel	4,300L	FTRs on G/F
	9	Diesel	22,500L	Fuel tank on G/F at refueling area
	10	Diesel	22,500L	Fuel tank on G/F at refueling area
	11	Diesel	22,500L	Fuel tank on G/F at refueling area
	12	Diesel	22,500L	Fuel tank on G/F at refueling area
	13	Diesel	22,500L	Fuel tank on G/F at refueling area
	14	Diesel	22,500L	Fuel tank on G/F at refueling area
	15	Diesel	22,500L	Fuel tank on G/F at refueling area
	16	Diesel	22,500L	Fuel tank on G/F at refueling area
	17	Diesel	22,500L	Fuel tank on G/F at refueling area
	18	Diesel	22,500L	Fuel tank on G/F at refueling area
	19	Methyl Ethyl Ketone Peroxide (Cat.10)	176L	DG Store on 1/F
	20	Lacquer Thinner (Cat.5)	216L	DG Store on 1/F
	21	Acetone (Cat. 5)	251L	DG Store on 1/F
	22	Paint (Cat.5)	704L	DG Store on 1/F
	23	Sulphuric Acid (Cat.3)	360L	DG Store on G/F
	24	Oxygen (Cat.2)	6.8 m <sup>3</sup> X 12 cylinders	DG Store on G/F
	25	Acetylene	6.2 m <sup>3</sup> X 12 cylinders	DG Store on G/F
	26	Refrigerant	1.75 m <sup>3</sup> X 8 cylinders	DG Store on G/F