Tung Chung East

Project : Tung Chung New Town Extension
Title : Construction Noise Calculation
Table 1 - Notional Distance from Construction Sites to NSRs, m

NSRs	TCE01	TCE02	TCE03	TCE04	TCE05	TCE06	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE15	TCE16	TCE17	TCE18	P1_01	P1_02
A1-2-01								290			130									
A2-2-05							110	120												
A2-4-01								95		170										
A55a-001	105		130												210	90		145		
A56-001	205	60													105	250				
A56-004		60			285										110					
B1-2-03	190			55			290								85	170		110		
B1-2-04				70	110		140													
B1-2-06					75		320													
C1-1-04									300	135							460			
D2-2-02		120			130		130													
E1-4-03									110	105							250			
F0-3-01								250	50								240			
LNCP-001		285																		
LNCP-004																				
LNCP-005																				
LNCP-006																				
LNCP-007																				
PSc-001	80		220												120	125		200		

NSRs	Int01	Int02	Int03	Int04	Int05	Int06	Int07	Int08	Int09	Int10	Int11	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20
A1-2-01																		45	60	100
A2-2-05																50			215	
A2-4-01																				
A55a-001						220	170	230												
A56-001			30	80	100					240	290		240	280						
A56-004	145	200	20	80	110					245	295		240	280						
B1-2-03							300	160	135	30	55									
B1-2-04													205	80	185	125				
B1-2-06												215	50	100	125	245				
C1-1-04																				
D2-2-02					215						50			145	255	130				
E1-4-03																				
F0-3-01																				
LNCP-001	275																			
LNCP-004																				
LNCP-005												400					350			
LNCP-006																				
LNCP-007																				
PSc-001			220		215		245	255		280										

NSRs	Int21	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40
A1-2-01	210									270			230	90		215				
A2-2-05	100	260	265	260	270															
A2-4-01	15			285	185	120		270		120	255									
A55a-001																				
A56-001																				
A56-004																				
B1-2-03		240																		
B1-2-04		130																		
B1-2-06		290																		
C1-1-04	110					140		250		35	160									
D2-2-02		70	230																	
E1-4-03						40	100	80		240										
F0-3-01							235	40	60											
LNCP-001																				
LNCP-004																	325		320	
LNCP-005																380				
LNCP-006																				595
LNCP-007																				210
PSc-001																				

								Concurrent project									
NSRs	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01
A1-2-01														285			
A2-2-05																	
A2-4-01																	
A55a-001																	
A56-001																	
A56-004									195								295
B1-2-03								210	275								
B1-2-04																	
B1-2-06																	
C1-1-04										210	270						
D2-2-02																	
E1-4-03																	
F0-3-01																	
LNCP-001								210	275								110
LNCP-004															300	265	185
LNCP-005											330	300	320				200
LNCP-006																	230
LNCP-007																	195
PSc-001																	

Table 2 - Distance Attenuation and Facade Correction, dB(A)

NSRs	TCE01	TCE02	TCE03	TCE04	TCE05	TCE06	TCE07	TCE08	RD3	TCE10	TCE11	TCE12	TCE13	TCE14	TCE15	TCE16	TCE17	TCE18	P1_01	P1_02
A1-2-01								-54			-47									
A2-2-05							-46	-47												
A2-4-01								-45		-50										
A55a-001	-45		-47												-51	-44		-48		
A56-001	-51	-41													-45	-53				
A56-004		-41			-54										-46					
B1-2-03	-51			-40			-54								-44	-50		-46		
B1-2-04				-42	-46		-48													
B1-2-06					-43		-55													
C1-1-04									-55	-48							-58			
D2-2-02		-47			-47		-47													
E1-4-03									-46	-45							-53			
F0-3-01								-53	-39								-53			
LNCP-001		-54																		
LNCP-004																				
LNCP-005																				
LNCP-006																				
LNCP-007																				
PSc-001	-43		-52												-47	-47		-51		

NSRs	Int01	Int02	Int03	Int04	Int05	Int06	Int07	Int08	Int09	Int10	Int11	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20
A1-2-01																		-38	-41	-45
A2-2-05																-39			-52	
A2-4-01																				
A55a-001						-52	-50	-52												
A56-001			-35	-43	-45					-53	-54		-53	-54						
A56-004	-48	-51	-31	-43	-46					-53	-54		-53	-54						
B1-2-03							-55	-49	-48	-35	-40									
B1-2-04													-51	-43	-50	-47				
B1-2-06												-52	-39	-45	-47	-53				
C1-1-04																				
D2-2-02					-52						-39			-48	-53	-47				
E1-4-03																				
F0-3-01																				
LNCP-001	-54																			
LNCP-004																				
LNCP-005												-57					-56			
LNCP-006																				
LNCP-007																				
PSc-001			-52		-52		-53	-53		-54										

NSRs	Int21	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40
A1-2-01	-51									-54			-52	-44		-52				
A2-2-05	-45	-53	-53	-53	-54															
A2-4-01	-29			-54	-50	-47		-54		-47	-53									
A55a-001																				
A56-001																				
A56-004																				
B1-2-03		-53																		
B1-2-04		-47																		
B1-2-06		-54																		
C1-1-04	-46					-48		-53		-36	-49									
D2-2-02		-42	-52																	
E1-4-03						-37	-45	-43		-53										
F0-3-01							-52	-37	-41											
LNCP-001																				
LNCP-004																	-55		-55	
LNCP-005																-57				
LNCP-006																				-60
LNCP-007																				-51
PSc-001																				

								Concurrent project									
NSRs	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01
A1-2-01														-54			
A2-2-05																	
A2-4-01																	
A55a-001																	
A56-001																	
A56-004									-51								-54
B1-2-03								-51	-54								
B1-2-04																	
B1-2-06																	
C1-1-04										-51	-54						
D2-2-02																	
E1-4-03																	
F0-3-01																	
LNCP-001								-51	-54								-46
LNCP-004															-55	-53	-50
LNCP-005											-55	-55	-55				-51
LNCP-006																	-52
LNCP-007																	-51
PSc-001																	

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 1 - Noise Contribution from Sources at Jan 2017

	Work Site																																												
	Phase 1									Phase 2																						Phase 3												
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																													
A2-2-05[1]																																													
A2-4-01[1]																																													
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																													
B1-2-04[2]																																													
B1-2-06[2]																																													
C1-1-04[3]																																													
D2-2-02[4]																																													
E1-4-03[3]																																													
F0-3-01[3]																																													
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2 - Noise Contribution from Sources at Feb 2017

	Work Site																																												
	Phase 1									Phase 2																						Phase 3												
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																													
A2-2-05[1]																																													
A2-4-01[1]																																													
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																													
B1-2-04[2]																																													
B1-2-06[2]																																													
C1-1-04[3]																																													
D2-2-02[4]																																													
E1-4-03[3]																																													
F0-3-01[3]																																													
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 3 - Noise Contribution from Sources at Mar 2017

	Work Site																																												
	Phase 1									Phase 2																						Phase 3												
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																													
A2-2-05[1]																																													
A2-4-01[1]																																													
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																													
B1-2-04[2]																																													
B1-2-06[2]																																													
C1-1-04[3]																																													
D2-2-02[4]																																													
E1-4-03[3]																																													
F0-3-01[3]																																													
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 4 - Noise Contribution from Sources at Apr 2017

	Work Site																																												
	Phase 1									Phase 2																						Phase 3												
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																													
A2-2-05[1]																																													
A2-4-01[1]																																													
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																													
B1-2-04[2]																																													
B1-2-06[2]																																													
C1-1-04[3]																																													
D2-2-02[4]																																													
E1-4-03[3]																																													
F0-3-01[3]																																													
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 - Noise Contribution from Sources at May 2017

	Work Site																																												
	Phase 1									Phase 2																						Phase 3												
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																													
A2-2-05[1]																																													
A2-4-01[1]																																													
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																													
B1-2-04[2]																																													
B1-2-06[2]																																													
C1-1-04[3]																																													
D2-2-02[4]																																													
E1-4-03[3]																																													
F0-3-01[3]																																													
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 1 - Noise Contribution from Sources at Jan 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2 - Noise Contribution from Sources at Feb 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 3 - Noise Contribution from Sources at Mar 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 4 - Noise Contribution from Sources at Apr 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 5 - Noise Contribution from Sources at May 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 6 - Noise Contribution from Sources at Jun 2017

	Work Site																																					
	Phase 1								Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																						
A2-2-05[1]																																						
A2-4-01[1]																																						
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																						
B1-2-04[2]																																						
B1-2-06[2]																																						
C1-1-04[3]																																						
D2-2-02[4]																																						
E1-4-03[3]																																						
F0-3-01[3]																																						
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 7 - Noise Contribution from Sources at Jul 2017

	Work Site																																					
	Phase 1								Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																						
A2-2-05[1]																																						
A2-4-01[1]																																						
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																						
B1-2-04[2]																																						
B1-2-06[2]																																						
C1-1-04[3]																																						
D2-2-02[4]																																						
E1-4-03[3]																																						
F0-3-01[3]																																						
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 8 - Noise Contribution from Sources at Aug 2017

	Work Site																																					
	Phase 1								Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																						
A2-2-05[1]																																						
A2-4-01[1]																																						
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																						
B1-2-04[2]																																						
B1-2-06[2]																																						
C1-1-04[3]																																						
D2-2-02[4]																																						
E1-4-03[3]																																						
F0-3-01[3]																																						
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 9 - Noise Contribution from Sources at Sep 2017

	Work Site																																					
	Phase 1								Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																						
A2-2-05[1]																																						
A2-4-01[1]																																						
A55a-001	0	0	0	0	0	0	0	0	0	63	0	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																						
B1-2-04[2]																																						
B1-2-06[2]																																						
C1-1-04[3]																																						
D2-2-02[4]																																						
E1-4-03[3]																																						
F0-3-01[3]																																						
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 10 - Noise Contribution from Sources at Oct 2017

	Work Site																																					
	Phase 1								Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																						
A2-2-05[1]																																						
A2-4-01[1]																																						
A55a-001	0	0	0	0	0	0	0	0	0	63	0	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																						
B1-2-04[2]																																						
B1-2-06[2]																																						
C1-1-04[3]																																						
D2-2-02[4]																																						
E1-4-03[3]																																						
F0-3-01[3]																																						
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 6 - Noise Contribution from Sources at Jun 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 7 - Noise Contribution from Sources at Jul 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 8 - Noise Contribution from Sources at Aug 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 9 - Noise Contribution from Sources at Sep 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 10 - Noise Contribution from Sources at Oct 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 11 - Noise Contribution from Sources at Nov 2017

	Work Site																																						
	Phase 1									Phase 2																			Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	63	0	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 12 - Noise Contribution from Sources at Dec 2017

	Work Site																																						
	Phase 1									Phase 2																			Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	66	0	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 13 - Noise Contribution from Sources at Jan 2018

	Work Site																																						
	Phase 1									Phase 2																			Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	66	0	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 14 - Noise Contribution from Sources at Feb 2018

	Work Site																																						
	Phase 1									Phase 2																			Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	66	0	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 15 - Noise Contribution from Sources at Mar 2018

	Work Site																																						
	Phase 1									Phase 2																			Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	66	0	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 11 - Noise Contribution from Sources at Nov 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 12 - Noise Contribution from Sources at Dec 2017

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 13 - Noise Contribution from Sources at Jan 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 14 - Noise Contribution from Sources at Feb 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 15 - Noise Contribution from Sources at Mar 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 16 - Noise Contribution from Sources at Apr 2018

	Work Site																																												
	Phase 1									Phase 2																						Phase 3												
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																													
A2-2-05[1]																																													
A2-4-01[1]																																													
A55a-001	0	0	0	0	0	0	0	0	0	66	0	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																													
B1-2-04[2]																																													
B1-2-06[2]																																													
C1-1-04[3]																																													
D2-2-02[4]																																													
E1-4-03[3]																																													
F0-3-01[3]																																													
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 17 - Noise Contribution from Sources at May 2018

	Work Site																																												
	Phase 1									Phase 2																						Phase 3												
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																													
A2-2-05[1]																																													
A2-4-01[1]																																													
A55a-001	0	0	0	0	0	0	0	0	0	66	0	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																													
B1-2-04[2]																																													
B1-2-06[2]																																													
C1-1-04[3]																																													
D2-2-02[4]																																													
E1-4-03[3]																																													
F0-3-01[3]																																													
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 18 - Noise Contribution from Sources at Jun 2018

	Work Site																																												
	Phase 1									Phase 2																						Phase 3												
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																													
A2-2-05[1]																																													
A2-4-01[1]																																													
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	66	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	66	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																													
B1-2-04[2]																																													
B1-2-06[2]																																													
C1-1-04[3]																																													
D2-2-02[4]																																													
E1-4-03[3]																																													
F0-3-01[3]																																													
NLCP-001	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 19 - Noise Contribution from Sources at Jul 2018

	Work Site																																												
	Phase 1									Phase 2																						Phase 3												
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																													
A2-2-05[1]																																													
A2-4-01[1]																																													
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	66	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	66	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																													
B1-2-04[2]																																													
B1-2-06[2]																																													
C1-1-04[3]																																													
D2-2-02[4]																																													
E1-4-03[3]																																													
F0-3-01[3]																																													
NLCP-001	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 20 - Noise Contribution from Sources at Aug 2018

	Work Site																																												
	Phase 1									Phase 2																						Phase 3												
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																													
A2-2-05[1]																																													
A2-4-01[1]																																													
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	66	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	66	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																													
B1-2-04[2]																																													
B1-2-06[2]																																													
C1-1-04[3]																																													
D2-2-02[4]																																													
E1-4-03[3]																																													
F0-3-01[3]																																													
NLCP-001	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 16 - Noise Contribution from Sources at Apr 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 17 - Noise Contribution from Sources at May 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 18 - Noise Contribution from Sources at Jun 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 19 - Noise Contribution from Sources at Jul 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 20 - Noise Contribution from Sources at Aug 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 21 - Noise Contribution from Sources at Sep 2018

	Work Site																																									
	Phase 1									Phase 2																						Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	66	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	66	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 22 - Noise Contribution from Sources at Oct 2018

	Work Site																																									
	Phase 1									Phase 2																						Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	66	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	66	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 23 - Noise Contribution from Sources at Nov 2018

	Work Site																																									
	Phase 1									Phase 2																						Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	66	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	66	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 24 - Noise Contribution from Sources at Dec 2018

	Work Site																																									
	Phase 1									Phase 2																						Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	64	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 25 - Noise Contribution from Sources at Jan 2019

	Work Site																																									
	Phase 1									Phase 2																						Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	64	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 21 - Noise Contribution from Sources at Sep 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 22 - Noise Contribution from Sources at Oct 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 23 - Noise Contribution from Sources at Nov 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 24 - Noise Contribution from Sources at Dec 2018

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 25 - Noise Contribution from Sources at Jan 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 26 - Noise Contribution from Sources at Feb 2019

	Work Site																																									
	Phase 1									Phase 2																						Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	64	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 27 - Noise Contribution from Sources at Mar 2019

	Work Site																																									
	Phase 1									Phase 2																						Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	64	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 28 - Noise Contribution from Sources at Apr 2019

	Work Site																																									
	Phase 1									Phase 2																						Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	64	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 29 - Noise Contribution from Sources at May 2019

	Work Site																																									
	Phase 1									Phase 2																						Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	0	0	53	61	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	64	59	52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 30 - Noise Contribution from Sources at Jun 2019

	Work Site																																									
	Phase 1									Phase 2																						Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	59	0	53	0	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 26 - Noise Contribution from Sources at Feb 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 27 - Noise Contribution from Sources at Mar 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 28 - Noise Contribution from Sources at Apr 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 29 - Noise Contribution from Sources at May 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 30 - Noise Contribution from Sources at Jun 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	53	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 31 - Noise Contribution from Sources at Jul 2019

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 32 - Noise Contribution from Sources at Aug 2019

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 33 - Noise Contribution from Sources at Sep 2019

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 34 - Noise Contribution from Sources at Oct 2019

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 35 - Noise Contribution from Sources at Nov 2019

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 31 - Noise Contribution from Sources at Jul 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	**TCE07**	**TCE08**	**TCE09**	**TCE10**	**TCE11**	**TCE12**	**TCE13**	**TCE14**	**TCE17**	**Int22**	**Int23**	**Int24**	**Int25**	**Int26**	**Int27**	**Int28**	**Int29**	**Int30**	**Int31**	**Int32**	**Int33**	**Int34**	**Int35**	**Int36**	**Int37**	**Int38**	**Int39**	**Int40**	**MTR_TCE01**	**MTR_TCE02**	**MTR_TCE03**	**MTR_TCE04**	**MTR_TCE05**	**MTR_TCE06**	**MTR_TCE07**	**MTR_TCE08**	**MTR_TCE09**	**SRM01**	**Phase 1**	**Phase 2**	**Phase 3**	**Phase 4**
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	53	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 32 - Noise Contribution from Sources at Aug 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	**TCE07**	**TCE08**	**TCE09**	**TCE10**	**TCE11**	**TCE12**	**TCE13**	**TCE14**	**TCE17**	**Int22**	**Int23**	**Int24**	**Int25**	**Int26**	**Int27**	**Int28**	**Int29**	**Int30**	**Int31**	**Int32**	**Int33**	**Int34**	**Int35**	**Int36**	**Int37**	**Int38**	**Int39**	**Int40**	**MTR_TCE01**	**MTR_TCE02**	**MTR_TCE03**	**MTR_TCE04**	**MTR_TCE05**	**MTR_TCE06**	**MTR_TCE07**	**MTR_TCE08**	**MTR_TCE09**	**SRM01**	**Phase 1**	**Phase 2**	**Phase 3**	**Phase 4**
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	53	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 33 - Noise Contribution from Sources at Sep 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	**TCE07**	**TCE08**	**TCE09**	**TCE10**	**TCE11**	**TCE12**	**TCE13**	**TCE14**	**TCE17**	**Int22**	**Int23**	**Int24**	**Int25**	**Int26**	**Int27**	**Int28**	**Int29**	**Int30**	**Int31**	**Int32**	**Int33**	**Int34**	**Int35**	**Int36**	**Int37**	**Int38**	**Int39**	**Int40**	**MTR_TCE01**	**MTR_TCE02**	**MTR_TCE03**	**MTR_TCE04**	**MTR_TCE05**	**MTR_TCE06**	**MTR_TCE07**	**MTR_TCE08**	**MTR_TCE09**	**SRM01**	**Phase 1**	**Phase 2**	**Phase 3**	**Phase 4**
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	53	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 34 - Noise Contribution from Sources at Oct 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	**TCE07**	**TCE08**	**TCE09**	**TCE10**	**TCE11**	**TCE12**	**TCE13**	**TCE14**	**TCE17**	**Int22**	**Int23**	**Int24**	**Int25**	**Int26**	**Int27**	**Int28**	**Int29**	**Int30**	**Int31**	**Int32**	**Int33**	**Int34**	**Int35**	**Int36**	**Int37**	**Int38**	**Int39**	**Int40**	**MTR_TCE01**	**MTR_TCE02**	**MTR_TCE03**	**MTR_TCE04**	**MTR_TCE05**	**MTR_TCE06**	**MTR_TCE07**	**MTR_TCE08**	**MTR_TCE09**	**SRM01**	**Phase 1**	**Phase 2**	**Phase 3**	**Phase 4**
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	53	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 35 - Noise Contribution from Sources at Nov 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	**TCE07**	**TCE08**	**TCE09**	**TCE10**	**TCE11**	**TCE12**	**TCE13**	**TCE14**	**TCE17**	**Int22**	**Int23**	**Int24**	**Int25**	**Int26**	**Int27**	**Int28**	**Int29**	**Int30**	**Int31**	**Int32**	**Int33**	**Int34**	**Int35**	**Int36**	**Int37**	**Int38**	**Int39**	**Int40**	**MTR_TCE01**	**MTR_TCE02**	**MTR_TCE03**	**MTR_TCE04**	**MTR_TCE05**	**MTR_TCE06**	**MTR_TCE07**	**MTR_TCE08**	**MTR_TCE09**	**SRM01**	**Phase 1**	**Phase 2**	**Phase 3**	**Phase 4**
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	53	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 36 - Noise Contribution from Sources at Dec 2019

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 37 - Noise Contribution from Sources at Jan 2020

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 38 - Noise Contribution from Sources at Feb 2020

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 39 - Noise Contribution from Sources at Mar 2020

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 40 - Noise Contribution from Sources at Apr 2020

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 36 - Noise Contribution from Sources at Dec 2019

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 37 - Noise Contribution from Sources at Jan 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 38 - Noise Contribution from Sources at Feb 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 39 - Noise Contribution from Sources at Mar 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 40 - Noise Contribution from Sources at Apr 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 41 - Noise Contribution from Sources at May 2020

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	59	0	53	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	53	64	59	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	64	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	50	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 42 - Noise Contribution from Sources at Jun 2020

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	61	0	55	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 43 - Noise Contribution from Sources at Jul 2020

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	61	0	55	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 44 - Noise Contribution from Sources at Aug 2020

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	61	0	55	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 45 - Noise Contribution from Sources at Sep 2020

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	61	0	55	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 41 - Noise Contribution from Sources at May 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 42 - Noise Contribution from Sources at Jun 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 43 - Noise Contribution from Sources at Jul 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 44 - Noise Contribution from Sources at Aug 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 45 - Noise Contribution from Sources at Sep 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 46 - Noise Contribution from Sources at Oct 2020

	Work Site																																									
	Phase 1									Phase 2																						Phase 3										
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	61	0	55	0	0	0	0	0	0	57	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 47 - Noise Contribution from Sources at Nov 2020

	Work Site																																									
	Phase 1									Phase 2																						Phase 3										
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	61	0	55	0	0	0	0	0	0	57	0	56	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 48 - Noise Contribution from Sources at Dec 2020

	Work Site																																									
	Phase 1									Phase 2																						Phase 3										
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	61	0	55	0	0	0	0	0	0	0	0	0	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 49 - Noise Contribution from Sources at Jan 2021

	Work Site																																									
	Phase 1									Phase 2																						Phase 3										
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	61	0	55	0	0	0	0	0	0	0	0	0	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 50 - Noise Contribution from Sources at Feb 2021

	Work Site																																									
	Phase 1									Phase 2																						Phase 3										
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																										
A2-2-05[1]																																										
A2-4-01[1]																																										
A55a-001	61	0	55	0	0	0	0	0	0	0	0	0	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																										
B1-2-04[2]																																										
B1-2-06[2]																																										
C1-1-04[3]																																										
D2-2-02[4]																																										
E1-4-03[3]																																										
F0-3-01[3]																																										
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 46 - Noise Contribution from Sources at Oct 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	60	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 47 - Noise Contribution from Sources at Nov 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 48 - Noise Contribution from Sources at Dec 2020

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	54	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 49 - Noise Contribution from Sources at Jan 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	54	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 50 - Noise Contribution from Sources at Feb 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	54	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 51 - Noise Contribution from Sources at Mar 2021

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	61	0	55	0	0	0	0	0	0	0	0	0	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 52 - Noise Contribution from Sources at Apr 2021

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	61	0	55	0	0	0	0	0	0	0	0	0	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 53 - Noise Contribution from Sources at May 2021

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	61	0	55	0	0	0	0	0	0	0	0	0	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	55	72	61	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 54 - Noise Contribution from Sources at Jun 2021

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	73	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	73	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	59	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 55 - Noise Contribution from Sources at Jul 2021

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	73	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	73	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	59	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 51 - Noise Contribution from Sources at Mar 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	54	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 52 - Noise Contribution from Sources at Apr 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	54	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 53 - Noise Contribution from Sources at May 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	54	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	51	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 54 - Noise Contribution from Sources at Jun 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 55 - Noise Contribution from Sources at Jul 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 56 - Noise Contribution from Sources at Aug 2021

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	73	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	73	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	59	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 57 - Noise Contribution from Sources at Sep 2021

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	73	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	73	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	59	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 58 - Noise Contribution from Sources at Oct 2021

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	73	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	73	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	59	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 59 - Noise Contribution from Sources at Nov 2021

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	73	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	73	60	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	59	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 60 - Noise Contribution from Sources at Dec 2021

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																							
B1-2-04[2]																																							
B1-2-06[2]																																							
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 56 - Noise Contribution from Sources at Aug 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 57 - Noise Contribution from Sources at Sep 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 58 - Noise Contribution from Sources at Oct 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 59 - Noise Contribution from Sources at Nov 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	75	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 60 - Noise Contribution from Sources at Dec 2021

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 61 - Noise Contribution from Sources at Jan 2022

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 62 - Noise Contribution from Sources at Feb 2022

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 63 - Noise Contribution from Sources at Mar 2022

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 64 - Noise Contribution from Sources at Apr 2022

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 65 - Noise Contribution from Sources at May 2022

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	59	0	58	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 61 - Noise Contribution from Sources at Jan 2022

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 62 - Noise Contribution from Sources at Feb 2022

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 63 - Noise Contribution from Sources at Mar 2022

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 64 - Noise Contribution from Sources at Apr 2022

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 65 - Noise Contribution from Sources at May 2022

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 66 - Noise Contribution from Sources at Jun 2022

	Work Site																																															
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 67 - Noise Contribution from Sources at Jul 2022

	Work Site																																															
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 68 - Noise Contribution from Sources at Aug 2022

	Work Site																																															
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 69- Noise Contribution from Sources at Sep 2022

	Work Site																																															
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 70 - Noise Contribution from Sources at Oct 2022

	Work Site																																															
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 66 - Noise Contribution from Sources at Jun 2022

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 67 - Noise Contribution from Sources at Jul 2022

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 68 - Noise Contribution from Sources at Aug 2022

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 69- Noise Contribution from Sources at Sep 2022

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 70 - Noise Contribution from Sources at Oct 2022

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 71 - Noise Contribution from Sources at Nov 2022

	Work Site																																															
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	50	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 72 - Noise Contribution from Sources at Dec 2022

	Work Site																																															
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 73 - Noise Contribution from Sources at Jan 2023

	Work Site																																															
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 74 - Noise Contribution from Sources at Feb 2023

	Work Site																																															
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 75 - Noise Contribution from Sources at Mar 2023

	Work Site																																															
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 71 - Noise Contribution from Sources at Nov 2022

	Work Site																																					Total			
	Phase 4																											Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	62	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	53	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 72 - Noise Contribution from Sources at Dec 2022

	Work Site																																					Total			
	Phase 4																											Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 73 - Noise Contribution from Sources at Jan 2023

	Work Site																																					Total			
	Phase 4																											Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 74 - Noise Contribution from Sources at Feb 2023

	Work Site																																					Total			
	Phase 4																											Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 75 - Noise Contribution from Sources at Mar 2023

	Work Site																																					Total			
	Phase 4																											Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 76 - Noise Contribution from Sources at Apr 2023

	Work Site																																														
	Phase 1									Phase 2																						Phase 3														
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 77 - Noise Contribution from Sources at May 2023

	Work Site																																														
	Phase 1									Phase 2																						Phase 3														
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 78 - Noise Contribution from Sources at Jun 2023

	Work Site																																														
	Phase 1									Phase 2																						Phase 3														
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 79 - Noise Contribution from Sources at Jul 2023

	Work Site																																														
	Phase 1									Phase 2																						Phase 3														
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 80 - Noise Contribution from Sources at Aug 2023

	Work Site																																														
	Phase 1									Phase 2																						Phase 3														
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 76 - Noise Contribution from Sources at Apr 2023

	Work Site																																					Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	50	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 77 - Noise Contribution from Sources at May 2023

	Work Site																																					Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	50	59	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	0	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 78 - Noise Contribution from Sources at Jun 2023

	Work Site																																					Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	74	50	59	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	0	0	0	0	0	0	0	0	54	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 79 - Noise Contribution from Sources at Jul 2023

	Work Site																																					Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	0	0	0	0	46	74	50	59	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	54	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 80 - Noise Contribution from Sources at Aug 2023

	Work Site																																					Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	0	0	0	0	46	74	50	59	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	54	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 81- Noise Contribution from Sources at Sep 2023

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	66	57	55	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	52	49	69	57	54	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]																																															
B1-2-04[2]																																															
B1-2-06[2]																																															
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 82 - Noise Contribution from Sources at Oct 2023

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	54	0	61	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 83 - Noise Contribution from Sources at Nov 2023

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	60	0	54	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	54	72	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	72	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	54	0	61	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 84 - Noise Contribution from Sources at Dec 2023

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 85 - Noise Contribution from Sources at Jan 2024

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 81- Noise Contribution from Sources at Sep 2023

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	0	0	0	0	46	74	50	59	0
B1-2-03[2]																																							0	0	0	0
B1-2-04[2]																																							0	0	0	0
B1-2-06[2]																																							0	0	0	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	54	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 82 - Noise Contribution from Sources at Oct 2023

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	0	0	0	0	46	72	50	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	62	74	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	67	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	54	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 83 - Noise Contribution from Sources at Nov 2023

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	0	0	0	0	46	72	50	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	62	74	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	67	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	54	58	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 84 - Noise Contribution from Sources at Dec 2023

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	0	0	0	0	46	0	50	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	0	0	74	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	67	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	62	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 85 - Noise Contribution from Sources at Jan 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	67	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 86 - Noise Contribution from Sources at Feb 2024

	Work Site																																														
	Phase 1									Phase 2																						Phase 3														
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 87 - Noise Contribution from Sources at Mar 2024

	Work Site																																														
	Phase 1									Phase 2																						Phase 3														
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 88 - Noise Contribution from Sources at Apr 2024

	Work Site																																														
	Phase 1									Phase 2																						Phase 3														
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 89 - Noise Contribution from Sources at May 2024

	Work Site																																														
	Phase 1									Phase 2																						Phase 3														
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 90 - Noise Contribution from Sources at Jun 2024

	Work Site																																														
	Phase 1									Phase 2																						Phase 3														
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	59	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 86 - Noise Contribution from Sources at Feb 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	67	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 87 - Noise Contribution from Sources at Mar 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	67	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 88 - Noise Contribution from Sources at Apr 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	67	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 89 - Noise Contribution from Sources at May 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	67	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 90 - Noise Contribution from Sources at Jun 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	60	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	68	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 91 - Noise Contribution from Sources at Jul 2024

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	59	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 92 - Noise Contribution from Sources at Aug 2024

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	59	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 93- Noise Contribution from Sources at Sep 2024

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	59	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 94 - Noise Contribution from Sources at Oct 2024

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	59	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 95 - Noise Contribution from Sources at Nov 2024

	Work Site																																														
	Phase 1									Phase 2																								Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																															
A2-2-05[1]																																															
A2-4-01[1]																																															
A55a-001	0	0	0	0	0	0	0	0	0	58	0	57	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	0	59	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	72	59	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																															
D2-2-02[4]																																															
E1-4-03[3]																																															
F0-3-01[3]																																															
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 91 - Noise Contribution from Sources at Jul 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	60	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	68	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 92 - Noise Contribution from Sources at Aug 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	60	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	68	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 93- Noise Contribution from Sources at Sep 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	60	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	68	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 94 - Noise Contribution from Sources at Oct 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	60	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	68	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 95 - Noise Contribution from Sources at Nov 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	60	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	74	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	68	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	72	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 96 - Noise Contribution from Sources at Dec 2024

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	51	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	46	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	51	53	66	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]																																							
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 97 - Noise Contribution from Sources at Jan 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 98 - Noise Contribution from Sources at Feb 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 99 - Noise Contribution from Sources at Mar 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 100 - Noise Contribution from Sources at Apr 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 96 - Noise Contribution from Sources at Dec 2024

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	50	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]																																							0	0	0	0
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 97 - Noise Contribution from Sources at Jan 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 98 - Noise Contribution from Sources at Feb 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 99 - Noise Contribution from Sources at Mar 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 100 - Noise Contribution from Sources at Apr 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 101 - Noise Contribution from Sources at May 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 102 - Noise Contribution from Sources at Jun 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 103 - Noise Contribution from Sources at Jul 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 104 - Noise Contribution from Sources at Aug 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 105- Noise Contribution from Sources at Sep 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																									
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 101 - Noise Contribution from Sources at May 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 102 - Noise Contribution from Sources at Jun 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 103 - Noise Contribution from Sources at Jul 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 104 - Noise Contribution from Sources at Aug 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 105- Noise Contribution from Sources at Sep 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 106 - Noise Contribution from Sources at Oct 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 107 - Noise Contribution from Sources at Nov 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 108 - Noise Contribution from Sources at Dec 2025

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 109 - Noise Contribution from Sources at Jan 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 110 - Noise Contribution from Sources at Feb 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 106 - Noise Contribution from Sources at Oct 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 107 - Noise Contribution from Sources at Nov 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 108 - Noise Contribution from Sources at Dec 2025

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	50	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 109 - Noise Contribution from Sources at Jan 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 110 - Noise Contribution from Sources at Feb 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 111 - Noise Contribution from Sources at Mar 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 112 - Noise Contribution from Sources at Apr 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 113 - Noise Contribution from Sources at May 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 114 - Noise Contribution from Sources at Jun 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 115 - Noise Contribution from Sources at Jul 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 111 - Noise Contribution from Sources at Mar 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	61	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 112 - Noise Contribution from Sources at Apr 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	61	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 113 - Noise Contribution from Sources at May 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	58
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	61	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 114 - Noise Contribution from Sources at Jun 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	59	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
B1-2-04[2]	66	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	66
B1-2-06[2]	58	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	59
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	66	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	67
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	61	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 115 - Noise Contribution from Sources at Jul 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	59	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
B1-2-04[2]	66	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	66
B1-2-06[2]	58	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	59
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	66	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	67
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	61	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 116 - Noise Contribution from Sources at Aug 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 117- Noise Contribution from Sources at Sep 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 118 - Noise Contribution from Sources at Oct 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 119 - Noise Contribution from Sources at Nov 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 120 - Noise Contribution from Sources at Dec 2026

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	56	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	50	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	56	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 116 - Noise Contribution from Sources at Aug 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	59	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
B1-2-04[2]	66	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	66
B1-2-06[2]	58	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	59
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	66	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	67
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	62	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 117- Noise Contribution from Sources at Sep 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	59	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
B1-2-04[2]	66	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	66
B1-2-06[2]	58	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	59
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	66	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	67
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	62	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 118 - Noise Contribution from Sources at Oct 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	59	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
B1-2-04[2]	66	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	66
B1-2-06[2]	58	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	59
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	66	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	67
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	62	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 119 - Noise Contribution from Sources at Nov 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	0
B1-2-03[2]	59	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60
B1-2-04[2]	66	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	66
B1-2-06[2]	58	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	59
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	66	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	67
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	62	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 120 - Noise Contribution from Sources at Dec 2026

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	62	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 121 - Noise Contribution from Sources at Jan 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 122 - Noise Contribution from Sources at Feb 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 123 - Noise Contribution from Sources at Mar 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 124 - Noise Contribution from Sources at Apr 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 125 - Noise Contribution from Sources at May 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 121 - Noise Contribution from Sources at Jan 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 122 - Noise Contribution from Sources at Feb 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 123 - Noise Contribution from Sources at Mar 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 124 - Noise Contribution from Sources at Apr 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 125 - Noise Contribution from Sources at May 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 126 - Noise Contribution from Sources at Jun 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 127 - Noise Contribution from Sources at Jul 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 128 - Noise Contribution from Sources at Aug 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 129- Noise Contribution from Sources at Sep 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 130 - Noise Contribution from Sources at Oct 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 126 - Noise Contribution from Sources at Jun 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 127 - Noise Contribution from Sources at Jul 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 128 - Noise Contribution from Sources at Aug 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 129- Noise Contribution from Sources at Sep 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 130 - Noise Contribution from Sources at Oct 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 131 - Noise Contribution from Sources at Nov 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 132- Noise Contribution from Sources at Dec 2027

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]																																							
A2-2-05[1]																																							
A2-4-01[1]																																							
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	46	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	57	50	53	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	61	55	53	47	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	52	47	53	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 133 - Noise Contribution from Sources at Jan 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 134 - Noise Contribution from Sources at Feb 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 135 - Noise Contribution from Sources at Mar 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 131 - Noise Contribution from Sources at Nov 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 132- Noise Contribution from Sources at Dec 2027

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]																																							0	0	0	0
A2-2-05[1]																																							0	0	0	0
A2-4-01[1]																																							0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 133 - Noise Contribution from Sources at Jan 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	65	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 134 - Noise Contribution from Sources at Feb 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	65	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 135 - Noise Contribution from Sources at Mar 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	65	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 136 - Noise Contribution from Sources at Apr 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 137 - Noise Contribution from Sources at May 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 138 - Noise Contribution from Sources at Jun 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 139 - Noise Contribution from Sources at Jul 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 140 - Noise Contribution from Sources at Aug 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 136 - Noise Contribution from Sources at Apr 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	65	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 137 - Noise Contribution from Sources at May 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	65	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 138 - Noise Contribution from Sources at Jun 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 139 - Noise Contribution from Sources at Jul 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 140 - Noise Contribution from Sources at Aug 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 141- Noise Contribution from Sources at Sep 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 142 - Noise Contribution from Sources at Oct 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 143 - Noise Contribution from Sources at Nov 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 144- Noise Contribution from Sources at Dec 2028

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 145 - Noise Contribution from Sources at Jan 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 141- Noise Contribution from Sources at Sep 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 142 - Noise Contribution from Sources at Oct 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 143 - Noise Contribution from Sources at Nov 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	66	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	69
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	58	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
B1-2-04[2]	64	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
B1-2-06[2]	57	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	65	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 144- Noise Contribution from Sources at Dec 2028

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	0	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 145 - Noise Contribution from Sources at Jan 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	0	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 146 - Noise Contribution from Sources at Feb 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 147 - Noise Contribution from Sources at Mar 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 148 - Noise Contribution from Sources at Apr 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 149 - Noise Contribution from Sources at May 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 150 - Noise Contribution from Sources at Jun 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 146 - Noise Contribution from Sources at Feb 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	0	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 147 - Noise Contribution from Sources at Mar 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	0	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 148 - Noise Contribution from Sources at Apr 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	0	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 149 - Noise Contribution from Sources at May 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A2-2-05[1]	0	66	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66
A2-4-01[1]	0	68	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	68
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 150 - Noise Contribution from Sources at Jun 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A2-2-05[1]	0	0	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
A2-4-01[1]	0	0	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 151 - Noise Contribution from Sources at Jul 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 152 - Noise Contribution from Sources at Aug 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 153- Noise Contribution from Sources at Sep 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 154 - Noise Contribution from Sources at Oct 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 155 - Noise Contribution from Sources at Nov 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 151 - Noise Contribution from Sources at Jul 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A2-2-05[1]	0	0	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
A2-4-01[1]	0	0	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 152 - Noise Contribution from Sources at Aug 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A2-2-05[1]	0	0	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
A2-4-01[1]	0	0	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 153- Noise Contribution from Sources at Sep 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A2-2-05[1]	0	0	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
A2-4-01[1]	0	0	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 154 - Noise Contribution from Sources at Oct 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A2-2-05[1]	0	0	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
A2-4-01[1]	0	0	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 155 - Noise Contribution from Sources at Nov 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A2-2-05[1]	0	0	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
A2-4-01[1]	0	0	0	57	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	61
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 156- Noise Contribution from Sources at Dec 2029

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 157 - Noise Contribution from Sources at Jan 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 158 - Noise Contribution from Sources at Feb 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 159 - Noise Contribution from Sources at Mar 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]																																							
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]																																							
F0-3-01[3]																																							
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 160 - Noise Contribution from Sources at Apr 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 156- Noise Contribution from Sources at Dec 2029

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A2-2-05[1]	0	0	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 157 - Noise Contribution from Sources at Jan 2030

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A2-2-05[1]	0	0	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 158 - Noise Contribution from Sources at Feb 2030

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A2-2-05[1]	0	0	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 159 - Noise Contribution from Sources at Mar 2030

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	48	56	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A2-2-05[1]	0	0	0	0	0	0	0	0	0	47	47	47	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	46	50	54	0	47	0	54	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
B1-2-04[2]	0	0	0	0	0	0	0	0	0	53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53
B1-2-06[2]	0	0	0	0	0	0	0	0	0	46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	46
C1-1-04[3]																																							0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	58	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59
E1-4-03[3]																																							0	0	0	0
F0-3-01[3]																																							0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 160 - Noise Contribution from Sources at Apr 2030

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	49	0	0	0	0	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	57	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
F0-3-01[3]	0	0	64	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 161 - Noise Contribution from Sources at May 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 162 - Noise Contribution from Sources at Jun 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 163 - Noise Contribution from Sources at Jul 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 164 - Noise Contribution from Sources at Aug 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 165- Noise Contribution from Sources at Sep 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 161 - Noise Contribution from Sources at May 2030

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	49	0	0	0	0	0	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	57	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58
F0-3-01[3]	0	0	64	0	0	0	0	0	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 162 - Noise Contribution from Sources at Jun 2030

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 163 - Noise Contribution from Sources at Jul 2030

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 164 - Noise Contribution from Sources at Aug 2030

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 165- Noise Contribution from Sources at Sep 2030

	Work Site																																						Total			
	Phase 4																												Concurrent project													
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 166 - Noise Contribution from Sources at Oct 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 167- Noise Contribution from Sources at Nov 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 168 - Noise Contribution from Sources at Dec 2030

	Work Site																																						
	Phase 1									Phase 2																		Phase 3											
NSRs	TCE01	TCE02	TCE15	TCE16	Int01	Int02	Int03	Int04	Int05	TCE03	TCE04	TCE18	P1_01	P1_02	Int06	Int07	Int08	Int09	Int10	Int11	P1_Int01	P1_Int02	P1_Int03	P1_Int04	P1_Int05	P1_Int06	P1_Int07	TCE05	TCE06	Int12	Int13	Int14	Int15	Int16	Int17	Int18	Int19	Int20	Int21
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note: [1] The proposed date of population intake of both A1-2-01, A2-2-05 and A2-4-01 is Jan 2028.
[2] The proposed date of population intake of B1-2-03, B1-2-04 and B1-2-06 is Oct 2023.
[3] The proposed date of population intake of C1-1-04, E1-4-03 and F0-3-01 is Apr 2030.
[4] The proposed date of population intake of D2-2-02 is Jan 2025.

Table 166 - Noise Contribution from Sources at Oct 2030

	Work Site																																											
	Phase 4																										Concurrent project											Total			
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 167- Noise Contribution from Sources at Nov 2030

	Work Site																																											
	Phase 4																										Concurrent project											Total			
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 168 - Noise Contribution from Sources at Dec 2030

	Work Site																																											
	Phase 4																										Concurrent project											Total			
NSRs	TCE07	TCE08	TCE09	TCE10	TCE11	TCE12	TCE13	TCE14	TCE17	Int22	Int23	Int24	Int25	Int26	Int27	Int28	Int29	Int30	Int31	Int32	Int33	Int34	Int35	Int36	Int37	Int38	Int39	Int40	MTR_TCE01	MTR_TCE02	MTR_TCE03	MTR_TCE04	MTR_TCE05	MTR_TCE06	MTR_TCE07	MTR_TCE08	MTR_TCE09	SRM01	Phase 1	Phase 2	Phase 3	Phase 4
A1-2-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-2-05[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A2-4-01[1]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A55a-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A56-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-03[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-04[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B1-2-06[2]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C1-1-04[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
D2-2-02[4]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
E1-4-03[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F0-3-01[3]	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NLCP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note: [1] The proposed date of population intake of both A1-2-01, A2-2-05 and A2-4-01 is Jan 2028.

[2] The proposed date of population intake of B1-2-03, B1-2-04 and B1-2-06 is Oct 2023.

[3] The proposed date of population intake of C1-1-04, E1-4-03 and F0-3-01 is Apr 2030.

[4] The proposed date of population intake of D2-2-02 is Jan 2025.

Tung Chung West

Project : Tung Chung New Town Extension
Title : Construction Noise Calculation
Table 1 - Notional Distance from Construction Sites to NSRs, m

NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16
A39-SW-001																			220	120	120
CLK-002					140																
ESc-003									100							90					
ESc-006																35	105	100	150	240	
FYH-001				190																	
LAC-001															170						
LTT-001									120							275				250	
MOK-002											170	150	95	60	190						
MWC-001	15	105				65	135														
MWC-003	15	50				60	100														
NGA-001																290	210	220			
NGA-002																	290				
NGA-003																	250	270			
NIY-001														295	225						
LNCP-002				245	175																
LNCP-003															260						
LNCP-008																					
LNCP-009										245	310	315									
PSc-004																200	170	205	105	80	260
SLP-001									205							100	155	215			
SLP-004									165				140			150					
SMK-002												220	120	240							
SMK-003								140		20											
SPA-001											210	210									
SPA-002											255	230									
TCB-001																					
TCRN-001	250	200	90			290															
TCRN-002	150	70				160	115														
TCV-6-01																80		275			
TCV-7-01										175			290								
YTC-001																					
YTE-001	75	55				155	200														
YTE-005																					
YTE-006																					290
YTE-007																					

NSRs	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW25	TCW26	TCW27	TCW28	TCW29	TCW30	TCW31	IntW_01	IntW_02	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10
A39-SW-001														240											
CLK-002																									
ESc-003										130					165		70				210				105
ESc-006						290							170												
FYH-001																									
LAC-001		190	230	50	110								250										205	30	
LTT-001										60					130		80								
MOK-002	25		145															240	80			185	135		
MWC-001									205			180													
MWC-003									115			140													
NGA-001						210	200						110												
NGA-002						190	115						235												
NGA-003						165	120						200												
NIY-001	225	95	175	145	165																		170	95	
LNCP-002																									
LNCP-003				175	175								270											190	
LNCP-008																									
LNCP-009																									
PSc-004						300							300	225											
SLP-001													165		290		170								80
SLP-004										240					240		145			235	70	115			90
SMK-002	280															105		35	140	70					
SMK-003											195							70		110					
SPA-001																		270	270						
SPA-002	280																		300						
TCB-001							215																		
TCRN-001																									
TCRN-002									225			100													
TCV-6-01																	20				135	240	230		65
TCV-7-01																70		170		210					
YTC-001																									
YTE-001									290			200													
YTE-005								75																	
YTE-006								80																	
YTE-007																									

																				Concurrent project		
NSRs	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	MTR_TCW01	MTR_TCW02	Area27
A39-SW-001					135	185	150		75	185											135	
CLK-002																						
ESc-003																						
ESc-006	70	125	275	75	220																	
FYH-001																						
LAC-001																						
LTT-001				250	290																	
MOK-002																						
MWC-001																						
MWC-003																						
NGA-001	255	230	120																			
NGA-002		250	75																			
NGA-003		220	45																			
NIY-001																						
LNCP-002																						
LNCP-003																						
LNCP-008															235	230	290					230
LNCP-009																						
PSc-004	200	185	280	55	105	215			210													
SLP-001	90	245		240																		
SLP-004	195																					
SMK-002																						
SMK-003																						
SPA-001																						
SPA-002																						
TCB-001																						
TCRN-001																						
TCRN-002														75								
TCV-6-01	200			270																		
TCV-7-01																						
YTC-001																245	70	55	190			
YTE-001													175	65								
YTE-005							165	30												50	210	
YTE-006							40	50	220											60	135	
YTE-007							290			140	45	175	280								300	

Table 2 - Distance Attenuation and Facade Correction, dB(A)

NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16
A39-SW-001																			-52	-47	-47
CLK-002					-48																
ESc-003									-45							-44					
ESc-006																-36	-45	-45	-49	-53	
FYH-001				-51																	
LAC-001															-50						
LTT-001									-47							-54				-53	
MOK-002											-50	-49	-45	-41	-51						
MWC-001	-29	-45				-41	-48														
MWC-003	-29	-39				-41	-45														
NGA-001																-54	-51	-52			
NGA-002																	-54				
NGA-003																	-53	-54			
NIY-001														-54	-52						
LNCP-002				-53	-50																
LNCP-003															-53						
LNCP-008																					
LNCP-009										-53	-55	-55									
PSc-004																-51	-50	-51	-45	-43	-53
SLP-001									-51							-45	-49	-52			
SLP-004									-49				-48			-49					
SMK-002												-52	-47	-53							
SMK-003								-48		-31											
SPA-001											-51	-51									
SPA-002											-53	-52									
TCB-001																					
TCRN-001	-53	-51	-44			-54															
TCRN-002	-49	-42				-49	-46														
TCV-6-01																-43		-54			
TCV-7-01										-50			-54								
YTC-001																					
YTE-001	-43	-40				-49	-51														
YTE-005																					
YTE-006																					-54
YTE-007																					

NSRs	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW25	TCW26	TCW27	TCW28	TCW29	TCW30	TCW31	IntW_01	IntW_02	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10
A39-SW-001														-53											
CLK-002																									
ESc-003										-47					-49		-42				-51				-45
ESc-006						-54							-50												
FYH-001																									
LAC-001		-51	-52	-39	-46								-53										-51	-35	
LTT-001										-41					-47		-43								
MOK-002	-33		-48															-53	-43			-50	-48		
MWC-001									-51			-50													
MWC-003									-46			-48													
NGA-001						-51	-51						-46												
NGA-002						-51	-46						-52												
NGA-003						-49	-47						-51												
NIY-001	-52	-45	-50	-48	-49																		-50	-45	
LNCP-002																									
LNCP-003				-50	-50								-54											-51	
LNCP-008																									
LNCP-009																									
PSc-004						-55							-55	-52											
SLP-001													-49		-54		-50								-43
SLP-004										-53					-53		-48			-52	-42	-46			-44
SMK-002	-54															-45		-36	-48	-42					
SMK-003											-51							-42		-46					
SPA-001																		-54	-54						
SPA-002	-54																		-55						
TCB-001							-52																		
TCRN-001																									
TCRN-002									-52			-45													
TCV-6-01																	-31				-48	-53	-52		-41
TCV-7-01																-42		-50		-51					
YTC-001																									
YTE-001									-54			-51													
YTE-005								-43																	
YTE-006								-43																	
YTE-007																									

																				Concurrent project		
NSRs	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	MTR_TCW01	MTR_TCW02	Area27
A39-SW-001					-48	-50	-49		-43	-50											-48	
CLK-002																						
ESc-003																						
ESc-006	-42	-47	-54	-43	-52																	
FYH-001																						
LAC-001																						
LTT-001				-53	-54																	
MOK-002																						
MWC-001																						
MWC-003																						
NGA-001	-53	-52	-47																			
NGA-002		-53	-43																			
NGA-003		-52	-38																			
NIY-001																						
LNCP-002																						
LNCP-003																						
LNCP-008															-52	-52	-54					-52
LNCP-009																						
PSc-004	-51	-50	-54	-40	-45	-52			-51													
SLP-001	-44	-53		-53																		
SLP-004	-51																					
SMK-002																						
SMK-003																						
SPA-001																						
SPA-002																						
TCB-001																						
TCRN-001																						
TCRN-002														-43								
TCV-6-01	-51			-54																		
TCV-7-01																						
YTC-001																-53	-42	-40	-51			
YTE-001													-50	-41								
YTE-005							-49	-35												-39	-51	
YTE-006							-37	-39	-52											-41	-48	
YTE-007							-54			-48	-38	-50	-54								-55	

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 1 - Noise Contribution from Sources in Jan 2017

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																						Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 2 - Noise Contribution from Sources in Feb 2017

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																						Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 3 - Noise Contribution from Sources in Mar 2017

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																						Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 4 - Noise Contribution from Sources in Apr 2017

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																						Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 5 - Noise Contribution from Sources in May 2017

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 9 - Noise Contribution from Sources in Sep 2017

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																								Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 10 - Noise Contribution from Sources in Oct 2017

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																								Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 11 - Noise Contribution from Sources in Nov 2017

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																								Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 12 - Noise Contribution from Sources in Dec 2017

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																								Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 13 - Noise Contribution from Sources in Jan 2018

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																						Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 14 - Noise Contribution from Sources in Feb 2018

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																						Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 15 - Noise Contribution from Sources in Mar 2018

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																						Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 16 - Noise Contribution from Sources in Apr 2018

	Work Site																																																																				Total	
	Phase 1																											Phase 2																																						Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	68	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																					0	0
TCV-7-01 [1]																																																																					0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 17 - Noise Contribution from Sources in May 2018

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 21 - Noise Contribution from Sources in Sep 2018

Work Site – Phase 1

NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	68	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																											
TCV-7-01 [1]																											
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Work Site – Phase 2

NSRs	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																																						
TCV-7-01 [1]																																						
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Work Site – Concurrent Project; Total

NSRs	MTR_TCW01	MTR_TCW02	Area27	Total Phase 1	Total Phase 2
A39-SW-001	0	0	0	0	0
CLK-002	0	0	0	73	0
ESc-003	0	0	0	0	0
ESc-006	0	0	0	0	0
FYH-001	0	0	0	70	0
LAC-001	0	0	0	0	0
LTT-001	0	0	0	0	0
MOK-002	0	0	0	0	0
MWC-001	0	0	0	73	0
MWC-003	0	0	0	73	0
NGA-001	0	0	0	0	0
NGA-002	0	0	0	0	0
NGA-003	0	0	0	0	0
NIY-001	0	0	0	0	0
LNCP-002	0	0	0	73	0
LNCP-003	0	0	0	0	0
LNCP-008	0	0	63	0	0
LNCP-009	0	0	0	0	0
PSc-004	0	0	0	0	0
SLP-001	0	0	0	0	0
SLP-004	0	0	0	0	0
SMK-002	0	0	0	0	0
SMK-003	0	0	0	0	0
SPA-001	0	0	0	0	0
SPA-002	0	0	0	0	0
TCB-001	0	0	0	0	0
TCRN-001	0	0	0	57	0
TCRN-002	0	0	0	60	0
TCV-6-01 [1]				0	0
TCV-7-01 [1]				0	0
YTC-001	0	0	0	0	0
YTE-001	0	0	0	63	0
YTE-005	0	0	0	0	0
YTE-006	0	0	0	0	0
YTE-007	0	0	0	0	0

Table 22 - Noise Contribution from Sources in Oct 2018

Work Site – Phase 1

NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	68	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																											
TCV-7-01 [1]																											
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Work Site – Phase 2

NSRs	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																																						
TCV-7-01 [1]																																						
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Work Site – Concurrent Project; Total

NSRs	MTR_TCW01	MTR_TCW02	Area27	Total Phase 1	Total Phase 2
A39-SW-001	0	0	0	0	0
CLK-002	0	0	0	73	0
ESc-003	0	0	0	0	0
ESc-006	0	0	0	0	0
FYH-001	0	0	0	70	0
LAC-001	0	0	0	0	0
LTT-001	0	0	0	0	0
MOK-002	0	0	0	0	0
MWC-001	0	0	0	73	0
MWC-003	0	0	0	73	0
NGA-001	0	0	0	0	0
NGA-002	0	0	0	0	0
NGA-003	0	0	0	0	0
NIY-001	0	0	0	0	0
LNCP-002	0	0	0	73	0
LNCP-003	0	0	0	0	0
LNCP-008	0	0	63	0	0
LNCP-009	0	0	0	0	0
PSc-004	0	0	0	0	0
SLP-001	0	0	0	0	0
SLP-004	0	0	0	0	0
SMK-002	0	0	0	0	0
SMK-003	0	0	0	0	0
SPA-001	0	0	0	0	0
SPA-002	0	0	0	0	0
TCB-001	0	0	0	0	0
TCRN-001	0	0	0	57	0
TCRN-002	0	0	0	60	0
TCV-6-01 [1]				0	0
TCV-7-01 [1]				0	0
YTC-001	0	0	0	0	0
YTE-001	0	0	0	63	0
YTE-005	0	0	0	0	0
YTE-006	0	0	0	0	0
YTE-007	0	0	0	0	0

Table 23 - Noise Contribution from Sources in Nov 2018

Work Site – Phase 1

NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	68	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																											
TCV-7-01 [1]																											
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Work Site – Phase 2

NSRs	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																																						
TCV-7-01 [1]																																						
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Work Site – Concurrent Project; Total

NSRs	MTR_TCW01	MTR_TCW02	Area27	Total Phase 1	Total Phase 2
A39-SW-001	0	0	0	0	0
CLK-002	0	0	0	73	0
ESc-003	0	0	0	0	0
ESc-006	0	0	0	0	0
FYH-001	0	0	0	70	0
LAC-001	0	0	0	0	0
LTT-001	0	0	0	0	0
MOK-002	0	0	0	0	0
MWC-001	0	0	0	73	0
MWC-003	0	0	0	73	0
NGA-001	0	0	0	0	0
NGA-002	0	0	0	0	0
NGA-003	0	0	0	0	0
NIY-001	0	0	0	0	0
LNCP-002	0	0	0	73	0
LNCP-003	0	0	0	0	0
LNCP-008	0	0	63	0	0
LNCP-009	0	0	0	0	0
PSc-004	0	0	0	0	0
SLP-001	0	0	0	0	0
SLP-004	0	0	0	0	0
SMK-002	0	0	0	0	0
SMK-003	0	0	0	0	0
SPA-001	0	0	0	0	0
SPA-002	0	0	0	0	0
TCB-001	0	0	0	0	0
TCRN-001	0	0	0	57	0
TCRN-002	0	0	0	60	0
TCV-6-01 [1]				0	0
TCV-7-01 [1]				0	0
YTC-001	0	0	0	0	0
YTE-001	0	0	0	63	0
YTE-005	0	0	0	0	0
YTE-006	0	0	0	0	0
YTE-007	0	0	0	0	0

Table 24 - Noise Contribution from Sources in Dec 2018

Work Site – Phase 1

NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	68	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																											
TCV-7-01 [1]																											
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Work Site – Phase 2

NSRs	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCV-6-01 [1]																																						
TCV-7-01 [1]																																						
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Work Site – Concurrent Project; Total

NSRs	MTR_TCW01	MTR_TCW02	Area27	Total Phase 1	Total Phase 2
A39-SW-001	0	0	0	0	0
CLK-002	0	0	0	73	0
ESc-003	0	0	0	0	0
ESc-006	0	0	0	0	0
FYH-001	0	0	0	70	0
LAC-001	0	0	0	0	0
LTT-001	0	0	0	0	0
MOK-002	0	0	0	0	0
MWC-001	0	0	0	73	0
MWC-003	0	0	0	73	0
NGA-001	0	0	0	0	0
NGA-002	0	0	0	0	0
NGA-003	0	0	0	0	0
NIY-001	0	0	0	0	0
LNCP-002	0	0	0	73	0
LNCP-003	0	0	0	0	0
LNCP-008	0	0	63	0	0
LNCP-009	0	0	0	0	0
PSc-004	0	0	0	0	0
SLP-001	0	0	0	0	0
SLP-004	0	0	0	0	0
SMK-002	0	0	0	0	0
SMK-003	0	0	0	0	0
SPA-001	0	0	0	0	0
SPA-002	0	0	0	0	0
TCB-001	0	0	0	0	0
TCRN-001	0	0	0	57	0
TCRN-002	0	0	0	60	0
TCV-6-01 [1]				0	0
TCV-7-01 [1]				0	0
YTC-001	0	0	0	0	0
YTE-001	0	0	0	63	0
YTE-005	0	0	0	0	0
YTE-006	0	0	0	0	0
YTE-007	0	0	0	0	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 25 - Noise Contribution from Sources in Jan 2019

	Work Site																																																																			Total	
	Phase 1																											Phase 2																																							Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	68	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																						0	0
TCV-7-01 [1]																																																																						0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 26 - Noise Contribution from Sources in Feb 2019

	Work Site																																																																			Total	
	Phase 1																											Phase 2																																							Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	68	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																						0	0
TCV-7-01 [1]																																																																						0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 27 - Noise Contribution from Sources in Mar 2019

	Work Site																																																																			Total	
	Phase 1																											Phase 2																																							Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CLK-002	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
ESc-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
FYH-001	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	73	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
MWC-003	73	62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	68	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SLP-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMK-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	48	50	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	0
TCRN-002	53	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	0
TCV-6-01 [1]																																																																						0	0
TCV-7-01 [1]																																																																						0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-001	59	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 28 - Noise Contribution from Sources in Apr 2019

	Work Site																																																																			Total	
	Phase 1																											Phase 2																																							Concurrent Project				
NSRs	AC01	AC02	AC03	SR01	SR02	TCW01	TCW02	TCW03	TCW04	TCW25	TCW26	TCW27	TCW28	TCW31	IntW_01	IntW_02	IntW_19	IntW_20	IntW_21	IntW_22	IntW_23	IntW_24	IntW_25	IntW_26	IntW_27	IntW_28	IntW_29	TCW05	TCW06	TCW07	TCW08	TCW09	TCW10	TCW11	TCW12	TCW13	TCW14	TCW15	TCW16	TCW17	TCW18	TCW19	TCW20	TCW21	TCW22	TCW23	TCW24	TCW29	TCW30	IntW_03	IntW_04	IntW_05	IntW_06	IntW_07	IntW_08	IntW_09	IntW_10	IntW_11	IntW_12	IntW_13	IntW_14	IntW_15	IntW_16	IntW_17	IntW_18	MTR_TCW01	MTR_TCW02	Area27	Phase 1	Phase 2
A39-SW-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	59	56
CLK-002	0	0	0	0	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
ESc-003	0	0	0	0	0	0	0	0	61	0	52	0	0	57	0	58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	55
ESc-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	0	57	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64
FYH-001	0	0	0	70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0
LAC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LTT-001	0	0	0	0	0	0	0	0	59	0	0	0	0	0	0	45	0	0	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	0	0	49	0	0	0	0	0	0	0	0	0	0	59	0	0	0	0	59	0	57	0	0	0	0	0	0	0	0	0	0	0	0	60	63
MOK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MWC-001	0	0	0	0	0	68	65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	66	0	0	67	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	70
MWC-003	0	0	0	0	0	69	67	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	0	0	69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	71	73
NGA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	45	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	51	51
NGA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NGA-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	48
NIY-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-002	0	0	0	68	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73	0
LNCP-003	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LNCP-008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	49	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63	53	0
LNCP-009	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PSc-004	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	0	51	0	59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	60
SLP-001	0	0	0	0	0	0	0	0	55	0	0	0	0	52	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	57	56
SLP-004	0	0	0	0	0	0	0	0	57	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	47	0	0	0	0	53	0	52	0	0	0	0	0	0	0	0	0	0	0	0	58	57
SMK-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	56
SMK-003	0	0	0	0	0	0	0	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	60	49
SPA-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SPA-002	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCB-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TCRN-001	0	0	0	0	0	55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	55	0
TCRN-002	0	0	0	0	0	60	66	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	65	0	0	72	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	67	73
TCV-6-01 [1]																																																																						0	0
TCV-7-01 [1]																																																																						0	0
YTC-001	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	48	59	61	51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	0
YTE-001	0	0	0	0	0	60	61	0	0	63	0	0	66	0	0	0	0	0	0	0	51	60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	70	0
YTE-005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
YTE-006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	0
YTE-007	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	53	63	51	47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	64	0

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 29 - Noise Contribution from Sources in May 2019

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 33 - Noise Contribution from Sources in Sep 2019

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 37 - Noise Contribution from Sources in Jan 2020

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 41 - Noise Contribution from Sources in May 2020

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 45 - Noise Contribution from Sources in Sep 2020

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 49 - Noise Contribution from Sources in Jan 2021

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 53 - Noise Contribution from Sources in May 2021

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 57 - Noise Contribution from Sources in Sep 2021

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 61 - Noise Contribution from Sources in Jan 2022

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 65 - Noise Contribution from Sources in May 2022

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 69- Noise Contribution from Sources in Sep 2022

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 73 - Noise Contribution from Sources in Jan 2023

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 77 - Noise Contribution from Sources in May 2023

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table B1- Noise Contribution from Sources in Sep 2023

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 85 - Noise Contribution from Sources in Jan 2024

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 89 - Noise Contribution from Sources in May 2024

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 93- Noise Contribution from Sources in Sep 2024

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 97 - Noise Contribution from Sources in Jan 2025

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 101 - Noise Contribution from Sources in May 2025

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 105- Noise Contribution from Sources in Sep 2025

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 109 - Noise Contribution from Sources in Jan 2026

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 113 - Noise Contribution from Sources in May 2026

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 117- Noise Contribution from Sources in Sep 2026

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 121 - Noise Contribution from Sources in Jan 2027

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 125 - Noise Contribution from Sources in May 2027

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 129- Noise Contribution from Sources in Sep 2027

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 133 - Noise Contribution from Sources in Jan 2028

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 137 - Noise Contribution from Sources in May 2028

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 141- Noise Contribution from Sources in Sep 2028

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 145 - Noise Contribution from Sources in Jan 2029

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 149 - Noise Contribution from Sources in May 2029

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 153- Noise Contribution from Sources in Sep 2029

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 157 - Noise Contribution from Sources in Jan 2030

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 161 - Noise Contribution from Sources in May 2030

| | Work Site | | |

Project : Tung Chung New Town Extension
Title : Monthly Contribution (Mitigated Scenario)

Table 165- Noise Contribution from Sources in Sep 2030

| | Work Site | | |