



500m
 Assessment
 Boundary


REMARKS:
 EIAO-TM CRITERION FOR HOURLY AVERAGE TSP
 CONCENTRATION IS 500 $\mu\text{g}/\text{m}^3$.

LEGEND:
 ROCK CAVERN WORKS BOUNDARY
 AIR SENSITIVE RECEIVERS
 (CONSTRUCTION PHASE)

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

AECOM

Project
 DEVELOPMENT OF
 ANDERSON ROAD
 QUARRY SITE -
 INVESTIGATION, DESIGN
 AND CONSTRUCTION

CLIENT
 土木工程拓展署
 Civil Engineering and
 Development Department

CONSULTANT
 AECOM Asia Company Ltd.
 www.aecom.com

ISSUE/REVISION

NO.	DATE	DESCRIPTION	CHK.
1	JUN 15	FIRST DRAFT	
2	AUG 15	SECOND DRAFT	

STATUS

J/R	DATE	DESCRIPTION	CHK.

SCALE

A3 1 : 4000

KEY PLA



PROJECT NO. 60328348 **CONTRACT NO.** CE 10/2014 (CE)

SHEET TITLE

CONTOURS OF CUMULATIVE
 MAXIMUM 1-HOUR AVERAGE TSP
 CONCENTRATION IN $\mu\text{g}/\text{m}^3$ AT 1.5M
 ABOVE GROUND (MITIGATED)

SHEET NUMBER
 60328348/EIA_CAVFIGURE 4.7