

Appendix 8.04a Avifauna Species Recorded within the Assessment Area

Common Name <sup>(1)</sup>	Scientific Name	Distribution in Hong Kong <sup>(2)</sup>	Level of Concern <sup>(3)</sup>	Protection Status in China <sup>(4)</sup>	China Red Data Book <sup>(5)</sup>	IUCN Red List (Version 2015.2) <sup>(6)</sup>	Habitats						
							WL	FSW	PL	SL	CL	DA	S
Black-crowned Night Heron <sup>(8)</sup>	<i>Nycticorax nycticorax</i>	Common	(LC)	-	-	-	+					+	
Chinese Pond Heron <sup>(8)</sup>	<i>Ardeola bacchus</i>	Common	PRC (RC)	-	-	-						+	
Grey Heron <sup>(8)</sup>	<i>Ardea cinerea</i>	Common	PRC	-	-	-						+	
Great Egret <sup>(8)</sup>	<i>Ardea alba</i>	Common	PRC (RC)	-	-	-						+	
Little Egret <sup>(8)</sup>	<i>Egretta garzetta</i>	Common	PRC (RC)	-	-	-						++	+
Black Kite <sup>(7)(8)</sup>	<i>Milvus migrans</i>	Common	(RC)	Class II	-	-	+			+		+	
Crested Serpent Eagle <sup>(7)</sup>	<i>Spilornis cheela</i>	Uncommon	(LC)	Class II	Vulnerable	-	+			+			
Crested Goshawk <sup>(7)</sup>	<i>Accipiter trivirgatus</i>	Uncommon	-	Class II	Rare	-	+			+			
Common Sandpiper <sup>(8)</sup>	<i>Actitis hypoleucos</i>	Common	-	-	-	-	+						
Domestic Pigeon	<i>Columba livia</i>	Common	-	-	-	-					+	+	
Spotted Dove	<i>Spilopelia chinensis</i>	Abundant	-	-	-	-	+	+				+	+
Greater Coucal	<i>Centropus sinensis</i>	Common	-	Class II	Vulnerable	-	+					+	
Chestnut-winged Cuckoo	<i>Clamator coromandus</i>	Uncommon	-	-	-	-	+					+	
Asian Koel	<i>Eudynamys scolopacea</i>	Common	-	-	-	-	+		+			+	
Plaintive Cuckoo	<i>Cacomantis merulinus</i>	Uncommon	-	-	-	-					+	+	
Large Hawk Cuckoo	<i>Hierococcyx sparverioides</i>	Common	-	-	-	-	+		+	+		+	
Collared Scops Owl <sup>(7)</sup>	<i>Otus lettia</i>	Common	-	Class II	-	-	+		+	+			
Savanna Nightjar	<i>Caprimulgus affinis</i>	Uncommon	-	-	-	-	+						
House Swift	<i>Apus nipalensis</i>	Common	-	-	-	-						++	
Common Kingfisher <sup>(8)</sup>	<i>Alcedo atthis</i>	Common	-	-	-	-							+
Great Barbet	<i>Megalaima virens</i>	Common	-	-	-	-	+			+			
Grey-chinned Minivet	<i>Pericrocotus solaris</i>	Common	LC	-	-	-	+				+		
Scarlet Minivet	<i>Pericrocotus flammeus</i>	Common	-	-	-	-	+	+					
Long-tailed Shrike	<i>Lanius schach</i>	Common	-	-	-	-	+					+	
Black Drongo	<i>Dicrurus macrocercus</i>	Common	-	-	-	-	+					+	
Red-billed Blue Magpie	<i>Urocissa erythrorhyncha</i>	Common	-	-	-	-	+		+				
Grey Treepie	<i>Dendrocitta formosae</i>	Scarce	LC	-	-	-				+			
Eurasian Magpie	<i>Pica pica</i>	Common	-	-	-	-					+		

Appendix 8.04a Avifauna Species Recorded within the Assessment Area

Common Name <sup>(1)</sup>	Scientific Name	Distribution in Hong Kong <sup>(2)</sup>	Level of Concern <sup>(3)</sup>	Protection Status in China <sup>(4)</sup>	China Red Data Book <sup>(5)</sup>	IUCN Red List (Version 2015.2) <sup>(6)</sup>	Habitats						
							WL	FSW	PL	SL	CL	DA	S
Collared Crow <sup>(8)</sup>	<i>Corvus torquatus</i>	Uncommon	LC	-	-	Near Threatened						+	
Large-billed Crow	<i>Corvus macrorhynchos</i>	Common	-	-	-	-	+			+		+	
Cinereous Tit	<i>Parus cinereus</i>	Common	-	-	-	-	+	+		+		+	+
Red-whiskered Bulbul	<i>Pycnonotus jocosus</i>	Abundant	-	-	-	-	++	+	++	++	+	+	+
Chinese Bulbul	<i>Pycnonotus sinensis</i>	Abundant	-	-	-	-	+++++	++	+	++	+	++	+
Chestnut Bulbul	<i>Hemixos castanonotus</i>	Common	-	-	-	-	++++	+	+	+			+
Barn Swallow	<i>Hirundo rustica</i>	Abundant	-	-	-	-						++	
<b>Pygmy Wren-babbler</b>	<i>Pnoepyga pusilla</i>	Rare	LC	-	-	-	+						
Mountain Tailorbird	<i>Orthotomus cuculatus</i>	Uncommon	-	-	-	-	+		+	+			+
Asian Stubtail	<i>Urosphena squameiceps</i>	Common	-	-	-	-	+						
Pallas's Leaf Warbler	<i>Phylloscopus proregulus</i>	Common	-	-	-	-	+	+					+
Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	Common	-	-	-	-	+	+					+
Yellow-bellied Prinia	<i>Prinia flaviventris</i>	Common	-	-	-	-	+			+	+	+	
Common Tailorbird	<i>Orthotomus sutorius</i>	Common	-	-	-	-	++	+	+	+	+	+	
Streak-breasted Scimitar Babbler	<i>Pomatorhinus ruficollis</i>	Common	-	-	-	-	+				+		
<b>Rufous-capped Babbler</b>	<i>Stachyris ruficeps</i>	Uncommon	LC	-	-	-	+				+		+
Huet's Fulvetta	<i>Alcippe hueti</i>	Escaped bird	-	-	-	-	+						
<b>Chinese Hwamei <sup>(7)</sup></b>	<i>Garrulax canorus</i>	Common	-	-	-	-			+	+			
Masked Laughingthrush	<i>Garrulax perspicillatus</i>	Abundant	-	-	-	-			+	+			+
Greater Necklaced Laughingthrush	<i>Garrulax pectoralis</i>	Common	-	-	-	-	+	+		+			
Black-throated Laughingthrush	<i>Garrulax chinensis</i>	Common	-	-	-	-				+			
Japanese White-eye	<i>Zosterops japonicus</i>	Abundant	-	-	-	-	+++	+	+	++		+	
Crested Myna	<i>Acridotheres cristatellus</i>	Common	-	-	-	-	+		+		+	++	
Black-collared Starling	<i>Sturnus nigricollis</i>	Common	-	-	-	-						+	
Blue Whistling Thrush	<i>Myophonus caeruleus</i>	Common	-	-	-	-	+		+	+			

**Appendix 8.04a Avifauna Species Recorded within the Assessment Area**

Common Name <sup>(1)</sup>	Scientific Name	Distribution in Hong Kong <sup>(2)</sup>	Level of Concern <sup>(3)</sup>	Protection Status in China <sup>(4)</sup>	China Red Data Book <sup>(5)</sup>	IUCN Red List (Version 2015.2) <sup>(6)</sup>	Habitats						
							WL	FSW	PL	SL	CL	DA	S
Grey-backed Thrush	<i>Turdus hortulorum</i>	Common	-	-	-	-	+	+					
<b>Lesser Shortwing</b>	<i>Brachypteryx leucophris</i>	Uncommon	LC	-	-	-	+						
Oriental Magpie Robin	<i>Copsychus saularis</i>	Abundant	-	-	-	-	+			+	+	+	+
Daurian Redstart	<i>Phoenicurus auroreus</i>	Common	-	-	-	-	+						+
Hainan Blue Flycatcher	<i>Cyornis hainanus</i>	Uncommon	-	-	-	-	+						
<b>Orange-bellied Leafbird</b>	<i>Chloropsis hardwickii</i>	Uncommon	LC	-	-	-					+		
Scarlet-backed Flowerpecker	<i>Dicaeum cruentatum</i>	Common	-	-	-	-	+		+				+
Fork-tailed Sunbird	<i>Aethopyga christinae</i>	Common	-	-	-	-	+		+				
Eurasian Tree Sparrow	<i>Passer montanus</i>	Abundant	-	-	-	-					+	++	
Scaly-breasted Munia	<i>Lonchura punctulata</i>	Common	-	-	-	-				+			
Grey Wagtail	<i>Motacilla cinerea</i>	Common	-	-	-	-						+	+
White Wagtail	<i>Motacilla alba</i>	Common	-	-	-	-					+	+	
Olive-backed Pipit	<i>Anthus hodgsoni</i>	Common	-	-	-	-				+	+		

Note:

(1) All wild birds are Protected under Wild Animals Protection Ordinance (Cap. 170).

(2) AFCD (2015). Hong Kong Biodiversity Database.

(3) Fellowes *et al.* (2002): GC=Global Concern; LC=Local Concern; RC=Regional Concern; PRC=Potential Regional Concern; PGC: Potential Global Concern.

Letters in parentheses indicate that the assessment is on the basis of restrictedness in nesting and/or roosting sites rather than in general occurrence.

(4) List of Wild Animals Under State Protection (promulgated by State Forestry Administration and Ministry of Agriculture on 14 January, 1989).

(5) Zheng, G. M. and Wang, Q. S. (1998). China Red Data Book of Endangered Animals: Aves. Science Press, Beijing.

(6) IUCN (2015). IUCN Red List of Threatened Species. Version 2015.2.

(7) Protected under Protection of Endangered Species of Animals and Plants Ordinance (Cap. 586).

(8) Wetland-dependent species (including wetland-dependent species and waterbirds).

Species of conservation importance is in **bold** type face

Code of Abundance: + = Scarce; ++ = Occasional; +++ = Frequent; ++++ = Abundant; +++++ = Dominant

Habitats: WL=Woodland; FSW=Fung Shui Woodland; PL=Plantation; SL=Shrubland; CL=Cultivated Land; DA=Developed Area/Wasteland; S=Stream

**Appendix 8.04b Mammal Species Recorded within the Assessment Area**

Common Name	Scientific Name	Distribution in Hong Kong <sup>(3)</sup>	Level of Concern <sup>(4)</sup>	Protection Status in China <sup>(5)</sup>	China Red Data Book <sup>(6)</sup>	IUCN Red List (Version 2015.2) <sup>(7)</sup>	Habitats						
							WL	FSW	PL	SL	CL	DA	S
<b>Unknown Bat <sup>(1)</sup></b>	-	-	-	-	-	-	+						
<b>Pallas's Squirrel <sup>(1)</sup></b>	<i>Callosciurus erythraeus</i>	Fairly widely distributed	-	-	-	-	+						
Eurasian Wild Pig	<i>Sus scrofa</i>	Abundant	-	-	-	-				+			

**Appendix 8.04c Herpetofauna Species Recorded within the Assessment Area**

Common Name	Scientific Name	Distribution in Hong Kong <sup>(3)</sup>	Level of Concern <sup>(4)</sup>	Protection Status in China <sup>(5)</sup>	China Red Data Book <sup>(6)</sup>	IUCN Red List (Version 2015.2) <sup>(7)</sup>	Habitats						
							WL	FSW	PL	SL	CL	DA	S
<b>Reptiles</b>													
Red-eared Slider	<i>Trachemys scripta</i>	Widely distributed and commonly found in reservoirs or ponds in urban parks	-	-	-	-				+			++
Bowring's Gecko	<i>Hemidactylus bowringii</i>	Distributed throughout Hong Kong	-	-	-	-							++
Changeable Lizard	<i>Calotes versicolor</i>	Widely distributed	-	-	-	-				+	+		
Chinese Skink	<i>Eumeces chinensis chinensis</i>	Widely distributed	-	-	-	-	++						
Long-tailed Skink	<i>Eutropis longicaudata</i>	Widely distributed	-	-	-	-	+	+			+		
<b>Amphibian</b>													
<b>Hong Kong Newt <sup>(1)</sup></b>	<i>Paramesotriton hongkongensis</i>	Widely distributed in mountain streams throughout New Territories, Lantau Island and Hong Kong Island	PGC	-	-	Near Threatened	+						++
Asian Common Toad	<i>Bufo melanostictus</i>	Widely distributed	-	-	-	-	++	+		+		++	+
Ornate Pigmy Frog	<i>Microhyla fissipes</i>	Widely distributed	-	-	-	-	+						
<b>Hong Kong Cascade Frog <sup>(1)</sup></b>	<i>Amolops hongkongensis</i>	Widely distributed in mountain streams	PGC	-	-	Endangered							+
Paddy Frog	<i>Fejervarya limnocharis</i>	Widely distributed	-	-	-	-	+						
<b>Lesser Spiny Frog (tadpoles)</b>	<i>Quasipaa exilispinosa</i> (tadpoles)	Occurs throughout territory	PGC	-	-	Vulnerable							+
Gunther's Frog	<i>Rana guentheri</i>	Widely distributed	-	-	-	-	++			+		+	
Brown Tree Frog	<i>Polypedates megacephalus</i>	Widely distributed	-	-	-	-	++			+			

Notes:

(1) Protected under Wild Animals Protection Ordinance (Cap. 170).

(2) Protected under Protection of Endangered Species of Animals and Plants Ordinance (Cap. 586).

(3) AFCD (2015). Hong Kong Biodiversity Database.

(4) Fellowes et al. (2002): RC=Regional Concern; LC=Local Concern; PRC=Potential Regional Concern; PGC=Potential Global Concern.

(5) List of Wild Animals Under State Protection (promulgated by State Forestry Administration and Ministry of Agriculture on 14 January, 1989).

(6) Wang S. (1998). China Red Data Book of Endangered Animals: Mammalia. Science Press, Beijing.

(7) IUCN (2015). IUCN Red List of Threatened Species. Version 2015.2.

Species of conservation importance is in **bold** type face

Code of Abundance: +=Scarce; ++=Occasional; +++=Frequent; +\$\$\$=Abundant; +\$\$\$\$=Dominant

Habitats: WL=Woodland; FSW=Fung Shui Woodland; PL=Plantation; SL=Shrubland; CL=Cultivated Land; DA=Developed Area/Wasteland; S=Stream

Appendix 8.04d Butterfly Species Recorded within the Assessment Area

Common Name	Scientific Name	Distribution in Hong Kong <sup>(3)</sup>	Level of Concern <sup>(4)</sup>	Protection Status in China <sup>(5)</sup>	China Red Data Book <sup>(6)</sup>	IUCN Red List (Version 2015.2) <sup>(7)</sup>	Habitats						
							WL	FSW	PL	SL	CL	DA	S
Bush Hopper	<i>Ampittia dioscorides etura</i>	Uncommon	-	-	-	-	+		+				
Forest Hopper	<i>Astictopterus jama chinensis</i>	Common	-	-	-	-	+						
Indian Palm Bob	<i>Suastus gremius gremius</i>	Uncommon	-	-	-	-						+	
Chinese Dart	<i>Potanthus confucius confucius</i>	Uncommon	-	-	-	-	+						
Common Bluebottle	<i>Graphium sarpedon sarpedon</i>	Very common	-	-	-	-	+		+	+			
Lime Butterfly	<i>Papilio demoleus demoleus</i>	Common	-	-	-	-	+		+				
Red Helen	<i>Papilio helenus helenus</i>	Very common	-	-	-	-	+	+	+	+			
Common Mormon	<i>Papilio polytes polytes</i>	Very common	-	-	-	-	+	+	+	+	+	+	
Great Mormon	<i>Papilio memnon agenor</i>	Very common	-	-	-	-	+	+	+	+			
Spangle	<i>Papilio protenor protenor</i>	Very common	-	-	-	-				+	+	+	
Chinese Peacock	<i>Papilio bianor bianor</i>	Common	-	-	-	-	+						
Paris Peacock	<i>Papilio paris paris</i>	Very common	-	-	-	-	+	+	+	+	+	+	
Painted Jezebel	<i>Delias hyparete hierre</i>	Uncommon	-	-	-	-	+						
Red-base Jezebel	<i>Delias pasithoe pasithoe</i>	Very common	-	-	-	-	+	+	+	+			
Indian Cabbage White	<i>Pieris canidia canidia</i>	Very common	-	-	-	-	+				+		
Great Orange Tip	<i>Hebomoia glaucippe glaucippe</i>	Common	-	-	-	-						+	
Mottled Emigrant	<i>Catopsilia pyranthe pyranthe</i>	Very common	-	-	-	-					+		
Lemon Emigrant	<i>Catopsilia pomona pomona</i>	Common	-	-	-	-				+	+	+	
Common Grass Yellow	<i>Eurema hecabe hecabe</i>	Very common	-	-	-	-	+	+		+			
Pale Grass Blue	<i>Pseudozizeeria maha serica</i>	Very common	-	-	-	-	+				+		
Lime Blue	<i>Chilades lajus leucofasciatus</i>	Common	-	-	-	-	++	+	+	+			
Punchinello	<i>Zemeros flegyas fleygas</i>	Common	-	-	-	-	++	+			++	+	
Plum Judy	<i>Abisara echerius echerius</i>	Very common	-	-	-	-					+		
Dark Evening Brown	<i>Melanitis phedima muskata</i>	Uncommon	-	-	-	-	+						
Banded Tree Brown	<i>Lethe confusa confusa</i>	Common	-	-	-	-	+				+		
Common Five-ring	<i>Ypthima baldus baldus</i>	Very common	-	-	-	-	+		+	+			
Straight Five-ring	<i>Ypthima lisandra lisandra</i>	Common	-	-	-	-				+	+		
Large Faun	<i>Faunis eumeus eumeus</i>	Common	-	-	-	-	+++	+			+		
Rustic	<i>Cupha erymanthis erymanthis</i>	Very common	-	-	-	-	+		+				
Blue Admiral	<i>Kaniska canace canace</i>	Common	-	-	-	-					+		+
Great Egg-fly	<i>Hypolimnas bolina kezia</i>	Common	-	-	-	-	+				+		
Common Sailer	<i>Neptis hylas hylas</i>	Very common	-	-	-	-	+		+	+			
Common Lascar	<i>Pantoporia hordonia</i>	Uncommon	-	-	-	-	+		+				
Gaudy Baron	<i>Euthalia lubentina lubentina</i>	Uncommon	-	-	-	-			+				
Common Mapwing	<i>Cyrestis thyodamas chinensis</i>	Common	-	-	-	-	++			+			

Appendix 8.04d Butterfly Species Recorded within the Assessment Area

Common Name	Scientific Name	Distribution in Hong Kong <sup>(3)</sup>	Level of Concern <sup>(4)</sup>	Protection Status in China <sup>(5)</sup>	China Red Data Book <sup>(6)</sup>	IUCN Red List (Version 2015.2) <sup>(7)</sup>	Habitats						
							WL	FSW	PL	SL	CL	DA	S
Black Prince	<i>Rohana parisatis staurakius</i>	Common	-	-	-	-	+						
Ceylon Blue Glassy Tiger	<i>Ideopsis similis similis</i>	Very common	-	-	-	-	+			+			
Common Tiger	<i>Danaus genutia genutia</i>	Common	-	-	-	-	+						
Blue-spotted Crow	<i>Euploea midamus midamus</i>	Very common	-	-	-	-	+		+		+		

Notes:

- (1) Protected under Wild Animals Protection Ordinance (Cap. 170).
- (2) Protected under Protection of Endangered Species of Animals and Plants Ordinance (Cap. 586).
- (3) AFCD (2015). Hong Kong Biodiversity Database.
- (4) Fellowes *et al.* (2002): LC=Local Concern; RC=Regional Concern.
- (5) List of Wild Animals Under State Protection (promulgated by State Forestry Administration and Ministry of Agriculture on 14 January, 1989).
- (6) Wang S. (1998). China Red Data Book of Endangered Animals. Science Press, Beijing.
- (7) IUCN (2015). IUCN Red List of Threatened Species. Version 2015.2.

Species of conservation importance is in **bold** type face

Code of Abundance: +=Scarce; ++=Occasional; +++=Frequent; ++++=Abundant; +++++=Dominant

Habitats: WL=Woodland; FSW=Fung Shui Woodland; PL=Plantation; SL=Shrubland; CL=Cultivated Land; DA=Developed Area/Wasteland; S=Stream

Appendix 8.04e Odonate Species Recorded within the Assessment Area

Common Name	Scientific Name	Distribution in Hong Kong <sup>(1)</sup>	Level of Concern <sup>(2)</sup>	Protection Status in China <sup>(3)</sup>	China Red Data Book <sup>(4)</sup>	IUCN Red List (Version 2015.2) <sup>(5)</sup>	Habitats						
							WL	FSW	PL	SL	CL	DA	S
<b>Damselfly</b>													
<b>Indochinese Copperwing</b>	<i>Mnais mneme</i>	Common	LC	-	-	-	+	+					+
Common Blue Jewel	<i>Rhinocypha perforata</i>	Abundant	-	-	-	-							+
Black-banded Gossamerwing	<i>Euphaea decorata</i>	Abundant	-	-	-	-							+
Orange-tailed Midget	<i>Agriocnemis femina oryzae</i>	Abundant	-	-	-	-							+
Wandering Midget	<i>Agriocnemis pygmaea</i>	Common	-	-	-	-	+						+
Orange-tailed Sprite	<i>Ceriagrion auranticum</i>	Abundant	-	-	-	-	+	+		+		+	+
Common Bluetail	<i>Ischnura senegalensis</i>	Abundant	-	-	-	-						+	++
Blue Forest Damsel	<i>Coeliccia cyanomelas</i>	Abundant	-	-	-	-	+						
<b>Dragonfly</b>													
Blue Dasher	<i>Brachydiplax chalybea flavovittata</i>	Common	-	-	-	-					+		
Asian Amberwing	<i>Brachythemis contaminata</i>	Abundant	-	-	-	-					+		
Red-faced Skimmer	<i>Orthetrum chrysis</i>	Abundant	-	-	-	-		+					++
Common Blue Skimmer	<i>Orthetrum glaucum</i>	Abundant	-	-	-	-		+					++
Marsh Skimmer	<i>Orthetrum luzonicum</i>	Abundant	-	-	-	-				+		+	
Green Skimmer	<i>Orthetrum serapia</i>	Abundant	-	-	-	-					+		+
Wandering Glider	<i>Pantala flavescens</i>	Abundant	-	-	-	-				++		++	
Variegated Flutterer	<i>Rhyothemis variegata arria</i>	Common	-	-	-	-				+		+	
Crimson Dropwing	<i>Trithemis aurora</i>	Abundant	-	-	-	-							+
Indigo Dropwing	<i>Trithemis festiva</i>	Abundant	-	-	-	-							+
<b>Emerald Cascader</b>	<i>Zygonyx iris insignis</i>	Abundant	PGC	-	-	-							+

Notes:

(1) AFCD (2015). Hong Kong Biodiversity Database.

(2) Fellowes *et al.* (2002): GC=Global Concern; LC=Local Concern; RC=Regional Concern; PGC: Potential Global Concern.

(3) List of Wild Animals Under State Protection (promulgated by State Forestry Administration and Ministry of Agriculture on 14 January, 1989).

(4) Wang S. (1998). China Red Data Book of Endangered Animals. Science Press, Beijing.

(5) IUCN (2015). IUCN Red List of Threatened Species. Version 2015.2.

Species of conservation importance is in **bold** type face

Code of Abundance: +=Scarce; ++=Occasional; +++;=Frequent; +++;=Abundant; +++++=Dominant

Habitats: WL=Woodland; FSW=Fung Shui Woodland; PL=Plantation; SL=Shrubland; CL=Cultivated Land; DA=Developed Area/Wasteland; S=Stream

Appendix 8.04f Freshwater Communities Recorded within the Assessment Area

Taxa	Species / Family Name	Common Name	Distribution in Hong Kong <sup>(1)</sup>	Level of Concern <sup>(2)</sup>	China Red Data Book <sup>(3)</sup>	IUCN Red List (Version 2015.2) <sup>(4)</sup>	Sampling Point											
							S1						S2a		S2b	S2c	S2	S3
							F1	F2	F3	F4	F5	F6	F7	F8	F9	F10	F11	F12
<b>Insects</b>																		
Hemiptera	<i>Enithares</i> sp.	Backswimmer	-	-	-	-										+		+
Hemiptera	<i>Metrocoris</i> sp.	Water Skater	-	-	-	-	++	++							++	++	++	+
Hemiptera	<i>Ptilomera tigrina</i>	Water Skater	-	-	-	-		+	++	+	+	+		+	+	+		+
Ephemeroptera	-	Mayfly (larvae)	-	-	-	-	++	+	+									
<b>Crustaceans</b>																		
-	<i>Caridina cantonensis</i>	Atyid Shrimp	-	-	-	-	+++	++	+++	+++				+++	+++	+++	++	++
-	<b><i>Cryptopotamon anacoluthon</i></b>	-	-	PGC	-	Vulnerable									+	++		
-	<i>Eriocheir japonicus</i>	Mitten Crab	-	-	-	-					+	+						
-	<i>Macrobrachium hainanense</i>	-	-	-	-	-	++	++	+	+	+	+		+	+	+		+
-	<b><i>Nanhaipotamon hongkongense</i></b> <sup>(5)</sup>	-	-	PGC	-	-												
<b>Fishes</b>																		
-	<b><i>Acrossocheilus parallens</i></b>	Beijiang Thick-lipped Barb	Rare	GC	-	-					+	+++						
-	<b><i>Parazacco spilurus</i></b>	Predaceous Chub	Common	-	Vulnerable		+++	++	+++	++	+++							
-	<i>Puntius semifasciolatus</i>	Chinese Barb	Common	-	-	-	+				+	+						
-	<i>Liniparhomaloptera disparis</i>	Broken-band Hillstream Loach	Common	-	-	-	++	+										
-	<i>Oreonectes platycephalus</i>	Flat-headed Loach	Common	-	-	-		+	+			+						
-	<i>Pseudogastromyzon myersi</i>	Sucker-belly Loach	Common	-	-	-	++	+	+									
-	<i>Schistura fasciolata</i>	Striped Loach	Common	-	-	-								+				+
-	<i>Pterocryptis anomala</i>	Nim	Common	-	-	-						+						
-	<i>Xiphophorus variatus</i>	Variable Platypish	Common	-	-	-	+											
-	<i>Oreochromis niloticus</i>	Nile Tilapia	Common	-	-	-						+						
-	<i>Rhinogobius duospilus</i>	-	Common	-	-	-	+	+										+

Notes:

(1) Lee, L. F., Lam, K. S., Ng, K. Y., Chan, K. T. and Young, L. C. (2004). *Field Guide to the Freshwater Fish of Hong Kong*. Friends of the Country Parks.

(2) Fellowes et al. (2002): GC=Global concern

(3) Yue P. and Chen Y. (1998). China Red Data Book of Endangered Animals: Pisces. Science Press, Beijing.

(4) IUCN (2015). IUCN Red List of Threatened Species. Version 2015.2.

(5) Species was recorded at S1 outside freshwater sampling points during a plant survey conducted in wet season.

Species of conservation importance is in **bold** type face

Code of Abundance: +=Rare; ++=Occasional; +++=Common; ++++=Abundant