





**Appendix 11.1**

Tree ID	Botanical Name	Chinese Name	Existing Location	Overall Height (m)	Trunk Diameter (mm)	Average Crown Spread (m)	Condition (Good, Fair, Poor, Dead)	Form (Good, Fair, Poor)	Amenity Value (High, Medium, Low)	Survival Rate after Transplantation (High, Medium, Low)	Recommendation (Note 1)
T6005	Celtis sinensis	朴樹	Within proposed site of Tai O STW	3.5	96	1.5	Fair	Fair	Medium	High	Retain
T3174	Citrus maxima	柚	Within proposed site of Fan Kwai Tong SPS	6	140	4.0	Fair	Fair	Medium	High	Transplant to Hang Mei SPS
T3175	Aleurites moluccana	石栗	Within proposed site of Fan Kwai Tong SPS	9	137	3.0	Fair	Fair	Medium	High	Transplant to Hang Mei SPS
T3176	Citrus maxima	柚	Within proposed site of Fan Kwai Tong SPS	9.5	191	7.0	Fair	Fair	Medium	High	Transplant to Hang Mei SPS
T1012	Dimocarpus longan	龍眼	Within proposed site of Hang Mei SPS	6	398	6	Fair	Fair	Medium	High	Transplant within Hang Mei SPS
T1013	Clausena lansium	黃皮	Within proposed site of Hang Mei SPS	6	159	4	Fair	Fair	Medium	High	Transplant within Hang Mei SPS


Note 1: The recommendations of trees to be retained/transplanted/fell are based on the tree survey result conducted under Agreement No. CE 31/2007 (DS) Upgrading of Cheung Chau and Tai O Sewage Collection, Treatment and Disposal Facilities – Investigation. The recommendations will be subject to further review based on the Tree Survey conducted at later stage of the Project.




Tree No. T 1007



Tree No. T 1008






Tree No. T 1009



Tree No. T 1012

# Hang Mei SPS

 <p>CE312007 (DS) Service No. CE3107TFS01 TAI O T1013 03/02/2009</p>	 <p>CE312007 (DS) Service No. CE3107TFS01 TAI O T1025 03/02/2009</p>
<p>Tree No. T 1013</p>	<p>Tree No. T 1025</p>
 <p>CE312007 (DS) Service No. CE3107TFS01 TAI O T1026 03/02/2009</p>	 <p>CE312007 (DS) Service No. CE3107TFS01 TAI O T1027 03/02/2009</p>
<p>Tree No. T 1026</p>	<p>Tree No. T 1027</p>




Tree No. T 3165



Tree No. T 3166











Tree No. T 3167



Tree No. T 3174

## Fan Kwai Tong SPS



 <p>A photograph of a tree with a yellow arrow pointing to a small wooden marker on its trunk. The tree is situated in a residential area with a paved path and other vegetation in the background. The image contains a date stamp '04/02/2009' and text: 'CE312007 (DS)', 'Service No. CE3107TFS01', and 'T3175'.</p>	 <p>A photograph of a tree with a yellow arrow pointing to a white marker on its trunk. A person wearing a blue shirt and a white cap is visible in the foreground. The tree is located near a gate and a brick wall. The image contains a date stamp '04/02/2009' and text: 'CE312007 (DS)', 'Service No. CE3107TFS01', and 'T3176'.</p>
<p>Tree No. T 3175</p>	<p>Tree No. T 3176</p>
 <p>A photograph of a tree with a yellow arrow pointing to a white marker on its trunk. The tree is positioned next to a building with a blue metal railing in the foreground. The image contains a date stamp '04/02/2009' and text: 'CE312007 (DS)', 'Service No. CE3107TFS01', and 'T3181'.</p>	 <p>A photograph of a tree with two yellow arrows pointing to white markers on its trunk. The tree is situated behind a blue metal railing. The image contains a date stamp '04/02/2009' and text: 'CE312007 (DS)', 'Service No. CE3107TFS01', and 'T3182'.</p>
<p>Tree No. T 3181</p>	<p>Tree No. T 3182</p>


 <p>CE312007 (DS) Service No. CE3107TF501 T3222 05/02/2009</p>	 <p>CE312007(DS) Service No. CE3107TF501 T5005 06/02/2009</p>
<p>Tree No. T 3222</p>	<p>Tree No. T 5005</p>
 <p>Tai O STW</p> <p>CE312007(DS) Service No. CE3107TF501 T6005 06/02/2009</p>	 <p>CE312007(DS) Service No. CE3107TF501 T7004 06/02/2009</p>
<p>Tree No. T 6005</p>	<p>Tree No. T 7004</p>

# Appendix 11.1 (Extracted from Tree Survey Report)



Legend:

-  Tree to be retained
-  Tree to be transplanted





2010-0-19 9:02:03 WEIGT

# Appendix 11.1 (Extracted from Tree Survey Report)



Legend:

 Tree to be retained

 Tree to be transplanted

812100 N

803600 E


803700 E

803800 E

812000 N

811900 N

2010-9-19 9:09:23  
WEIGT








# Appendix 11.1 (Extracted from Tree Survey Report)



**Legend:**

-  Tree to be retained
-  Tree to be transplanted



2010-9-19 8:59:53 WEIGT

# Appendix 11.1 (Extracted from Tree Survey Report)

Tree Survey Schedule Tai O

Drawing No.	Tree ID	Botanical Name	Chinese Name	Overall Height (m)	Trunk Diameter (mm)	Average Crown Spread (m)	Condition (Good, Fair, Poor, Dead)	Form (Good, Fair, Poor)	Amenity Value (High, Medium, Low)	Survival Rate after Transplantation (High, Medium, Low)	Recommendation (Retain, Transplant, Fell)	Remarks and Justification	Current Maintenance and Management Department	Responsible Departments for Vetting (LCSD, AFCD, Hyd, HD)
60041385/TSA/1007	T3200	<i>Cerbera manghas</i>	海芒果	6.5	287	5.0	Fair	Fair	Medium	Low	Retain	C S T	LandsD	AFCD
60041385/TSA/1007	T3201	<i>Cerbera manghas</i>	海芒果	6.5	296	6.0	Fair	Fair	Medium	Low	Retain	C S T	LandsD	AFCD
60041385/TSA/1007	T3202	<i>Cerbera manghas</i>	海芒果	6	271	5.0	Fair	Fair	Medium	Low	Retain	C S T	LandsD	AFCD
60041385/TSA/1007	T3203	<i>Cerbera manghas</i>	海芒果	6.5	287	6.0	Fair	Fair	Medium	Low	Retain	C S T	LandsD	AFCD
60041385/TSA/1007	T3204	<i>Cerbera manghas</i>	海芒果	6	271	6.0	Fair	Fair	Medium	Low	Retain	C S T	LandsD	AFCD
60041385/TSA/1007	T3205	<i>Cerbera manghas</i>	海芒果	6.5	277	4.5	Fair	Fair	Medium	Low	Retain	C S T	LandsD	AFCD
60041385/TSA/1007	T3207	<i>Sapium sebiferum</i>	烏桕	7	268	5.0	Poor	Poor	Low	Low	Retain	C S, Sit on rock	LandsD	AFCD
60041385/TSA/1007	T3208	<i>Clausena lansium</i>	黃皮	6.5	99	5.0	Fair	Fair	Medium	Low	Retain	T	LandsD	AFCD
60041385/TSA/1007	T3209	<i>Punica granatum</i>	安石榴	6.5	140	6.0	Fair	Fair	Medium	Low	Retain	C S T	LandsD	AFCD
60041385/TSA/1007	T3213	<i>Clausena lansium</i>	黃皮	7	159	6.0	Fair	Fair	Medium	Medium	Retain	/	LandsD	AFCD
60041385/TSA/1007	T3214	<i>Clausena lansium</i>	黃皮	7	143	5.0	Fair	Fair	Medium	Medium	Retain	/	LandsD	AFCD
60041385/TSA/1007	T3215	<i>Citrus maxima</i>	柚	7	150	5.0	Fair	Fair	Medium	Medium	Retain		LandsD	AFCD
60041385/TSA/1007	T3222	<i>Clausena lansium</i>	黃皮	8	175	5.0	Fair	Fair	Medium	Low	Retain	C S	N/A	LCSD
60041385/TSA/1008	T1062	<i>Hibiscus tiliaceus</i>	黃槿	7	191	8	Fair	Poor	Low	Medium	Retain	< C S A	LandsD	AFCD
60041385/TSA/1008	T2016	<i>Ficus subpisocarpa</i>	筆管榕	7	302	8	Fair	Fair	Medium	Low	Retain	/W A	LCSD	LCSD
60041385/TSA/1009	T1000	<i>Rhaphiolepis indica</i>	車輪梅	4	124	2	Good	Poor	Medium	Medium	Retain	/ <	LCSD	LCSD
60041385/TSA/1009	T1004	<i>Macaranga tanarius</i>	血桐	5	130	4	Fair	Fair	Medium	Medium	Retain	A	LCSD	LCSD
60041385/TSA/1009	T1005	<i>Bridelia tomentosa</i>	土蜜樹	5	137	4	Fair	Fair	Medium	Medium	Retain	A	LCSD	LCSD
60041385/TSA/1009	T1006	<i>Celtis sinensis</i>	朴樹	5	153	4	Fair	Fair	Medium	Low	Retain	< S A	LCSD	LCSD
60041385/TSA/1009	T1007	<i>Bridelia tomentosa</i>	土蜜樹	5	134	3	Poor	Poor	Low	Medium	Retain		LCSD	LCSD
60041385/TSA/1009	T1008	<i>Sapium sebiferum</i>	烏桕	5.5	200	5	Fair	Poor	Low	Medium	Retain	C S	LCSD	LCSD
60041385/TSA/1009	T1009	<i>Macaranga tanarius</i>	血桐	4.5	137	5	Fair	Poor	Medium	Medium	Retain	A	LCSD	LCSD
60041385/TSA/1009	T1012	<i>Dimocarpus longan</i>	龍眼	6	398	6	Fair	Fair	Medium	High	Transplant	P	LCSD	LCSD
60041385/TSA/1009	T1013	<i>Clausena lansium</i>	黃皮	6	159	4	Fair	Fair	Medium	High	Transplant	S P	LCSD	LCSD
60041385/TSA/1009	T1025	<i>Bridelia tomentosa</i>	土蜜樹	5	134	5	Fair	Poor	Low	Low	Retain	/ S A	LCSD	LCSD
60041385/TSA/1009	T1026	<i>Cinnamomum burmannii</i>	陸香	6	127	3	Fair	Poor	Medium	Low	Retain	/	LCSD	LCSD
60041385/TSA/1009	T1027	<i>Celtis sinensis</i>	朴樹	7	242	4	Fair	Fair	Medium	Low	Retain	/V	LCSD	LCSD
60041385/TSA/1009	T1028	<i>Bridelia tomentosa</i>	土蜜樹	6	134	3	Poor	Poor	Low	Low	Retain	/V	LCSD	LCSD
60041385/TSA/1009	T1029	<i>Bridelia tomentosa</i>	土蜜樹	5	140	3	Poor	Poor	Low	Low	Retain	/ < V	LCSD	LCSD
60041385/TSA/1009	T1030	<i>Bridelia tomentosa</i>	土蜜樹	4	127	5	Poor	Poor	Low	Low	Retain	/ C V A	LCSD	LCSD
60041385/TSA/1009	T1033	<i>Malcotus paniculatus</i>	白楸	4	134	3	Poor	Poor	Low	Low	Retain	/ < V	LCSD	LCSD
60041385/TSA/1009	T1041	<i>Murraya paniculata</i>	九里香	6	137	4	Good	Fair	High	Medium	Retain	C	LandsD	AFCD
60041385/TSA/1009	T1042	<i>Citrus maxima</i>	柚	3	124	1	Poor	Poor	Low	Medium	Retain	Top cut off	LandsD	AFCD
60041385/TSA/1009	T1043	<i>Clausena lansium</i>	黃皮	5	156	3	Fair	Fair	Medium	Medium	Retain		LandsD	AFCD
60041385/TSA/1009	T1046	<i>Archontophoenix alexandrae</i>	假棕櫚	7	204	5	Good	Good	High	High	Retain		LandsD	AFCD
60041385/TSA/1009	T1050	<i>Thuja orientalis</i>	扁柏	5	127	3	Fair	Fair	Medium	Low	Retain		LandsD	AFCD
60041385/TSA/1009	T1053	<i>Hibiscus tiliaceus</i>	黃槿	5	102	3	Fair	Fair	Medium	Medium	Retain	A	LandsD	AFCD
60041385/TSA/1009	T1054	<i>Brugiera gymnorhiza</i>	木樨	4	99	3	Fair	Fair	Medium	Low	Retain	A	LandsD	AFCD
60041385/TSA/1009	T1056	<i>Hibiscus tiliaceus</i>	黃槿	5	102	4	Fair	Fair	Medium	Low	Retain	<	LandsD	AFCD
60041385/TSA/1009	T1059	<i>Hibiscus tiliaceus</i>	黃槿	6	111	8	Fair	Poor	Low	Low	Retain	< A	LandsD	AFCD

Legend:  
 /=On slope  
 <=Leaning angle <45  
 S=Bark damaged/weeping fluid  
 C=Cavity  
 W=Worm attack  
 V=Vine covered  
 F=Fungal attack  
 A=Arising shoot  
 T=On concrete pit  
 N/A=Within land to be resumed  
 P=Direct conflict with the proposed works  
 \*Advised by DLO in email dated 09/07/2010