
Appendix 3.8

**Detailed Assessment Results of
Construction Phase**

1st Hourly Maximum TSP Concentration - Mitigated Scenario

ASR	Description	1 st Hourly Maximum TSP Concentration ($\mu\text{g}/\text{m}^3$) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	180.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	180.5
A2	Regal Hotel	204.4	214.5	210.9	200.6	187.2	172.5	-	-	-	-	-	-	-	-	-	-	-	-	-	214.5
A3	South Masion	210.8	221.4	217.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	221.4
A4	Jenford Building	208.0	217.9	213.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	217.9
A6	Parc 22	235.3	249.6	238.0	206.3	170.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	249.6
A7	Sky Tower	291.6	303.5	283.2	231.0	180.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	-	303.5
A9	Mok Cheong Street Residential District	335.0	341.5	313.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	341.5
A16	Sung Wong Toi Playground	222.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	222.5
A17	Fire Station	225.6	235.7	228.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	235.7
A13	Mok Cheong Street Residential District	327.5	336.8	314.5	257.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	336.8
A18	Lung To Street No.208	247.8	259.3	246.9	213.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	259.3
A19	HK Society for Blind Hostel (facing Project Site)	359.1	360.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360.6
A20	Grand Water Front (facing Project Site)	318.3	328.9	310.7	262.7	214.7	177.8	154.0	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	153.4	328.9
A21	EMSD Headquarter	359.0	304.6	238.6	194.9	179.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	359.0
PA1	KTD Site 1L	274.8	252.6	216.0	190.0	180.0	170.1	161.1	158.3	156.4	154.7	154.1	153.8	-	-	-	-	-	-	-	274.8
PA2	KTD Site 1K	302.1	278.4	232.8	199.4	185.8	173.0	164.7	162.4	160.4	158.8	157.5	156.5	155.9	-	-	-	-	-	-	302.1

* **Bold** for exceeding criteria

Number of Exceedance (Daily RSP) Concentration - Mitigated Scenario

ASR	Description	Number of Exceedance (Daily RSP) Concentration at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A2	Regal Hotel	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A3	South Masion	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A4	Jenford Building	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A6	Parc 22	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A7	Sky Tower	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
A9	Mok Cheong Street Residential District	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A16	Sung Wong Toi Playground	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A17	Fire Station	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A13	Mok Cheong Street Residential District	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A18	Lung To Street No.208	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A19	HK Society for Blind Hostel (facing Project Site)	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
A20	Grand Water Front (facing Project Site)	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
A21	EMSD Headquarter	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
PA1	KTD Site 1L	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1
PA2	KTD Site 1K	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	1

* **Bold** for exceeding criteria

10th Daily Maximum RSP Concentration - .Mitigated Scenario

ASR	Description	10 th Daily Maximum RSP Concentration (µg/m ³) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	74.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74.9
A2	Regal Hotel	74.9	74.9	74.9	74.9	74.7	74.4	-	-	-	-	-	-	-	-	-	-	-	-	-	74.9
A3	South Masion	74.4	74.4	74.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74.4
A4	Jenford Building	74.4	74.4	74.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74.4
A6	Parc 22	74.8	74.9	74.8	74.8	74.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74.9
A7	Sky Tower	83.1	83.4	82.8	81.7	81.3	80.3	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.7	79.7	-	83.4
A9	Mok Cheong Street Residential District	87.7	88.1	87.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88.1
A16	Sung Wong Toi Playground	74.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74.9
A17	Fire Station	75.4	75.4	75.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75.4
A13	Mok Cheong Street Residential District	85.2	85.2	85.1	84.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85.2
A18	Lung To Street No.208	84.1	84.1	84.1	84.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.1
A19	HK Society for Blind Hostel (facing Project Site)	90.3	90.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90.5
A20	Grand Water Front (facing Project Site)	86.8	86.8	86.7	85.9	85.0	82.3	82.2	81.5	80.9	80.5	80.0	79.7	79.7	79.7	79.7	79.7	79.7	79.8	80.0	86.8
A21	EMSD Headquarter	80.0	79.4	78.3	76.7	75.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80.0
PA1	KTD Site 1L	77.4	77.2	76.6	75.8	75.2	75.1	75.0	74.9	74.9	74.9	74.9	74.9	-	-	-	-	-	-	-	77.4
PA2	KTD Site 1K	77.3	76.6	75.9	75.2	75.0	74.9	74.9	74.9	74.9	74.9	74.9	74.9	-	-	-	-	-	-	-	77.3

* **Bold** for exceeding criteria

1st Daily Maximum RSP Concentration - Mitigated Scenario

ASR	Description	1 st Daily Maximum RSP Concentration (µg/m ³) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	109.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109.2
A2	Regal Hotel	109.2	109.2	109.2	109.1	109.1	109.1	-	-	-	-	-	-	-	-	-	-	-	-	-	109.2
A3	South Masion	109.1	109.1	109.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109.1
A4	Jenford Building	109.1	109.1	109.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109.1
A6	Parc 22	109.3	109.4	109.3	109.2	109.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109.4
A7	Sky Tower	112.6	112.6	112.5	112.5	112.4	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	-	112.6
A9	Mok Cheong Street Residential District	113.7	113.7	113.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.7
A16	Sung Wong Toi Playground	109.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109.2
A17	Fire Station	109.8	109.8	109.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	109.8
A13	Mok Cheong Street Residential District	113.3	113.3	113.2	112.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.3
A18	Lung To Street No.208	112.7	112.8	112.7	112.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112.8
A19	HK Society for Blind Hostel (facing Project Site)	113.8	113.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.8
A20	Grand Water Front (facing Project Site)	116.7	116.3	115.2	113.6	112.9	112.6	112.4	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	116.7
A21	EMSD Headquarter	127.5	126.3	123.2	120.0	117.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	127.5
PA1	KTD Site 1L	123.3	123.4	121.4	118.9	117.3	115.7	114.4	113.3	112.5	111.8	111.3	111.0	-	-	-	-	-	-	-	123.4
PA2	KTD Site 1K	123.2	122.9	120.7	118.3	116.7	115.2	113.9	112.9	112.1	111.6	111.1	110.8	110.6	-	-	-	-	-	-	123.2

* **Bold** for exceeding criteria

Annual Average RSP Concentration - Mitigated Scenario

ASR	Description	Annual Average RSP Concentration ($\mu\text{g}/\text{m}^3$) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	40.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40.8
A2	Regal Hotel	40.8	40.9	40.9	40.8	40.6	40.5	-	-	-	-	-	-	-	-	-	-	-	-	-	40.9
A3	South Masion	40.8	40.9	40.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40.9
A4	Jenford Building	40.8	40.9	40.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40.9
A6	Parc 22	41.4	41.5	41.4	41.3	41.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41.5
A7	Sky Tower	44.9	45.0	44.8	44.2	43.5	43.0	42.6	42.3	42.1	41.9	41.8	41.7	41.7	41.6	41.6	41.6	41.6	41.6	-	45.0
A9	Mok Cheong Street Residential District	46.4	46.5	46.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46.5
A16	Sung Wong Toi Playground	41.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41.1
A17	Fire Station	41.7	41.7	41.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41.7
A13	Mok Cheong Street Residential District	45.6	45.8	45.5	44.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45.8
A18	Lung To Street No.208	44.7	44.8	44.6	44.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44.8
A19	HK Society for Blind Hostel (facing Project Site)	47.7	47.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47.8
A20	Grand Water Front (facing Project Site)	44.2	44.3	44.1	43.5	42.9	42.5	42.2	42.0	41.8	41.7	41.6	41.6	41.5	41.5	41.5	41.5	41.5	41.5	41.5	44.3
A21	EMSD Headquarter	40.6	40.6	40.5	40.4	40.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40.6
PA1	KTD Site 1L	41.1	41.2	41.1	40.9	40.6	40.4	40.3	40.1	40.1	40.0	39.9	39.9	-	-	-	-	-	-	-	41.2
PA2	KTD Site 1K	41.4	41.5	41.4	41.1	40.8	40.6	40.4	40.2	40.1	40.0	40.0	39.9	39.9	-	-	-	-	-	-	41.5

* **Bold** for exceeding criteria

Number of Exceedance (Daily FSP) Concentration - Mitigated Scenario

ASR	Description	Number of Exceedance (Daily FSP) Concentration at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A2	Regal Hotel	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A3	South Masion	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A4	Jenford Building	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A6	Parc 22	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A7	Sky Tower	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1
A9	Mok Cheong Street Residential District	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A16	Sung Wong Toi Playground	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A17	Fire Station	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A13	Mok Cheong Street Residential District	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A18	Lung To Street No.208	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A19	HK Society for Blind Hostel (facing Project Site)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A20	Grand Water Front (facing Project Site)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
A21	EMSD Headquarter	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
PA1	KTD Site 1L	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1
PA2	KTD Site 1K	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	1

* **Bold** for exceeding criteria

10th Daily Maximum FSP Concentration - Mitigated Scenario

ASR	Description	10 th Daily Maximum FSP Concentration (µg/m ³) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	55.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55.79
A2	Regal Hotel	55.79	55.79	55.79	55.79	55.79	55.79	-	-	-	-	-	-	-	-	-	-	-	-	-	55.79
A3	South Masion	55.79	55.79	55.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55.79
A4	Jenford Building	55.79	55.79	55.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55.79
A6	Parc 22	55.85	55.85	55.85	55.84	55.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55.85
A7	Sky Tower	59.80	59.80	59.80	59.75	59.65	59.55	59.47	59.40	59.36	59.36	59.36	59.35	59.35	59.35	59.35	59.35	59.35	59.35	-	59.80
A9	Mok Cheong Street Residential District	59.81	59.81	59.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59.81
A16	Sung Wong Toi Playground	55.84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55.84
A17	Fire Station	55.85	55.83	55.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55.85
A13	Mok Cheong Street Residential District	59.80	59.80	59.80	59.75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59.80
A18	Lung To Street No.208	59.76	59.76	59.74	59.67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59.76
A19	HK Society for Blind Hostel (facing Project Site)	59.83	59.83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59.83
A20	Grand Water Front (facing Project Site)	59.95	59.94	59.92	59.81	59.62	59.46	59.40	59.39	59.38	59.37	59.37	59.37	59.36	59.36	59.36	59.36	59.36	59.36	59.36	59.95
A21	EMSD Headquarter	56.35	56.34	56.34	56.23	56.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56.35
PA1	KTD Site 1L	56.26	56.23	56.17	56.16	56.16	56.16	56.16	56.16	56.16	56.16	56.16	56.16	-	-	-	-	-	-	-	56.26
PA2	KTD Site 1K	56.20	56.16	56.16	56.16	56.16	56.16	56.16	56.16	56.16	56.16	56.16	56.16	-	-	-	-	-	-	-	56.20

* **Bold** for exceeding criteria

1st Daily Maximum FSP Concentration - Mitigated Scenario

ASR	Description	1 st Daily Maximum FSP Concentration (µg/m ³) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	81.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.81
A2	Regal Hotel	81.80	81.80	81.80	81.80	81.80	81.80	-	-	-	-	-	-	-	-	-	-	-	-	-	81.80
A3	South Masion	81.80	81.80	81.80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.80
A4	Jenford Building	81.80	81.80	81.80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.80
A6	Parc 22	81.83	81.83	81.82	81.81	81.80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.83
A7	Sky Tower	84.22	84.22	84.22	84.21	84.20	84.20	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	-	84.22
A9	Mok Cheong Street Residential District	84.34	84.34	84.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.34
A16	Sung Wong Toi Playground	81.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.81
A17	Fire Station	81.88	81.87	81.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.88
A13	Mok Cheong Street Residential District	84.30	84.29	84.28	84.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.30
A18	Lung To Street No.208	84.24	84.24	84.23	84.22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.24
A19	HK Society for Blind Hostel (facing Project Site)	84.36	84.35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.36
A20	Grand Water Front (facing Project Site)	84.65	84.60	84.49	84.33	84.25	84.22	84.20	84.20	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.65
A21	EMSD Headquarter	84.33	84.12	83.82	83.50	83.27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.33
PA1	KTD Site 1L	83.90	83.83	83.64	83.39	83.22	83.07	82.93	82.82	82.74	82.67	82.63	82.59	-	-	-	-	-	-	-	83.90
PA2	KTD Site 1K	83.89	83.78	83.56	83.32	83.16	83.01	82.88	82.78	82.70	82.65	82.60	82.58	82.55	-	-	-	-	-	-	83.89

* **Bold** for exceeding criteria

Annual Average FSP Concentration - Mitigated Scenario

ASR	Description	Annual Average FSP Concentration ($\mu\text{g}/\text{m}^3$) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	28.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28.38
A2	Regal Hotel	28.38	28.39	28.38	28.37	28.36	28.35	-	-	-	-	-	-	-	-	-	-	-	-	-	28.39
A3	South Masion	28.38	28.38	28.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28.38
A4	Jenford Building	28.39	28.39	28.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28.39
A6	Parc 22	28.44	28.44	28.44	28.42	28.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28.44
A7	Sky Tower	29.69	29.69	29.67	29.60	29.54	29.49	29.45	29.42	29.40	29.38	29.37	29.36	29.35	29.35	29.34	29.34	29.34	29.35	-	29.69
A9	Mok Cheong Street Residential District	29.84	29.83	29.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.84
A16	Sung Wong Toi Playground	28.41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28.41
A17	Fire Station	28.47	28.47	28.45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28.47
A13	Mok Cheong Street Residential District	29.76	29.76	29.73	29.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.76
A18	Lung To Street No.208	29.67	29.67	29.65	29.59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.67
A19	HK Society for Blind Hostel (facing Project Site)	29.98	29.96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.98
A20	Grand Water Front (facing Project Site)	29.61	29.61	29.59	29.54	29.48	29.44	29.41	29.39	29.37	29.36	29.35	29.34	29.34	29.34	29.33	29.33	29.33	29.34	29.34	29.61
A21	EMSD Headquarter	28.27	28.27	28.26	28.25	28.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28.27
PA1	KTD Site 1L	28.33	28.33	28.32	28.29	28.27	28.25	28.24	28.22	28.21	28.21	28.20	28.20	-	-	-	-	-	-	-	28.33
PA2	KTD Site 1K	28.36	28.36	28.35	28.32	28.29	28.27	28.25	28.23	28.22	28.21	28.21	28.20	28.20	-	-	-	-	-	-	28.36

* **Bold** for exceeding criteria

1st Hourly Maximum TSP Concentration - Unmitigated Scenario

ASR	Description	1 st Hourly Maximum TSP Concentration ($\mu\text{g}/\text{m}^3$) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	1338.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1338.1
A2	Regal Hotel	1166.2	1281.2	1208.1	1088.9	950.1	797.6	-	-	-	-	-	-	-	-	-	-	-	-	-	1281.2
A3	South Masion	1173.4	1266.0	1228.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1266.0
A4	Jenford Building	1159.3	1260.4	1209.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1260.4
A6	Parc 22	1685.6	1820.4	1707.2	1394.3	1041.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1820.4
A7	Sky Tower	2206.8	2311.3	2089.4	1521.9	1104.1	802.5	689.4	596.6	513.0	441.3	382.6	358.5	349.5	346.0	345.7	348.4	354.0	362.1	-	2311.3
A9	Mok Cheong Street Residential District	2475.5	2541.6	2209.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2541.6
A16	Sung Wong Toi Playground	1590.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1590.5
A17	Fire Station	1495.1	1600.0	1529.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1600.0
A13	Mok Cheong Street Residential District	2421.3	2522.4	2260.7	1599.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2522.4
A18	Lung To Street No.208	1572.1	1664.5	1541.4	1283.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1664.5
A19	HK Society for Blind Hostel (facing Project Site)	2769.2	2774.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2774.1
A20	Grand Water Front (facing Project Site)	1947.6	2040.4	1854.6	1368.8	1026.1	770.2	669.2	593.9	524.6	464.5	415.7	380.1	362.4	347.7	348.0	362.2	387.6	423.1	467.0	2040.4
A21	EMSD Headquarter	1478.5	1512.1	1357.5	1067.9	772.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1512.1
PA1	KTD Site 1L	1741.6	1807.4	1511.6	1015.9	832.1	646.3	521.9	466.0	414.0	368.5	335.4	328.2	-	-	-	-	-	-	-	1807.4
PA2	KTD Site 1K	2168.5	2219.9	1810.2	1329.4	1076.8	828.2	613.1	529.5	457.3	429.4	418.1	409.3	403.2	-	-	-	-	-	-	2219.9

* **Bold** for exceeding criteria

Number of Exceedance (Daily RSP) Concentration - Unmitigated Scenario

ASR	Description	Number of Exceedance (Daily RSP) Concentration at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
A2	Regal Hotel	7	9	9	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	9
A3	South Masion	5	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
A4	Jenford Building	5	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
A6	Parc 22	22	26	25	19	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
A7	Sky Tower	105	108	105	93	78	55	25	8	4	2	1	1	1	1	1	1	1	1	-	108
A9	Mok Cheong Street Residential District	126	128	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	128
A16	Sung Wong Toi Playground	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
A17	Fire Station	17	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
A13	Mok Cheong Street Residential District	119	122	119	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	122
A18	Lung To Street No.208	95	100	95	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
A19	HK Society for Blind Hostel (facing Project Site)	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	143
A20	Grand Water Front (facing Project Site)	68	73	68	53	46	39	27	20	7	4	4	3	2	2	2	2	3	4	4	73
A21	EMSD Headquarter	9	9	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
PA1	KTD Site 1L	11	12	11	8	5	3	2	1	1	1	1	1	-	-	-	-	-	-	-	12
PA2	KTD Site 1K	13	16	13	9	3	3	2	1	1	1	1	1	1	-	-	-	-	-	-	16

* **Bold** for exceeding criteria

10th Daily Maximum RSP Concentration - .Unmitigated Scenario

ASR	Description	10 th Daily Maximum RSP Concentration ($\mu\text{g}/\text{m}^3$) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	95.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95.1
A2	Regal Hotel	97.9	99.7	99.3	96.0	87.8	83.7	-	-	-	-	-	-	-	-	-	-	-	-	-	99.7
A3	South Masion	92.2	95.6	94.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95.6
A4	Jenford Building	93.0	96.8	95.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96.8
A6	Parc 22	111.1	114.3	112.4	109.2	105.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114.3
A7	Sky Tower	168.7	172.5	167.4	149.3	133.1	117.5	107.2	99.5	93.6	89.9	88.2	86.1	86.1	85.4	84.2	84.0	83.4	84.1	-	172.5
A9	Mok Cheong Street Residential District	219.2	223.2	212.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	223.2
A16	Sung Wong Toi Playground	107.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	107.5
A17	Fire Station	109.8	113.1	110.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.1
A13	Mok Cheong Street Residential District	184.5	187.0	184.4	172.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	187.0
A18	Lung To Street No.208	164.4	169.9	165.0	150.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	169.9
A19	HK Society for Blind Hostel (facing Project Site)	248.1	250.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	250.2
A20	Grand Water Front (facing Project Site)	173.9	177.3	172.6	156.3	139.1	127.4	115.2	104.4	98.0	92.7	90.4	88.1	86.1	86.1	86.1	86.1	86.1	86.1	86.8	177.3
A21	EMSD Headquarter	98.5	99.6	97.7	94.3	89.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99.6
PA1	KTD Site 1L	105.6	107.9	105.3	98.8	90.0	82.3	81.1	79.4	78.3	77.5	77.1	75.8	-	-	-	-	-	-	-	107.9
PA2	KTD Site 1K	107.1	109.8	106.7	99.3	89.3	85.8	80.0	79.1	76.9	76.7	75.9	75.1	75.1	-	-	-	-	-	-	109.8

* **Bold** for exceeding criteria

1st Daily Maximum RSP Concentration - Unmitigated Scenario

ASR	Description	1 st Daily Maximum RSP Concentration ($\mu\text{g}/\text{m}^3$) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	124.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	124.1
A2	Regal Hotel	118.8	122.8	121.8	118.0	112.8	110.4	-	-	-	-	-	-	-	-	-	-	-	-	-	122.8
A3	South Masion	116.1	119.9	118.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	119.9
A4	Jenford Building	121.0	125.7	124.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	125.7
A6	Parc 22	140.5	147.8	145.1	135.4	122.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	147.8
A7	Sky Tower	203.2	209.6	202.6	179.1	150.0	127.4	118.1	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	112.3	209.6
A9	Mok Cheong Street Residential District	277.0	280.7	268.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	280.7
A16	Sung Wong Toi Playground	128.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	128.8
A17	Fire Station	146.0	151.6	148.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	151.6
A13	Mok Cheong Street Residential District	260.0	264.8	255.8	226.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	264.8
A18	Lung To Street No.208	194.9	198.5	194.3	180.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198.5
A19	HK Society for Blind Hostel (facing Project Site)	310.5	312.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	312.1
A20	Grand Water Front (facing Project Site)	222.2	226.6	221.1	202.5	191.1	177.7	163.7	150.3	138.0	127.3	118.5	112.3	112.3	112.3	112.3	112.3	112.3	112.3	117.2	226.6
A21	EMSD Headquarter	166.9	168.9	164.9	157.9	150.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	168.9
PA1	KTD Site 1L	197.8	203.7	199.7	189.6	177.3	164.1	151.9	141.5	133.2	126.9	122.3	119.0	-	-	-	-	-	-	-	203.7
PA2	KTD Site 1K	200.0	205.5	200.9	190.1	176.9	163.0	150.4	140.0	131.9	126.0	121.6	118.5	116.4	-	-	-	-	-	-	205.5

* **Bold** for exceeding criteria

Annual Average RSP Concentration - Unmitigated Scenario

ASR	Description	Annual Average RSP Concentration ($\mu\text{g}/\text{m}^3$) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	47.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47.9
A2	Regal Hotel	47.9	48.4	48.3	47.7	46.9	45.9	-	-	-	-	-	-	-	-	-	-	-	-	-	48.4
A3	South Masion	47.7	48.2	48.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48.2
A4	Jenford Building	47.9	48.5	48.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48.5
A6	Parc 22	53.2	54.1	53.8	52.7	51.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54.1
A7	Sky Tower	71.5	72.6	71.4	67.4	62.8	58.5	55.0	52.1	50.0	48.3	47.0	46.1	45.4	44.9	44.6	44.4	44.4	44.6	-	72.6
A9	Mok Cheong Street Residential District	81.7	82.7	80.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82.7
A16	Sung Wong Toi Playground	50.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50.5
A17	Fire Station	53.2	53.9	53.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53.9
A13	Mok Cheong Street Residential District	75.9	77.0	75.5	70.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77.0
A18	Lung To Street No.208	68.8	69.9	68.9	65.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69.9
A19	HK Society for Blind Hostel (facing Project Site)	94.4	95.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95.1
A20	Grand Water Front (facing Project Site)	61.2	61.8	61.0	58.4	55.4	52.5	50.1	48.2	46.8	45.7	44.9	44.3	43.8	43.5	43.3	43.2	43.3	43.5	43.8	61.8
A21	EMSD Headquarter	44.8	45.1	44.9	44.4	43.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45.1
PA1	KTD Site 1L	49.7	50.3	50.0	49.0	47.7	46.4	45.2	44.2	43.3	42.7	42.2	41.8	-	-	-	-	-	-	-	50.3
PA2	KTD Site 1K	52.4	53.2	52.8	51.5	49.8	48.1	46.6	45.3	44.3	43.4	42.8	42.3	41.9	-	-	-	-	-	-	53.2

* **Bold** for exceeding criteria

Number of Exceedance (Daily FSP) Concentration - Unmitigated Scenario

ASR	Description	Number of Exceedance (Daily FSP) Concentration at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A2	Regal Hotel	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A3	South Masion	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A4	Jenford Building	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A6	Parc 22	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A7	Sky Tower	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1
A9	Mok Cheong Street Residential District	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
A16	Sung Wong Toi Playground	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A17	Fire Station	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A13	Mok Cheong Street Residential District	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A18	Lung To Street No.208	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
A19	HK Society for Blind Hostel (facing Project Site)	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
A20	Grand Water Front (facing Project Site)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
A21	EMSD Headquarter	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
PA1	KTD Site 1L	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	1
PA2	KTD Site 1K	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	1

* **Bold** for exceeding criteria

10th Daily Maximum FSP Concentration - Unmitigated Scenario

ASR	Description	10 th Daily Maximum FSP Concentration (µg/m ³) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	56.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56.16
A2	Regal Hotel	56.14	56.14	56.14	56.14	55.98	55.79	-	-	-	-	-	-	-	-	-	-	-	-	-	56.14
A3	South Masion	55.79	55.79	55.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55.79
A4	Jenford Building	55.79	55.79	55.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55.79
A6	Parc 22	55.95	55.98	55.92	55.87	55.85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55.98
A7	Sky Tower	63.02	63.01	62.84	61.89	61.23	60.81	60.13	59.80	59.80	59.80	59.80	59.80	59.80	59.80	59.80	59.80	59.80	59.80	59.80	63.02
A9	Mok Cheong Street Residential District	67.78	67.74	67.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67.78
A16	Sung Wong Toi Playground	56.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56.13
A17	Fire Station	56.19	56.18	56.17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56.19
A13	Mok Cheong Street Residential District	63.85	63.86	63.76	63.55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63.86
A18	Lung To Street No.208	63.15	63.15	63.14	63.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63.15
A19	HK Society for Blind Hostel (facing Project Site)	70.01	69.63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70.01
A20	Grand Water Front (facing Project Site)	64.39	64.39	64.36	64.27	63.19	62.15	60.72	59.98	59.81	59.80	59.80	59.72	59.48	59.39	59.42	59.61	59.80	59.80	59.80	64.39
A21	EMSD Headquarter	56.56	56.47	56.34	56.34	56.33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56.56
PA1	KTD Site 1L	56.63	56.61	56.41	56.33	56.33	56.33	56.25	56.17	56.16	56.16	56.16	56.16	-	-	-	-	-	-	-	56.63
PA2	KTD Site 1K	56.35	56.34	56.16	56.16	56.16	56.16	56.16	56.16	56.16	56.16	56.16	56.16	56.16	-	-	-	-	-	-	56.35

* **Bold** for exceeding criteria

1st Daily Maximum FSP Concentration - Unmitigated Scenario

ASR	Description	1 st Daily Maximum FSP Concentration (µg/m ³) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	81.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.81
A2	Regal Hotel	81.80	81.80	81.80	81.80	81.80	81.80	-	-	-	-	-	-	-	-	-	-	-	-	-	81.80
A3	South Masion	81.80	81.80	81.80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.80
A4	Jenford Building	81.80	81.80	81.80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.80
A6	Parc 22	81.83	81.83	81.82	81.81	81.80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.83
A7	Sky Tower	84.22	84.22	84.22	84.21	84.20	84.20	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.22
A9	Mok Cheong Street Residential District	84.34	84.34	84.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.34
A16	Sung Wong Toi Playground	81.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.81
A17	Fire Station	81.88	81.87	81.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81.88
A13	Mok Cheong Street Residential District	84.30	84.29	84.28	84.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.30
A18	Lung To Street No.208	84.24	84.24	84.23	84.22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.24
A19	HK Society for Blind Hostel (facing Project Site)	84.36	84.35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84.36
A20	Grand Water Front (facing Project Site)	84.65	84.60	84.49	84.33	84.25	84.22	84.20	84.20	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.19	84.65
A21	EMSD Headquarter	88.56	88.41	88.01	87.32	86.56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88.56
PA1	KTD Site 1L	91.88	91.90	91.51	90.51	89.28	87.97	86.73	85.68	84.84	84.21	83.74	83.41	-	-	-	-	-	-	-	91.90
PA2	KTD Site 1K	92.10	92.08	91.63	90.56	89.24	87.85	86.58	85.53	84.72	84.11	83.67	83.36	83.14	-	-	-	-	-	-	92.10

* **Bold** for exceeding criteria

Annual Average FSP Concentration - Unmitigated Scenario

ASR	Description	Annual Average FSP Concentration ($\mu\text{g}/\text{m}^3$) at Various Height (mAG)																			
		1.5	5	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	MAX
A1	Shek Ku Lung Road Playground	29.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.15
A2	Regal Hotel	29.14	29.15	29.14	29.08	28.99	28.90	-	-	-	-	-	-	-	-	-	-	-	-	-	29.15
A3	South Masion	29.12	29.13	29.11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.13
A4	Jenford Building	29.15	29.15	29.14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.15
A6	Parc 22	29.71	29.72	29.69	29.59	29.44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.72
A7	Sky Tower	32.49	32.48	32.36	31.97	31.51	31.08	30.71	30.43	30.20	30.03	29.90	29.81	29.73	29.68	29.65	29.63	29.64	29.66	-	32.49
A9	Mok Cheong Street Residential District	33.53	33.49	33.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33.53
A16	Sung Wong Toi Playground	29.43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.43
A17	Fire Station	29.70	29.70	29.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29.70
A13	Mok Cheong Street Residential District	32.94	32.92	32.78	32.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32.94
A18	Lung To Street No.208	32.21	32.21	32.12	31.80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32.21
A19	HK Society for Blind Hostel (facing Project Site)	34.84	34.74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34.84
A20	Grand Water Front (facing Project Site)	31.39	31.39	31.31	31.06	30.75	30.46	30.22	30.02	29.88	29.77	29.68	29.62	29.57	29.54	29.52	29.51	29.52	29.54	29.58	31.39
A21	EMSD Headquarter	28.71	28.72	28.70	28.65	28.59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28.72
PA1	KTD Site 1L	29.24	29.25	29.22	29.12	28.99	28.86	28.73	28.63	28.55	28.48	28.43	28.39	-	-	-	-	-	-	-	29.25
PA2	KTD Site 1K	29.53	29.54	29.50	29.37	29.20	29.03	28.88	28.75	28.64	28.56	28.49	28.44	28.40	-	-	-	-	-	-	29.54

* **Bold** for exceeding criteria