

Appendix 3.5

Figure 001 Maximum near surface SS concentration (mg/L) contour over 15 days, Dry Season



Figure 002 Maximum near bottom SS concentration (mg/L) contour over 15 days, Dry Season

Figure 003 Maximum depth-averaged SS concentration (mg/L) contour over 15 days, Dry Season



Figure 004 Maximum near surface SS concentration (mg/L) contour over 15 days, Wet Season

Figure 005 Maximum near bottom SS concentration (mg/L) contour over 15 days, Wet Season



Figure 006 Maximum depth-averaged SS concentration (mg/L) contour over 15 days, Wet Season





Maximum near surface SS concentration (mg/L) contour over 15 days Dry Season Concurrent projects only		Figure 001
Mott MacDonald Hong Kong Limited		Dec 2016



Maximum near bottom SS concentration (mg/L) contour over 15 days Dry Season Concurrent projects only		Figure 002
	Mott MacDonald Hong Kong Limited	
		Dec 2016





Maximum depth-averaged SS concentration (mg/L) contour over 15 days Dry Season Concurrent projects only		Figure 003
Mott MacDonald Hong Kong Limited		Dec 2016





Maximum near surface SS concentration (mg/L) contour over 15 days
 Wet Season
 Concurrent projects only

Figure 004



Maximum near bottom SS concentration (mg/L) contour over 15 days
 Wet Season
 Concurrent projects only

Figure 005



Maximum depth-averaged SS concentration (mg/L) contour over 15 days Wet Season Concurrent projects only		Figure 006
Mott MacDonald Hong Kong Limited		Dec 2016