

## Appendix 6.2 - Building Regulations

### BUILDING (STANDARDS OF SANITARY FITMENTS, PLUMBING, DRAINAGE WORKS AND LATRINES) REGULATIONS

PART II 2-44  
Regulation 7A Cap. 123I

2. Female persons 1 for every 100 female persons or part of those persons

*(L.N. 191 of 2015)*

- (2) In every cinema, the watercloset fitments, urinals and lavatory basins for male persons and the watercloset fitments and lavatory basins for female persons shall be provided in separate rooms exclusively for the use of male persons and female persons respectively.
- (3) For the purposes of this regulation—
- (a) the number of persons in a cinema is to be determined at the rate of 1 person for every seat in the cinema; and *(L.N. 191 of 2015)*
- (b) the proportion of male persons to female persons in a cinema is deemed to be 1:1.5. *(L.N. 191 of 2015)*

#### 7A. Shopping arcades and department stores

- (1) In every shopping arcade or department store—
- (a) the number of watercloset fitments and urinals provided for male persons must be not less than the number specified in Table 17;
- (b) the number of watercloset fitments provided for female persons must be not less than the number specified in Table 18; and
- (c) the number of lavatory basins provided for—
- (i) male persons must be not less than the number specified in Part 1 of Table 19; and
- (ii) female persons must be not less than the number specified in Part 2 of Table 19.

### BUILDING (STANDARDS OF SANITARY FITMENTS, PLUMBING, DRAINAGE WORKS AND LATRINES) REGULATIONS

PART II 2-46  
Regulation 7A Cap. 123I

**Table 17**

#### Number of Watercloset Fitments and Urinals Provided for Male Persons in Shopping Arcade or Department Store

	Column 1	Column 2	Column 3
	Number of male persons in shopping arcade or department store	Number of watercloset fitments	Number of urinals
1.	Not more than 500	1 for every 125 male persons or part of those persons	1 for every 250 male persons or part of those persons
2.	More than 500	4 plus 1 for every 250 male persons, or part of those persons, over 500	1 for every 250 male persons or part of those persons

**Table 18**

#### Number of Watercloset Fitments Provided for Female Persons in Shopping Arcade or Department Store

Column 1	Column 2
----------	----------

	Number of female persons in shopping arcade or department store	Number of watercloset fitments
1.	Not more than 50	1 for every 25 female persons or part of those persons
2.	51–125	3
3.	126–1 800	3 plus 1 for every 80 female persons, or part of those persons, over 125
4.	More than 1 800	24 plus 1 for every 90 female persons, or part of those persons, over 1 800

**Table 19**

**Number of Lavatory Basins Provided in Shopping Arcade or Department Store**

**Part 1**

**Number of Lavatory Basins Provided for Male Persons in Shopping Arcade or Department Store**

Column 1                      Column 2

	Number of male persons in shopping arcade or department store	Number of lavatory basins
1.	Not more than 500	1 for every 125 male persons or part of those persons
2.	More than 500	4 plus 1 for every 250 male persons, or part of those persons, over 500

**Part 2**

**Number of Lavatory Basins Provided for Female Persons in Shopping Arcade or Department Store**

Column 1

Column 2

	Number of female persons in shopping arcade or department store	Number of lavatory basins
1.	Not more than 500	1 for every 125 female persons or part of those persons
2.	More than 500	4 plus 1 for every 250 female persons, or part of those persons, over 500

(2) In every shopping arcade or department store, the watercloset fitments, urinals and lavatory basins for male persons and the watercloset fitments and lavatory basins for female persons