

Appendix 10.17 Biomass of subtidal benthos species recorded at each sampling location within the Assessment Area during dry season (replicates of sub-stations are pooled together)

Phylum	Class	Order	Family	Species	A	B	C	D	E	F
Annelida	Polychaeta	Phyllodocida	Nephtyidae	<i>Aglaophamus dibranchis</i>	0	0	0	0	0.0031	0.0023
Annelida	Polychaeta	Phyllodocida	Goniadidae	<i>Glycinde gurjanovae</i>	0	0	0	0	0.0113	0.0099
Mollusca	Bivalvia	Veneroida	Mactridae	<i>Meropesta capillacea</i>	0.9519	0	0	0	0	0
Arthropoda	Crustacea	Decapoda	Penaeidae	<i>Metapenaeus</i> sp.	0.0012	0	0	0	0	0
Annelida	Polychaeta	Eunicida	Onuphidae	<i>Onuphis eremita</i>	0	0	0.0017	0	0	0
Annelida	Polychaeta	Spionida	Spionidae	<i>Paraprionospio pinnata</i>	0.0082	0	0	0	0.039	0.036
Annelida	Polychaeta	Spionida	Spionidae	<i>Polydora</i> sp.	0.003	0	0.0022	0	0.009	0.0044
Mollusca	Bivalvia	Veneroida	Semelidae	<i>Semele cordiformis</i>	0	0.0388	0	0	0	0
Annelida	Polychaeta	Phyllodocida	Pilargidae	<i>Sigambra hanaokai</i>	0	0	0	0	0.0357	0.085
Chordata	Osteichthyes	Perciformes	Taenioididae	<i>Trypauchen vagina</i>	0	0	0	0	0.001	0