

Appendix 7.3 Butterfly species recorded in the assessment area (PS: Project Site, S/G: shrubland/grassland, SW: secondary woodland, AW: artificial wetland, AG: agriculture, U/D: urbanized/disturbed, W: watercourse)

| Scientific Name | Common Name | Chinese Name | PS | S/G | SW | AW | AG | U/D | W | Commonness | Conservation Status |
|----------------------------|-----------------------|--------------|----|-----|----|----|----|-----|---|-------------|---------------------|
| <i>Heliophorus epicles</i> | Purple Sapphire | 斜斑彩灰蝶 | | | 1 | | | | | Common | |
| <i>Jamides bochus</i> | Dark Cerulean | 雅灰蝶 | | 1 | | | | | | Common | |
| <i>Lampides boeticus</i> | Long-tailed Blue | 亮灰蝶 | | 5 | | | | | | Common | |
| <i>Pseudozizeeria maha</i> | Pale Grass Blue | 酢漿灰蝶 | 5 | | 8 | 3 | 3 | 11 | | Very Common | |
| <i>Ariadne ariadne</i> | Angled Castor | 波蚨蝶 | | | | 4 | | | 3 | Common | |
| <i>Hypolimnas bolina</i> | Great Egg-fly | 幻紫斑蚨蝶 | | 5 | 1 | 1 | 2 | | | Common | |
| <i>Junonia atlites</i> | Grey Pansy | 波紋眼蚨蝶 | | 2 | | 1 | | | | Common | |
| <i>Neptis hylas</i> | Common Sailer | 中環蚨蝶 | | 3 | | | 2 | | | Very Common | |
| <i>Symbrenthia lilaea</i> | Common Jester | 散紋盛蚨蝶 | | 1 | | 1 | | | | Common | |
| <i>Mycalesis mineus</i> | Dark Brand Bush Brown | 小眉眼蝶 | | 1 | 4 | | | | | Very Common | |
| <i>Graphium agamemnon</i> | Tailed Jay | 統帥青鳳蝶 | | 3 | | 1 | 1 | | | Common | |
| <i>Graphium sarpedon</i> | Common Bluebottle | 青鳳蝶 | | 4 | 2 | | 1 | | | Very Common | |
| <i>Papilio helenus</i> | Red Helen | 玉斑鳳蝶 | | 10 | 4 | 5 | 1 | | | Very Common | |
| <i>Papilio memnon</i> | Great Mormon | 美鳳蝶 | | 3 | | 2 | 5 | 1 | 1 | Very Common | |
| <i>Papilio polytes</i> | Common Mormon | 玉帶鳳蝶 | 3 | 21 | 1 | 2 | 5 | 1 | | Very Common | |
| <i>Pathysa antiphates</i> | Five-bar Swordtail | 綠鳳蝶 | | | 1 | | | | | Common | |
| <i>Pieris canidia</i> | Indian Cabbage White | 東方菜粉蝶 | | 51 | 10 | 1 | | | | Very Common | |
| <i>Delias pasithoe</i> | Red-base Jezebel | 報喜斑粉蝶 | 1 | 18 | 3 | 2 | 1 | 1 | | Very Common | |

