

Appendix 8.10 Intertidal Organisms Recorded in the Qualitative Survey within the 500m Assessment Area (Dry Season)

No.	Species / Sampling location	Project Site	I-A	I-B	I-C	I-D
1	<i>Acanthopleura japonica</i>	+				
2	<i>Alpheus lobidens</i>			+	+	
3	<i>Amphibalanus reticulatus</i>				+	
4	<i>Atergatis</i> sp.	+				
5	<i>Balanus amphitrite</i>	+++	+++		+	
6	<i>Barbatia virescens</i>	+	+	+	+	
7	<i>Batillaria multiformis</i>		+	+	+++	
8	<i>Batillaria zonalis</i>				+++	
9	<i>Brachidontes variabilis</i>	+	+	+	++	
10	<i>Cellana grata</i>	+	+	+		
11	<i>Circe scripta</i>		+		+	
12	<i>Clibanarius</i> sp.			+	+	
13	<i>Clypeomorus humilis</i>			+		
14	<i>Cronia margariticola</i>		+	+		
15	<i>Diogenes spinifrons</i>		+			
16	<i>Donax</i> sp.		+	+	+	
17	<i>Echinolittorina trochoides</i>			+		
18	<i>Gaetice</i> sp.		+		+	
19	<i>Grafrarium pectinatum</i>		+++	+	+++	
20	<i>Haliplanella lineata</i>			+		
21	<i>Hydroides</i> sp.		+	+	+	
22	<i>Isognomon</i> sp.		+	+	+	
23	<i>Leptodius exaratus</i>		+			
24	<i>Ligia exotica</i>	++			+	
25	<i>Lunella coronata</i>	+	+	++	+	
26	<i>Marcia hiantina</i>		+		+	
27	<i>Metopograpsus frontalis</i>	++				
28	<i>Monodonta labio</i>			+++	+	
29	<i>Nanosesarma minutum</i>		+			
30	<i>Nassarius festivus</i>		+++	+	+	
31	<i>Nerita albicilla</i>		+			
32	<i>Onchidium</i> sp.	+	+			

No.	Species / Sampling location	Project Site	I-A	I-B	I-C	I-D
33	<i>Peasiella</i> sp.		++			
34	<i>Pyramidella</i> sp.		+		+	
35	<i>Parasesarma plicata</i>	+	+			
36	<i>Placamen calophylla</i>			+	+	
37	<i>Planaxis sulcatus</i>			+		
38	<i>Saccostrea cucullata</i>	+++	+++	+++	+	+
39	<i>Salmacis sphaeroides</i>	+				
40	<i>Scopimera globosa</i>		+			
41	Sipunculid worm		+			
42	<i>Spheractis cheungae</i>			++		
43	<i>Spirorbis</i> sp.		+		+	
44	<i>Tapes variegatus</i>			+	++	
45	<i>Thais clavigera</i>	+		+	+	
46	<i>Uca lactea</i>			+	+	
47	<i>Umbonium</i> sp.		+			
48	Flatworm		+	+		
49	Polychaete		+	+	+	
50	<i>Philyra pisum</i>		+			

(+++ : common, ++ : occasion, + : rare)