

Appendix 8.12 Results of Coral Mapping (*Proposed Pier and Temporary Pier are excluded from the Tentative Improvement Area, corals on vertical walls are shown separately i.e. Old Pillars and Existing Pier Head)

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	95	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	85	Common
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	60	Abundant
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	50	Common
Tentative Improvement Area	<i>Porites</i> sp.	N	46	/
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	41	Common
Tentative Improvement Area	<i>Porites</i> sp.	N	41	/
Tentative Improvement Area	<i>Favia rotumana</i>	Y	40	Abundant
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	40	Common
Tentative Improvement Area	<i>Porites lutea</i>	N	40	Dominant
Tentative Improvement Area	<i>Platygyra yaeyamaensis</i>	Y	38	Rare
Tentative Improvement Area	<i>Favia rotumana</i>	Y	36	Abundant
Tentative Improvement Area	<i>Favia fava</i>	Y	35	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	35	Abundant
Tentative Improvement Area	<i>Platygyra acuta</i>	N	35	Dominant
Tentative Improvement Area	<i>Platygyra yaeyamaensis</i>	Y	35	Rare
Tentative Improvement Area	<i>Psammocora superficialis</i>	N	35	Abundant
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	35	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	33	Abundant

P. 1

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	32	Common
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	31	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	31	Abundant
Tentative Improvement Area	<i>Platygyra acuta</i>	Y	31	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	30	Dominant
Tentative Improvement Area	<i>Cyphastrea</i> sp.	Y	30	/
Tentative Improvement Area	<i>Favia rotumana</i>	Y	30	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	30	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	30	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	30	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	30	Abundant
Tentative Improvement Area	<i>Leptastrea</i> sp.	N	30	/
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	30	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	30	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	30	Common
Tentative Improvement Area	<i>Platygyra yaeyamaensis</i>	Y	30	Rare
Tentative Improvement Area	<i>Porites lutea</i>	Y	30	Dominant
Tentative Improvement Area	<i>Turbinaria peltata</i>	Y	30	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	29	Common
Tentative Improvement Area	<i>Favia rotumana</i>	Y	28	Abundant
Tentative Improvement Area	<i>Porites</i> sp.	N	28	/

P. 2

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Cyphastrea chalcidicum</i>	N	27	Uncommon
Tentative Improvement Area	<i>Porites</i> sp.	N	27	/
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	26	Abundant
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	26	Common
Tentative Improvement Area	<i>Porites</i> sp.	N	26	/
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	25	Dominant
Tentative Improvement Area	<i>Favia fava</i>	Y	25	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	25	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	25	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	25	Abundant
Tentative Improvement Area	<i>Lithophyllon undulatum</i>	N	25	Common
Tentative Improvement Area	<i>Montipora mollis</i>	Y	25	Uncommon
Tentative Improvement Area	<i>Platygyra acuta</i>	Y	25	Dominant
Tentative Improvement Area	<i>Platygyra acuta</i>	Y	25	Dominant
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	25	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	25	Common
Tentative Improvement Area	<i>Platygyra yaeyamaensis</i>	Y	25	Rare
Tentative Improvement Area	<i>Plesiastrea versipora</i>	N	25	Abundant
Tentative Improvement Area	<i>Porites lobata</i>	Y	25	Common
Tentative Improvement Area	<i>Porites</i> sp.	Y	25	/
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	25	Abundant

P. 3

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Psammocora superficialis</i>	N	25	Abundant
Tentative Improvement Area	<i>Psammocora superficialis</i>	N	25	Abundant
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	25	Abundant
Tentative Improvement Area	<i>Cyphastrea japonica</i>	N	24	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	24	Abundant
Tentative Improvement Area	<i>Montipora</i> sp.	N	23	/
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	23	Common
Tentative Improvement Area	<i>Porites</i> sp.	N	23	/
Tentative Improvement Area	<i>Porites</i> sp.	N	23	/
Tentative Improvement Area	<i>Favia rotumana</i>	N	22	Abundant
Tentative Improvement Area	<i>Favia speciosa</i>	N	22	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	22	Abundant
Tentative Improvement Area	<i>Porites lobata</i>	N	22	Common
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	21	Abundant
Tentative Improvement Area	<i>Porites</i> sp.	N	21	/
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	20	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	20	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	20	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	20	Dominant
Tentative Improvement Area	<i>Favia fava</i>	Y	20	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	20	Abundant

P. 4

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Favia rotumana</i>	N	20	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	20	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	20	Abundant
Tentative Improvement Area	<i>Favites chinensis</i>	N	20	Dominant
Tentative Improvement Area	<i>Favites pentagona</i>	Y	20	Dominant
Tentative Improvement Area	<i>Galaxea astreata</i>	Y	20	Uncommon
Tentative Improvement Area	<i>Goniopora columna</i>	Y	20	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	20	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	20	Abundant
Tentative Improvement Area	<i>Lithophyllon undulatum</i>	N	20	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	20	Common
Tentative Improvement Area	<i>Pavona decussata</i>	N	20	Abundant
Tentative Improvement Area	<i>Platygyra acuta</i>	Y	20	Dominant
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	20	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	20	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	20	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	20	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	20	Common
Tentative Improvement Area	<i>Porites lutea</i>	N	20	Dominant
Tentative Improvement Area	<i>Porites lutea</i>	N	20	Dominant
Tentative Improvement Area	<i>Porites lutea</i>	N	20	Dominant

P. 5

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Porites</i> sp.	N	20	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	20	/
Tentative Improvement Area	<i>Psammocora superficialis</i>	N	20	Abundant
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	20	Abundant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	19	Dominant
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	19	Common
Tentative Improvement Area	<i>Platygyra acuta</i>	Y	19	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	18	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	18	Dominant
Tentative Improvement Area	<i>Cyphastrea</i> sp.	N	18	/
Tentative Improvement Area	<i>Cyphastrea</i> sp.	N	18	/
Tentative Improvement Area	<i>Favia fava</i>	N	18	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	18	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	18	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	18	Abundant
Tentative Improvement Area	<i>Favites chinensis</i>	Y	18	Dominant
Tentative Improvement Area	<i>Favites chinensis</i>	Y	18	Dominant
Tentative Improvement Area	<i>Favites chinensis</i>	N	18	Dominant
Tentative Improvement Area	<i>Favites pentagona</i>	N	18	Dominant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	18	Abundant
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	18	Common

P. 6

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	18	Common
Tentative Improvement Area	<i>Plesiastrea versipora</i>	N	18	Abundant
Tentative Improvement Area	<i>Porites lobata</i>	Y	18	Common
Tentative Improvement Area	<i>Porites</i> sp.	N	18	/
Tentative Improvement Area	<i>Porites</i> sp.	N	18	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	18	/
Tentative Improvement Area	<i>Porites</i> sp.	N	18	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	18	/
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	18	Abundant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	17	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	17	Dominant
Tentative Improvement Area	<i>Favia rotumana</i>	N	17	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	17	Abundant
Tentative Improvement Area	<i>Favites</i> sp.	N	17	/
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	17	Common
Tentative Improvement Area	<i>Cyphastrea japonica</i>	N	16	Abundant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	16	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	16	Dominant
Tentative Improvement Area	<i>Favia fавus</i>	N	16	Abundant
Tentative Improvement Area	<i>Favites pentagona</i>	N	16	Dominant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	16	Abundant

P. 7

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	16	Abundant
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	16	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	16	Common
Tentative Improvement Area	<i>Porites</i> sp.	N	16	/
Tentative Improvement Area	<i>Porites</i> sp.	N	16	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	16	/
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	16	Abundant
Tentative Improvement Area	<i>Psammocora superficialis</i>	N	16	Abundant
Tentative Improvement Area	<i>Cyphastrea chalcidicum</i>	N	15	Uncommon
Tentative Improvement Area	<i>Cyphastrea japonica</i>	Y	15	Abundant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	15	Dominant
Tentative Improvement Area	<i>Cyphastrea</i> sp.	N	15	/
Tentative Improvement Area	<i>Favia fавus</i>	Y	15	Abundant
Tentative Improvement Area	<i>Favia fавus</i>	N	15	Abundant
Tentative Improvement Area	<i>Favia fавus</i>	Y	15	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	15	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	15	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	15	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	15	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	15	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	15	Abundant

P. 8

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Favia rotumana</i>	Y	15	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	15	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	15	Abundant
Tentative Improvement Area	<i>Favia</i> sp.	N	15	/
Tentative Improvement Area	<i>Favites pentagona</i>	N	15	Dominant
Tentative Improvement Area	<i>Favites pentagona</i>	Y	15	Dominant
Tentative Improvement Area	<i>Galaxea astreata</i>	Y	15	Uncommon
Tentative Improvement Area	<i>Goniopora stutchburyi</i>	Y	15	Common
Tentative Improvement Area	<i>Goniopora stutchburyi</i>	Y	15	Common
Tentative Improvement Area	<i>Leptastrea pruinosa</i>	Y	15	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	15	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	15	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	15	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	15	Abundant
Tentative Improvement Area	<i>Lithophyllon undulatum</i>	N	15	Common
Tentative Improvement Area	<i>Montipora mollis</i>	N	15	Uncommon
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	15	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	15	Common
Tentative Improvement Area	<i>Pavona decussata</i>	N	15	Abundant
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	15	Common

P. 9

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Porites lutea</i>	Y	15	Dominant
Tentative Improvement Area	<i>Porites</i> sp.	N	15	/
Tentative Improvement Area	<i>Porites</i> sp.	N	15	/
Tentative Improvement Area	<i>Porites</i> sp.	N	15	/
Tentative Improvement Area	<i>Porites</i> sp.	N	15	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	15	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	15	/
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	15	Abundant
Tentative Improvement Area	<i>Turbinaria peltata</i>	Y	15	Common
Tentative Improvement Area	<i>Cyphastrea japonica</i>	Y	14	Abundant
Tentative Improvement Area	<i>Cyphastrea japonica</i>	Y	14	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	14	Abundant
Tentative Improvement Area	<i>Goniopora stutchburyi</i>	Y	14	Common
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	14	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	14	Abundant
Tentative Improvement Area	<i>Montipora mollis</i>	N	14	Uncommon
Tentative Improvement Area	<i>Porites</i> sp.	N	14	/
Tentative Improvement Area	<i>Porites</i> sp.	N	14	/
Tentative Improvement Area	<i>Cyphastrea chalcidicum</i>	N	13	Uncommon
Tentative Improvement Area	<i>Cyphastrea japonica</i>	N	13	Abundant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	13	Dominant

P. 10

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Favia rotumana</i>	N	13	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	13	Abundant
Tentative Improvement Area	<i>Favites acuticollis</i>	N	13	Common
Tentative Improvement Area	<i>Porites</i> sp.	N	13	/
Tentative Improvement Area	<i>Porites</i> sp.	N	13	/
Tentative Improvement Area	<i>Porites</i> sp.	N	13	/
Tentative Improvement Area	<i>Porites</i> sp.	N	13	/
Tentative Improvement Area	<i>Coscinaraea</i> n sp.	N	12	/
Tentative Improvement Area	<i>Cyphastrea japonica</i>	Y	12	Abundant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	12	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	12	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	12	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	12	Dominant
Tentative Improvement Area	<i>Favia fавus</i>	N	12	Abundant
Tentative Improvement Area	<i>Favia fавus</i>	N	12	Abundant
Tentative Improvement Area	<i>Favia lizardensis</i>	Y	12	Common
Tentative Improvement Area	<i>Favia rotumana</i>	N	12	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	12	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	12	Abundant
Tentative Improvement Area	<i>Favia veroni</i>	Y	12	Common
Tentative Improvement Area	<i>Favites chinensis</i>	Y	12	Dominant

P. 11

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	12	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	12	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	12	Abundant
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	12	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	12	Common
Tentative Improvement Area	<i>Porites</i> sp.	N	12	/
Tentative Improvement Area	<i>Porites</i> sp.	N	12	/
Tentative Improvement Area	<i>Porites</i> sp.	N	12	/
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	12	Abundant
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	12	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	11	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	11	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	11	Abundant
Tentative Improvement Area	<i>Plesiastrea versipora</i>	N	11	Abundant
Tentative Improvement Area	<i>Porites</i> sp.	N	11	/
Tentative Improvement Area	<i>Porites</i> sp.	N	11	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	11	/
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	10	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	10	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	10	Dominant
Tentative Improvement Area	<i>Favia fавus</i>	Y	10	Abundant

P. 12

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Favia fавus</i>	Y	10	Abundant
Tentative Improvement Area	<i>Favia fавus</i>	N	10	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	10	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	10	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	10	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	10	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	10	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	10	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	10	Abundant
Tentative Improvement Area	<i>Favites chinensis</i>	Y	10	Dominant
Tentative Improvement Area	<i>Favites sp.</i>	Y	10	/
Tentative Improvement Area	<i>Leptastrea pruinosa</i>	N	10	Abundant
Tentative Improvement Area	<i>Leptastrea pruinosa</i>	N	10	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	10	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	10	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	10	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	10	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	10	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	10	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	10	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	10	Abundant

P. 13

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	10	Abundant
Tentative Improvement Area	<i>Montipora mollis</i>	N	10	Uncommon
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	10	Common
Tentative Improvement Area	<i>Pavona decussata</i>	Y	10	Abundant
Tentative Improvement Area	<i>Pavona decussata</i>	Y	10	Abundant
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	10	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	10	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	N	10	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	10	Common
Tentative Improvement Area	<i>Platygyra yaeyamaensis</i>	N	10	Rare
Tentative Improvement Area	<i>Plesiastrea versipora</i>	N	10	Abundant
Tentative Improvement Area	<i>Plesiastrea versipora</i>	Y	10	Abundant
Tentative Improvement Area	<i>Porites lobata</i>	N	10	Common
Tentative Improvement Area	<i>Porites lobata</i>	Y	10	Common
Tentative Improvement Area	<i>Porites lutea</i>	Y	10	Dominant
Tentative Improvement Area	<i>Porites lutea</i>	Y	10	Dominant
Tentative Improvement Area	<i>Porites lutea</i>	N	10	Dominant
Tentative Improvement Area	<i>Porites lutea</i>	N	10	Dominant
Tentative Improvement Area	<i>Porites sp.</i>	Y	10	/
Tentative Improvement Area	<i>Porites sp.</i>	N	10	/
Tentative Improvement Area	<i>Porites sp.</i>	Y	10	/

P. 14

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Porites</i> sp.	Y	10	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	10	/
Tentative Improvement Area	<i>Porites</i> sp.	N	10	/
Tentative Improvement Area	<i>Psammocora haimeana</i>	Y	10	Uncommon
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	10	Abundant
Tentative Improvement Area	<i>Turbinaria peltata</i>	Y	10	Common
Tentative Improvement Area	<i>Cyphastrea japonica</i>	Y	9	Abundant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	9	Dominant
Tentative Improvement Area	<i>Favia favius</i>	N	9	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	9	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	9	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	9	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	9	Abundant
Tentative Improvement Area	<i>Goniastrea aspera</i>	Y	9	Common
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	9	Abundant
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	9	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	9	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	Y	9	Common
Tentative Improvement Area	<i>Pavona decussata</i>	Y	9	Abundant
Tentative Improvement Area	<i>Porites</i> sp.	N	9	/
Tentative Improvement Area	<i>Porites</i> sp.	N	9	/

P. 15

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Porites</i> sp.	N	9	/
Tentative Improvement Area	<i>Porites</i> sp.	N	9	/
Tentative Improvement Area	<i>Porites</i> sp.	N	9	/
Tentative Improvement Area	<i>Porites</i> sp.	N	9	/
Tentative Improvement Area	<i>Porites</i> sp.	N	9	/
Tentative Improvement Area	<i>Cyphastrea japonica</i>	Y	8	Abundant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	8	Dominant
Tentative Improvement Area	<i>Favia rotumana</i>	N	8	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	8	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	8	Abundant
Tentative Improvement Area	<i>Favia</i> sp.	Y	8	/
Tentative Improvement Area	<i>Favites chinensis</i>	Y	8	Dominant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	8	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	8	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	8	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	8	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	8	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	8	Abundant
Tentative Improvement Area	<i>Montipora mollis</i>	N	8	Uncommon
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	8	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	8	Common

P. 16

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	8	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	N	8	Common
Tentative Improvement Area	<i>Plesiastrea versipora</i>	N	8	Abundant
Tentative Improvement Area	<i>Porites</i> sp.	Y	8	/
Tentative Improvement Area	<i>Porites</i> sp.	N	8	/
Tentative Improvement Area	<i>Porites</i> sp.	N	8	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	8	/
Tentative Improvement Area	<i>Porites</i> sp.	N	8	/
Tentative Improvement Area	<i>Porites</i> sp.	N	8	/
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	7	Dominant
Tentative Improvement Area	<i>Favia rotumana</i>	N	7	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	7	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	7	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	7	Abundant
Tentative Improvement Area	<i>Montipora peltiformis</i>	Y	7	Common
Tentative Improvement Area	<i>Porites</i> sp.	Y	7	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	7	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	7	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	7	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	7	/
Tentative Improvement Area	<i>Cyphastrea japonica</i>	N	6	Abundant

P. 17

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Favia fava</i>	Y	6	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	6	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	6	Abundant
Tentative Improvement Area	<i>Montipora mollis</i>	N	6	Uncommon
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	6	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	6	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	6	Common
Tentative Improvement Area	<i>Porites lobata</i>	Y	6	Common
Tentative Improvement Area	<i>Porites</i> sp.	N	6	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	6	/
Tentative Improvement Area	<i>Cyphastrea japonica</i>	N	5	Abundant
Tentative Improvement Area	<i>Cyphastrea japonica</i>	Y	5	Abundant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	5	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	5	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	5	Dominant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	5	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	5	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	5	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	5	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	5	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	5	Abundant

P. 18

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Favia rotumana</i>	Y	5	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	5	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	5	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	5	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	5	Abundant
Tentative Improvement Area	<i>Favites chinensis</i>	Y	5	Dominant
Tentative Improvement Area	<i>Favites chinensis</i>	Y	5	Dominant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	5	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	N	5	Abundant
Tentative Improvement Area	<i>Leptastrea purpurea</i>	Y	5	Abundant
Tentative Improvement Area	<i>Montipora peltiformis</i>	Y	5	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	Y	5	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	5	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	5	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	5	Common
Tentative Improvement Area	<i>Platygyra carnosus</i>	Y	5	Common
Tentative Improvement Area	<i>Plesiastrea versipora</i>	N	5	Abundant
Tentative Improvement Area	<i>Porites lobata</i>	Y	5	Common
Tentative Improvement Area	<i>Porites lutea</i>	N	5	Dominant
Tentative Improvement Area	<i>Porites lutea</i>	Y	5	Dominant
Tentative Improvement Area	<i>Porites sp.</i>	Y	5	/

P. 19

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Porites sp.</i>	Y	5	/
Tentative Improvement Area	<i>Porites sp.</i>	N	5	/
Tentative Improvement Area	<i>Porites sp.</i>	N	5	/
Tentative Improvement Area	<i>Stylocoeniella guentheri</i>	Y	5	Common
Tentative Improvement Area	<i>Favia rotumana</i>	N	4	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	4	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	4	Abundant
Tentative Improvement Area	<i>Favia sp.</i>	N	4	/
Tentative Improvement Area	<i>Galaxea astreata</i>	N	4	Uncommon
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	4	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	4	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	4	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	4	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	4	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	4	Common
Tentative Improvement Area	<i>Plesiastrea versipora</i>	N	4	Abundant
Tentative Improvement Area	<i>Porites sp.</i>	N	4	/
Tentative Improvement Area	<i>Psammocora superficialis</i>	Y	4	Abundant
Tentative Improvement Area	<i>Turbinaria peltata</i>	N	4	Common
Tentative Improvement Area	<i>Favia rotumana</i>	N	3	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	3	Abundant
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	3	Common

P. 20

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	3	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	3	Common
Tentative Improvement Area	<i>Porites</i> sp.	N	3	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	3	/
Tentative Improvement Area	<i>Stylocoeniella guentheri</i>	Y	3	Common
Tentative Improvement Area	<i>Favites chinensis</i>	Y	2	Dominant
Tentative Improvement Area	<i>Favites chinensis</i>	Y	2	Dominant
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	2	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	2	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	2	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	2	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	N	2	Common
Tentative Improvement Area	<i>Porites</i> sp.	Y	2	/
Tentative Improvement Area	<i>Porites</i> sp.	N	2	/
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	1	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	1	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	1	Common
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	Less than 30	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	N	Less than 30	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	Less than 30	Dominant
Tentative Improvement Area	<i>Cyphastrea serailia</i>	Y	Less than 30	Dominant

P. 21

Location*	Species	Movability	Diameter (cm)	Commonness
Tentative Improvement Area	<i>Favia fava</i>	Y	Less than 30	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	Y	Less than 30	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	Less than 30	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	Less than 30	Abundant
Tentative Improvement Area	<i>Favia rotumana</i>	N	Less than 30	Abundant
Tentative Improvement Area	<i>Montipora peltiformis</i>	Y	Less than 30	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	Y	Less than 30	Common
Tentative Improvement Area	<i>Montipora peltiformis</i>	Y	Less than 30	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	Less than 30	Common
Tentative Improvement Area	<i>Oulastrea crispata</i>	Y	Less than 30	Common
Tentative Improvement Area	<i>Porites</i> sp.	Y	Less than 30	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	Less than 30	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	Less than 30	/
Tentative Improvement Area	<i>Porites</i> sp.	Y	Less than 30	/
Old Pillars	<i>Turbinaria peltata</i>	N	62	Common
Old Pillars	<i>Platygyra carnosus</i>	N	60	Common
Old Pillars	<i>Psammocora superficialis</i>	N	60	Abundant
Old Pillars	<i>Psammocora superficialis</i>	N	50	Abundant
Old Pillars	<i>Cyphastrea japonica</i>	N	41	Abundant
Old Pillars	<i>Cyphastrea serailia</i>	N	40	Dominant
Old Pillars	<i>Cyphastrea serailia</i>	N	40	Dominant

P. 22

Location*	Species	Movability	Diameter (cm)	Commonness
Old Pillars	<i>Platygyra carnosus</i>	N	40	Common
Old Pillars	<i>Platygyra acuta</i>	N	37	Dominant
Old Pillars	<i>Cyphastrea serailia</i>	N	35	Dominant
Old Pillars	<i>Leptastrea purpurea</i>	N	34	Abundant
Old Pillars	<i>Psammocora superficialis</i>	N	34	Abundant
Old Pillars	<i>Cyphastrea serailia</i>	N	30	Dominant
Old Pillars	<i>Cyphastrea serailia</i>	N	30	Dominant
Old Pillars	<i>Montipora peltiformis</i>	N	30	Common
Old Pillars	<i>Porites</i> sp.	N	30	/
Old Pillars	<i>Psammocora superficialis</i>	N	30	Abundant
Old Pillars	<i>Psammocora superficialis</i>	N	30	Abundant
Old Pillars	<i>Psammocora superficialis</i>	N	30	Abundant
Old Pillars	<i>Leptastrea purpurea</i>	N	28	Abundant
Old Pillars	<i>Montipora peltiformis</i>	N	26	Common
Old Pillars	<i>Montipora peltiformis</i>	N	25	Common
Old Pillars	<i>Porites</i> sp.	N	25	/
Old Pillars	<i>Psammocora superficialis</i>	N	25	Abundant
Old Pillars	<i>Cyphastrea japonica</i>	N	21	Abundant
Old Pillars	<i>Cyphastrea serailia</i>	N	20	Dominant
Old Pillars	<i>Cyphastrea serailia</i>	N	20	Dominant
Old Pillars	<i>Cyphastrea serailia</i>	N	20	Dominant

P. 23

Location*	Species	Movability	Diameter (cm)	Commonness
Old Pillars	<i>Cyphastrea serailia</i>	N	20	Dominant
Old Pillars	<i>Favia rotumana</i>	N	20	Abundant
Old Pillars	<i>Favia rotumana</i>	N	20	Abundant
Old Pillars	<i>Favites chinensis</i>	N	20	Dominant
Old Pillars	<i>Platygyra carnosus</i>	N	20	Common
Old Pillars	<i>Cyphastrea serailia</i>	N	18	Dominant
Old Pillars	<i>Cyphastrea serailia</i>	N	18	Dominant
Old Pillars	<i>Favia rotumana</i>	N	18	Abundant
Old Pillars	<i>Favia rotumana</i>	N	18	Abundant
Old Pillars	<i>Favites chinensis</i>	N	18	Dominant
Old Pillars	<i>Cyphastrea japonica</i>	N	17	Abundant
Old Pillars	<i>Favia rotumana</i>	N	17	Abundant
Old Pillars	<i>Favia rotumana</i>	N	17	Abundant
Old Pillars	<i>Goniastrea aspera</i>	N	17	Common
Old Pillars	<i>Favia rotumana</i>	N	15	Abundant
Old Pillars	<i>Montipora peltiformis</i>	N	15	Common
Old Pillars	<i>Plesiastrea versipora</i>	N	15	Abundant
Old Pillars	<i>Porites</i> sp.	N	15	/
Old Pillars	<i>Favia rotumana</i>	N	14	Abundant
Old Pillars	<i>Montipora peltiformis</i>	N	14	Common
Old Pillars	<i>Cyphastrea serailia</i>	N	13	Dominant

P. 24

Location*	Species	Movability	Diameter (cm)	Commonness
Old Pillars	<i>Cyphastrea</i> sp.	N	13	/
Old Pillars	<i>Favia rotumana</i>	N	13	Abundant
Old Pillars	<i>Goniastrea aspera</i>	N	13	Common
Old Pillars	<i>Leptastrea purpurea</i>	N	13	Abundant
Old Pillars	<i>Leptastrea purpurea</i>	N	13	Abundant
Old Pillars	<i>Platygyra acuta</i>	N	13	Dominant
Old Pillars	<i>Cyphastrea serailia</i>	N	12	Dominant
Old Pillars	<i>Cyphastrea serailia</i>	N	12	Dominant
Old Pillars	<i>Favia rotumana</i>	N	12	Abundant
Old Pillars	<i>Favites chinensis</i>	N	12	Dominant
Old Pillars	<i>Montipora peltiformis</i>	N	12	Common
Old Pillars	<i>Porites</i> sp.	N	12	/
Old Pillars	<i>Cyphastrea</i> sp.	N	11	/
Old Pillars	<i>Favia rotumana</i>	N	11	Abundant
Old Pillars	<i>Psammocora superficialis</i>	N	10	Abundant
Old Pillars	<i>Favia rotumana</i>	N	9	Abundant
Old Pillars	<i>Cyphastrea serailia</i>	N	8	Dominant
Old Pillars	<i>Cyphastrea</i> sp.	N	8	/
Old Pillars	<i>Favia rotumana</i>	N	8	Abundant
Old Pillars	<i>Favia rotumana</i>	N	8	Abundant
Old Pillars	<i>Goniastrea aspera</i>	N	8	Common

P. 25

Location*	Species	Movability	Diameter (cm)	Commonness
Old Pillars	<i>Goniastrea aspera</i>	N	8	Common
Old Pillars	<i>Leptastrea purpurea</i>	N	8	Abundant
Old Pillars	<i>Psammocora superficialis</i>	N	8	Abundant
Old Pillars	<i>Leptastrea purpurea</i>	N	7	Abundant
Old Pillars	<i>Leptastrea purpurea</i>	N	7	Abundant
Old Pillars	<i>Porites</i> sp.	N	7	/
Old Pillars	<i>Porites</i> sp.	N	7	/
Old Pillars	<i>Psammocora superficialis</i>	N	7	Abundant
Old Pillars	<i>Cyphastrea serailia</i>	N	6	Dominant
Old Pillars	<i>Favia rotumana</i>	N	6	Abundant
Old Pillars	<i>Favites chinensis</i>	N	6	Dominant
Old Pillars	<i>Plesiastrea versipora</i>	N	6	Abundant
Old Pillars	<i>Porites</i> sp.	N	6	/
Old Pillars	<i>Montipora peltiformis</i>	N	4	Common
Existing Pier Head	<i>Coscinaraea</i> n sp.	N	20	/
Existing Pier Head	<i>Cyphastrea japonica</i>	N	20	Abundant
Existing Pier Head	<i>Psammocora superficialis</i>	N	20	Abundant
Existing Pier Head	<i>Coscinaraea</i> n sp.	N	18	/
Existing Pier Head	<i>Leptastrea purpurea</i>	N	18	Abundant
Existing Pier Head	<i>Leptastrea purpurea</i>	N	18	Abundant
Existing Pier Head	<i>Leptastrea purpurea</i>	N	15	Abundant

P. 26

Location*	Species	Movability	Diameter (cm)	Commonness
Existing Pier Head	<i>Leptastrea purpurea</i>	N	15	Abundant
Existing Pier Head	<i>Plesiastrea versipora</i>	N	15	Abundant
Existing Pier Head	<i>Psammocora profundacella</i>	N	15	Uncommon
Existing Pier Head	<i>Plesiastrea versipora</i>	N	13	Abundant
Existing Pier Head	<i>Plesiastrea versipora</i>	N	12	Abundant
Existing Pier Head	<i>Psammocora profundacella</i>	N	12	Uncommon
Existing Pier Head	<i>Psammocora profundacella</i>	N	12	Uncommon
Existing Pier Head	<i>Psammocora superficialis</i>	N	12	Abundant
Existing Pier Head	<i>Leptastrea purpurea</i>	N	10	Abundant
Existing Pier Head	<i>Psammocora superficialis</i>	N	10	Abundant
Existing Pier Head	<i>Psammocora superficialis</i>	N	10	Abundant
Existing Pier Head	<i>Favia matthaii</i>	N	9	Uncommon
Existing Pier Head	<i>Psammocora superficialis</i>	N	9	Abundant
Existing Pier Head	<i>Coscinaraea n sp.</i>	N	8	/
Existing Pier Head	<i>Psammocora profundacella</i>	N	8	Uncommon
Existing Pier Head	<i>Psammocora superficialis</i>	N	8	Abundant
Proposed Pier	<i>Platygyra carnosus</i>	Y	60	Common
Proposed Pier	<i>Platygyra carnosus</i>	Y	60	Common
Proposed Pier	<i>Platygyra carnosus</i>	Y	40	Common
Proposed Pier	<i>Leptastrea purpurea</i>	N	40	Abundant
Proposed Pier	<i>Leptastrea pruinosa</i>	N	35	Abundant

P. 27

Location*	Species	Movability	Diameter (cm)	Commonness
Proposed Pier	<i>Favia speciosa</i>	N	30	Abundant
Proposed Pier	<i>Platygyra ryukyuensis</i>	Y	28	Uncommon
Proposed Pier	<i>Favia rotumana</i>	N	25	Abundant
Proposed Pier	<i>Platygyra ryukyuensis</i>	Y	25	Uncommon
Proposed Pier	<i>Galaxea astreata</i>	N	24	Uncommon
Proposed Pier	<i>Montipora peltiformis</i>	Y	20	Common
Proposed Pier	<i>Goniopora columna</i>	Y	20	Abundant
Proposed Pier	<i>Cyphastrea serailia</i>	Y	20	Dominant
Proposed Pier	<i>Favia veroni</i>	N	20	Common
Proposed Pier	<i>Goniastrea aspera</i>	N	20	Common
Proposed Pier	<i>Goniastrea aspera</i>	N	20	Common
Proposed Pier	<i>Favia speciosa</i>	N	19	Abundant
Proposed Pier	<i>Cyphastrea serailia</i>	N	18	Dominant
Proposed Pier	<i>Favia sp.</i>	Y	18	/
Proposed Pier	<i>Montipora peltiformis</i>	N	18	Common
Proposed Pier	<i>Platygyra yaeyamaensis</i>	N	18	Rare
Proposed Pier	<i>Porites sp.</i>	Y	18	/
Proposed Pier	<i>Porites sp.</i>	Y	18	/
Proposed Pier	<i>Porites lutea</i>	N	17	Dominant
Proposed Pier	<i>Goniopora stutchburyi</i>	Y	16	Common
Proposed Pier	<i>Favites sp.</i>	Y	15	/

P. 28

Location*	Species	Movability	Diameter (cm)	Commonness
Proposed Pier	<i>Favia rotumana</i>	Y	15	Abundant
Proposed Pier	<i>Favia rotumana</i>	N	15	Abundant
Proposed Pier	<i>Favia speciosa</i>	N	15	Abundant
Proposed Pier	<i>Goniastrea aspera</i>	N	15	Common
Proposed Pier	<i>Porites</i> sp.	Y	15	/
Proposed Pier	<i>Montipora peltiformis</i>	N	14	Common
Proposed Pier	<i>Psammocora superficialis</i>	N	14	Abundant
Proposed Pier	<i>Cyphastrea japonica</i>	Y	13	Abundant
Proposed Pier	<i>Galaxea astreata</i>	Y	13	Uncommon
Proposed Pier	<i>Favia fava</i>	N	12	Abundant
Proposed Pier	<i>Favia rotumana</i>	Y	12	Abundant
Proposed Pier	<i>Goniastrea aspera</i>	N	12	Common
Proposed Pier	<i>Porites</i> sp.	Y	12	/
Proposed Pier	<i>Porites lutea</i>	N	11	Dominant
Proposed Pier	<i>Montipora peltiformis</i>	Y	10	Common
Proposed Pier	<i>Favia rotumana</i>	Y	10	Abundant
Proposed Pier	<i>Porites</i> sp.	N	10	/
Proposed Pier	<i>Favia rotumana</i>	N	10	Abundant
Proposed Pier	<i>Favia rotumana</i>	N	10	Abundant
Proposed Pier	<i>Favia speciosa</i>	N	10	Abundant
Proposed Pier	<i>Montipora peltiformis</i>	Y	9	Common

P. 29

Location*	Species	Movability	Diameter (cm)	Commonness
Proposed Pier	<i>Montipora peltiformis</i>	Y	9	Common
Proposed Pier	<i>Favia rotumana</i>	Y	8	Abundant
Proposed Pier	<i>Favia veroni</i>	N	8	Common
Proposed Pier	<i>Favites abdita</i>	N	8	Dominant
Proposed Pier	<i>Leptastrea pruinosa</i>	N	8	Abundant
Proposed Pier	<i>Montipora peltiformis</i>	Y	8	Common
Proposed Pier	<i>Montipora peltiformis</i>	N	8	Common
Proposed Pier	<i>Porites</i> sp.	Y	7	/
Proposed Pier	<i>Porites</i> sp.	Y	7	/
Proposed Pier	<i>Porites</i> sp.	N	7	/
Proposed Pier	<i>Porites</i> sp.	Y	6	/
Proposed Pier	<i>Porites</i> sp.	Y	5	/
Proposed Pier	<i>Porites</i> sp.	Y	5	/
Proposed Pier	<i>Favia rotumana</i>	N	5	Abundant
Proposed Pier	<i>Favia rotumana</i>	N	5	Abundant
Proposed Pier	<i>Porites</i> sp.	Y	5	/
Proposed Pier	<i>Porites</i> sp.	Y	5	/
Proposed Pier	<i>Porites</i> sp.	Y	5	/
Proposed Pier	<i>Psammocora superficialis</i>	Y	5	Abundant
Proposed Pier	<i>Porites</i> sp.	Y	4	/
Proposed Pier	<i>Porites</i> sp.	Y	4	/

P. 30

Location*	Species	Movability	Diameter (cm)	Commonness
Proposed Pier	<i>Porites</i> sp.	Y	4	/
Proposed Pier	<i>Montipora peltiformis</i>	Y	3	Common
Proposed Pier	<i>Favia rotumana</i>	Y	3	Abundant
Proposed Pier	<i>Oulastrea crispata</i>	N	2	Common
Proposed Pier	<i>Oulastrea crispata</i>	N	1	Common
Temporary Pier	<i>Cyphastrea serailia</i>	Y	20	Dominant
Temporary Pier	<i>Psammocora superficialis</i>	N	17	Abundant
Temporary Pier	<i>Porites</i> sp.	N	7	/
Temporary Pier	<i>Porites</i> sp.	N	7	/
Temporary Pier	<i>Porites</i> sp.	Y	4	/

Highlighted row: Coral species recorded on the existing pier that will be demolished.