

## Appendix 4.11 Construction Plant Inventory during Restricted Hours (Mitigated Scenario)

### 6a - Bridge Deck

|                  | PME | TM Ref./ other Ref <sup>[2]</sup> | No. of Items | SW L/ Item dB(A) | On-time % | Barrier Correction | Sub-total SW L |
|------------------|-----|-----------------------------------|--------------|------------------|-----------|--------------------|----------------|
| Launching Gantry |     | [1]                               | 1            | 100              | 100%      | 0                  | 100            |
|                  |     |                                   |              |                  |           | <b>Total SW L</b>  | <b>100</b>     |

### 13 - Noise Barriers

|              | PME | TM Ref./ other Ref <sup>[2]</sup> | No. of Items | SW L/ Item dB(A) | On-time % | Barrier Correction | Sub-total SW L |
|--------------|-----|-----------------------------------|--------------|------------------|-----------|--------------------|----------------|
| Mobile Crane |     | EPD-05797                         | 1            | 91               | 100%      | -5                 | 86             |
|              |     |                                   |              |                  |           | <b>Total SW L</b>  | <b>86</b>      |

### 14 - Noise Barriers / Enclosures

|              | PME | TM Ref./ other Ref <sup>[2]</sup> | No. of Items | SW L/ Item dB(A) | On-time % | Barrier Correction | Sub-total SW L |
|--------------|-----|-----------------------------------|--------------|------------------|-----------|--------------------|----------------|
| Mobile Crane |     | EPD-05797                         | 1            | 91               | 100%      | -5                 | 86             |
|              |     |                                   |              |                  |           | <b>Total SW L</b>  | <b>86</b>      |

#### Remarks

[1] Reference is made to the approved EIA Report of Route 9 between Tsing Yi and Cheung Sha Wan (EIA-025/1999).

[2] Reference of CNP refers to Table 3 of EPD's Technical Memorandum on Noise from Construction Work Other Than Percussive Piling.