



Village House
MWC-01a



2.8mPD



4m

0 6 m

Design of the Proposed Barrier:

- Gaps and openings at joints should be avoided;
- The length of the barrier should be about 27m while the height should be about 4m; and
- Surface density of the barrier no less than 7kg/m².

Legend

- Noise Assessment Point (NAP)
- Proposed Barrier along the boundary
- - - Boundary of the Workfront at TCW Station

G:\common\micr\os\station_s\standard\plot\drv\hp_cr\uph\c3\pdf_c.env\pht
 Default: HKC\RA04_9/6/2021 5:06:35 PM
 FILENAME: \\kgm1s27\CEEN\env\project\27146\3_Drawing\Deliverables\report\029_Noise_Impact_Assessment_Working Paper\FIGURE_4.4.1.dgn

| REV | DESCRIPTION | BY | DATE | APPROVED | REV | DESCRIPTION | BY | DATE | APPROVED |
|-----|-------------|----|--------|----------|-----|-------------|----|------|----------|
| A | FIRST ISSUE | GL | 160821 | FC | | | | | |

| | |
|----------|------------|
| DRAWN | GL |
| DESIGNED | GL |
| CHECKED | EL |
| APPROVED | FC |
| DATE | 16/08/2021 |

MTR
 C1202 – EIA for Tung Chung Line Extension
 ORIGINATOR
 ARUP Ove Arup & Partners
 Hong Kong Limited
 CADD REF. FIGURE 4.4.1.A.dgn

| TITLE | | SCALE | DRAWING NO. | REV. |
|---|--|----------|--------------|------|
| LOCATION OF THE NOISE BARRIER AT MA WAN CHUNG | | AS SHOWN | FIGURE 4.4.1 | A |