



**Annex 3B**  
**Figure 1** Predicted Maximum Suspended Solids (SS) Elevation (mg/L)  
 Scenario C1 (Dry Season)











**Annex 3B**  
**Figure 3** Predicted Maximum Suspended Solids (SS) Elevation (mg/L)  
 Scenario C2 (Dry Season)





**Annex 3B**  
**Figure 4** Predicted Maximum Suspended Solids (SS) Elevation (mg/L)  
**Scenario C2 (Wet Season)**






**Annex 3B**  
**Figure 5**

**Predicted Maximum Sedimentation Flux (g/m<sup>2</sup>/day)**  
**Scenario C1 and Scenario C2 (Dry and Wet Seasons)**







**Annex 3B**  
**Figure 6**

**Predicted Maximum Dissolved Oxygen (DO) Depletion (mg/L) from Marine Works**  
**Scenario C1 and Scenario C2 (Dry and Wet Seasons)**










**Annex 3B**  
**Figure 8**

**Predicted Maximum Depth-averaged Conservative Tracer Concentration (mg/L) from Dredging Scenario C3 and Scenario C4 (Dry and Wet Seasons)**






**Annex 3B**  
**Figure 9**

**Predicted Maximum Total Inorganic Nitrogen (TIN) Elevation (mg/L) from Marine Works Scenario C3 and Scenario C4 (Dry and Wet Seasons)**





**Annex 3B**  
**Figure 10**

**Predicted Maximum Unionized Ammonia (UIA) Elevation (µg/L) from Marine Works**  
**Scenario C3 and Scenario C4 (Dry and Wet Seasons)**