

Table 5D.1 Adult Fish Abundance Recorded from Adult Fish Production Survey

Family	Species	Dry Season									Wet Season								
		Site A			Site B			Site C			Site A			Site B			Site C		
		Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD
Apogonidae	<i>Apogon cathetogramma</i>	2.00	1.00	1.41	3.00	1.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Carangidae	<i>Alepes djedaba</i>	2.00	1.00	1.41	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Carangidae	<i>Alepes kleinii</i>	0.00	0.00	0.00	0.00	0.00	0.00	3.00	1.50	2.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Centrolophidae	<i>Psenopsis anomala</i>	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71
Cynoglossidae	<i>Cynoglossus arel</i>	1.00	0.50	0.71	2.00	1.00	1.41	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00
Engraulidae	<i>Thyssa chefuensis</i>	2.00	1.00	1.41	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Engraulidae	<i>Thyssa dussumieri</i>	5.00	2.50	3.54	2.00	1.00	1.41	4.00	2.00	2.83	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00
Gerreidae	<i>Gerres erythrourus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00
Gerreidae	<i>Gerres filamentosus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00
Gerreidae	<i>Gerres japonicus</i>	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Gerreidae	<i>Gerres macracanthus</i>	0.00	0.00	0.00	2.00	1.00	1.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Gobiidae	<i>Myersina filifer</i>	0.00	0.00	0.00	0.00	0.00	0.00	5.00	2.50	3.54	1.00	0.50	0.71	0.00	0.00	0.00	2.00	1.00	0.00
Leiognathidae	<i>Leiognathus berbis</i>	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Leiognathidae	<i>Leiognathus brevis</i>	0.00	0.00	0.00	1.00	0.50	0.71	5.00	2.50	3.54	2.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Leiognathidae	<i>Nuchequula nuchalis</i>	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	1.00	0.50	0.71	1.00	0.50	0.71
Muraenesocidae	<i>Muraenesox cinereus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00
Muraenidae	<i>Strophidon sathete</i>	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Nemipteridae	<i>Nemipterus japonicus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.00	2.00	2.83	0.00	0.00	0.00	3.00	1.50	0.71
Ophichthidae	<i>Pisodonophis cancrivorus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71
Paralichthyidae	<i>Pseudorhombus cinnamomeus</i>	1.00	0.50	0.71	4.00	2.00	1.41	1.00	0.50	0.71	2.00	1.00	1.41	6.00	3.00	0.00	0.00	0.00	0.00
Platycephalidae	<i>Inegocia japonica</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71
Polynemidae	<i>Polydactylus sextarius</i>	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pristigasteridae	<i>Ilisha melastoma</i>	0.00	0.00	0.00	1.00	0.50	0.71	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Dendrophysa russelii</i>	0.00	0.00	0.00	1.00	0.50	0.71	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Johnius belangerii</i>	5.00	2.50	3.54	5.00	2.50	3.54	2.00	1.00	1.41	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Johnius borneensis</i>	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Nibea albiflora</i>	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Otolithes ruber</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71
Sciaenidae	<i>Pennahia anea</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Pennahia argentata</i>	1.00	0.50	0.71	1.00	0.50	0.71	3.00	1.50	0.71	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00
Serranidae	<i>Epinephelus awoara</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	1.00	1.41	0.00	0.00	0.00
Serranidae	<i>Epinephelus fasciatus</i>	0.00	0.00	0.00	2.00	1.00	1.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sillaginidae	<i>Sillago sihama</i>	0.00	0.00	0.00	1.00	0.50	0.71	1.00	0.50	0.71	1.00	0.50	0.71	1.00	0.50	0.71	2.00	1.00	0.00
Soleidae	<i>Solea ovata</i>	1.00	0.50	0.71	2.00	1.00	1.41	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sparidae	<i>Evynnis cardinalis</i>	0.00	0.00	0.00	0.00	0.00	0.00	5.00	2.50	3.54	3.00	1.50	0.71	5.00	2.50	0.71	3.00	1.50	2.12
Sparidae	<i>Sparus aurata</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00
Terapontidae	<i>Pelates quadrilineatus</i>	1.00	0.50	0.71	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tetraodontidae	<i>Lagocephalus wheeleri</i>	0.00	0.00	0.00	1.00	0.50	0.71	1.00	0.50	0.71	1.00	0.50	0.71	3.00	1.50	2.12	0.00	0.00	0.00
Tetraodontidae	<i>Takifugu bimaculatus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00

Table 5D.2 Adult Fish Biomass (g) Recorded from Adult Fish Production Survey

Family	Species	Dry Season									Wet Season								
		Site A			Site B			Site C			Site A			Site B			Site C		
		Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD
Apogonidae	<i>Apogon cathetogramma</i>	125.00	62.50	88.39	106.90	53.45	36.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Carangidae	<i>Alepes djedaba</i>	71.00	35.50	50.20	54.10	27.05	38.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Carangidae	<i>Alepes kleinii</i>	0.00	0.00	0.00	0.00	0.00	0.00	123.80	61.90	87.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Centrolophidae	<i>Psenopsis anomala</i>	43.20	21.60	30.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	66.70	33.35	47.16
Cynoglossidae	<i>Cynoglossus arel</i>	51.60	25.80	36.49	222.00	111.00	156.98	0.00	0.00	0.00	63.60	31.80	44.97	0.00	0.00	0.00	0.00	0.00	0.00
Engraulidae	<i>Thyssa chefuensis</i>	35.70	17.85	25.24	10.80	5.40	7.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Engraulidae	<i>Thyssa dussumieri</i>	72.40	36.20	51.19	33.70	16.85	23.83	55.50	27.75	39.24	37.00	18.50	26.16	0.00	0.00	0.00	0.00	0.00	0.00
Gerreidae	<i>Gerres erythrourus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	48.90	24.45	34.58	0.00	0.00	0.00	0.00	0.00	0.00
Gerreidae	<i>Gerres filamentosus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25.30	12.65	17.89	0.00	0.00	0.00
Gerreidae	<i>Gerres japonicus</i>	0.00	0.00	0.00	31.00	15.50	21.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Gerreidae	<i>Gerres macracanthus</i>	0.00	0.00	0.00	49.40	24.70	34.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Gobiidae	<i>Myersina filifer</i>	0.00	0.00	0.00	0.00	0.00	0.00	48.30	24.15	34.15	9.40	4.70	6.65	0.00	0.00	0.00	18.10	9.05	1.34
Leiognathidae	<i>Leiognathus berbis</i>	0.00	0.00	0.00	0.00	0.00	0.00	14.10	7.05	9.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Leiognathidae	<i>Leiognathus brevis</i>	0.00	0.00	0.00	18.40	9.20	13.01	94.20	47.10	66.61	36.80	18.40	0.71	0.00	0.00	0.00	0.00	0.00	0.00
Leiognathidae	<i>Nuchequula nuchalis</i>	0.00	0.00	0.00	0.00	0.00	0.00	26.20	13.10	18.53	0.00	0.00	0.00	7.80	3.90	5.52	13.60	6.80	9.62
Muraenesocidae	<i>Muraenesox cinereus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	322.50	161.25	228.04	0.00	0.00	0.00	0.00	0.00	0.00
Muraenidae	<i>Strophidon sathete</i>	0.00	0.00	0.00	1077.50	538.75	761.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Nemipteridae	<i>Nemipterus japonicus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	449.40	224.70	317.77	0.00	0.00	0.00	231.90	115.95	26.94
Ophichthidae	<i>Pisodonophis cancrivorus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	131.70	65.85	93.13
Paralichthyidae	<i>Pseudorhombus cinnamoneus</i>	5.90	2.95	4.17	34.30	17.15	13.93	7.70	3.85	5.44	33.70	16.85	23.83	111.00	55.50	13.15	0.00	0.00	0.00
Platycephalidae	<i>Inegocia japonica</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	63.20	31.60	44.69
Polynemidae	<i>Polydactylus sextarius</i>	0.00	0.00	0.00	82.10	41.05	58.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pristigasteridae	<i>Ilisha melastoma</i>	0.00	0.00	0.00	22.90	11.45	16.19	24.20	12.10	17.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Dendrophysa russelii</i>	0.00	0.00	0.00	52.30	26.15	36.98	60.00	30.00	42.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Johnius belangerii</i>	327.20	163.60	231.37	335.40	167.70	237.16	177.00	88.50	125.16	71.00	35.50	50.20	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Johnius borneensis</i>	74.60	37.30	52.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Nibea albiflora</i>	0.00	0.00	0.00	153.40	76.70	108.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Otolithes ruber</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	226.80	113.40	160.37
Sciaenidae	<i>Pennahia anea</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	85.70	42.85	2.76	0.00	0.00	0.00	0.00	0.00	0.00
Sciaenidae	<i>Pennahia argentata</i>	58.60	29.30	41.44	82.80	41.40	58.55	181.40	90.70	89.10	84.80	42.40	59.96	0.00	0.00	0.00	0.00	0.00	0.00
Serranidae	<i>Epinephelus awoara</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	257.70	128.85	182.22	0.00	0.00	0.00
Serranidae	<i>Epinephelus fasciatus</i>	0.00	0.00	0.00	210.90	105.45	149.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sillaginidae	<i>Sillago sihama</i>	0.00	0.00	0.00	45.80	22.90	32.39	39.70	19.85	28.07	52.70	26.35	37.26	48.60	24.30	34.37	146.60	73.30	3.11
Soleidae	<i>Solea ovata</i>	4.50	2.25	3.18	23.90	11.95	16.90	8.30	4.15	5.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sparidae	<i>Evynnis cardinalis</i>	0.00	0.00	0.00	0.00	0.00	0.00	21.40	10.70	15.13	35.90	17.95	14.92	53.50	26.75	8.98	42.40	21.20	29.98
Sparidae	<i>Sparus aurata</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	527.50	263.75	373.00	0.00	0.00	0.00	0.00	0.00	0.00
Terapontidae	<i>Pelates quadrilineatus</i>	59.60	29.80	42.14	26.00	13.00	18.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tetraodontidae	<i>Lagocephalus wheeleri</i>	0.00	0.00	0.00	440.00	220.00	311.13	57.60	28.80	40.73	140.90	70.45	99.63	294.80	147.40	208.46	0.00	0.00	0.00
Tetraodontidae	<i>Takifugu bimaculatus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	308.00	154.00	217.79	0.00	0.00	0.00	0.00	0.00	0.00

Table 5D.3 Crustacean and Cephalopod Abundance Recorded from Adult Fish Production Survey

Family	Species	Dry Season									Wet Season								
		Site A			Site B			Site C			Site A			Site B			Site C		
		Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD
Calappidae	<i>Calappa philargius</i>	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Dorippidae	<i>Dorippe quadridens</i>	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Dorippidae	<i>Dorippoides facchino</i>	4.00	2.00	2.83	5.00	2.50	3.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71	
Euryplacidae	<i>Eucrate crenata</i>	0.00	0.00	0.00	5.00	2.50	3.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Penaeidae	<i>Metapenaeus affinis</i>	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Penaeidae	<i>Metapenaeus joyneri</i>	5.00	2.50	3.54	13.00	6.50	9.19	14.00	7.00	9.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Penaeidae	<i>Penaeus merguensis</i>	0.00	0.00	0.00	2.00	1.00	1.41	0.00	0.00	0.00	1.00	0.50	0.71	2.00	1.00	1.41	0.00	0.00	
Portunidae	<i>Charybdis affinis</i>	3.00	1.50	2.12	2.00	1.00	1.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Portunidae	<i>Charybdis hellerii</i>	7.00	3.50	4.95	2.00	1.00	1.41	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	
Portunidae	<i>Charybdis japonica</i>	0.00	0.00	0.00	2.00	1.00	1.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Portunidae	<i>Portunus pelagicus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	
Squillidae	<i>Anchisquilla fasciata</i>	4.00	2.00	2.83	9.00	4.50	6.36	1.00	0.50	0.71	3.00	1.50	2.12	3.00	1.50	2.12	1.00	0.50	
Squillidae	<i>Harpisquilla harpax</i>	1.00	0.50	0.71	5.00	2.50	3.54	5.00	2.50	3.54	1.00	0.50	0.71	2.00	1.00	1.41	0.00	0.00	
Squillidae	<i>Oratosquilla interrupta</i>	0.00	0.00	0.00	2.00	1.00	1.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Sepiidae	<i>Sepia</i> sp.	0.00	0.00	0.00	1.00	0.50	0.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.50	

Table 5D.4 Crustacean and Cephalopod Biomass (g) Recorded from Adult Fish Production Survey

Family	Species	Dry Season									Wet Season								
		Site A			Site B			Site C			Site A			Site B			Site C		
		Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD	Total	Mean	SD
Calappidae	<i>Calappa philargius</i>	286.60	143.30	202.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Dorippidae	<i>Dorippe quadridens</i>	0.00	0.00	0.00	0.00	0.00	0.00	25.50	12.75	18.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Dorippidae	<i>Dorippoides facchino</i>	31.70	15.85	22.42	29.10	14.55	20.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.30	4.15	5.87
Euryplacidae	<i>Eucrate crenata</i>	0.00	0.00	0.00	42.30	21.15	29.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Penaeidae	<i>Metapenaeus affinis</i>	0.00	0.00	0.00	24.10	12.05	17.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Penaeidae	<i>Metapenaeus joyneri</i>	45.60	22.80	32.24	126.30	63.15	89.31	132.70	66.35	93.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Penaeidae	<i>Penaeus merguensis</i>	0.00	0.00	0.00	74.70	37.35	52.82	0.00	0.00	0.00	40.30	20.15	28.50	78.00	39.00	55.15	0.00	0.00	0.00
Portunidae	<i>Charybdis affinis</i>	24.00	12.00	16.97	7.30	3.65	5.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Portunidae	<i>Charybdis hellerii</i>	219.90	109.95	155.49	32.40	16.20	22.91	0.00	0.00	0.00	63.10	31.55	44.62	0.00	0.00	0.00	0.00	0.00	0.00
Portunidae	<i>Charybdis japonica</i>	0.00	0.00	0.00	29.40	14.70	20.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Portunidae	<i>Portunus pelagicus</i>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	325.00	162.50	229.81	0.00	0.00	0.00	0.00	0.00	0.00
Squillidae	<i>Anchisquilla fasciata</i>	58.90	29.45	41.65	204.20	102.10	144.39	14.10	7.05	9.97	47.10	23.55	33.30	61.40	30.70	43.42	20.90	10.45	14.78
Squillidae	<i>Harpisquilla harpax</i>	18.40	9.20	13.01	142.20	71.10	100.55	128.20	64.10	90.65	41.50	20.75	29.34	69.00	34.50	48.79	0.00	0.00	0.00
Squillidae	<i>Oratosquilla interrupta</i>	0.00	0.00	0.00	13.20	6.60	9.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sepiidae	<i>Sepia sp.</i>	0.00	0.00	0.00	119.50	59.75	84.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	66.00	33.00	46.67