NAP1

Work Section	Group ID	Distance (m)	SWL, dB(A)	Corrections, dB(A)		SPL, dB(A)	2024												2025												2026												2027												2028												2029											
				Distance	Façade		J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
5	A-1	140	112	-51	3	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	64	64	64	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	B-1	122	111	-50	3	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	C-2	128	108	-50	3	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61	61	61	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	D-1	122	112	-50	3	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65	65	65	65	65	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	D-2	122	114	-50	3	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68	68	68	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	B-1	62	111	-44	3	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70	70	-	-	-
6	C-2	123	108	-50	3	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61	61	61	61	61	-	-	-	-	-	-	-	-	-
6	D-1	62	112	-44	3	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71	71	-
6	D-2	62	114	-44	3	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73	73	73	73	-	-	-	-	-
6	E-1	45	112	-41	3	74	-	-	-	-	-	-	-	-	74	74	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	E-2	45	109	-41	3	71	-	-	-	-	-	-	-	-	-	-	-	-	71	71	71	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	E-3	45	113	-41	3	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75	75	75	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	E-4	45	115	-41	3	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	E-5	45	115	-41	3	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)							-	-	-	-	-	-	-	-	74	74	74	74	71	71	71	71	71	75	75	75	75	75	**77**	**77**	**77**	**77**	**77**	**77**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	66	66	66	66	66	65	70	70	71	71	71	65	61	61	61	61	61	73	73	73	73	70	70	71	71	-

Remark:
Boldfaced values indicate that the cumulative construction noise levels are higher than the noise criterion of 75dB(A).
In view of irregular work areas of Task B and Task D, the distance was measured from the nearest site boundary of work area in the calculation.

NAP2

Work Section	Group ID	Distance (m)	SWL, dB(A)	Corrections, dB(A)		SPL, dB(A)	2024												2025											
				Distance	Façade		J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
2	A-1	144	112	-51	3	64	-	-	-	-	-	-	-	-	-	64	64	64	64	64	64	-	-	-	-	-	-	-	-	-
2	B-1	94	111	-47	3	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66	66	66	-	-	-
2	C-1	149	112	-51	3	64	-	-	-	-	64	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	97	108	-48	3	63	-	-	-	-	-	-	-	-	-	-	63	63	63	63	63	-	-	-	-	-	-	-	-	-
2	D-1	94	112	-47	3	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68	68	68	68	68	68	68	-	-
2	D-2	94	114	-47	3	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70	70	70	70	70	-	-	-
3	A-1	53	112	-42	3	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73	73	73
3	B-1	65	111	-44	3	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	C-2	45	108	-41	3	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70	70
3	D-1	65	112	-44	3	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	D-2	65	114	-44	3	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	A-1	206	112	-54	3	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	B-1	190	111	-54	3	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	C-2	190	108	-54	3	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	D-1	190	112	-54	3	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	D-2	190	114	-54	3	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
						Cumulative Noise Level, dB(A)	-	-	-	-	64	64	64	-	-	64	67	67	67	67	67	68	72	72	73	73	73	74	74	74

Work Section	Group ID	2026												2027											
		J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
2	A-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	A-1	73	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	B-1	-	-	-	-	-	-	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	C-2	70	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	D-1	-	-	-	-	-	-	-	-	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	D-2	-	-	-	73	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	A-1	-	-	-	-	-	-	-	-	-	61	61	61	61	61	61	-	-	-	-	-	-	-	-	-
4	B-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	60	60	-	-	-
4	C-2	-	-	-	-	-	-	-	-	-	-	57	57	57	57	57	-	-	-	-	-	-	-	-	-
4	D-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61	61	61	61	61	61	61	-	-
4	D-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	64	64	64	64	-	-	-
Cumulative Noise Level, dB(A)		74	74	74	73	73	73	69	69	71	71	62	62	62	62	62	61	66	66	67	67	67	61	-	-

Work Section	Group ID	2028												2029											
		J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
2	A-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	A-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	B-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	C-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	D-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	D-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	A-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	B-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	C-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	D-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	D-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remark:
Boldfaced values indicate that the cumulative construction noise levels are higher than the noise criterion of 75dB(A).
In view of irregular work areas of Task B and Task D, the distance was measured from the nearest site boundary of work area in the calculation.

NAP4

Work Section	Group ID	Distance (m)	SWL, dB(A)	Corrections, dB(A)		SPL, dB(A)	2024												2025												2026												2027												2028												2029											
				Distance	Façade		J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
2	A-1	95	112	-48	3	67	-	-	-	-	-	-	-	-	-	67	67	67	67	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	43	111	-41	3	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	147	112	-51	3	64	-	-	-	-	64	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	45	108	-41	3	70	-	-	-	-	-	-	-	-	-	-	70	70	70	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	43	112	-41	3	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74	74	74	74	74	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	43	114	-41	3	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77	77	77	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	A-1	18	112	-33	3	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82	82	82	82	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	B-1	5	111	-22	3	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	C-2	14	108	-31	3	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80	80	80	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	D-1	5	112	-22	3	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	D-2	5	114	-22	3	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	A-1	245	112	-56	3	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59	59	59	59	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	B-1	227	111	-55	3	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	C-2	227	108	-55	3	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56	56	56	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	D-1	227	112	-55	3	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60	60	60	60	60	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	D-2	227	114	-55	3	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	62	62	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)							-	-	-	-	64	64	64	-	-	67	72	72	72	72	72	74	**79**	**79**	**80**	**80**	**80**	**83**	**84**	**84**	**84**	**84**	**84**	**95**	**95**	**95**	**92**	**92**	**93**	**93**	61	61	61	61	61	60	64	64	65	65	65	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remark:
Boldfaced values indicate that the cumulative construction noise levels are higher than the noise criterion of 75dB(A).
In view of irregular work areas of Task B and Task D, the distance was measured from the nearest site boundary of work area in the calculation.

NAP3

Work Section	Group ID	Distance (m)	SWL, dB(A)	Corrections, dB(A)		SPL, dB(A)	2024												2025												2026												2027												2028												2029											
				Distance	Façade		J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D
2	A-1	201	112	-54	3	61	-	-	-	-	-	-	-	-	-	61	61	61	61	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	151	111	-52	3	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	213	112	-55	3	60	-	-	-	-	60	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	152	108	-52	3	59	-	-	-	-	-	-	-	-	-	-	59	59	59	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	151	112	-52	3	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63	63	63	63	63	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	151	114	-52	3	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66	66	66	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	A-1	17	112	-33	3	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82	82	82	82	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	B-1	8	111	-26	3	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	C-2	16	108	-32	3	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79	79	79	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	D-1	8	112	-26	3	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	D-2	8	114	-26	3	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	A-1	137	112	-51	3	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	64	64	64	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	B-1	119	111	-50	3	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	C-2	119	108	-50	3	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61	61	61	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	D-1	119	112	-50	3	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65	65	65	65	65	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	D-2	119	114	-50	3	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68	68	68	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
						Cumulative Noise Level, dB(A)	-	-	-	-	60	60	60	-	-	61	63	63	63	63	63	63	68	68	69	69	69	**82**	**84**	**84**	**84**	**84**	**84**	**91**	**91**	**91**	**88**	**88**	**89**	**89**	66	66	66	66	66	65	70	70	71	71	71	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Remark:
Boldfaced values indicate that the cumulative construction noise levels are higher than the noise criterion of 75dB(A).
In view of irregular work areas of Task B and Task D, the distance was measured from the nearest site boundary of work area in the calculation.

NAP5

Work Section	Group ID	Distance (m)	SWL, dB(A)	Corrections, dB(A)		SPL, dB(A)	2024											
				Distance	Façade		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	131	112	-50	3	65	65	65	65	65	-	-	-	-	-	-	-	-
1	B-1	127	111	-50	3	63	-	-	-	-	-	-	63	63	63	-	-	-
1	D-1	127	112	-50	3	65	-	-	-	65	65	65	65	65	65	65	-	-
1	D-2	127	114	-50	3	67	-	-	-	-	67	67	67	67	67	-	-	-
2	A-1	226	112	-55	3	60	-	-	-	-	-	-	-	-	-	60	60	60
2	B-1	135	111	-51	3	63	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	206	112	-54	3	61	-	-	-	-	61	61	61	-	-	-	-	-
2	C-2	164	108	-52	3	59	-	-	-	-	-	-	-	-	-	-	59	59
2	D-1	135	112	-51	3	64	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	135	114	-51	3	67	-	-	-	-	-	-	-	-	-	-	-	-
3	B-1	286	111	-57	3	56	-	-	-	-	-	-	-	-	-	-	-	-
3	C-2	286	108	-57	3	54	-	-	-	-	-	-	-	-	-	-	-	-
3	D-1	286	112	-57	3	58	-	-	-	-	-	-	-	-	-	-	-	-
3	D-2	286	114	-57	3	60	-	-	-	-	-	-	-	-	-	-	-	-
1	F-1	170	111	-53	3	61	61	61	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)							66	66	65	68	70	70	71	70	70	66	62	62

Work Section	Group ID	2025											
		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	-	-	-	-	-	-	-	-	-	-	-	-
1	B-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-2	-	-	-	-	-	-	-	-	-	-	-	-
2	A-1	60	60	60	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	63	63	63	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	59	59	59	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	64	64	64	64	64	64	64	-	-
2	D-2	-	-	-	-	67	67	67	67	67	-	-	-
3	B-1	-	-	-	-	-	-	-	-	-	-	-	-
3	C-2	-	-	-	-	-	-	-	-	-	-	54	54
3	D-1	-	-	-	-	-	-	-	-	-	-	-	-
3	D-2	-	-	-	-	-	-	-	-	-	-	-	-
1	F-1	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		62	62	62	64	69	69	70	70	70	64	54	54

Work Section	Group ID	2026											
		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	-	-	-	-	-	-	-	-	-	-	-	-
1	B-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-2	-	-	-	-	-	-	-	-	-	-	-	-
2	A-1	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	-	-	-	-	-	-	-	-	-	-	-	-
3	B-1	-	-	-	-	-	-	56	56	-	-	-	-
3	C-2	54	54	54	-	-	-	-	-	-	-	-	-
3	D-1	-	-	-	-	-	-	-	-	58	58	-	-
3	D-2	-	-	-	60	60	60	-	-	-	-	-	-
1	F-1	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		54	54	54	60	60	60	56	56	58	58	-	-

Work Section	Group ID	2027											
		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	-	-	-	-	-	-	-	-	-	-	-	-
1	B-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-2	-	-	-	-	-	-	-	-	-	-	-	-
2	A-1	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	-	-	-	-	-	-	-	-	-	-	-	-
3	B-1	-	-	-	-	-	-	-	-	-	-	-	-
3	C-2	-	-	-	-	-	-	-	-	-	-	-	-
3	D-1	-	-	-	-	-	-	-	-	-	-	-	-
3	D-2	-	-	-	-	-	-	-	-	-	-	-	-
1	F-1	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		-	-	-	-	-	-	-	-	-	-	-	-

Work Section	Group ID	2028											
		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	-	-	-	-	-	-	-	-	-	-	-	-
1	B-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-2	-	-	-	-	-	-	-	-	-	-	-	-
2	A-1	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	-	-	-	-	-	-	-	-	-	-	-	-
3	B-1	-	-	-	-	-	-	-	-	-	-	-	-
3	C-2	-	-	-	-	-	-	-	-	-	-	-	-
3	D-1	-	-	-	-	-	-	-	-	-	-	-	-
3	D-2	-	-	-	-	-	-	-	-	-	-	-	-
1	F-1	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		-	-	-	-	-	-	-	-	-	-	-	-

Work Section	Group ID	2029											
		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	-	-	-	-	-	-	-	-	-	-	-	-
1	B-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-2	-	-	-	-	-	-	-	-	-	-	-	-
2	A-1	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	-	-	-	-	-	-	-	-	-	-	-	-
3	B-1	-	-	-	-	-	-	-	-	-	-	-	-
3	C-2	-	-	-	-	-	-	-	-	-	-	-	-
3	D-1	-	-	-	-	-	-	-	-	-	-	-	-
3	D-2	-	-	-	-	-	-	-	-	-	-	-	-
1	F-1	61	61	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		61	61	-	-	-	-	-	-	-	-	-	-

Remark:
Boldfaced values indicate that the cumulative construction noise levels are higher than the noise criterion of 75dB(A).
In view of irregular work areas of Task B and Task D, the distance was measured from the nearest site boundary of work area in the calculation.

NAP6

Work Section	Group ID	Distance (m)	SWL, dB(A)	Corrections, dB(A)		SPL, dB(A)	2024											
				Distance	Façade		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	66	112	-44	3	71	71	71	71	71	-	-	-	-	-	-	-	-
1	B-1	70	111	-45	3	69	-	-	-	-	-	-	69	69	69	-	-	-
1	D-1	70	112	-45	3	70	-	-	-	70	70	70	70	70	70	70	-	-
1	D-2	70	114	-45	3	72	-	-	-	-	72	72	72	72	72	-	-	-
2	A-1	297	112	-57	3	58	-	-	-	-	-	-	-	-	-	58	58	58
2	B-1	155	111	-52	3	62	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	256	112	-56	3	59	-	-	-	-	59	59	59	-	-	-	-	-
2	C-2	237	108	-55	3	56	-	-	-	-	-	-	-	-	-	-	56	56
2	D-1	155	112	-52	3	63	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	155	114	-52	3	65	-	-	-	-	-	-	-	-	-	-	-	-
1	F-1	90	111	-47	3	67	67	67	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)							**72**	**72**	**71**	**73**	**75**	**75**	**76**	**75**	**75**	70	60	60

Work Section	Group ID	2025											
		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	-	-	-	-	-	-	-	-	-	-	-	-
1	B-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-2	-	-	-	-	-	-	-	-	-	-	-	-
2	A-1	58	58	58	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	62	62	62	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	56	56	56	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	63	63	63	63	63	63	63	-	-
2	D-2	-	-	-	-	65	65	65	65	65	-	-	-
1	F-1	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		60	60	60	63	68	68	69	69	69	63	-	-

Work Section	Group ID	2026											
		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	-	-	-	-	-	-	-	-	-	-	-	-
1	B-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-2	-	-	-	-	-	-	-	-	-	-	-	-
2	A-1	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	-	-	-	-	-	-	-	-	-	-	-	-
1	F-1	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		-	-	-	-	-	-	-	-	-	-	-	-

Work Section	Group ID	2027											
		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	-	-	-	-	-	-	-	-	-	-	-	-
1	B-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-2	-	-	-	-	-	-	-	-	-	-	-	-
2	A-1	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	-	-	-	-	-	-	-	-	-	-	-	-
1	F-1	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		-	-	-	-	-	-	-	-	-	-	-	-

Work Section	Group ID	2028											
		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	-	-	-	-	-	-	-	-	-	-	-	-
1	B-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-2	-	-	-	-	-	-	-	-	-	-	-	-
2	A-1	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	-	-	-	-	-	-	-	-	-	-	-	-
1	F-1	-	-	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		-	-	-	-	-	-	-	-	-	-	-	-

Work Section	Group ID	2029											
		J	F	M	A	M	J	J	A	S	O	N	D
1	A-1	-	-	-	-	-	-	-	-	-	-	-	-
1	B-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-1	-	-	-	-	-	-	-	-	-	-	-	-
1	D-2	-	-	-	-	-	-	-	-	-	-	-	-
2	A-1	-	-	-	-	-	-	-	-	-	-	-	-
2	B-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-1	-	-	-	-	-	-	-	-	-	-	-	-
2	C-2	-	-	-	-	-	-	-	-	-	-	-	-
2	D-1	-	-	-	-	-	-	-	-	-	-	-	-
2	D-2	-	-	-	-	-	-	-	-	-	-	-	-
1	F-1	67	67	-	-	-	-	-	-	-	-	-	-
Cumulative Noise Level, dB(A)		67	67	-	-	-	-	-	-	-	-	-	-

Remark:
Boldfaced values indicate that the cumulative construction noise levels are higher than the noise criterion of 70dB(A).
Underlined values indicate that the cumulative construction noise levels are higher than the noise criterion of 65dB(A) for schools during examination period.
In view of irregular work areas of Task B and Task D, the distance was measured from the nearest site boundary of work area in the calculation.