



APPENDIX 4.14.2

ELIGIBILITY ASSESSMENT FOR INDIRECT TECHNICAL REMEDIES - (MITIGATED SCENARIO) – HWR PORTION

Appendix 4.14.2 - Eligibility Assessment for Indirect Technical Remedies - HWR Partion (Unmitigated Scenario)

NSR	Description	NAP	Assessment Point Elevation (mPD)	Type of Use	Noise Criteria, L10(1-h), dB(A)	Criteria for Indirect Noise Mitigation (AM)				Criteria for Indirect Noise Mitigation (PM)										
						Prevailing Noise Level in 2023		Predicted Noise Level in 2036		Prevailing Noise Level in 2023		Predicted Noise Level in 2036		Criteria for Indirect Noise Mitigation (AM)		Criteria for Indirect Noise Mitigation (PM)				
						Overall	All Other Roads	All Other Roads	Project Road Contribution	Predicted Noise Level in 2036 > Limit Level	Predicted Noise Level in 2036 (All Roads) - Prevailing Noise Level in 2023 (All Roads) >= 1	Project Road Contribution >= 1	Indirect Mitigation Measures Required	Overall	All Other Roads	Project Road Contribution	Predicted Noise Level in 2036 > Limit Level	Predicted Noise Level in 2036 (All Roads) - Prevailing Noise Level in 2023 (All Roads) >= 1	Project Road Contribution >= 1	Indirect Mitigation Measures Required
H1	Sam Shing Temple Office	H1_1_1	31.7	Office	70	73	73	73	0.0	Yes	No	No	73	73	73	73	0.0	Yes	No	No
H1	Sam Shing Temple Office	H1_1_2	34.5	Office	70	73	74	74	0.0	Yes	No	No	73	74	74	74	0.0	Yes	No	No
H1	Sam Shing Temple Office	H1_2_1	31.7	Place of Worship	65	71	72	72	0.0	Yes	Yes	No	71	72	72	72	0.0	Yes	No	No
H1	Sam Shing Temple Office	H1_3_1	18.9	Office	70	73	74	74	0.0	Yes	Yes	No	73	74	74	74	0.0	Yes	No	No
H1	Fa Tai Shrine	H1_4_1	30.1	Place of Worship	65	70	70	70	0.0	Yes	No	No	70	70	70	70	0.0	Yes	No	No
H2	Palm Cove (Tower 6)	H2_1_1	25.6	Residential	70	62	58	58	0.0	No	No	No	61	58	58	58	0.1	No	No	No
H2	Palm Cove (Tower 6)	H2_1_2	28.4	Residential	70	62	59	59	0.1	No	No	No	62	59	59	59	0.1	No	No	No
H2	Palm Cove (Tower 6)	H2_1_3	31.7	Residential	70	63	61	61	0.1	No	No	No	62	61	61	61	0.1	No	No	No
H2	Palm Cove (Tower 6)	H2_1_4	34.0	Residential	70	63	62	62	0.0	No	No	No	63	62	62	62	0.0	No	No	No
H2	Palm Cove (Tower 6)	H2_1_5	35.8	Residential	70	63	62	62	0.0	No	No	No	63	62	62	62	0.0	No	No	No
H2	Palm Cove (Tower 6)	H2_1_6	39.6	Residential	70	64	63	63	0.0	No	No	No	64	63	63	63	0.1	No	No	No
H2	Palm Cove (Tower 6)	H2_1_7	42.4	Residential	70	64	63	63	0.0	No	No	No	64	63	63	63	0.0	No	No	No
H2	Palm Cove (Tower 6)	H2_1_8	45.2	Residential	70	64	63	63	0.0	No	No	No	64	63	63	63	0.0	No	No	No
H2	Palm Cove (Tower 6)	H2_1_9	48.0	Residential	70	64	64	64	0.0	No	No	No	64	64	64	64	0.0	No	No	No
H2	Palm Cove (Tower 6)	H2_1_10	50.8	Residential	70	64	64	64	0.0	No	No	No	64	64	64	64	0.0	No	No	No
H2	Palm Cove (Tower 6)	H2_1_11	53.6	Residential	70	64	64	64	0.0	No	No	No	64	64	64	64	0.0	No	No	No
H2	Palm Cove (Tower 6)	H2_1_12	56.4	Residential	70	64	64	64	0.0	No	No	No	64	64	64	64	0.0	No	No	No
H2	Palm Cove (Tower 6)	H2_1_13	59.2	Residential	70	64	64	64	0.0	No	No	No	64	64	64	64	0.0	No	No	No
H2	Palm Cove (Tower 5)	H2_2_1	25.6	Residential	70	57	53	53	0.0	No	No	No	56	53	53	53	0.2	No	No	No
H2	Palm Cove (Tower 5)	H2_2_2	28.4	Residential	70	57	54	54	0.1	No	No	No	57	54	54	54	0.2	No	No	No
H2	Palm Cove (Tower 5)	H2_2_3	31.7	Residential	70	58	56	56	0.1	No	No	No	57	56	56	56	0.2	No	No	No
H2	Palm Cove (Tower 5)	H2_2_4	34.0	Residential	70	59	57	57	0.0	No	No	No	58	57	57	57	0.1	No	No	No
H2	Palm Cove (Tower 5)	H2_2_5	35.8	Residential	70	60	59	59	0.1	No	No	No	59	59	59	59	0.1	No	No	No
H2	Palm Cove (Tower 5)	H2_2_6	39.6	Residential	70	60	59	59	0.1	No	No	No	60	59	59	59	0.1	No	No	No
H2	Palm Cove (Tower 5)	H2_2_7	42.4	Residential	70	61	61	61	0.0	No	No	No	61	61	61	61	0.1	No	No	No
H2	Palm Cove (Tower 5)	H2_2_8	45.2	Residential	70	61	62	62	0.0	No	No	No	61	62	62	62	0.0	No	No	No
H2	Palm Cove (Tower 5)	H2_2_9	48.0	Residential	70	62	62	62	0.0	No	No	No	62	62	62	62	0.1	No	No	No
H2	Palm Cove (Tower 5)	H2_2_10	50.8	Residential	70	62	62	62	0.0	No	No	No	62	62	62	62	0.1	No	No	No
H2	Palm Cove (Tower 5)	H2_2_11	53.6	Residential	70	62	63	63	0.0	No	No	No	62	63	63	63	0.1	No	No	No
H2	Palm Cove (Tower 5)	H2_2_12	56.4	Residential	70	62	63	63	0.1	No	No	No	62	63	63	63	0.1	No	No	No
H2	Palm Cove (Tower 5)	H2_2_13	59.2	Residential	70	63	63	63	0.0	No	No	No	63	63	63	63	0.1	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_1	32.1	Residential	70	57	57	57	0.1	No	No	No	57	57	57	57	0.1	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_2	34.9	Residential	70	59	58	58	0.1	No	No	No	59	58	58	58	0.1	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_3	37.7	Residential	70	61	59	59	0.1	No	No	No	61	60	60	60	0.1	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_4	40.5	Residential	70	63	62	62	0.0	No	No	No	63	62	62	62	0.1	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_5	43.3	Residential	70	66	64	64	0.0	No	No	No	66	64	64	64	0.1	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_6	46.1	Residential	70	69	66	66	0.1	No	No	No	69	66	66	66	0.1	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_7	48.9	Residential	70	70	68	68	0.0	No	No	No	70	68	68	68	0.0	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_8	51.7	Residential	70	71	69	69	0.0	No	No	No	71	69	69	69	0.0	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_9	54.5	Residential	70	71	70	70	0.0	No	No	No	71	70	70	70	0.0	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_10	57.3	Residential	70	73	71	71	0.0	No	No	No	73	71	71	71	0.1	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_11	60.1	Residential	70	72	71	71	0.0	No	No	No	71	71	71	71	0.0	No	No	No
H3	Dragon Inn Court (Block 4)	H3_1_12	62.9	Residential	70	72	71	71	0.0	No	No	No	72	71	71	71	0.0	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_1	32.1	Residential	70	58	58	58	0.1	No	No	No	58	58	58	58	0.1	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_2	34.9	Residential	70	61	60	60	0.1	No	No	No	61	60	60	60	0.1	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_3	37.7	Residential	70	63	62	62	0.1	No	No	No	63	62	62	62	0.1	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_4	40.5	Residential	70	66	64	64	0.1	No	No	No	66	64	64	64	0.1	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_5	43.3	Residential	70	69	66	66	0.1	No	No	No	69	66	66	66	0.1	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_6	46.1	Residential	70	71	68	68	0.0	No	No	No	71	68	68	68	0.0	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_7	48.9	Residential	70	72	70	70	0.0	No	No	No	72	70	70	70	0.1	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_8	51.7	Residential	70	73	71	71	0.0	No	No	No	73	71	71	71	0.0	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_9	54.5	Residential	70	73	72	72	0.0	No	No	No	73	72	72	72	0.1	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_10	57.3	Residential	70	74	73	73	0.0	No	No	No	74	73	73	73	0.0	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_11	60.1	Residential	70	74	73	73	0.0	No	No	No	74	73	73	73	0.1	No	No	No
H3	Dragon Inn Court (Block 3)	H3_2_12	62.9	Residential	70	74	73	73	0.0	No	No	No	74	73	73	73	0.1	No	No	No
H4	Tsing Yung Terrace	H4_1_1	58.9	Residential	70	71	69	69	0.0	No	No	No	71	69	69	69	0.0	No	No	No
H4	Tsing Yung Terrace	H4_1_2	61.7	Residential	70	71	69	69	0.0	No	No	No	71	69	69	69	0.0	No	No	No
H4	Tsing Yung Terrace	H4_1_3	64.5	Residential	70	71	70	70	0.1	No	No	No	71	70	70	70	0.0	No	No	No
H4	Tsing Yung Terrace	H4_1_4	67.3	Residential	70	71	71	71	0.0	Yes	No	No	71	71	71	71	0.0	Yes	No	No
H4	Tsing Yung Terrace	H4_1_5	70.1	Residential	70	71	71	71	0.1	Yes	No	No	71	71	71	71	0.1	Yes	No	No
H4	Tsing Yung Terrace	H4_1_6	72.9	Residential	70	71	71	71	0.1	Yes	No	No	71	71	71	71	0.1	Yes	No	No
H4	Tsing Yung Terrace	H4_1_7	75.7	Residential	70	71	71	71	0.1	Yes	No	No	71	71	71	71	0.0	Yes	No	No
H4	Tsing Yung Terrace	H4_1_8	78.5	Residential	70	71	71	71	0.1	Yes	No	No	71	71	71	71	0.1	Yes	No	No
H4	Tsing Yung Terrace	H4_1_9	81.3	Residential	70	71	71	71	0.1	Yes	No	No	71	71	71	71	0.1	Yes	No	No
H4	Tsing Yung Terrace	H4_1_10	84.1	Residential	70	71	71	71	0.1	Yes	No	No	71	71	71	71	0.1	Yes	No	No
H4	Tsing Yung Terrace	H4_1_11	86.9	Residential	70	71	71	71	0.0	Yes	No	No	71	71	71	71	0.0	Yes	No	No
H4	Tsing Yung Terrace	H4_1_12	89.7	Residential	70	71	71	71	0.1	Yes	No	No	71	71	71	71	0.1	Yes	No	No
H4	Tsing Yung Terrace	H4_1_13	92.5	Residential	70	71	71	71	0.1	Yes	No	No	71	71	71	71	0.1	Yes	No</	

Appendix 4.14.2 - Eligibility Assessment for Indirect Technical Remedies - HWY Portion (Unmitigated Scenario)

NSR	Description	NAP	Assessment Point Elevation (mPD)	Type of Use	Noise Criteria, L10(1-hr), dB(A)	Prevaling Noise Level in 2023	Predicted Noise Level in 2036				Criteria for Indirect Noise Mitigation (AM)				Criteria for Indirect Noise Mitigation (PM)							
							Overall	All Other Roads			Predicted Noise Level in 2036 - Limit Level	Predicted Noise Level in 2036 (All Roads) - Prevailing Noise Level in 2023 (All Roads) >= 1	Project Road Contribution >= 1	Indirect Mitigation Measures Required	Overall	All Other Roads			Predicted Noise Level in 2036 - Limit Level	Predicted Noise Level in 2036 (All Roads) - Prevailing Noise Level in 2023 (All Roads) >= 1	Project Road Contribution >= 1	Indirect Mitigation Measures Required
								Overall	Project Road Contribution	Project Road Contribution						Overall	Project Road Contribution	Project Road Contribution				
H5	Kam Fai Garden (Block 1)	HS_6_8	39.7	Residential	70	73	74	74	0.0	Yes	No	No	No	73	74	74	0.0	Yes	No	No	No	
H5	Kam Fai Garden (Block 1)	HS_6_9	42.5	Residential	70	73	74	74	0.0	Yes	No	No	No	73	74	74	0.0	Yes	No	No	No	
H5	Kam Fai Garden (Block 1)	HS_6_10	45.3	Residential	70	73	74	74	0.0	Yes	No	No	No	73	74	74	0.0	Yes	No	No	No	
H5	Kam Fai Garden (Block 1)	HS_6_11	48.1	Residential	70	73	74	74	0.0	Yes	No	No	No	73	74	74	0.0	Yes	No	No	No	
H5	Kam Fai Garden (Block 1)	HS_6_12	50.9	Residential	70	73	74	74	0.0	Yes	No	No	No	73	74	74	0.0	Yes	No	No	No	
H5	Kam Fai Garden (Block 1)	HS_6_13	53.7	Residential	70	73	74	74	0.0	Yes	No	No	No	73	74	74	0.0	Yes	No	No	No	
H5	Kam Fai Garden (Block 1)	HS_6_14	56.5	Residential	70	73	74	74	0.1	Yes	No	No	No	73	74	74	0.0	Yes	No	No	No	
H5	Kam Fai Garden (Block 1)	HS_6_15	59.3	Residential	70	73	74	74	0.1	Yes	No	No	No	73	74	74	0.0	Yes	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_1	20.1	Residential	70	62	63	62	0.1	No	No	No	No	62	62	62	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_2	22.9	Residential	70	64	65	65	0.1	No	No	No	No	64	65	65	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_3	25.7	Residential	70	66	67	67	0.1	No	No	No	No	66	67	67	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_4	28.5	Residential	70	68	69	69	0.1	No	No	No	No	68	69	69	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_5	31.3	Residential	70	69	70	70	0.1	No	No	No	No	69	70	70	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_6	34.1	Residential	70	69	70	70	0.1	No	No	No	No	69	70	70	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_7	36.9	Residential	70	70	71	71	0.1	Yes	No	No	No	70	71	71	0.1	Yes	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_8	39.7	Residential	70	70	71	71	0.1	Yes	No	No	No	70	71	71	0.1	Yes	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_9	42.5	Residential	70	71	71	71	0.0	Yes	No	No	No	71	71	71	0.0	Yes	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_10	45.3	Residential	70	71	72	72	0.1	Yes	No	No	No	71	72	72	0.1	Yes	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_11	48.1	Residential	70	71	72	72	0.1	Yes	No	No	No	71	72	72	0.1	Yes	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_12	50.9	Residential	70	71	72	72	0.1	Yes	No	No	No	71	72	72	0.1	Yes	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_13	53.7	Residential	70	71	72	72	0.1	Yes	No	No	No	71	72	72	0.1	Yes	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_14	56.5	Residential	70	71	72	72	0.1	Yes	No	No	No	71	72	72	0.1	Yes	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_7_15	59.3	Residential	70	72	72	72	0.1	Yes	No	No	No	71	72	72	0.1	Yes	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_1	20.1	Residential	70	61	61	61	0.1	No	No	No	No	61	61	61	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_2	22.9	Residential	70	62	60	60	0.1	No	No	No	No	62	60	60	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_3	25.7	Residential	70	62	60	60	0.2	No	No	No	No	62	60	60	0.2	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_4	28.5	Residential	70	62	60	60	0.3	No	No	No	No	62	60	60	0.3	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_5	31.3	Residential	70	62	61	61	0.2	No	No	No	No	62	61	61	0.2	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_6	34.1	Residential	70	62	61	61	0.2	No	No	No	No	62	61	61	0.2	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_7	36.9	Residential	70	63	62	62	0.2	No	No	No	No	63	62	62	0.2	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_8	39.7	Residential	70	63	62	62	0.1	No	No	No	No	63	62	62	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_9	42.5	Residential	70	64	64	64	0.2	No	No	No	No	64	64	64	0.2	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_10	45.3	Residential	70	64	64	64	0.1	No	No	No	No	64	64	64	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_11	48.1	Residential	70	64	64	64	0.2	No	No	No	No	64	64	64	0.2	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_12	50.9	Residential	70	64	65	65	0.1	No	No	No	No	64	65	65	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_13	53.7	Residential	70	64	65	65	0.1	No	No	No	No	64	65	65	0.1	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_14	56.5	Residential	70	64	65	65	0.2	No	No	No	No	64	65	65	0.2	No	No	No	No	
H5	Kam Fai Garden (Block 3)	HS_8_15	59.3	Residential	70	64	65	65	0.3	No	No	No	No	64	65	65	0.3	No	No	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_1	20.1	Residential	70	52	53	53	0.4	No	Yes	No	No	52	53	53	0.3	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_2	22.9	Residential	70	52	54	54	0.4	No	Yes	No	No	53	54	54	0.5	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_3	25.7	Residential	70	53	53	54	0.6	No	Yes	No	No	53	54	54	0.6	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_4	28.5	Residential	70	54	55	55	0.7	No	Yes	No	No	54	55	55	0.7	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_5	31.3	Residential	70	55	57	57	0.8	No	Yes	No	No	55	57	57	0.8	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_6	34.1	Residential	70	56	57	58	0.7	No	Yes	No	No	56	57	58	0.7	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_7	36.9	Residential	70	56	58	59	0.5	No	Yes	No	No	56	58	59	0.5	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_8	39.7	Residential	70	60	61	61	0.3	No	Yes	No	No	61	61	61	0.4	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_9	42.5	Residential	70	61	62	63	0.3	No	Yes	No	No	61	62	63	0.3	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_10	45.3	Residential	70	63	63	63	0.3	No	Yes	No	No	63	63	63	0.3	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_11	48.1	Residential	70	63	64	64	0.2	No	Yes	No	No	64	64	64	0.2	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_12	50.9	Residential	70	64	64	64	0.2	No	Yes	No	No	64	64	64	0.2	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_13	53.7	Residential	70	64	64	65	0.5	No	Yes	No	No	64	64	65	0.5	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_14	56.5	Residential	70	64	65	65	0.5	No	Yes	No	No	65	65	65	0.5	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_9_15	59.3	Residential	70	65	66	66	0.5	No	Yes	No	No	65	66	66	0.5	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_1	20.1	Residential	70	64	64	62	0.1	No	Yes	No	No	64	64	62	0.1	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_2	22.9	Residential	70	64	63	63	0.1	No	Yes	No	No	64	63	63	0.1	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_3	25.7	Residential	70	64	63	63	0.1	No	Yes	No	No	64	63	63	0.1	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_4	28.5	Residential	70	64	64	63	0.1	No	Yes	No	No	64	64	63	0.1	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_5	31.3	Residential	70	65	65	65	0.1	No	Yes	No	No	65	65	65	0.1	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_6	34.1	Residential	70	66	66	66	0.1	No	Yes	No	No	66	66	66	0.1	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_7	36.9	Residential	70	67	67	67	0.0	No	Yes	No	No	67	67	67	0.0	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_8	39.7	Residential	70	67	68	68	0.1	No	Yes	No	No	68	68	68	0.1	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_9	42.5	Residential	70	68	69	69	0.1	No	Yes	No	No	68	69	69	0.0	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_10	45.3	Residential	70	68	69	69	0.0	No	Yes	No	No	68	69	69	0.0	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_11	48.1	Residential	70	68	69	69	0.1	No	Yes	No	No	68	69	69	0.1	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_12	50.9	Residential	70	68	69	69	0.1	No	Yes	No	No	68	69	69	0.0	No	Yes	No	No	
H5	Kam Fai Garden (Block 2)	HS_10_13	53.7	Residential	70	68	69	69	0.0	No	Yes											

Appendix 4.14.2 - Eligibility Assessment for Indirect Technical Remedies - HWR Partion (Unmitigated Scenario)

NSR	Description	NAP	Assessment Point Elevation (mPD)	Type of Use	Noise Criteria, L10(1-h), dB(A)	Prevailing Noise Level in 2023	Predicted Noise Level in 2036				Criteria for Indirect Noise Mitigation (AM)				Criteria for Indirect Noise Mitigation (PM)					
							Overall	All Other Roads	Project Road Contribution	Limit Level	Predicted Noise Level in 2036 (All Roads) - Prevailing Noise Level in 2023 (All Roads) >= 1	Project Road Contribution >= 1	Indirect Mitigation Measures Required	Limit Level	Predicted Noise Level in 2036 (All Roads) - Prevailing Noise Level in 2023 (All Roads) >= 1	Project Road Contribution >= 1	Indirect Mitigation Measures Required			
																		Overall	All Other Roads	Project Road Contribution
H7	TWGHs Tai Tung Pui Social Services Building - Care & Attention Home (4/F)	H7_4_5	19.3	Homes for the Aged (Residential)	70	73	74	74	0.0	Yes	No	No	No	73	74	74	0.0	Yes	No	No
H7	TWGHs Tai Tung Pui Social Services Building - Activity Centre (5/F)	H7_4_6	22.5	Homes for the Aged (Residential)	70	75	75	75	0.0	Yes	No	No	No	74	75	75	0.0	Yes	No	No
H7	TWGHs Tai Tung Pui Social Services Building - Activity Centre (6/F)	H7_4_7	25.8	Homes for the Aged (Residential)	70	75	76	76	0.0	Yes	No	No	No	75	76	76	0.0	Yes	No	No
H7	TWGHs Tai Tung Pui Social Services Building - Activity Centre (7/F)	H7_4_8	29.1	Homes for the Aged (Residential)	70	76	76	76	0.0	Yes	No	No	No	75	76	76	0.0	Yes	No	No
H7	TWGHs Tai Tung Pui Social Services Building - Activity Centre (8/F)	H7_4_9	32.4	Homes for the Aged (Residential)	70	77	77	77	0.0	Yes	No	No	No	76	77	77	0.0	Yes	No	No
H7	TWGHs Tai Tung Pui Social Services Building - Physiotherapy Room (8/F)	H7_4_10	35.7	Clinics	55	77	77	77	0.0	Yes	No	No	No	76	77	77	0.0	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_1_1	7.4	Educational	65	63	64	64	0.0	No	Yes	No	No	63	64	64	0.0	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_1_2	10.9	Educational	65	68	69	69	0.1	Yes	No	No	No	68	69	69	0.0	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_1_3	14.4	Educational	65	71	72	72	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_1_4	17.9	Educational	65	72	73	73	0.0	Yes	No	No	No	72	73	73	0.0	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_1_5	21.4	Educational	65	72	73	73	0.1	Yes	No	No	No	72	73	73	0.0	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_1_6	24.9	Educational	65	72	74	73	0.1	Yes	No	No	No	72	74	73	0.1	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_1_7	28.4	Educational	65	72	73	73	0.0	Yes	No	No	No	72	73	73	0.0	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_2_1	7.4	Educational	65	69	71	71	0.0	Yes	No	No	No	69	71	71	0.1	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_2_2	10.9	Educational	65	71	73	73	0.1	Yes	No	No	No	71	73	73	0.1	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_2_3	14.4	Educational	65	73	75	75	0.0	Yes	No	No	No	73	74	74	0.0	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_2_4	17.9	Educational	65	74	75	75	0.0	Yes	No	No	No	74	75	75	0.1	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_2_5	21.4	Educational	65	74	75	75	0.0	Yes	No	No	No	74	75	75	0.0	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_2_6	24.9	Educational	65	74	75	75	0.0	Yes	No	No	No	74	75	75	0.1	Yes	No	No
H8	Chung Sing Benevolent Society Mrs. Aw Boon Haw Secondary School	H8_2_7	28.4	Educational	65	74	75	75	0.0	Yes	No	No	No	74	75	75	0.0	Yes	No	No
H9	Sampe Memorial Secondary School	H9_1_1	10.6	Educational	65	62	64	64	0.0	Yes	No	No	No	62	64	64	0.0	Yes	No	No
H9	Sampe Memorial Secondary School	H9_1_2	14.1	Educational	65	64	66	66	0.0	Yes	No	No	No	64	66	66	0.0	Yes	No	No
H9	Sampe Memorial Secondary School	H9_1_3	17.6	Educational	65	65	67	67	0.0	Yes	No	No	No	65	67	67	0.0	Yes	No	No
H9	Sampe Memorial Secondary School	H9_1_4	21.1	Educational	65	66	68	68	0.0	Yes	No	No	No	66	68	68	0.0	Yes	No	No
H9	Sampe Memorial Secondary School	H9_1_5	24.6	Educational	65	67	68	68	0.0	Yes	No	No	No	67	68	68	0.0	Yes	No	No
H9	Sampe Memorial Secondary School	H9_1_6	28.1	Educational	65	67	68	68	0.0	Yes	No	No	No	67	68	68	0.0	Yes	No	No
H9	Four Gospel Church	H9_2_1	7.2	Place of Worship	65	62	63	63	0.0	No	Yes	No	No	62	63	63	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_1	22.2	Residential	70	71	72	72	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_2	25.4	Residential	70	73	75	75	0.0	Yes	No	No	No	73	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_3	28.2	Residential	70	73	74	74	0.0	Yes	No	No	No	73	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_4	31.0	Residential	70	73	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_5	33.8	Residential	70	72	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_6	36.6	Residential	70	72	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_7	39.4	Residential	70	72	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_8	42.2	Residential	70	72	74	74	0.0	Yes	No	No	No	72	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_9	45.0	Residential	70	72	73	73	0.0	Yes	No	No	No	72	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_10	47.8	Residential	70	72	73	73	0.0	Yes	No	No	No	72	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_11	50.6	Residential	70	72	73	73	0.0	Yes	No	No	No	72	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_12	53.4	Residential	70	71	73	73	0.0	Yes	No	No	No	71	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_13	56.2	Residential	70	71	73	73	0.0	Yes	No	No	No	71	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_14	59.0	Residential	70	71	73	73	0.0	Yes	No	No	No	71	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_15	61.8	Residential	70	71	73	73	0.0	Yes	No	No	No	71	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_16	64.6	Residential	70	71	73	73	0.0	Yes	No	No	No	71	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_17	67.4	Residential	70	71	73	73	0.0	Yes	No	No	No	71	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_18	70.2	Residential	70	71	73	73	0.0	Yes	No	No	No	71	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_19	73.0	Residential	70	71	73	73	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_20	75.8	Residential	70	71	73	73	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_21	78.6	Residential	70	71	73	73	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_22	81.4	Residential	70	71	72	72	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_23	84.2	Residential	70	71	72	72	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_24	87.0	Residential	70	71	72	72	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_25	89.8	Residential	70	71	72	72	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_26	92.6	Residential	70	71	72	72	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_1_27	95.4	Residential	70	71	72	72	0.0	Yes	No	No	No	71	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_1	22.6	Residential	70	67	69	69	0.0	No	Yes	No	No	67	69	69	0.0	No	Yes	No
H10	Handford Garden (Block 2)	H10_2_2	25.4	Residential	70	70	73	73	0.0	Yes	No	No	No	70	72	72	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_3	28.2	Residential	70	71	73	73	0.0	Yes	No	No	No	71	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_4	31.0	Residential	70	72	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_5	33.8	Residential	70	72	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_6	36.6	Residential	70	72	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_7	39.4	Residential	70	72	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_8	42.2	Residential	70	72	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_9	45.0	Residential	70	72	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_10	47.8	Residential	70	72	74	74	0.0	Yes	No	No	No	72	74	74	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_11	50.6	Residential	70	72	74	74	0.0	Yes	No	No	No	72	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_12	53.4	Residential	70	72	73	73	0.0	Yes	No	No	No	72	73	73	0.0	Yes	No	No
H10	Handford Garden (Block 2)	H10_2_13																		

Appendix 4.14.2 - Eligibility Assessment for Indirect Technical Remedies - HWR Partion (Unmitigated Scenario)

NSR	Description	MAP	Assessment Point Elevation (mPD)	Type of Use	Noise Criteria, L10(1-hr), dB(A)	Prevaling Noise Level in 2023				Predicted Noise Level in 2036				Criteria for Indirect Noise Mitigation (AM)				Criteria for Indirect Noise Mitigation (PM)			
						Overall		All Other Roads	Project Road Contribution	Predicted Noise Level in 2036		Predicted Noise Level in 2036 (All Roads) - Prevailing Noise Level in 2023 (All Roads) = 1	Project Road Contribution >= 1	Indirect Mitigation Measures Required	Predicted Noise Level in 2036		Predicted Noise Level in 2036 (All Roads) - Prevailing Noise Level in 2023 (All Roads) >= 1	Project Road Contribution >= 1	Indirect Mitigation Measures Required		
						Overall	Overall			Overall	Overall				Overall	Overall				Overall	Overall
H10	Hanford Garden (Block 3)	H10_6_8	42.3	Residential	70	68	69	69	0.0	No	No	No	67	69	69	0.0	No	No	No		
H10	Hanford Garden (Block 3)	H10_6_9	45.0	Residential	70	68	69	69	0.0	No	No	No	67	69	69	0.0	No	No	No		
H10	Hanford Garden (Block 3)	H10_6_10	47.8	Residential	70	68	70	70	0.0	No	Yes	No	68	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_11	50.6	Residential	70	68	70	70	0.0	No	Yes	No	68	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_12	53.4	Residential	70	68	70	70	0.0	No	Yes	No	68	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_13	56.2	Residential	70	68	70	70	0.0	No	Yes	No	68	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_14	59.0	Residential	70	68	70	70	0.0	No	Yes	No	68	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_15	61.8	Residential	70	68	70	70	0.0	No	Yes	No	68	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_16	64.6	Residential	70	68	70	70	0.0	No	Yes	No	68	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_17	67.4	Residential	70	68	70	70	0.0	No	Yes	No	68	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_18	70.2	Residential	70	68	70	70	0.0	No	Yes	No	68	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_19	73.0	Residential	70	68	70	70	0.0	No	Yes	No	68	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_20	75.8	Residential	70	68	69	69	0.0	No	Yes	No	67	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_21	78.6	Residential	70	68	69	69	0.0	No	Yes	No	67	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_22	81.4	Residential	70	68	69	69	0.0	No	Yes	No	67	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_23	84.2	Residential	70	68	69	69	0.0	No	Yes	No	67	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_24	87.0	Residential	70	68	69	69	0.0	No	Yes	No	67	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_25	89.8	Residential	70	68	69	69	0.0	No	Yes	No	67	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_26	92.6	Residential	70	68	69	69	0.0	No	Yes	No	67	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 3)	H10_6_27	95.4	Residential	70	68	69	69	0.0	No	Yes	No	67	69	69	0.0	No	Yes	No		
H10	Hanford Garden (Block 4)	H10_7_1	22.6	Residential	70	68	70	70	0.0	Yes	Yes	No	68	69	69	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_2	25.4	Residential	70	70	71	71	0.0	Yes	Yes	No	69	71	71	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_3	28.2	Residential	70	71	72	72	0.0	Yes	Yes	No	70	72	72	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_4	31.0	Residential	70	71	72	72	0.0	Yes	Yes	No	70	72	72	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_5	33.8	Residential	70	71	72	72	0.0	Yes	Yes	No	70	72	72	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_6	36.6	Residential	70	71	72	72	0.0	Yes	Yes	No	70	72	72	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_7	39.4	Residential	70	71	72	72	0.0	Yes	Yes	No	70	72	72	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_8	42.2	Residential	70	71	72	72	0.0	Yes	Yes	No	70	72	72	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_9	45.0	Residential	70	70	72	72	0.0	Yes	Yes	No	70	72	72	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_10	47.8	Residential	70	70	72	72	0.0	Yes	Yes	No	70	72	72	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_11	50.6	Residential	70	70	72	72	0.0	Yes	Yes	No	69	71	71	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_12	53.4	Residential	70	70	71	71	0.0	Yes	Yes	No	69	71	71	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_13	56.2	Residential	70	70	71	71	0.0	Yes	Yes	No	69	71	71	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_14	59.0	Residential	70	69	71	71	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_15	61.8	Residential	70	69	71	71	0.0	Yes	Yes	No	69	71	71	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_16	64.6	Residential	70	69	71	71	0.0	Yes	Yes	No	69	71	71	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_17	67.4	Residential	70	69	71	71	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_18	70.2	Residential	70	69	71	71	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_19	73.0	Residential	70	69	70	70	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_20	75.8	Residential	70	69	70	70	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_21	78.6	Residential	70	69	70	70	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_22	81.4	Residential	70	69	70	70	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_23	84.2	Residential	70	69	70	70	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_24	87.0	Residential	70	69	70	70	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_25	89.8	Residential	70	68	70	70	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_26	92.6	Residential	70	68	70	70	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H10	Hanford Garden (Block 4)	H10_7_27	95.4	Residential	70	68	70	70	0.0	Yes	Yes	No	68	70	70	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_1	8.0	Residential	70	76	77	77	0.0	Yes	No	No	76	77	77	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_2	10.7	Residential	70	76	77	77	0.0	Yes	No	No	76	77	77	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_3	13.4	Residential	70	76	76	76	0.0	Yes	No	No	76	77	77	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_4	16.2	Residential	70	75	76	76	0.0	Yes	No	No	75	76	76	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_5	19.0	Residential	70	75	76	76	0.0	Yes	No	No	75	76	76	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_6	21.7	Residential	70	75	76	76	0.0	Yes	No	No	75	76	76	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_7	24.5	Residential	70	74	75	75	0.0	Yes	No	No	74	75	75	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_8	27.2	Residential	70	74	75	75	0.0	Yes	No	No	74	75	75	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_9	29.9	Residential	70	74	75	75	0.0	Yes	No	No	74	75	75	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_10	32.7	Residential	70	73	74	74	0.0	Yes	No	No	73	74	74	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_11	35.4	Residential	70	73	74	74	0.0	Yes	No	No	73	74	74	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_12	38.2	Residential	70	73	74	74	0.0	Yes	No	No	73	74	74	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_13	40.9	Residential	70	73	74	74	0.0	Yes	No	No	73	74	74	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_14	43.7	Residential	70	73	74	74	0.0	Yes	No	No	73	74	74	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_15	46.4	Residential	70	73	74	74	0.0	Yes	No	No	73	74	74	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_16	49.2	Residential	70	73	74	74	0.0	Yes	No	No	72	73	73	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_17	52.0	Residential	70	72	73	73	0.0	Yes	No	No	72	73	73	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_18	54.8	Residential	70	72	73	73	0.0	Yes	No	No	72	73	73	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_19	57.6	Residential	70	72	73	73	0.0	Yes	No	No	72	73	73	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_20	60.4	Residential	70	72	73	73	0.0	Yes	No	No	72	73	73	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_21	63.2	Residential	70	72	73	73	0.0	Yes	No	No	72	73	73	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu House)	H11_1_22	66.0	Residential	70	72	73	73	0.0	Yes	No	No	72	73	73	0.0	Yes	No	No		
H11	Sam Shing Estate (Chun Yu																				

Appendix 4.14.2 - Eligibility Assessment for Indirect Technical Remedies - HWR Partion (Unmitigated Scenario)

NSR	Description	NAP	Assessment Point Elevation (mPD)	Type of Use	Noise Criteria, L10(1-hr), dB(A)	Criteria for Indirect Noise Mitigation (AM)										Criteria for Indirect Noise Mitigation (PM)											
						Prevailing Noise Level in 2023		Predicted Noise Level in 2036				Predicted Noise Level in 2036 > Limit Level				Indirect Mitigation Measures Required	Prevailing Noise Level in 2023		Predicted Noise Level in 2036				Predicted Noise Level in 2036 > Limit Level				Indirect Mitigation Measures Required
						Overall	Overall	All Other Roads	Project Road Contribution	Project Road Contribution >= 1	Project Road Contribution >= 1	Project Road Contribution >= 1	Project Road Contribution >= 1	Overall	Overall		All Other Roads	Project Road Contribution	Project Road Contribution >= 1	Project Road Contribution >= 1	Project Road Contribution >= 1						
H24	IC Place (Tower 1)	H24_1_12	42.4	Residential	70	71	72	72	0.0	Yes	No	No	No	No	71	72	72	0.0	Yes	No	No	No	No				
H24	IC Place (Tower 1)	H24_1_13	45.2	Residential	70	71	72	72	0.1	Yes	No	No	No	No	71	72	72	0.0	Yes	No	No	No	No				
H24	IC Place (Tower 1)	H24_1_14	48.0	Residential	70	71	72	72	0.0	Yes	No	No	No	No	71	72	72	0.0	Yes	No	No	No	No				
H24	IC Place (Tower 1)	H24_1_15	50.8	Residential	70	72	73	73	0.0	Yes	No	No	No	No	72	72	72	0.0	Yes	No	No	No	No				
H24	IC Place (Tower 1)	H24_1_16	53.6	Residential	70	72	73	73	0.0	Yes	No	No	No	No	72	72	72	0.0	Yes	No	No	No	No				
H24	IC Place (Tower 1)	H24_1_17	56.4	Residential	70	72	73	73	0.0	Yes	No	No	No	No	72	73	73	0.0	Yes	No	No	No	No				
H24	IC Place (Tower 1)	H24_1_18	59.2	Residential	70	72	73	73	0.0	Yes	No	No	No	No	72	73	73	0.0	Yes	No	No	No	No				
H24	IC Place (Tower 1)	H24_1_19	62.0	Residential	70	70	71	71	0.0	Yes	No	No	No	No	70	71	71	0.0	Yes	No	No	No	No				
H24	IC Place (Tower 1)	H24_2_2	14.4	Residential	70	73	74	74	0.0	Yes	Yes	No	No	No	73	74	74	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_3	17.2	Residential	70	73	74	74	0.0	Yes	Yes	No	No	No	73	74	74	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_4	20.0	Residential	70	73	74	74	0.0	Yes	Yes	No	No	No	73	74	74	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_5	22.8	Residential	70	73	74	74	0.0	Yes	Yes	No	No	No	73	74	74	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_6	25.6	Residential	70	73	74	74	0.0	Yes	Yes	No	No	No	73	74	74	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_7	28.4	Residential	70	73	74	74	0.0	Yes	Yes	No	No	No	73	74	74	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_8	31.2	Residential	70	73	74	74	0.0	Yes	Yes	No	No	No	72	73	73	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_9	34.0	Residential	70	73	74	74	0.0	Yes	Yes	No	No	No	72	73	73	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_10	36.8	Residential	70	72	74	74	0.0	Yes	Yes	No	No	No	72	73	73	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_11	39.6	Residential	70	72	73	73	0.0	Yes	Yes	No	No	No	72	73	73	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_12	42.4	Residential	70	72	73	73	0.0	Yes	Yes	No	No	No	72	73	73	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_13	45.2	Residential	70	72	73	73	0.0	Yes	Yes	No	No	No	72	73	73	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_14	48.0	Residential	70	72	73	73	0.0	Yes	Yes	No	No	No	72	73	73	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_15	50.8	Residential	70	72	73	73	0.0	Yes	Yes	No	No	No	72	73	73	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_16	53.6	Residential	70	72	73	73	0.0	Yes	Yes	No	No	No	72	73	73	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_17	56.4	Residential	70	72	73	73	0.0	Yes	Yes	No	No	No	72	73	73	0.0	Yes	Yes	No	No	No				
H24	IC Place (Tower 1)	H24_2_18	59.2	Residential	70	72	73	73	0.0	Yes	Yes	No	No	No	72	72	72	0.0	Yes	Yes	No	No	No				
H53	Caritas Li Ka Shing Care and Attention Home	H53_1_1	28.9	Clinics	55	56	57	57	0.0	Yes	No	No	No	No	56	57	57	0.0	Yes	No	No	No	No				
H54	Village House near Dragon Inn Court and Scenic	H54_1_1	29.4	Residential	70	66	64	64	0.0	No	No	No	No	No	66	65	65	0.0	No	No	No	No	No				
H54	Village House near Dragon Inn Court and Scenic	H54_1_2	32.2	Residential	70	66	65	65	0.0	No	No	No	No	No	66	65	65	0.0	No	No	No	No	No				
H54	Village House near Dragon Inn Court and Scenic	H54_1_3	35.0	Residential	70	66	65	65	0.0	No	No	No	No	No	66	65	65	0.0	No	No	No	No	No				
PN3	Planned Residential Development at Ex-salvation Army Sam Shing Chuen Lau Ng Ying School / The Salvation Army 'To Gather' @ Sam Shing Transitional Housing	PN3_1_1	5.7	Residential	70	77	64	64	0.0	No	No	No	No	No	77	65	65	0.0	No	No	No	No	No				
PN3	Planned Residential Development at Ex-salvation Army Sam Shing Chuen Lau Ng Ying School / The Salvation Army 'To Gather' @ Sam Shing Transitional Housing	PN3_1_2	8.5	Residential	70	77	65	64	0.0	No	No	No	No	No	77	65	65	0.0	No	No	No	No	No				
PN3	Planned Residential Development at Ex-salvation Army Sam Shing Chuen Lau Ng Ying School / The Salvation Army 'To Gather' @ Sam Shing Transitional Housing	PN3_1_3	11.3	Residential	70	77	65	65	0.0	No	No	No	No	No	76	65	65	0.0	No	No	No	No	No				
PN3	Planned Residential Development at Ex-salvation Army Sam Shing Chuen Lau Ng Ying School / The Salvation Army 'To Gather' @ Sam Shing Transitional Housing	PN3_1_4	14.1	Residential	70	76	69	69	0.0	No	No	No	No	No	76	68	68	0.0	No	No	No	No	No				
PN3	Planned Residential Development at Ex-salvation Army Sam Shing Chuen Lau Ng Ying School / The Salvation Army 'To Gather' @ Sam Shing Transitional Housing	PN3_1_5	16.9	Residential	70	76	71	71	0.0	Yes	No	No	No	No	75	70	70	0.0	No	No	No	No	No				
PN3	Planned Residential Development at Ex-salvation Army Sam Shing Chuen Lau Ng Ying School / The Salvation Army 'To Gather' @ Sam Shing Transitional Housing	PN3_1_6	19.7	Residential	70	75	72	72	0.0	Yes	No	No	No	No	75	71	71	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_1_1	7.1	G/C	65	71	72	72	0.0	Yes	No	No	No	No	72	72	72	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_1_2	10.6	G/C	65	74	75	75	0.0	Yes	No	No	No	No	75	75	75	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_1_3	14.1	G/C	65	77	78	78	0.0	Yes	No	No	No	No	78	78	78	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_1_4	17.6	G/C	65	78	78	78	0.0	Yes	No	No	No	No	78	78	78	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_1_5	21.1	G/C	65	78	78	78	0.0	Yes	No	No	No	No	79	78	78	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_1_6	24.6	G/C	65	78	78	78	0.0	Yes	No	No	No	No	78	78	78	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_1_7	28.1	G/C	65	78	78	78	0.0	Yes	No	No	No	No	78	78	78	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_1_8	31.6	G/C	65	78	78	78	0.0	Yes	No	No	No	No	78	78	78	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_1_9	35.1	G/C	65	78	78	78	0.0	Yes	No	No	No	No	78	78	78	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_2_1	6.7	G/C	65	76	78	78	0.0	Yes	Yes	No	No	No	76	77	77	0.0	Yes	Yes	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_2_2	10.2	G/C	65	76	78	78	0.0	Yes	Yes	No	No	No	76	77	77	0.0	Yes	Yes	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_2_3	13.7	G/C	65	76	77	77	0.0	Yes	Yes	No	No	No	76	77	77	0.0	Yes	Yes	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_2_4	17.2	G/C	65	76	77	77	0.0	Yes	Yes	No	No	No	76	77	77	0.0	Yes	Yes	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_2_5	20.7	G/C	65	76	77	77	0.0	Yes	Yes	No	No	No	76	77	77	0.0	Yes	Yes	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_2_6	24.2	G/C	65	76	77	77	0.0	Yes	Yes	No	No	No	76	77	77	0.0	Yes	Yes	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_2_7	27.7	G/C	65	76	77	77	0.0	Yes	No	No	No	No	76	77	77	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_2_8	31.2	G/C	65	76	77	77	0.0	Yes	No	No	No	No	76	77	77	0.0	Yes	No	No	No	No				
PN4	Proposed G/C Facilities near Su Lum Complex	PN4_2_9	34.7	G/C	65	76	77	77	0.0	Yes	No	No	No	No	76	77	77	0.0	Yes	No	No	No	No				
PN7	Proposed G/C Facilities at Car Park near Sam Shing Hui	PN7_1_1	5.9	G/C	65	76	78	78	0.0	Yes	Yes	No	No	No	76	77	77	0.0	Yes	Yes	No	No	No				
PN7	Proposed G/C Facilities at Car Park near Sam Shing Hui	PN7_1_2	9.4	G/C	65	76	78	78	0.0	Yes	Yes	No	No	No	76	77	77	0.0	Yes	Yes	No	No	No				
PN7	Proposed G/C Facilities at Car Park near Sam Shing Hui	PN7_1_3	12.9	G/C	65	76	78	78	0.0	Yes	Yes	No	No	No	76	77	77	0.0	Yes	Yes	No	No	No				
PN7	Proposed G/C Facilities at Car Park near Sam Shing Hui	PN7_1_4	16.4	G/C	65	76	78	78	0.0	Yes	Yes	No	No	No	76	77	77	0.0	Yes	Yes	No	No	No				
PN7	Proposed G/C Facilities at Car Park near Sam Shing Hui	PN7_2_1	5.9	G/C	65	76	79	79	0.0	Yes	No	No	No	No	76	78	78	0.0	Yes	No	No	No	No				
PN7	Proposed G/C Facilities at Car Park near Sam Shing Hui	PN7_2_2	9.4	G/C	65	76	79	79	0.0	Yes	No	No	No	No	76	78	78	0.0	Yes	No	No	No	No				
PN7	Proposed G/C Facilities at Car Park near Sam Shing Hui	PN7_2_3	12.9	G/C	65	76	78	78	0.0	Yes	No	No	No	No	76	78	78	0.0	Yes	No	No	No	No				
PN7	Proposed G/C Facilities at Car Park near Sam Shing Hui	PN7_2_4	16.4	G/C	65	76	78	78	0.0	Yes	No	No	No	No	76	78	78	0.0	Yes	No	No	No	No				