



APPENDIX 7.2

CORRESPONDENCES FROM EPD AND FSD ON RECORDS OF INCIDENTS



8 August 2022

By Post & Email

Our ref: 2512229A-GN-0176/22

Environmental Protection Department
Environmental Compliance Division
Regional Office (West),
7th floor, Tsuen Wan Government Offices,
38 Sai Lau Kok Road, Tsuen Wan, New Territories

Attn: Mr. CHEUNG Ching (Env Protection Offr(Regional W)11)

Dear Sir,

**Agreement No. CE 11/2021 (HY)
Traffic Improvement Scheme in Tuen Mun – Widening and Addition of slip roads at Lung Fu Road/ Tuen Mun Road/ Wong Chu Road/ Hoi Wing Road (Extension Works to Major Roads in Tuen Mun) – Investigation, Design and Construction
Request for Information of Spillage and Leakage Incidents**

We are the appointed Consultant by Highways Department (HyD) to undertake the captioned Agreement. A copy of memo issued by HyD dated 28 September 2021 is attached for your reference.

To facilitate our Land Contamination Assessment for the said Project at the existing traffic intersections/ junctions, we are required to review the historical and present land use and to request the following information of potential land contamination issues within and around the concerned areas (see attached).

1. Reported accidents of spillage of chemicals; and
2. Reported leakage incident of chemicals.

Please refer to the Project Boundary as demarcated in the attached plan for your information. The period of investigation would be starting from 1985 to present.

Due to the tight programme of this project, your prompt response on or before **17 August 2022** is much appreciated.

Should this be not under your purview, we are grateful if you could direct our request to the corresponding unit/personnel of your Department. For any queries, please contact our environmental consultant Ms. Jessica ZHANG at 2217 3012 or Mr. Herman LAI at 2579 8539, or via email at hkg-2512229a-ce11@wsp.com.

Yours faithfully,
For and on behalf of
WSP (Asia) Limited

Emeric WAN
Project Manager

EW/Vs/HL/cl

Encl.

cc. HyD – Ms. WAN Vivian Yuen Lam

(w/o)

7/F One Kowloon
1 Wang Yuen Street
Kowloon Bay, Hong Kong

香港九龍灣宏遠街1號
一號九龍7字樓

T+ 852 2579-8899
F+ 852 2856-9902
wsp.com

[]

By Fax

**MEMO**

From PPC3/SD, MWPMO(SD), HyD	To Distribution
Ref. (7N2F) in HyD MWSD/11-3/CE11/2021(HY)/1/1	(Attn. : _____)
Tel. No. 2762 4132	Your Ref. _____
Fax. No. 3188 6614	Dated _____ Fax No. _____
Date 30 September 2021	Total Pages 5+Encl.

Agreement No. CE 11/2021 (HY)
Traffic Improvement Scheme in Tuen Mun –
Widening and Addition of slip roads at Lung Fu Road / Tuen Mun Road / Wong Chu
Road / Hoi Wing Road –
Investigation, Design and Construction

We would like to inform you that the Consultants, WSP (Asia) Limited [WSP], have been appointed by this Department to undertake captioned Investigation, Design and Construction Assignment (the Assignment), which commenced on 28 September 2021.

2. The Assignment is to carry out investigation, preliminary design, detailed design, tendering and construction supervision for the project of widening and addition of slip roads at Lung Fu Road, Wong Chu Road and Hoi Wing Road in Tuen Mun, which includes the followings:-

- (a) construction of an elevated single-lane carriageway of approximately 600 meters in length connecting Lung Fu Road to Tsing Wun Road northbound;
- (b) construction of an elevated single-lane carriageway of approximately 800 meters in length connecting Tsing Wun Road to Lung Fu Road southbound;
- (c) widening of an approximately 300 meters long existing slip road to two traffic lanes connecting Tuen Mun Road (Town Centre Section) southbound to Wong Chu Road westbound;
- (d) construction of an approximately 550 meters long slip road to link Tuen Mun Road northbound and Hoi Wing Road westbound; and
- (e) associated civil engineering works, including inter-alia, slope and geotechnical works, public lighting and traffic control facilities, noise mitigation structures, drainage and water works, and landscaping works.

----- A general layout plan of the project is enclosed for your reference.

3. The construction of the project is tentatively scheduled for commencement in mid 2024 with anticipated completion by 2031. During the course of the Assignment, the Consultants may approach your office for relevant information and/or seek your comments on draft papers, reports or proposals. In order to meet the extremely tight programme of the Assignment, we would like to solicit your assistance and prompt response in this regard.

4. Should you have any enquiries regarding the Assignment, please do not hesitate to contact the undersigned or my engineer, Mr. Herman MAK at 2762 4127 or Mr. Emeric WAN of WSP at 2579 8885.



(Kenneth LEE)
for Principal Project Coordinator 3/Special Duties
Major Works Project Management Office (Special Duties)
Highways Department

Encl.

c.c. w/e

WSP (Asia) Limited

(Attn. : Mr. Emeric WAN)


Fax : 2856 9902


Internal



E2/SD

E25/SD

PC24/SD




LEGEND :
 PROPOSED TRAFFIC IMPROVEMENT SCHEME IN TUEN MUN TO BE IMPLEMENTED UNDER THIS PROJECT



圖則名稱 drawing title

TRAFFIC IMPROVEMENT SCHEME IN TUEN MUN - LAYOUT PLAN

設計 designed W Y NG 09/10/19	繪圖 drawn C K AU 09/10/19	圖則編號 drawing no. HMS6880TH-SK0010	比例 scale 1:7500
覆核 checked	批准 approved	© 版權所有 COPYRIGHT RESERVED	
主要工程管理處 (專責事務) MAJOR WORKS PROJECT MANAGEMENT OFFICE (SPECIAL DUTIES)		 HIGHWAYS DEPARTMENT HONG KONG 路政署	

Dickson Ho

From: ccheung@epd.gov.hk
Sent: Thursday, 11 August, 2022 13:46
To: hkg-2512229a-ce11
Cc: Lai, Chloe Kwan-Ting; e2.mwsd@hyd.gov.hk; Jessica Zhang; pc15.mwsd@hyd.gov.hk; pc24.mwsd@hyd.gov.hk; se9.mwsd@hyd.gov.hk
Subject: Re: Agreement No. CE 11/2021 (HY) - Request for Information of Spillage and Leakage Incidents

Follow Up Flag: Follow up
Flag Status: Flagged

WARNING: The sender of this email could not be validated and may not match the person in the "From" field.

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Chloe,

According to our record, there is no reported chemical spillage accident or chemical leakage incident.

Thanks
Eric CHEUNG
2417 6138
E(RW)11
Regional Office (West)
Environmental Protection Department

From: hkg-2512229a-ce11 <hkg-2512229a-ce11@wsp.com>
To: "ccheung@epd.gov.hk" <ccheung@epd.gov.hk>
Cc: hkg-2512229a-ce11 <hkg-2512229a-ce11@wsp.com>, "se9.mwsd@hyd.gov.hk" <se9.mwsd@hyd.gov.hk>, "e2.mwsd@hyd.gov.hk" <e2.mwsd@hyd.gov.hk>, "pc24.mwsd@hyd.gov.hk" <pc24.mwsd@hyd.gov.hk>, "pc15.mwsd@hyd.gov.hk" <pc15.mwsd@hyd.gov.hk>, Jessica Zhang <jessica.zhang@erm.com>
Date: 10/08/2022 16:21
Subject: Agreement No. CE 11/2021 (HY) - Request for Information of Spillage and Leakage Incidents
Sent by: "Lai, Chloe Kwan-Ting" <Chloe.Lai@wsp.com>

Agreement No. CE 11/2021 (HY)
Traffic Improvement Scheme in Tuen Mun - Widening and Addition of slip roads at Lung Fu Road/ Tuen Mun Road/Wong Chu Road/ Hoi Wing Road (Extension Works to Major Roads in Tuen Mun)
– Investigation, Design and Construction

Dear Sir,

Please find the softcopy of letter ref. 2512229A-GN-0176/22 "Request for Information of Spillage and Leakage Incidents", the hard copy will be delivered to your office accordingly.

Your prompt response of the above on or before **17 August 2022** is much appreciated.

If you have any enquiries, please contact our environmental consultant Ms. Jessica ZHANG at 2217 3012 or Mr. Herman LAI at 2579 8539, or via email at hkg-2512229a-ce11@wsp.com for any further information needed.

Thanks & Best Regards,



Chloe Lai

Project Administrator, Transport and Infrastructure

D+ 852 2579-7087

F+ 852 2856-9902

NOTICE: This communication and any attachments ("this message") may contain information which is privileged, confidential, proprietary or otherwise subject to restricted disclosure under applicable law. This message is for the sole use of the intended recipient(s). Any unauthorized use, disclosure, viewing, copying, alteration, dissemination or distribution of, or reliance on, this message is strictly prohibited. If you have received this message in error, or you are not an authorized or intended recipient, please notify the sender immediately by replying to this message, delete this message and all copies from your e-mail system and destroy any printed copies.

-LAEmHhHzdJzBITWfa4Hgs7pbKI [attachment "2512229A-GN-0176_22.pdf" deleted by C CHEUNG/EPD/HKSARG]



21 January 2022

By Post & Email

Our ref: 2512229A-GN-0071/22

Fire Services Department
Headquarters Command
Management Group (MG)
9th Floor, Fire Services Headquarters Building,
1 Hong Chong Road, Tsim Sha Tsui East, Kowloon

Attn: Mr. NG Wing Chit
(Asst Div Offr (Management Group)1)

Dear Sir,

Agreement No. CE 11/2021 (HY)
Traffic Improvement Scheme in Tuen Mun – Widening and Addition of
slip roads at Lung Fu Road/ Tuen Mun Road/ Wong Chu Road/ Hoi Wing
Road
(Extension Works to Major Roads in Tuen Mun)
– Investigation, Design and Construction
Request for Information of Dangerous Goods, Spillage/ Leakage Incidents
and Fire Records

We are the appointed Consultant by Highways Department (HyD) to undertake the captioned Agreement. A copy of memo issued by HyD dated 28 September 2021 is attached for your reference.

To conduct a Land Contamination Assessment for the captioned project for the improvement works at existing traffic intersections/ junctions and an existing parking lot in Tuen Mun District, we are required to review the historical and present land use within and around the area and evaluate any potential land contamination issues in the concerned area. We would appreciate it if you could provide the following information for our land contamination assessment:

- a) Past and present Dangerous Goods Records;
- b) Past and present spillage / leakage record / incident of the concerned areas; and
- c) Past and present fire record of the concerned areas

for the following addresses:

1. Intersections of Lung Mun Road, Lung Fu Road, Tsing Wun Road, Wong Chu Road, Wong Chu Road and Yip Wong Road, Tuen Mun
2. Wong Chu Road, Tuen Mun Road – Town Centre Section and their slip roads
3. Parking lot at 200 Castle Peak Road-Castle Peak Bay and Site by the intersection between Hoi Wing Road and Tuen Mun Road

7/F One Kowloon
1 Wang Yuen Street
Kowloon Bay, Hong Kong

香港九龍灣宏遠街1號
一號九龍7字樓

T+ 852 2579-8899
F+ 852 2856-9902
wsp.com



Our ref: 2512229A-GN-0071/22

Please refer to the site limit as demarcated in the attached plan for your information. The period of investigation would be starting from 1985 to present.

Due to the tight programme of this project, your prompt response on or before **31 January 2022** is much appreciated.

Should you have any queries, please contact our Ms. Celia TSUI at 3900 2242 or Mr. Herman LAI at 2579 8539, or via email at hkg-2512229a-ce11@wsp.com.

Yours faithfully,
For and on behalf of
WSP (Asia) Limited

A handwritten signature in blue ink, appearing to be 'Emeric WAN', with a long horizontal flourish extending to the right.

Emeric WAN
Project Manager

EWA/S/HL/CT/gw

Encl.

cc. HyD – Ms. WAN Vivian Yuen Lam

(w/o)

[]

By Fax

**MEMO**

From PPC3/SD, MWPMO(SD), HyD	To Distribution
Ref. (7N2F) in HyD MWSD/11-3/CE11/2021(HY)/1/1	(Attn. : _____)
Tel. No. 2762 4132	Your Ref. _____
Fax. No. 3188 6614	Dated _____ Fax No. _____
Date 30 September 2021	Total Pages 5+Encl.

Agreement No. CE 11/2021 (HY)
Traffic Improvement Scheme in Tuen Mun –
Widening and Addition of slip roads at Lung Fu Road / Tuen Mun Road / Wong Chu
Road / Hoi Wing Road –
Investigation, Design and Construction

We would like to inform you that the Consultants, WSP (Asia) Limited [WSP], have been appointed by this Department to undertake captioned Investigation, Design and Construction Assignment (the Assignment), which commenced on 28 September 2021.

2. The Assignment is to carry out investigation, preliminary design, detailed design, tendering and construction supervision for the project of widening and addition of slip roads at Lung Fu Road, Wong Chu Road and Hoi Wing Road in Tuen Mun, which includes the followings:-

- (a) construction of an elevated single-lane carriageway of approximately 600 meters in length connecting Lung Fu Road to Tsing Wun Road northbound;
- (b) construction of an elevated single-lane carriageway of approximately 800 meters in length connecting Tsing Wun Road to Lung Fu Road southbound;
- (c) widening of an approximately 300 meters long existing slip road to two traffic lanes connecting Tuen Mun Road (Town Centre Section) southbound to Wong Chu Road westbound;
- (d) construction of an approximately 550 meters long slip road to link Tuen Mun Road northbound and Hoi Wing Road westbound; and
- (e) associated civil engineering works, including inter-alia, slope and geotechnical works, public lighting and traffic control facilities, noise mitigation structures, drainage and water works, and landscaping works.

----- A general layout plan of the project is enclosed for your reference.

3. The construction of the project is tentatively scheduled for commencement in mid 2024 with anticipated completion by 2031. During the course of the Assignment, the Consultants may approach your office for relevant information and/or seek your comments on draft papers, reports or proposals. In order to meet the extremely tight programme of the Assignment, we would like to solicit your assistance and prompt response in this regard.

4. Should you have any enquiries regarding the Assignment, please do not hesitate to contact the undersigned or my engineer, Mr. Herman MAK at 2762 4127 or Mr. Emeric WAN of WSP at 2579 8885.



(Kenneth LEE)
for Principal Project Coordinator 3/Special Duties
Major Works Project Management Office (Special Duties)
Highways Department

Encl.

c.c. w/e

WSP (Asia) Limited

(Attn. : Mr. Emeric WAN)


Fax : 2856 9902

Internal


E2/SD

E25/SD

PC24/SD



LEGEND :

 PROPOSED TRAFFIC IMPROVEMENT SCHEME IN TUEN MUN TO BE IMPLEMENTED UNDER THIS PROJECT

PROPOSED LUNG FU ROAD SLIP ROAD (NORTHBOUND)


PROPOSED LUNG FU ROAD SLIP ROAD (SOUTHBOUND)

PROPOSED WIDENING OF TUEN MUN ROAD / WONG CHU ROAD SLIP ROAD

PROPOSED TUEN MUN ROAD / HOI WING ROAD SLIP ROAD

圖則名稱 drawing title

TRAFFIC IMPROVEMENT SCHEME IN TUEN MUN - LAYOUT PLAN

設計 designed W Y NG 09/10/19	繪圖 drawn C K AU 09/10/19	圖則編號 drawing no. HMS6880TH-SK0010	比例 scale 1:7500
覆核 checked	批准 approved	© 版權所有 COPYRIGHT RESERVED	
主要工程管理處 (專責事務) MAJOR WORKS PROJECT MANAGEMENT OFFICE (SPECIAL DUTIES)		 HIGHWAYS DEPARTMENT HONG KONG 路政署	

消防處

香港九龍尖沙咀東部康莊道1號
消防處總部大廈



FIRE SERVICES DEPARTMENT
FIRE SERVICES HEADQUARTERS BUILDING,
No.1 Hong Chong Road,
Tsim Sha Tsui East, Kowloon,
Hong Kong.

本處檔號 OUR REF. : (32) in FSD GR 6-5/4 R Pt. 39
來函檔號 YOUR REF. : 69001-EN-18796/21
電子郵件 E-mail : hkfsdenq@hkfsd.gov.hk
圖文傳真 FAX NO. : 2739 5879
電話 TEL NO. : 2733 7741

21 February 2022

WSP
7/F One Kowloon,
1 Wang Yuen Street,
Kowloon Bay,
Hong Kong
(Attn: Mr. Emeric WAN, Project Manager)

Dear Mr. WAN,

Agreement No. CE 11/2021 (HY)
**Traffic Improvement Scheme in Tuen Mun – Widening and Addition of slips
roads at Lung Fu Road/Tuen Mun Road/Wong Chu Road/Hoi Wing Road
(Extension Works to Major Roads in Tuen Mun)**
Request for Information of Dangerous Goods & Incident Records

I refer to your letter of 21.1.2022 regarding the captioned request and
reply below in response to your questions:-

1. No Dangerous Goods Licence was issued in respect of the
captioned address.
2. A total of eight incident records were found at the subject
location. Please refer to **Appendix A** for details.

If you have further questions, please feel free to contact the
undersigned.

Yours sincerely,

(NG Wing-chit)
for Director of Fire Services

Agreement No. CE 11/2021 (HY)

Traffic Improvement Scheme in Tuen Mun – Widening and Addition of slips roads at Lung Fu

Road/Tuen Mun Road/Wong Chu Road/Hoi Wing Road

(Extension Works to Major Roads in Tuen Mun)

Request for Information of Dangerous Goods & Incident Records

No.	Date	Type of Incident	Address
1	4.10.2019	Vehicle Fire	Lung Mun Road , near Lamppost AD0417B
2	29.4.2020	Vehicle Fire	Near Lamppost DD2121, Near Castle Peak Road
3	5.5.2020	No. 2 Fire Alarm	Tuen Mun Road, Near On Ting Estate
4	15.10.2020	No. 1 Fire Alarm	Near Lamppost AD0409, Near Lung Mun Road
5	15.12.2020	No. 1 Fire Alarm	Near Lamppost AD0422, Near Lung Mun Road
6	19.12.2020	No. 1 Fire Alarm	Near Lamppost AD0409, Near Lung Mun Road
7	20.4.2021	No. 1 Fire Alarm	Lung Mun Road, Near Lamppost AD0395
8	5.6.2021	No. 1 Fire Alarm	Lung Mun Road, Near Lamppost AD0395