



## Baseline Noise Monitoring Report

For

**Agreement No. CE 54/2020 (DS)**  
**Drainage Improvement Works in Mui Wo – Investigation**  
**Contract No. PM 07/2022**  
**Baseline Noise Monitoring In Mui Wo**

(Rev. 2)

	Name
Prepared By	Melvin Yan 
Checked & Reviewed By	Vega Wong 

## TABLE OF CONTENTS

### Executive Summary

<b>1. OBJECTIVES .....</b>	<b>2</b>
<b>2. ASSESSMENT METHODOLOGY .....</b>	<b>2</b>
<b>3. MONITORING LOCATIONS.....</b>	<b>3</b>
<b>4. MONITORING FREQUENCY AND DURATION.....</b>	<b>3</b>
<b>5. MONITORING EQUIPMENT.....</b>	<b>3</b>
<b>6. SUMMARY OF NOISE MEASUREMENT .....</b>	<b>4</b>

## LIST OF APPENDICES

Appendix A - Location Plan of Noise Monitoring Station
Appendix B - Calibration Certificate
Appendix C - Programme
Appendix D - Prevailing Background Noise Levels
Appendix E - Photo Record of Baseline Noise Monitoring
Appendix F - Site Conditions, Potential Noise Sources and Observations

## 1. OBJECTIVES

- 1.1 The main objective of this baseline noise monitoring is to conduct baseline noise monitoring at nearest Noise Sensitive Receiver(s) (NSR(s)) that may be affected by the operation of the Project.

## 2. ASSESSMENT METHODOLOGY

- 2.2 The baseline noise survey has been conducted for assessing the impact due to the operation of the Project in accordance with Technical Memorandum for the Assessment of Noise from Places other than Domestic Premises, Public Places or Construction Sites (IND-TM) issued under the Noise Control Ordinance (NCO) and Appendix C of the Study Brief (ESB-334/2020).
- 2.3 The sound level meter and calibrator used for the noise monitoring complied with IEC651:1979 and 804:1985 (Type 1) or equivalent international standards.
- 2.4 Noise monitoring has been conducted with reference to the calibration and measurement procedures as stated in the IND-TM. Immediately prior to and following each noise measurement the accuracy of the monitoring equipment has been checked using an acoustic calibrator generating a known sound pressure level at a known frequency. Measurements has been accepted as the calibration levels from before and after the noise measurement agree to within 1.0 dB.
- 2.5 The sound level meter(s) and acoustic calibrator(s) have been calibrated by a HOKLAS accredited laboratory every one year. Please refer to Appendix B for the relevant calibration certificate.
- 2.6 Noise measurements has been conducted without the presence of fog and rain, and with steady wind speed and gusts not exceeding 5 m/s and 10 m/s respectively, in accordance with international standards and practices (ISO 11819-1:1997 and ISO/FDIS 13472-1:2001). Continuous baseline noise monitoring for the A-weighted levels  $L_{Aeq}$ ,  $L_{10}$ ,  $L_{90}$ ,  $L_{max}$  and  $L_{min}$  has been recorded for reference.
- 2.7 The baseline noise monitoring has been undertaken using the following procedure:
- The sound level meter has been set at 1m from the exterior of the building façade of noise monitoring stations(s) if applicable or at least 1.2 above the ground for free-field measurements at the noise monitoring station(s).
  - Prior to and after each noise measurement, the meter was calibrated using the acoustic calibrator for 94 dB(A) at 1kHz. If the difference in the calibration level before and after measurement as more than 1 dB(A), the measurement would be considered invalid and repeat of noise measurement would be required after re-calibration or repair of the equipment.
  - $L_{Aeq}$  (5mins) has been carried out at noise monitoring stations(s) with a logging interval of 1 second if applicable.
  - Measurement of  $L_{Aeq}$ ,  $L_{10}$ ,  $L_{90}$ ,  $L_{max}$  and  $L_{min}$  has been recorded. Site conditions, potential noise sources and any observations during the noise monitoring has also been recorded.
- 2.8 The wind shield has been used during the monitoring.

### 3. MONITORING LOCATIONS

3.1 In view of the location of the proposed pump house of the Project, two noise monitoring locations, namely NA1 and NA2 are proposed and shown in Drawing No. 409615/BIN/BNM/001 of Appendix A. Table 4.1 describes the noise monitoring locations. A correction of +3dB(A) shall be made to the free-field measurements.

Table 3.1: Noise Monitoring Stations

Noise Monitoring Station	Descriptions	Status	Measurement Type
NA1	9 Nam Bin Wai	Village House	Free-field
NA2	20 Ling Tsui Tau	Village House	Free-field

3.2 The monitoring locations has been chosen regarding the following criteria:

- A location close to the proposed pump house which are likely to have noise impacts during its operation in future;
- Close to the noise sensitive receivers. For the purpose of this section, any domestic premises, hotel, hostel, temporary housing accommodation, hospital, medical clinic, educational institution, place of public worship, library, court of law, performing art centre has been considered as noise sensitive receiver; and
- For monitoring locations located in the vicinity of the sensitive receivers, care has been taken to cause minimal disturbance to the occupants during monitoring.

### 4. MONITORING FREQUENCY AND DURATION

4.1 Baseline noise monitoring has been undertaken at the noise monitoring stations(s) to investigate the prevailing background noise levels during each of the daytime and evening time (i.e. 0700 – 2300 hrs) on three weekdays and three Sundays/Public Holidays, and night-time periods (i.e. 2300 – 0700 hrs of the next day) on three separate weekdays and three separate Sundays/Public Holidays. Average  $L_{90}$  has been adopted as prevailing background noise levels.

### 5. MONITORING EQUIPMENT

5.1 Sound level meter in compliance with the International Electrotechnical Commission Publications 651: 1979 (Type 1) and 804: 1985 (Type 1) specifications has been used for carrying out the noise monitoring. The sound level meter has been checked using an acoustic calibrator. The details of equipment using for baseline monitoring are listed in Table 5.1 as below.

Table 5.1: Monitoring Equipment Used in Baseline Monitoring

Description	Manufacturer	Model	Serial No.	Calibration Date
Sound Level Meter	Svantek	971	103449	19 January 2022
Sound Level Meter	Rion	NL-52	01010877	19 April 2022
Sound Level Calibrator	Rion	NC-74	34615222	13 December 2021

## 6. SUMMARY OF NOISE MEASUREMENT

Table 6.1: Summary of Prevailing Background Noise Levels for NA1

Date	Period	L90*	Max L90*	Min L90*
5 Oct 2022	Night-time 2300 – 0700 next day	47.6	50.6	44.7
6 Oct 2022	Daytime & Evening 0700 – 2300	48.7	54.5	45.1
6 Oct 2022	Night-time 2300 – 0700 next day	46.5	49.7	43.3
7 Oct 2022	Daytime & Evening 0700 – 2300	49.0	56.7	44.3
8 Oct 2022	Night-time 2300 – 0700 next day	48.2	56.5	42.2
9 Oct 2022	Daytime & Evening 0700 – 2300	48.7	56.4	44.7
15 Oct 2022	Night-time 2300 – 0700 next day	45.9	52.3	42.0
16 Oct 2022	Daytime & Evening 0700 – 2300	49.1	55.5	45.0
20 Oct 2022	Night-time 2300 – 0700 next day	45.1	49.9	42.2
21 Oct 2022	Daytime & Evening 0700 – 2300	47.4	50.9	43.5
22 Oct 2022	Night-time 2300 – 0700 next day	44.0	49.6	38.4
23 Oct 2022	Daytime & Evening 0700 – 2300	46.9	49.7	44.1

Remark:

\* A correction of +3dB(A) has been made to the free-field measurements.


Table 6.2: Summary of Prevailing Background Noise Levels for NA2

<b>Date</b>	<b>Period</b>	<b>L90*</b>	<b>Max L90*</b>	<b>Min L90*</b>
5 Oct 2022	Night-time 2300 – 0700 next day	46.2	53.9	44.3
6 Oct 2022	Daytime & Evening 0700 – 2300	52.0	59.9	45.4
6 Oct 2022	Night-time 2300 – 0700 next day	47.3	57.7	44.5
7 Oct 2022	Daytime & Evening 0700 – 2300	50.9	59.0	45.6
8 Oct 2022	Night-time 2300 – 0700 next day	48.5	55.8	44.9
9 Oct 2022	Daytime & Evening 0700 – 2300	53.3	62.6	46.4
15 Oct 2022	Night-time 2300 – 0700 next day	45.3	51.3	44.2
16 Oct 2022	Daytime & Evening 0700 – 2300	54.6	63.7	45.1
20 Oct 2022	Night-time 2300 – 0700 next day	46.5	59.8	43.6
21 Oct 2022	Daytime & Evening 0700 – 2300	52.1	60.7	44.2
22 Oct 2022	Night-time 2300 – 0700 next day	45.4	56.2	43.4
23 Oct 2022	Daytime & Evening 0700 – 2300	52.0	60.1	45.3

Remark:

\* A correction of +3dB(A) has been made to the free-field measurements.

Appendix A - Location Plan of Noise Monitoring Station





Appendix B - Calibration Certificate



Acoustics and Air Testing Laboratory Co. Ltd.  
聲學及空氣測試實驗室有限公司



# Certificate of Calibration

for

**Description:** Sound Level Meter  
**Manufacturer:** Svantek  
**Type No.:** 971 (Serial No.: 103449)  
**Microphone:** ACO 7052E (Serial No.: 79778)  
**Preamplifier:** SV 18 (Serial No.:97276)

**Submitted by:**

**Customer:** Acuity Sustainability Consulting Limited  
**Address:** Unit 1908, Nos. 301-305 Castle Peak Road, Kwai Chung, N.T.

Upon receipt for calibration, the instrument was found to be:

- Within (31.5Hz to 4000Hz)  
 Outside

the allowable tolerance.

The test equipment used for calibration are traceable to National Standards via:

- The Government of The Hong Kong Special Administrative Region Standard & Calibration Laboratory

**Date of receipt:** 17 January 2022

**Date of calibration:** 19 January 2022

**Calibrated by:**   
Calibration Technician

**Date of issue:** 19 January 2022

**Certified by:**   
Mr. Ng Yan Wa  
Laboratory Manager

Certificate No.: APJ21-145-CC001



Page 1 of 4



**1. Calibration Precaution:**

- The unit-under-test (UUT) was allowed to stabilize in the laboratory for over 24 hours, and switched on to warm up for over 10 minutes before the commencement of the test.
- The results presented are the mean of 3 measurements at each calibration point.

**2. Calibration Conditions:**

Air Temperature: 23.4°C  
 Air Pressure: 1001 hPa  
 Relative Humidity: 46.4%

**3. Calibration Equipment:**

	Type	Serial No.	Calibration Report Number	Traceable to
Multifunction Calibrator	B&K 4226	2288467	AV200041	HOKLAS

**4. Calibration Results**

Sound Pressure Level

Reference Sound Pressure Level

Setting of Unit-under-test (UUT)				Applied value		UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB	
25-124.3	dBA SPL	Fast	94	1000	94.0	±0.4	

Linearity

Setting of Unit-under-test (UUT)				Applied value		UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB	
25-124.3	dBA SPL	Fast	94	1000	94.0	Ref	
			104		104.0	±0.3	
			114		114.0	±0.3	

Time Weighting

Setting of Unit-under-test (UUT)				Applied value		UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB	
25-124.3	dBA SPL	Fast	94	1000	94.0	Ref	
		Slow			94.0	±0.3	

Certificate No.: APJ21-145-CC001



Page 2 of 4



Acoustics and Air Testing Laboratory Co. Ltd.  
 聲學及空氣測試實驗室有限公司

Frequency Response

Linear Response

Setting of Unit-under-test (UUT)			Applied value		UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
25-124.3	dB	SPL	94	31.5	94.4	±2.0
				63	94.2	±1.5
				125	94.1	±1.5
				250	94.1	±1.4
				500	94.1	±1.4
				1000	94.0	Ref
				2000	93.7	±1.6
				4000	93.1	±1.6

A-weighting

Setting of Unit-under-test (UUT)			Applied value		UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
25-124.3	dBA	SPL	94	31.5	55.0	-39.4±2.0
				63	68.1	-26.2±1.5
				125	78.1	-16.1±1.5
				250	85.5	-8.6±1.4
				500	90.8	-3.2±1.4
				1000	94.0	Ref
				2000	94.9	+1.2±1.6
				4000	94.2	+1.0±1.6

C-weighting

Setting of Unit-under-test (UUT)			Applied value		UUT Reading,	IEC 61672 Class 1
Range, dB	Freq. Weighting	Time Weighting	Level, dB	Frequency, Hz	dB	Specification, dB
25-124.3	dBC	SPL	94	31.5	91.3	-3.0±2.0
				63	93.4	-0.8±1.5
				125	94.0	-0.2±1.5
				250	94.1	-0.0±1.4
				500	94.1	-0.0±1.4
				1000	94.0	Ref
				2000	93.6	-0.2±1.6
				4000	92.4	-0.8±1.6

Certificate No.: APJ21-145-CC001



Page 3 of 4

Room 422, Leader Industrial Centre, 57-59 Au Pui Wan Street, Fo Tan, Shatin, N.T., Hong Kong  
 Tel: (852) 2668 3423 Fax: (852) 2668 6946  
 Homepage: <http://www.aa-lab.com> E-mail: [inquiry@aa-lab.com](mailto:inquiry@aa-lab.com)



## 5. Calibration Results Applied

The results apply to the particular unit-under-test only. All calibration points are within manufacture's specification as IEC 61672 Class 1.

Uncertainties of Applied Value:

94 dB	31.5 Hz	± 0.10
	63 Hz	± 0.05
	125 Hz	± 0.05
	250 Hz	± 0.05
	500 Hz	± 0.05
	1000 Hz	± 0.05
	2000 Hz	± 0.05
	4000 Hz	± 0.05
104 dB	1000 Hz	± 0.05
114 dB	1000 Hz	± 0.05

The uncertainties are evaluated for a 95% confidence level.

### Note:

The values given in this certification only related to the values measured at the time of the calibration and any uncertainties quoted will not allow for the equipment long-term drift, variations with environmental changes, vibration and shock during transportation, overloading, mis-handling, or the capability of any other laboratory to repeat the calibration. (A+A)\*L shall not be liable for any loss or damage resulting from the use of the equipment.

Certificate No.: APJ21-145-CC001



Page 4 of 4



3-20-41 Higashimotomachi Kokubunji Tokyo 185-8533  
Phone:042(359)7888, Facsimile:042(359)7442

## Certificate of Calibration

**Name** : **Sound Level Meter, Class 1**  
**Model** : **NL-52**      **S/No.** : **01010877**  
**Date of Calibration** : **April, 19, 2022**

We hereby certify that the above product was tested and calibrated according to the prescribed Rion procedures, and that it fulfills specification requirements.  
The measuring equipment and reference devices used for testing and calibrating this unit are managed under the Rion traceability system and are traceable according to official Japanese standards and official standards of countries belonging to the International Committee of Weights and Measures.

**RION CO., LTD.**



Manager, Quality Control Department



## Supplied Accessories

< 1 / 1 >

<b>Model</b>	NL-52	<b>Product Name</b>	Sound Level Meter, Class 1
--------------	-------	---------------------	----------------------------

Ensure all the items below are in the package.  
 If there is a missing part, please contact your supplier.

Type	Description	Quantity	Note
NL-52	Main unit	1	
NL-42-025	Storage case	1	
WS-10	Windscreen	1	
NL-42-033	Windscreen fall prevention rubber	1	attached to the main unit
VM-63-017	Hand strap	1	
LR6	Size AA alkaline batteries	4	
	CD-ROM (Instruction manual, Serial interface manual, Technical notes, Program option manual)	1	
	Description for IEC 61672-1	1	
	SD memory card (512 MByte)	1	only when NX-42EX is pre-installed
	Inspection certificate	1	This sheet
	Document for China RoHS	1	only to China

Remarks:

## Inspection Certificate

INSPECTOR

*J. Kawamura*

We hereby certify that this product has been tested and calibrated at our factory according to RION specifications and that the product satisfies all relevant requirements.

RION CO., LTD.  
 3-20-41 Higashimotomachi, Kokubunji,  
 Tokyo 185-8533,  
 Japan

Sound and Vibration Measuring Instrument Section Product information and software downloads can be found on our web-site:  
<https://rion-sv.com/>  
 Please check it out.


№PC11030502

S/N O.01010877



**MAXLAB**

**CALIBRATION CERTIFICATE**

<i>Certificate Information</i>		
<b>Date of Issue</b>	13-Dec-2021	<b>Certificate Number</b> MLCN213512S
<i>Customer Information</i>		
<b>Company Name</b>	Acuity Sustainability Consulting Limited	
<b>Address</b>	Unit 1908, Nos. 301-305 Castle Peak Road, Kwai Chung, N.T.	
<i>Equipment-under-Test (EUT)</i>		
<b>Description</b>	Sound Level Calibrator	
<b>Manufacturer</b>	Rion	
<b>Model Number</b>	NC-74	
<b>Serial Number</b>	34615222	
<b>Equipment Number</b>	--	
<i>Calibration Particular</i>		
<b>Date of Calibration</b>	13-Dec-2021	
<b>Calibration Equipment</b>	4231(MLTE008) / AV200063 / 23-Jun-23 1357(MLTE190) / MLEC21/05/02 / 26-May-22	
<b>Calibration Procedure</b>	MLCG00, MLCG15	
<b>Calibration Conditions</b>	Laboratory	Temperature 23 °C ± 5 °C Relative Humidity 55% ± 25%
	EUT	Stabilizing Time Over 3 hours Warm-up Time Not applicable Power Supply Internal battery
<b>Calibration Results</b>	Calibration data were detailed in the continuation pages. Calibration result was within EUT specification.	
<i>Approved By &amp; Date</i>		
		K.O. Lo 13-Dec-2021
<i>Statements</i>		
<ul style="list-style-type: none"> <li>* Calibration equipment used for this calibration are traceable to national / international standards.</li> <li>* The results on this Calibration Certificate only relate to the values measured at the time of the calibration and the uncertainties quoted will not include allowance for the EUT long term drift, variation with environmental changes, vibration and shock during transportation, overloading, mishandling, misuse, and the capacity of any other laboratory to repeat the measurement.</li> <li>* MaxLab Calibration Centre Limited shall not be liable for any loss or damage resulting from the use of the EUT.</li> <li>* The copy of this Certificate is owned by MaxLab Calibration Centre Limited. No part of this Certificate may be reproduced without the prior written approval of MaxLab Calibration Centre Limited.</li> </ul>		

萬儀校正中心有限公司  
 MaxLab Calibration Centre Limited

香港新界葵涌華星街 16-18 號保盈工業大廈 9 樓 B 室

Unit B, 9/F., Boldwin Industrial Bldg., 16-18 Wah Sing Street, Kwai Chung, N.T., Hong Kong Tel: (852) 2116 1380 Fax: (852) 2264 6480 Email: info@maxlab.com.hk





Certificate No. MLCN213512S

<i>Calibration Data</i>				
EUT Setting	Standard Reading	EUT Error from Setting	Calibration Uncertainty	EUT Specification
94 dB	93.9 dB	-0.1 dB	0.20 dB	± 0.3 dB

- END -

Calibrated By : Dan  
Date : 13-Dec-21

Checked By : K.O. Lo  
Date : 13-Dec-21  
Page 2 of 2

萬儀校正中心有限公司  
MaxLab Calibration Centre Limited

香港新界葵涌華星街 16-18 號保盈工業大廈 9 樓 B 室  
Unit B, 9/F., Baldwin Industrial Bldg., 16-18 Wah Sing Street, Kwai Chung, N.T., Hong Kong Tel: (852) 2116 1380 Fax: (852) 2264 6480 Email: info@maxlab.com.hk

Appendix C - Programme

Baseline Noise Monitoring Report  
For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

										<b>Oct 1</b>
<b>2</b>	3	<b>4</b>	5	6	7	8				
			Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2
<b>9</b>	10	11	12	13	14	15				
	Baseline Monitoring at NA1, NA2					Baseline Monitoring at NA1, NA2				Baseline Monitoring at NA1, NA2
<b>16</b>	17	18	19	20	21	22				
	Baseline Monitoring at NA1, NA2			Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2	Baseline Monitoring at NA1, NA2
<b>23</b>	24	25	26	27	28	29				
	Baseline Monitoring at NA1, NA2									

Appendix D - Prevailing Background Noise Levels

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

NA1 - 9 Nam Bin Wai

Remark:

\* A correction of +3dB(A) has been made to the free-field measurements.

Start Time	L90 (5mins)*
05/Oct/2022 23:00	46.9
05/Oct/2022 23:05	46.7
05/Oct/2022 23:10	46.4
05/Oct/2022 23:15	46.4
05/Oct/2022 23:20	46.3
05/Oct/2022 23:25	46.2
05/Oct/2022 23:30	49.0
05/Oct/2022 23:35	46.8
05/Oct/2022 23:40	46.9
05/Oct/2022 23:45	46.9
05/Oct/2022 23:50	46.6
05/Oct/2022 23:55	47.0
06/Oct/2022 00:00	47.4
06/Oct/2022 00:05	46.4
06/Oct/2022 00:10	45.8
06/Oct/2022 00:15	45.5
06/Oct/2022 00:20	45.7
06/Oct/2022 00:25	46.3
06/Oct/2022 00:30	46.3
06/Oct/2022 00:35	46.3
06/Oct/2022 00:40	46.3
06/Oct/2022 00:45	45.9
06/Oct/2022 00:50	46.2
06/Oct/2022 00:55	46.5
06/Oct/2022 01:00	46.0
06/Oct/2022 01:05	46.1
06/Oct/2022 01:10	46.2
06/Oct/2022 01:15	46.8
06/Oct/2022 01:20	46.4
06/Oct/2022 01:25	46.2
06/Oct/2022 01:30	47.5
06/Oct/2022 01:35	48.5
06/Oct/2022 01:40	49.2
06/Oct/2022 01:45	48.3
06/Oct/2022 01:50	48.9
06/Oct/2022 01:55	49.5
06/Oct/2022 02:00	49.2
06/Oct/2022 02:05	48.9
06/Oct/2022 02:10	48.7
06/Oct/2022 02:15	49.0
06/Oct/2022 02:20	48.7

Start Time	L90 (5mins)*
06/Oct/2022 02:25	49.0
06/Oct/2022 02:30	49.8
06/Oct/2022 02:35	49.7
06/Oct/2022 02:40	50.1
06/Oct/2022 02:45	50.2
06/Oct/2022 02:50	49.9
06/Oct/2022 02:55	50.5
06/Oct/2022 03:00	50.6
06/Oct/2022 03:05	49.7
06/Oct/2022 03:10	49.3
06/Oct/2022 03:15	48.9
06/Oct/2022 03:20	49.4
06/Oct/2022 03:25	49.3
06/Oct/2022 03:30	49.2
06/Oct/2022 03:35	49.5
06/Oct/2022 03:40	49.5
06/Oct/2022 03:45	48.9
06/Oct/2022 03:50	46.7
06/Oct/2022 03:55	46.5
06/Oct/2022 04:00	47.2
06/Oct/2022 04:05	46.7
06/Oct/2022 04:10	48.7
06/Oct/2022 04:15	47.9
06/Oct/2022 04:20	47.8
06/Oct/2022 04:25	47.5
06/Oct/2022 04:30	46.5
06/Oct/2022 04:35	45.5
06/Oct/2022 04:40	45.6
06/Oct/2022 04:45	45.3
06/Oct/2022 04:50	45.2
06/Oct/2022 04:55	45.7
06/Oct/2022 05:00	45.3
06/Oct/2022 05:05	44.7
06/Oct/2022 05:10	44.9
06/Oct/2022 05:15	45.1
06/Oct/2022 05:20	45.2
06/Oct/2022 05:25	45.4
06/Oct/2022 05:30	45.3
06/Oct/2022 05:35	45.3
06/Oct/2022 05:40	46.1
06/Oct/2022 05:45	45.7
06/Oct/2022 05:50	45.4
06/Oct/2022 05:55	45.5
06/Oct/2022 06:00	46.0
06/Oct/2022 06:05	45.8

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
06/Oct/2022 06:10	45.8
06/Oct/2022 06:15	46.7
06/Oct/2022 06:20	47.1
06/Oct/2022 06:25	47.6
06/Oct/2022 06:30	48.1
06/Oct/2022 06:35	48.0
06/Oct/2022 06:40	48.6
06/Oct/2022 06:45	48.0
06/Oct/2022 06:50	48.3
06/Oct/2022 06:55	48.8
06/Oct/2022 07:00	48.5
06/Oct/2022 07:05	49.4
06/Oct/2022 07:10	50.4
06/Oct/2022 07:15	50.4
06/Oct/2022 07:20	51.2
06/Oct/2022 07:25	50.4
06/Oct/2022 07:30	49.5
06/Oct/2022 07:35	49.1
06/Oct/2022 07:40	48.7
06/Oct/2022 07:45	48.2
06/Oct/2022 07:50	48.8
06/Oct/2022 07:55	50.1
06/Oct/2022 08:00	49.2
06/Oct/2022 08:05	49.0
06/Oct/2022 08:10	49.5
06/Oct/2022 08:15	48.6
06/Oct/2022 08:20	48.4
06/Oct/2022 08:25	49.3
06/Oct/2022 08:30	54.5
06/Oct/2022 08:35	52.2
06/Oct/2022 08:40	52.0
06/Oct/2022 08:45	51.4
06/Oct/2022 08:50	51.9
06/Oct/2022 08:55	51.7
06/Oct/2022 09:00	50.8
06/Oct/2022 09:05	50.1
06/Oct/2022 09:10	50.4
06/Oct/2022 09:15	52.1
06/Oct/2022 09:20	52.3
06/Oct/2022 09:25	48.9
06/Oct/2022 09:30	49.8
06/Oct/2022 09:35	49.7
06/Oct/2022 09:40	50.1
06/Oct/2022 09:45	50.5
06/Oct/2022 09:50	50.6

Start Time	L90 (5mins)*
06/Oct/2022 09:55	50.5
06/Oct/2022 10:00	53.3
06/Oct/2022 10:05	53.1
06/Oct/2022 10:10	51.3
06/Oct/2022 10:15	53.2
06/Oct/2022 10:20	49.7
06/Oct/2022 10:25	48.8
06/Oct/2022 10:30	48.1
06/Oct/2022 10:35	48.5
06/Oct/2022 10:40	47.0
06/Oct/2022 10:45	47.0
06/Oct/2022 10:50	46.8
06/Oct/2022 10:55	48.0
06/Oct/2022 11:00	48.3
06/Oct/2022 11:05	47.2
06/Oct/2022 11:10	47.1
06/Oct/2022 11:15	47.4
06/Oct/2022 11:20	47.0
06/Oct/2022 11:25	46.6
06/Oct/2022 11:30	46.8
06/Oct/2022 11:35	47.3
06/Oct/2022 11:40	47.2
06/Oct/2022 11:45	46.6
06/Oct/2022 11:50	46.7
06/Oct/2022 11:55	46.5
06/Oct/2022 12:00	47.7
06/Oct/2022 12:05	46.8
06/Oct/2022 12:10	46.7
06/Oct/2022 12:15	46.9
06/Oct/2022 12:20	47.0
06/Oct/2022 12:25	46.1
06/Oct/2022 12:30	46.0
06/Oct/2022 12:35	48.1
06/Oct/2022 12:40	48.3
06/Oct/2022 12:45	47.9
06/Oct/2022 12:50	48.4
06/Oct/2022 12:55	49.6
06/Oct/2022 13:00	49.5
06/Oct/2022 13:05	47.2
06/Oct/2022 13:10	47.1
06/Oct/2022 13:15	47.3
06/Oct/2022 13:20	47.7
06/Oct/2022 13:25	48.2
06/Oct/2022 13:30	47.9
06/Oct/2022 13:35	48.1

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
06/Oct/2022 13:40	48.7
06/Oct/2022 13:45	48.1
06/Oct/2022 13:50	48.4
06/Oct/2022 13:55	49.0
06/Oct/2022 14:00	48.5
06/Oct/2022 14:05	48.9
06/Oct/2022 14:10	48.7
06/Oct/2022 14:15	48.3
06/Oct/2022 14:20	49.4
06/Oct/2022 14:25	50.1
06/Oct/2022 14:30	49.4
06/Oct/2022 14:35	47.8
06/Oct/2022 14:40	48.2
06/Oct/2022 14:45	48.1
06/Oct/2022 14:50	48.4
06/Oct/2022 14:55	46.7
06/Oct/2022 15:00	46.5
06/Oct/2022 15:05	46.3
06/Oct/2022 15:10	46.6
06/Oct/2022 15:15	47.8
06/Oct/2022 15:20	47.7
06/Oct/2022 15:25	45.7
06/Oct/2022 15:30	45.6
06/Oct/2022 15:35	48.3
06/Oct/2022 15:40	46.9
06/Oct/2022 15:45	46.5
06/Oct/2022 15:50	46.3
06/Oct/2022 15:55	46.5
06/Oct/2022 16:00	47.5
06/Oct/2022 16:05	47.1
06/Oct/2022 16:10	46.6
06/Oct/2022 16:15	46.3
06/Oct/2022 16:20	46.7
06/Oct/2022 16:25	47.0
06/Oct/2022 16:30	46.3
06/Oct/2022 16:35	46.4
06/Oct/2022 16:40	47.5
06/Oct/2022 16:45	47.5
06/Oct/2022 16:50	46.2
06/Oct/2022 16:55	46.8
06/Oct/2022 17:00	45.8
06/Oct/2022 17:05	45.1
06/Oct/2022 17:10	45.6
06/Oct/2022 17:15	46.7
06/Oct/2022 17:20	46.2

Start Time	L90 (5mins)*
06/Oct/2022 17:25	46.4
06/Oct/2022 17:30	46.2
06/Oct/2022 17:35	45.4
06/Oct/2022 17:40	45.1
06/Oct/2022 17:45	45.5
06/Oct/2022 17:50	45.8
06/Oct/2022 17:55	46.2
06/Oct/2022 18:00	46.1
06/Oct/2022 18:05	46.2
06/Oct/2022 18:10	46.0
06/Oct/2022 18:15	46.9
06/Oct/2022 18:20	45.9
06/Oct/2022 18:25	46.4
06/Oct/2022 18:30	46.6
06/Oct/2022 18:35	46.5
06/Oct/2022 18:40	46.2
06/Oct/2022 18:45	46.7
06/Oct/2022 18:50	47.5
06/Oct/2022 18:55	48.1
06/Oct/2022 19:00	48.6
06/Oct/2022 19:05	49.4
06/Oct/2022 19:10	50.9
06/Oct/2022 19:15	50.3
06/Oct/2022 19:20	50.9
06/Oct/2022 19:25	50.9
06/Oct/2022 19:30	51.1
06/Oct/2022 19:35	51.3
06/Oct/2022 19:40	51.4
06/Oct/2022 19:45	51.8
06/Oct/2022 19:50	51.8
06/Oct/2022 19:55	51.6
06/Oct/2022 20:00	48.5
06/Oct/2022 20:05	48.3
06/Oct/2022 20:10	48.9
06/Oct/2022 20:15	48.0
06/Oct/2022 20:20	47.7
06/Oct/2022 20:25	47.3
06/Oct/2022 20:30	47.4
06/Oct/2022 20:35	47.2
06/Oct/2022 20:40	46.8
06/Oct/2022 20:45	46.5
06/Oct/2022 20:50	46.8
06/Oct/2022 20:55	46.9
06/Oct/2022 21:00	47.6
06/Oct/2022 21:05	47.7

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
06/Oct/2022 21:10	48.3
06/Oct/2022 21:15	50.8
06/Oct/2022 21:20	50.7
06/Oct/2022 21:25	50.6
06/Oct/2022 21:30	51.0
06/Oct/2022 21:35	49.2
06/Oct/2022 21:40	48.9
06/Oct/2022 21:45	48.0
06/Oct/2022 21:50	48.0
06/Oct/2022 21:55	48.2
06/Oct/2022 22:00	48.1
06/Oct/2022 22:05	48.1
06/Oct/2022 22:10	47.9
06/Oct/2022 22:15	47.7
06/Oct/2022 22:20	47.7
06/Oct/2022 22:25	47.2
06/Oct/2022 22:30	47.5
06/Oct/2022 22:35	47.6
06/Oct/2022 22:40	47.8
06/Oct/2022 22:45	47.6
06/Oct/2022 22:50	47.3
06/Oct/2022 22:55	47.3
06/Oct/2022 23:00	47.3
06/Oct/2022 23:05	46.7
06/Oct/2022 23:10	47.7
06/Oct/2022 23:15	47.0
06/Oct/2022 23:20	47.3
06/Oct/2022 23:25	47.5
06/Oct/2022 23:30	47.9
06/Oct/2022 23:35	46.9
06/Oct/2022 23:40	46.8
06/Oct/2022 23:45	47.3
06/Oct/2022 23:50	47.1
06/Oct/2022 23:55	47.2
07/Oct/2022 00:00	47.2
07/Oct/2022 00:05	46.7
07/Oct/2022 00:10	46.6
07/Oct/2022 00:15	46.8
07/Oct/2022 00:20	47.1
07/Oct/2022 00:25	46.8
07/Oct/2022 00:30	47.0
07/Oct/2022 00:35	46.8
07/Oct/2022 00:40	47.4
07/Oct/2022 00:45	47.1
07/Oct/2022 00:50	47.2

Start Time	L90 (5mins)*
07/Oct/2022 00:55	47.4
07/Oct/2022 01:00	46.8
07/Oct/2022 01:05	46.4
07/Oct/2022 01:10	46.2
07/Oct/2022 01:15	46.3
07/Oct/2022 01:20	46.2
07/Oct/2022 01:25	46.0
07/Oct/2022 01:30	46.7
07/Oct/2022 01:35	46.7
07/Oct/2022 01:40	46.0
07/Oct/2022 01:45	46.1
07/Oct/2022 01:50	46.7
07/Oct/2022 01:55	46.4
07/Oct/2022 02:00	46.8
07/Oct/2022 02:05	46.1
07/Oct/2022 02:10	45.7
07/Oct/2022 02:15	46.0
07/Oct/2022 02:20	46.7
07/Oct/2022 02:25	46.0
07/Oct/2022 02:30	45.8
07/Oct/2022 02:35	46.0
07/Oct/2022 02:40	46.9
07/Oct/2022 02:45	46.3
07/Oct/2022 02:50	46.8
07/Oct/2022 02:55	47.2
07/Oct/2022 03:00	47.0
07/Oct/2022 03:05	46.9
07/Oct/2022 03:10	47.0
07/Oct/2022 03:15	47.2
07/Oct/2022 03:20	47.1
07/Oct/2022 03:25	46.7
07/Oct/2022 03:30	46.6
07/Oct/2022 03:35	46.7
07/Oct/2022 03:40	47.3
07/Oct/2022 03:45	47.2
07/Oct/2022 03:50	46.4
07/Oct/2022 03:55	44.4
07/Oct/2022 04:00	45.7
07/Oct/2022 04:05	46.5
07/Oct/2022 04:10	47.0
07/Oct/2022 04:15	47.0
07/Oct/2022 04:20	46.0
07/Oct/2022 04:25	46.7
07/Oct/2022 04:30	45.1
07/Oct/2022 04:35	45.3



Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
07/Oct/2022 04:40	45.6
07/Oct/2022 04:45	45.5
07/Oct/2022 04:50	44.5
07/Oct/2022 04:55	44.8
07/Oct/2022 05:00	44.8
07/Oct/2022 05:05	44.8
07/Oct/2022 05:10	44.3
07/Oct/2022 05:15	43.9
07/Oct/2022 05:20	44.0
07/Oct/2022 05:25	44.9
07/Oct/2022 05:30	43.7
07/Oct/2022 05:35	43.3
07/Oct/2022 05:40	44.3
07/Oct/2022 05:45	44.6
07/Oct/2022 05:50	45.5
07/Oct/2022 05:55	44.1
07/Oct/2022 06:00	44.6
07/Oct/2022 06:05	45.5
07/Oct/2022 06:10	46.3
07/Oct/2022 06:15	45.4
07/Oct/2022 06:20	46.7
07/Oct/2022 06:25	46.5
07/Oct/2022 06:30	46.8
07/Oct/2022 06:35	47.3
07/Oct/2022 06:40	48.3
07/Oct/2022 06:45	48.0
07/Oct/2022 06:50	48.5
07/Oct/2022 06:55	49.7
07/Oct/2022 07:00	49.4
07/Oct/2022 07:05	49.1
07/Oct/2022 07:10	49.7
07/Oct/2022 07:15	47.3
07/Oct/2022 07:20	46.7
07/Oct/2022 07:25	47.6
07/Oct/2022 07:30	48.2
07/Oct/2022 07:35	50.1
07/Oct/2022 07:40	49.3
07/Oct/2022 07:45	48.0
07/Oct/2022 07:50	47.8
07/Oct/2022 07:55	48.7
07/Oct/2022 08:00	49.4
07/Oct/2022 08:05	50.4
07/Oct/2022 08:10	49.6
07/Oct/2022 08:15	49.7
07/Oct/2022 08:20	50.1

Start Time	L90 (5mins)*
07/Oct/2022 08:25	49.5
07/Oct/2022 08:30	49.6
07/Oct/2022 08:35	50.7
07/Oct/2022 08:40	50.7
07/Oct/2022 08:45	51.0
07/Oct/2022 08:50	50.7
07/Oct/2022 08:55	49.7
07/Oct/2022 09:00	50.0
07/Oct/2022 09:05	50.4
07/Oct/2022 09:10	50.3
07/Oct/2022 09:15	48.9
07/Oct/2022 09:20	49.0
07/Oct/2022 09:25	48.7
07/Oct/2022 09:30	49.5
07/Oct/2022 09:35	49.7
07/Oct/2022 09:40	49.4
07/Oct/2022 09:45	49.3
07/Oct/2022 09:50	49.6
07/Oct/2022 09:55	49.7
07/Oct/2022 10:00	49.7
07/Oct/2022 10:05	49.0
07/Oct/2022 10:10	49.6
07/Oct/2022 10:15	49.7
07/Oct/2022 10:20	50.0
07/Oct/2022 10:25	49.0
07/Oct/2022 10:30	49.3
07/Oct/2022 10:35	49.0
07/Oct/2022 10:40	49.8
07/Oct/2022 10:45	48.4
07/Oct/2022 10:50	50.0
07/Oct/2022 10:55	50.6
07/Oct/2022 11:00	50.7
07/Oct/2022 11:05	49.2
07/Oct/2022 11:10	48.3
07/Oct/2022 11:15	48.1
07/Oct/2022 11:20	47.6
07/Oct/2022 11:25	48.7
07/Oct/2022 11:30	48.3
07/Oct/2022 11:35	48.5
07/Oct/2022 11:40	48.7
07/Oct/2022 11:45	47.6
07/Oct/2022 11:50	47.5
07/Oct/2022 11:55	47.7
07/Oct/2022 12:00	47.0
07/Oct/2022 12:05	47.7

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
07/Oct/2022 12:10	47.5
07/Oct/2022 12:15	47.1
07/Oct/2022 12:20	47.5
07/Oct/2022 12:25	50.9
07/Oct/2022 12:30	48.0
07/Oct/2022 12:35	47.5
07/Oct/2022 12:40	50.3
07/Oct/2022 12:45	49.5
07/Oct/2022 12:50	50.9
07/Oct/2022 12:55	49.0
07/Oct/2022 13:00	47.9
07/Oct/2022 13:05	47.0
07/Oct/2022 13:10	47.0
07/Oct/2022 13:15	49.0
07/Oct/2022 13:20	48.5
07/Oct/2022 13:25	52.5
07/Oct/2022 13:30	52.3
07/Oct/2022 13:35	53.7
07/Oct/2022 13:40	48.9
07/Oct/2022 13:45	47.7
07/Oct/2022 13:50	48.0
07/Oct/2022 13:55	48.7
07/Oct/2022 14:00	50.1
07/Oct/2022 14:05	52.9
07/Oct/2022 14:10	49.2
07/Oct/2022 14:15	52.4
07/Oct/2022 14:20	53.9
07/Oct/2022 14:25	52.0
07/Oct/2022 14:30	56.7
07/Oct/2022 14:35	51.2
07/Oct/2022 14:40	47.7
07/Oct/2022 14:45	48.0
07/Oct/2022 14:50	48.1
07/Oct/2022 14:55	49.9
07/Oct/2022 15:00	48.1
07/Oct/2022 15:05	48.8
07/Oct/2022 15:10	48.0
07/Oct/2022 15:15	46.9
07/Oct/2022 15:20	47.7
07/Oct/2022 15:25	49.2
07/Oct/2022 15:30	48.9
07/Oct/2022 15:35	46.6
07/Oct/2022 15:40	48.0
07/Oct/2022 15:45	48.7
07/Oct/2022 15:50	49.5

Start Time	L90 (5mins)*
07/Oct/2022 15:55	46.7
07/Oct/2022 16:00	49.3
07/Oct/2022 16:05	46.9
07/Oct/2022 16:10	47.1
07/Oct/2022 16:15	46.1
07/Oct/2022 16:20	45.0
07/Oct/2022 16:25	44.8
07/Oct/2022 16:30	45.8
07/Oct/2022 16:35	45.5
07/Oct/2022 16:40	44.8
07/Oct/2022 16:45	45.7
07/Oct/2022 16:50	45.5
07/Oct/2022 16:55	45.0
07/Oct/2022 17:00	46.1
07/Oct/2022 17:05	45.4
07/Oct/2022 17:10	45.2
07/Oct/2022 17:15	45.1
07/Oct/2022 17:20	45.1
07/Oct/2022 17:25	44.3
07/Oct/2022 17:30	44.3
07/Oct/2022 17:35	44.5
07/Oct/2022 17:40	44.4
07/Oct/2022 17:45	44.9
07/Oct/2022 17:50	45.6
07/Oct/2022 17:55	47.3
07/Oct/2022 18:00	46.0
07/Oct/2022 18:05	46.6
07/Oct/2022 18:10	46.5
07/Oct/2022 18:15	46.3
07/Oct/2022 18:20	47.1
07/Oct/2022 18:25	46.6
07/Oct/2022 18:30	46.3
07/Oct/2022 18:35	46.5
07/Oct/2022 18:40	47.2
07/Oct/2022 18:45	46.9
07/Oct/2022 18:50	47.2
07/Oct/2022 18:55	47.4
07/Oct/2022 19:00	47.3
07/Oct/2022 19:05	50.6
07/Oct/2022 19:10	47.7
07/Oct/2022 19:15	47.9
07/Oct/2022 19:20	48.0
07/Oct/2022 19:25	48.0
07/Oct/2022 19:30	47.7
07/Oct/2022 19:35	50.1

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
07/Oct/2022 19:40	48.0
07/Oct/2022 19:45	51.2
07/Oct/2022 19:50	50.8
07/Oct/2022 19:55	48.8
07/Oct/2022 20:00	50.7
07/Oct/2022 20:05	49.1
07/Oct/2022 20:10	49.0
07/Oct/2022 20:15	49.0
07/Oct/2022 20:20	49.1
07/Oct/2022 20:25	49.0
07/Oct/2022 20:30	48.7
07/Oct/2022 20:35	48.7
07/Oct/2022 20:40	48.7
07/Oct/2022 20:45	51.2
07/Oct/2022 20:50	50.7
07/Oct/2022 20:55	48.8
07/Oct/2022 21:00	47.9
07/Oct/2022 21:05	47.8
07/Oct/2022 21:10	47.8
07/Oct/2022 21:15	48.1
07/Oct/2022 21:20	47.8
07/Oct/2022 21:25	48.0
07/Oct/2022 21:30	48.1
07/Oct/2022 21:35	49.4
07/Oct/2022 21:40	48.1
07/Oct/2022 21:45	48.1
07/Oct/2022 21:50	49.8
07/Oct/2022 21:55	49.9
07/Oct/2022 22:00	50.1
07/Oct/2022 22:05	50.4
07/Oct/2022 22:10	49.6
07/Oct/2022 22:15	49.6
07/Oct/2022 22:20	48.7
07/Oct/2022 22:25	47.5
07/Oct/2022 22:30	47.1
07/Oct/2022 22:35	46.5
07/Oct/2022 22:40	49.2
07/Oct/2022 22:45	49.4
07/Oct/2022 22:50	49.0
07/Oct/2022 22:55	46.5
08/Oct/2022 23:00	45.9
08/Oct/2022 23:05	45.7
08/Oct/2022 23:10	45.5
08/Oct/2022 23:15	45.0
08/Oct/2022 23:20	44.9

Start Time	L90 (5mins)*
08/Oct/2022 23:25	45.1
08/Oct/2022 23:30	45.3
08/Oct/2022 23:35	45.3
08/Oct/2022 23:40	45.3
08/Oct/2022 23:45	45.3
08/Oct/2022 23:50	44.9
08/Oct/2022 23:55	45.7
09/Oct/2022 00:00	44.6
09/Oct/2022 00:05	44.7
09/Oct/2022 00:10	44.7
09/Oct/2022 00:15	45.3
09/Oct/2022 00:20	44.9
09/Oct/2022 00:25	44.4
09/Oct/2022 00:30	44.6
09/Oct/2022 00:35	44.9
09/Oct/2022 00:40	45.0
09/Oct/2022 00:45	47.3
09/Oct/2022 00:50	45.8
09/Oct/2022 00:55	46.3
09/Oct/2022 01:00	49.7
09/Oct/2022 01:05	50.1
09/Oct/2022 01:10	49.9
09/Oct/2022 01:15	51.4
09/Oct/2022 01:20	50.3
09/Oct/2022 01:25	50.7
09/Oct/2022 01:30	52.9
09/Oct/2022 01:35	53.2
09/Oct/2022 01:40	56.5
09/Oct/2022 01:45	55.8
09/Oct/2022 01:50	55.9
09/Oct/2022 01:55	54.0
09/Oct/2022 02:00	54.7
09/Oct/2022 02:05	53.4
09/Oct/2022 02:10	51.4
09/Oct/2022 02:15	50.9
09/Oct/2022 02:20	49.4
09/Oct/2022 02:25	48.6
09/Oct/2022 02:30	48.9
09/Oct/2022 02:35	48.3
09/Oct/2022 02:40	47.4
09/Oct/2022 02:45	44.9
09/Oct/2022 02:50	43.8
09/Oct/2022 02:55	43.7
09/Oct/2022 03:00	43.6
09/Oct/2022 03:05	44.0

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
09/Oct/2022 03:10	44.9
09/Oct/2022 03:15	45.2
09/Oct/2022 03:20	44.2
09/Oct/2022 03:25	44.5
09/Oct/2022 03:30	44.1
09/Oct/2022 03:35	44.5
09/Oct/2022 03:40	44.6
09/Oct/2022 03:45	44.8
09/Oct/2022 03:50	44.4
09/Oct/2022 03:55	44.5
09/Oct/2022 04:00	44.6
09/Oct/2022 04:05	44.3
09/Oct/2022 04:10	48.5
09/Oct/2022 04:15	47.9
09/Oct/2022 04:20	48.0
09/Oct/2022 04:25	48.1
09/Oct/2022 04:30	47.3
09/Oct/2022 04:35	47.0
09/Oct/2022 04:40	46.6
09/Oct/2022 04:45	46.8
09/Oct/2022 04:50	46.7
09/Oct/2022 04:55	46.6
09/Oct/2022 05:00	46.2
09/Oct/2022 05:05	46.4
09/Oct/2022 05:10	46.2
09/Oct/2022 05:15	46.0
09/Oct/2022 05:20	46.1
09/Oct/2022 05:25	46.2
09/Oct/2022 05:30	46.0
09/Oct/2022 05:35	42.5
09/Oct/2022 05:40	42.2
09/Oct/2022 05:45	42.5
09/Oct/2022 05:50	43.1
09/Oct/2022 05:55	42.6
09/Oct/2022 06:00	42.9
09/Oct/2022 06:05	44.1
09/Oct/2022 06:10	43.7
09/Oct/2022 06:15	45.5
09/Oct/2022 06:20	44.6
09/Oct/2022 06:25	45.1
09/Oct/2022 06:30	47.2
09/Oct/2022 06:35	46.8
09/Oct/2022 06:40	46.2
09/Oct/2022 06:45	45.8
09/Oct/2022 06:50	46.5

Start Time	L90 (5mins)*
09/Oct/2022 06:55	45.8
09/Oct/2022 07:00	46.6
09/Oct/2022 07:05	46.0
09/Oct/2022 07:10	46.9
09/Oct/2022 07:15	48.3
09/Oct/2022 07:20	47.3
09/Oct/2022 07:25	47.0
09/Oct/2022 07:30	48.9
09/Oct/2022 07:35	48.7
09/Oct/2022 07:40	48.3
09/Oct/2022 07:45	48.4
09/Oct/2022 07:50	47.6
09/Oct/2022 07:55	46.6
09/Oct/2022 08:00	49.2
09/Oct/2022 08:05	49.3
09/Oct/2022 08:10	47.3
09/Oct/2022 08:15	48.2
09/Oct/2022 08:20	49.0
09/Oct/2022 08:25	48.3
09/Oct/2022 08:30	48.0
09/Oct/2022 08:35	48.3
09/Oct/2022 08:40	47.8
09/Oct/2022 08:45	47.0
09/Oct/2022 08:50	48.0
09/Oct/2022 08:55	48.2
09/Oct/2022 09:00	48.4
09/Oct/2022 09:05	48.3
09/Oct/2022 09:10	49.5
09/Oct/2022 09:15	48.7
09/Oct/2022 09:20	48.3
09/Oct/2022 09:25	47.9
09/Oct/2022 09:30	49.2
09/Oct/2022 09:35	50.1
09/Oct/2022 09:40	48.1
09/Oct/2022 09:45	49.0
09/Oct/2022 09:50	50.2
09/Oct/2022 09:55	49.9
09/Oct/2022 10:00	50.0
09/Oct/2022 10:05	50.3
09/Oct/2022 10:10	50.7
09/Oct/2022 10:15	51.1
09/Oct/2022 10:20	56.4
09/Oct/2022 10:25	56.4
09/Oct/2022 10:30	55.6
09/Oct/2022 10:35	53.2

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
09/Oct/2022 10:40	50.1
09/Oct/2022 10:45	50.5
09/Oct/2022 10:50	49.8
09/Oct/2022 10:55	48.3
09/Oct/2022 11:00	48.4
09/Oct/2022 11:05	49.5
09/Oct/2022 11:10	50.8
09/Oct/2022 11:15	56.0
09/Oct/2022 11:20	55.1
09/Oct/2022 11:25	53.4
09/Oct/2022 11:30	55.5
09/Oct/2022 11:35	52.5
09/Oct/2022 11:40	52.9
09/Oct/2022 11:45	52.7
09/Oct/2022 11:50	51.4
09/Oct/2022 11:55	49.4
09/Oct/2022 12:00	50.1
09/Oct/2022 12:05	50.4
09/Oct/2022 12:10	50.7
09/Oct/2022 12:15	55.3
09/Oct/2022 12:20	51.2
09/Oct/2022 12:25	46.9
09/Oct/2022 12:30	46.8
09/Oct/2022 12:35	47.0
09/Oct/2022 12:40	46.9
09/Oct/2022 12:45	46.6
09/Oct/2022 12:50	45.7
09/Oct/2022 12:55	44.9
09/Oct/2022 13:00	45.3
09/Oct/2022 13:05	46.0
09/Oct/2022 13:10	45.5
09/Oct/2022 13:15	45.0
09/Oct/2022 13:20	45.4
09/Oct/2022 13:25	45.3
09/Oct/2022 13:30	46.5
09/Oct/2022 13:35	45.8
09/Oct/2022 13:40	47.2
09/Oct/2022 13:45	47.5
09/Oct/2022 13:50	47.1
09/Oct/2022 13:55	47.3
09/Oct/2022 14:00	46.5
09/Oct/2022 14:05	46.6
09/Oct/2022 14:10	47.1
09/Oct/2022 14:15	47.0
09/Oct/2022 14:20	46.9

Start Time	L90 (5mins)*
09/Oct/2022 14:25	46.1
09/Oct/2022 14:30	50.0
09/Oct/2022 14:35	45.5
09/Oct/2022 14:40	45.6
09/Oct/2022 14:45	45.0
09/Oct/2022 14:50	45.2
09/Oct/2022 14:55	45.4
09/Oct/2022 15:00	45.3
09/Oct/2022 15:05	44.9
09/Oct/2022 15:10	45.2
09/Oct/2022 15:15	45.4
09/Oct/2022 15:20	45.7
09/Oct/2022 15:25	49.7
09/Oct/2022 15:30	46.3
09/Oct/2022 15:35	46.2
09/Oct/2022 15:40	45.1
09/Oct/2022 15:45	45.6
09/Oct/2022 15:50	46.3
09/Oct/2022 15:55	45.0
09/Oct/2022 16:00	46.2
09/Oct/2022 16:05	44.7
09/Oct/2022 16:10	45.1
09/Oct/2022 16:15	45.2
09/Oct/2022 16:20	46.0
09/Oct/2022 16:25	48.7
09/Oct/2022 16:30	48.3
09/Oct/2022 16:35	47.6
09/Oct/2022 16:40	47.0
09/Oct/2022 16:45	44.7
09/Oct/2022 16:50	46.2
09/Oct/2022 16:55	46.2
09/Oct/2022 17:00	46.1
09/Oct/2022 17:05	45.3
09/Oct/2022 17:10	45.9
09/Oct/2022 17:15	46.4
09/Oct/2022 17:20	46.9
09/Oct/2022 17:25	45.5
09/Oct/2022 17:30	44.8
09/Oct/2022 17:35	44.9
09/Oct/2022 17:40	45.3
09/Oct/2022 17:45	45.2
09/Oct/2022 17:50	46.4
09/Oct/2022 17:55	46.0
09/Oct/2022 18:00	46.7
09/Oct/2022 18:05	45.4

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
09/Oct/2022 18:10	45.8
09/Oct/2022 18:15	45.6
09/Oct/2022 18:20	45.4
09/Oct/2022 18:25	46.1
09/Oct/2022 18:30	46.3
09/Oct/2022 18:35	46.4
09/Oct/2022 18:40	47.1
09/Oct/2022 18:45	47.6
09/Oct/2022 18:50	47.2
09/Oct/2022 18:55	47.5
09/Oct/2022 19:00	48.6
09/Oct/2022 19:05	47.7
09/Oct/2022 19:10	47.0
09/Oct/2022 19:15	47.6
09/Oct/2022 19:20	47.7
09/Oct/2022 19:25	47.9
09/Oct/2022 19:30	48.0
09/Oct/2022 19:35	48.1
09/Oct/2022 19:40	47.9
09/Oct/2022 19:45	48.4
09/Oct/2022 19:50	48.1
09/Oct/2022 19:55	47.9
09/Oct/2022 20:00	48.0
09/Oct/2022 20:05	48.3
09/Oct/2022 20:10	48.5
09/Oct/2022 20:15	48.6
09/Oct/2022 20:20	48.7
09/Oct/2022 20:25	48.0
09/Oct/2022 20:30	48.4
09/Oct/2022 20:35	48.6
09/Oct/2022 20:40	48.3
09/Oct/2022 20:45	47.7
09/Oct/2022 20:50	48.1
09/Oct/2022 20:55	48.2
09/Oct/2022 21:00	48.9
09/Oct/2022 21:05	48.1
09/Oct/2022 21:10	47.5
09/Oct/2022 21:15	48.0
09/Oct/2022 21:20	47.8
09/Oct/2022 21:25	47.8
09/Oct/2022 21:30	47.9
09/Oct/2022 21:35	47.1
09/Oct/2022 21:40	47.6
09/Oct/2022 21:45	47.3
09/Oct/2022 21:50	47.8

Start Time	L90 (5mins)*
09/Oct/2022 21:55	47.7
09/Oct/2022 22:00	47.8
09/Oct/2022 22:05	46.6
09/Oct/2022 22:10	47.1
09/Oct/2022 22:15	48.6
09/Oct/2022 22:20	47.8
09/Oct/2022 22:25	46.8
09/Oct/2022 22:30	46.5
09/Oct/2022 22:35	48.9
09/Oct/2022 22:40	47.3
09/Oct/2022 22:45	47.5
09/Oct/2022 22:50	47.3
09/Oct/2022 22:55	47.4
15/Oct/2022 23:00	47.4
15/Oct/2022 23:05	47.6
15/Oct/2022 23:10	47.4
15/Oct/2022 23:15	48.4
15/Oct/2022 23:20	47.7
15/Oct/2022 23:25	47.9
15/Oct/2022 23:30	48.0
15/Oct/2022 23:35	48.0
15/Oct/2022 23:40	47.7
15/Oct/2022 23:45	46.7
15/Oct/2022 23:50	46.9
15/Oct/2022 23:55	47.6
16/Oct/2022 00:00	47.0
16/Oct/2022 00:05	46.7
16/Oct/2022 00:10	47.0
16/Oct/2022 00:15	47.9
16/Oct/2022 00:20	46.9
16/Oct/2022 00:25	45.7
16/Oct/2022 00:30	46.5
16/Oct/2022 00:35	46.5
16/Oct/2022 00:40	46.2
16/Oct/2022 00:45	46.5
16/Oct/2022 00:50	46.0
16/Oct/2022 00:55	46.0
16/Oct/2022 01:00	46.1
16/Oct/2022 01:05	45.7
16/Oct/2022 01:10	45.5
16/Oct/2022 01:15	45.9
16/Oct/2022 01:20	46.3
16/Oct/2022 01:25	45.5
16/Oct/2022 01:30	45.3
16/Oct/2022 01:35	51.0

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
16/Oct/2022 01:40	51.8
16/Oct/2022 01:45	51.8
16/Oct/2022 01:50	52.3
16/Oct/2022 01:55	51.7
16/Oct/2022 02:00	44.5
16/Oct/2022 02:05	44.2
16/Oct/2022 02:10	44.7
16/Oct/2022 02:15	45.5
16/Oct/2022 02:20	44.3
16/Oct/2022 02:25	43.1
16/Oct/2022 02:30	43.4
16/Oct/2022 02:35	44.7
16/Oct/2022 02:40	44.5
16/Oct/2022 02:45	43.1
16/Oct/2022 02:50	43.2
16/Oct/2022 02:55	43.2
16/Oct/2022 03:00	43.1
16/Oct/2022 03:05	44.1
16/Oct/2022 03:10	42.7
16/Oct/2022 03:15	43.0
16/Oct/2022 03:20	43.1
16/Oct/2022 03:25	43.3
16/Oct/2022 03:30	44.3
16/Oct/2022 03:35	42.9
16/Oct/2022 03:40	42.6
16/Oct/2022 03:45	42.8
16/Oct/2022 03:50	42.8
16/Oct/2022 03:55	44.2
16/Oct/2022 04:00	42.9
16/Oct/2022 04:05	42.4
16/Oct/2022 04:10	43.2
16/Oct/2022 04:15	45.3
16/Oct/2022 04:20	45.4
16/Oct/2022 04:25	44.7
16/Oct/2022 04:30	44.3
16/Oct/2022 04:35	42.7
16/Oct/2022 04:40	42.0
16/Oct/2022 04:45	43.9
16/Oct/2022 04:50	43.0
16/Oct/2022 04:55	42.3
16/Oct/2022 05:00	42.2
16/Oct/2022 05:05	42.4
16/Oct/2022 05:10	42.3
16/Oct/2022 05:15	42.1
16/Oct/2022 05:20	42.4

Start Time	L90 (5mins)*
16/Oct/2022 05:25	42.3
16/Oct/2022 05:30	43.3
16/Oct/2022 05:35	42.0
16/Oct/2022 05:40	42.8
16/Oct/2022 05:45	42.3
16/Oct/2022 05:50	43.2
16/Oct/2022 05:55	43.9
16/Oct/2022 06:00	43.7
16/Oct/2022 06:05	43.7
16/Oct/2022 06:10	44.2
16/Oct/2022 06:15	44.3
16/Oct/2022 06:20	44.7
16/Oct/2022 06:25	45.9
16/Oct/2022 06:30	44.6
16/Oct/2022 06:35	46.3
16/Oct/2022 06:40	44.8
16/Oct/2022 06:45	45.5
16/Oct/2022 06:50	46.8
16/Oct/2022 06:55	46.1
16/Oct/2022 07:00	45.8
16/Oct/2022 07:05	45.5
16/Oct/2022 07:10	46.0
16/Oct/2022 07:15	46.1
16/Oct/2022 07:20	47.8
16/Oct/2022 07:25	47.4
16/Oct/2022 07:30	48.4
16/Oct/2022 07:35	48.8
16/Oct/2022 07:40	47.0
16/Oct/2022 07:45	47.8
16/Oct/2022 07:50	47.1
16/Oct/2022 07:55	45.1
16/Oct/2022 08:00	47.5
16/Oct/2022 08:05	45.3
16/Oct/2022 08:10	45.0
16/Oct/2022 08:15	45.6
16/Oct/2022 08:20	46.9
16/Oct/2022 08:25	46.3
16/Oct/2022 08:30	48.5
16/Oct/2022 08:35	47.9
16/Oct/2022 08:40	47.8
16/Oct/2022 08:45	46.8
16/Oct/2022 08:50	45.6
16/Oct/2022 08:55	47.5
16/Oct/2022 09:00	47.0
16/Oct/2022 09:05	48.3

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
16/Oct/2022 09:10	48.3
16/Oct/2022 09:15	46.7
16/Oct/2022 09:20	47.6
16/Oct/2022 09:25	47.7
16/Oct/2022 09:30	47.1
16/Oct/2022 09:35	48.3
16/Oct/2022 09:40	48.4
16/Oct/2022 09:45	49.8
16/Oct/2022 09:50	48.7
16/Oct/2022 09:55	49.9
16/Oct/2022 10:00	50.3
16/Oct/2022 10:05	50.8
16/Oct/2022 10:10	50.5
16/Oct/2022 10:15	50.1
16/Oct/2022 10:20	50.7
16/Oct/2022 10:25	51.0
16/Oct/2022 10:30	52.1
16/Oct/2022 10:35	49.0
16/Oct/2022 10:40	49.1
16/Oct/2022 10:45	51.3
16/Oct/2022 10:50	50.0
16/Oct/2022 10:55	48.8
16/Oct/2022 11:00	49.4
16/Oct/2022 11:05	50.0
16/Oct/2022 11:10	48.8
16/Oct/2022 11:15	49.1
16/Oct/2022 11:20	50.1
16/Oct/2022 11:25	50.6
16/Oct/2022 11:30	51.2
16/Oct/2022 11:35	49.1
16/Oct/2022 11:40	50.5
16/Oct/2022 11:45	51.1
16/Oct/2022 11:50	50.3
16/Oct/2022 11:55	52.8
16/Oct/2022 12:00	50.4
16/Oct/2022 12:05	50.2
16/Oct/2022 12:10	50.4
16/Oct/2022 12:15	51.5
16/Oct/2022 12:20	51.4
16/Oct/2022 12:25	50.8
16/Oct/2022 12:30	48.8
16/Oct/2022 12:35	52.1
16/Oct/2022 12:40	50.2
16/Oct/2022 12:45	48.1
16/Oct/2022 12:50	47.4

Start Time	L90 (5mins)*
16/Oct/2022 12:55	46.9
16/Oct/2022 13:00	49.9
16/Oct/2022 13:05	49.6
16/Oct/2022 13:10	49.8
16/Oct/2022 13:15	48.8
16/Oct/2022 13:20	49.9
16/Oct/2022 13:25	49.6
16/Oct/2022 13:30	48.2
16/Oct/2022 13:35	47.7
16/Oct/2022 13:40	48.3
16/Oct/2022 13:45	49.9
16/Oct/2022 13:50	54.6
16/Oct/2022 13:55	53.5
16/Oct/2022 14:00	55.5
16/Oct/2022 14:05	49.8
16/Oct/2022 14:10	46.9
16/Oct/2022 14:15	49.2
16/Oct/2022 14:20	47.0
16/Oct/2022 14:25	46.8
16/Oct/2022 14:30	45.3
16/Oct/2022 14:35	46.2
16/Oct/2022 14:40	48.7
16/Oct/2022 14:45	48.8
16/Oct/2022 14:50	47.7
16/Oct/2022 14:55	50.8
16/Oct/2022 15:00	47.1
16/Oct/2022 15:05	47.6
16/Oct/2022 15:10	48.1
16/Oct/2022 15:15	46.1
16/Oct/2022 15:20	46.2
16/Oct/2022 15:25	46.7
16/Oct/2022 15:30	46.0
16/Oct/2022 15:35	46.5
16/Oct/2022 15:40	47.1
16/Oct/2022 15:45	46.4
16/Oct/2022 15:50	48.8
16/Oct/2022 15:55	47.5
16/Oct/2022 16:00	49.6
16/Oct/2022 16:05	48.2
16/Oct/2022 16:10	48.9
16/Oct/2022 16:15	48.6
16/Oct/2022 16:20	48.2
16/Oct/2022 16:25	46.9
16/Oct/2022 16:30	46.1
16/Oct/2022 16:35	47.0



Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
16/Oct/2022 16:40	46.2
16/Oct/2022 16:45	45.1
16/Oct/2022 16:50	45.9
16/Oct/2022 16:55	46.9
16/Oct/2022 17:00	46.6
16/Oct/2022 17:05	49.2
16/Oct/2022 17:10	49.1
16/Oct/2022 17:15	50.4
16/Oct/2022 17:20	46.8
16/Oct/2022 17:25	47.6
16/Oct/2022 17:30	46.7
16/Oct/2022 17:35	46.9
16/Oct/2022 17:40	46.0
16/Oct/2022 17:45	45.8
16/Oct/2022 17:50	45.7
16/Oct/2022 17:55	47.0
16/Oct/2022 18:00	47.6
16/Oct/2022 18:05	46.5
16/Oct/2022 18:10	47.5
16/Oct/2022 18:15	48.0
16/Oct/2022 18:20	46.8
16/Oct/2022 18:25	47.4
16/Oct/2022 18:30	48.2
16/Oct/2022 18:35	48.3
16/Oct/2022 18:40	48.8
16/Oct/2022 18:45	49.2
16/Oct/2022 18:50	48.9
16/Oct/2022 18:55	49.1
16/Oct/2022 19:00	48.8
16/Oct/2022 19:05	48.8
16/Oct/2022 19:10	50.4
16/Oct/2022 19:15	48.4
16/Oct/2022 19:20	48.3
16/Oct/2022 19:25	49.3
16/Oct/2022 19:30	49.0
16/Oct/2022 19:35	48.7
16/Oct/2022 19:40	48.4
16/Oct/2022 19:45	49.0
16/Oct/2022 19:50	49.8
16/Oct/2022 19:55	49.6
16/Oct/2022 20:00	49.7
16/Oct/2022 20:05	49.6
16/Oct/2022 20:10	49.8
16/Oct/2022 20:15	49.5
16/Oct/2022 20:20	49.9

Start Time	L90 (5mins)*
16/Oct/2022 20:25	49.7
16/Oct/2022 20:30	49.8
16/Oct/2022 20:35	47.0
16/Oct/2022 20:40	49.7
16/Oct/2022 20:45	49.8
16/Oct/2022 20:50	50.0
16/Oct/2022 20:55	50.2
16/Oct/2022 21:00	49.4
16/Oct/2022 21:05	49.3
16/Oct/2022 21:10	49.8
16/Oct/2022 21:15	51.0
16/Oct/2022 21:20	51.3
16/Oct/2022 21:25	50.9
16/Oct/2022 21:30	50.5
16/Oct/2022 21:35	49.8
16/Oct/2022 21:40	51.0
16/Oct/2022 21:45	50.6
16/Oct/2022 21:50	49.9
16/Oct/2022 21:55	50.0
16/Oct/2022 22:00	51.2
16/Oct/2022 22:05	51.1
16/Oct/2022 22:10	50.1
16/Oct/2022 22:15	49.3
16/Oct/2022 22:20	51.1
16/Oct/2022 22:25	51.1
16/Oct/2022 22:30	50.9
16/Oct/2022 22:35	49.5
16/Oct/2022 22:40	50.4
16/Oct/2022 22:45	49.9
16/Oct/2022 22:50	48.5
16/Oct/2022 22:55	47.5
20/Oct/2022 23:00	49.1
20/Oct/2022 23:05	48.8
20/Oct/2022 23:10	48.8
20/Oct/2022 23:15	48.6
20/Oct/2022 23:20	48.4
20/Oct/2022 23:25	46.5
20/Oct/2022 23:30	45.9
20/Oct/2022 23:35	46.5
20/Oct/2022 23:40	46.5
20/Oct/2022 23:45	46.8
20/Oct/2022 23:50	46.7
20/Oct/2022 23:55	46.1
21/Oct/2022 00:00	45.9
21/Oct/2022 00:05	45.9

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

---

Start Time	L90 (5mins)*
21/Oct/2022 00:10	45.8
21/Oct/2022 00:15	45.7
21/Oct/2022 00:20	45.7
21/Oct/2022 00:25	45.4
21/Oct/2022 00:30	45.4
21/Oct/2022 00:35	45.0
21/Oct/2022 00:40	45.4
21/Oct/2022 00:45	45.7
21/Oct/2022 00:50	45.1
21/Oct/2022 00:55	44.6
21/Oct/2022 01:00	44.5
21/Oct/2022 01:05	44.3
21/Oct/2022 01:10	44.3
21/Oct/2022 01:15	44.0
21/Oct/2022 01:20	43.8
21/Oct/2022 01:25	43.9
21/Oct/2022 01:30	44.2
21/Oct/2022 01:35	44.0
21/Oct/2022 01:40	43.6
21/Oct/2022 01:45	43.8
21/Oct/2022 01:50	43.6
21/Oct/2022 01:55	43.9
21/Oct/2022 02:00	44.0
21/Oct/2022 02:05	43.7
21/Oct/2022 02:10	43.8
21/Oct/2022 02:15	44.0
21/Oct/2022 02:20	44.4
21/Oct/2022 02:25	44.2
21/Oct/2022 02:30	43.8
21/Oct/2022 02:35	43.7
21/Oct/2022 02:40	43.9
21/Oct/2022 02:45	43.9
21/Oct/2022 02:50	44.1
21/Oct/2022 02:55	44.3
21/Oct/2022 03:00	44.2
21/Oct/2022 03:05	43.4
21/Oct/2022 03:10	42.9
21/Oct/2022 03:15	43.2
21/Oct/2022 03:20	43.0
21/Oct/2022 03:25	42.8
21/Oct/2022 03:30	43.4
21/Oct/2022 03:35	43.4
21/Oct/2022 03:40	44.3
21/Oct/2022 03:45	44.0
21/Oct/2022 03:50	44.7

Start Time	L90 (5mins)*
21/Oct/2022 03:55	44.5
21/Oct/2022 04:00	45.0
21/Oct/2022 04:05	43.8
21/Oct/2022 04:10	45.9
21/Oct/2022 04:15	46.3
21/Oct/2022 04:20	46.2
21/Oct/2022 04:25	45.0
21/Oct/2022 04:30	43.4
21/Oct/2022 04:35	43.2
21/Oct/2022 04:40	43.0
21/Oct/2022 04:45	42.7
21/Oct/2022 04:50	42.2
21/Oct/2022 04:55	42.5
21/Oct/2022 05:00	43.1
21/Oct/2022 05:05	42.6
21/Oct/2022 05:10	42.8
21/Oct/2022 05:15	43.1
21/Oct/2022 05:20	44.3
21/Oct/2022 05:25	45.3
21/Oct/2022 05:30	43.8
21/Oct/2022 05:35	43.4
21/Oct/2022 05:40	43.8
21/Oct/2022 05:45	43.2
21/Oct/2022 05:50	43.6
21/Oct/2022 05:55	44.3
21/Oct/2022 06:00	44.2
21/Oct/2022 06:05	44.2
21/Oct/2022 06:10	44.3
21/Oct/2022 06:15	44.7
21/Oct/2022 06:20	44.8
21/Oct/2022 06:25	44.4
21/Oct/2022 06:30	45.4
21/Oct/2022 06:35	45.7
21/Oct/2022 06:40	47.3
21/Oct/2022 06:45	49.9
21/Oct/2022 06:50	49.0
21/Oct/2022 06:55	48.0
21/Oct/2022 07:00	48.0
21/Oct/2022 07:05	48.3
21/Oct/2022 07:10	47.8
21/Oct/2022 07:15	49.0
21/Oct/2022 07:20	47.3
21/Oct/2022 07:25	47.5
21/Oct/2022 07:30	47.6
21/Oct/2022 07:35	48.2

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
21/Oct/2022 07:40	47.7
21/Oct/2022 07:45	48.0
21/Oct/2022 07:50	49.0
21/Oct/2022 07:55	48.7
21/Oct/2022 08:00	49.2
21/Oct/2022 08:05	49.9
21/Oct/2022 08:10	48.6
21/Oct/2022 08:15	48.3
21/Oct/2022 08:20	48.2
21/Oct/2022 08:25	47.1
21/Oct/2022 08:30	48.0
21/Oct/2022 08:35	47.1
21/Oct/2022 08:40	46.6
21/Oct/2022 08:45	49.4
21/Oct/2022 08:50	48.9
21/Oct/2022 08:55	48.4
21/Oct/2022 09:00	48.5
21/Oct/2022 09:05	48.4
21/Oct/2022 09:10	48.3
21/Oct/2022 09:15	48.5
21/Oct/2022 09:20	47.3
21/Oct/2022 09:25	47.5
21/Oct/2022 09:30	46.8
21/Oct/2022 09:35	46.7
21/Oct/2022 09:40	47.6
21/Oct/2022 09:45	47.6
21/Oct/2022 09:50	47.9
21/Oct/2022 09:55	48.7
21/Oct/2022 10:00	48.8
21/Oct/2022 10:05	48.6
21/Oct/2022 10:10	48.6
21/Oct/2022 10:15	48.8
21/Oct/2022 10:20	48.2
21/Oct/2022 10:25	47.5
21/Oct/2022 10:30	47.6
21/Oct/2022 10:35	46.7
21/Oct/2022 10:40	46.3
21/Oct/2022 10:45	45.9
21/Oct/2022 10:50	46.8
21/Oct/2022 10:55	45.9
21/Oct/2022 11:00	46.6
21/Oct/2022 11:05	47.9
21/Oct/2022 11:10	47.3
21/Oct/2022 11:15	47.0
21/Oct/2022 11:20	47.9

Start Time	L90 (5mins)*
21/Oct/2022 11:25	46.9
21/Oct/2022 11:30	48.3
21/Oct/2022 11:35	47.6
21/Oct/2022 11:40	47.2
21/Oct/2022 11:45	44.7
21/Oct/2022 11:50	46.0
21/Oct/2022 11:55	47.2
21/Oct/2022 12:00	46.7
21/Oct/2022 12:05	48.6
21/Oct/2022 12:10	48.4
21/Oct/2022 12:15	47.0
21/Oct/2022 12:20	46.0
21/Oct/2022 12:25	45.8
21/Oct/2022 12:30	46.5
21/Oct/2022 12:35	45.8
21/Oct/2022 12:40	45.5
21/Oct/2022 12:45	45.3
21/Oct/2022 12:50	45.9
21/Oct/2022 12:55	45.9
21/Oct/2022 13:00	47.1
21/Oct/2022 13:05	46.5
21/Oct/2022 13:10	45.9
21/Oct/2022 13:15	46.4
21/Oct/2022 13:20	46.0
21/Oct/2022 13:25	46.6
21/Oct/2022 13:30	46.3
21/Oct/2022 13:35	46.1
21/Oct/2022 13:40	46.8
21/Oct/2022 13:45	46.7
21/Oct/2022 13:50	46.7
21/Oct/2022 13:55	46.5
21/Oct/2022 14:00	47.1
21/Oct/2022 14:05	47.7
21/Oct/2022 14:10	47.9
21/Oct/2022 14:15	47.3
21/Oct/2022 14:20	47.1
21/Oct/2022 14:25	47.2
21/Oct/2022 14:30	47.4
21/Oct/2022 14:35	45.8
21/Oct/2022 14:40	48.4
21/Oct/2022 14:45	46.9
21/Oct/2022 14:50	46.5
21/Oct/2022 14:55	45.9
21/Oct/2022 15:00	47.0
21/Oct/2022 15:05	46.9

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
21/Oct/2022 15:10	45.0
21/Oct/2022 15:15	46.1
21/Oct/2022 15:20	47.5
21/Oct/2022 15:25	45.7
21/Oct/2022 15:30	44.8
21/Oct/2022 15:35	45.8
21/Oct/2022 15:40	44.1
21/Oct/2022 15:45	45.8
21/Oct/2022 15:50	45.1
21/Oct/2022 15:55	45.3
21/Oct/2022 16:00	44.9
21/Oct/2022 16:05	44.6
21/Oct/2022 16:10	44.0
21/Oct/2022 16:15	45.0
21/Oct/2022 16:20	44.7
21/Oct/2022 16:25	45.9
21/Oct/2022 16:30	46.1
21/Oct/2022 16:35	45.7
21/Oct/2022 16:40	47.8
21/Oct/2022 16:45	45.0
21/Oct/2022 16:50	45.7
21/Oct/2022 16:55	45.4
21/Oct/2022 17:00	43.7
21/Oct/2022 17:05	43.5
21/Oct/2022 17:10	43.7
21/Oct/2022 17:15	43.7
21/Oct/2022 17:20	44.0
21/Oct/2022 17:25	44.0
21/Oct/2022 17:30	43.7
21/Oct/2022 17:35	44.1
21/Oct/2022 17:40	44.2
21/Oct/2022 17:45	44.9
21/Oct/2022 17:50	44.1
21/Oct/2022 17:55	44.0
21/Oct/2022 18:00	44.3
21/Oct/2022 18:05	45.0
21/Oct/2022 18:10	45.0
21/Oct/2022 18:15	44.1
21/Oct/2022 18:20	43.6
21/Oct/2022 18:25	44.2
21/Oct/2022 18:30	44.1
21/Oct/2022 18:35	44.7
21/Oct/2022 18:40	44.9
21/Oct/2022 18:45	44.7
21/Oct/2022 18:50	44.7

Start Time	L90 (5mins)*
21/Oct/2022 18:55	45.4
21/Oct/2022 19:00	46.0
21/Oct/2022 19:05	46.6
21/Oct/2022 19:10	46.6
21/Oct/2022 19:15	47.7
21/Oct/2022 19:20	47.6
21/Oct/2022 19:25	47.8
21/Oct/2022 19:30	48.0
21/Oct/2022 19:35	48.4
21/Oct/2022 19:40	47.9
21/Oct/2022 19:45	48.0
21/Oct/2022 19:50	47.7
21/Oct/2022 19:55	47.5
21/Oct/2022 20:00	49.0
21/Oct/2022 20:05	49.0
21/Oct/2022 20:10	49.3
21/Oct/2022 20:15	49.0
21/Oct/2022 20:20	48.9
21/Oct/2022 20:25	48.8
21/Oct/2022 20:30	48.8
21/Oct/2022 20:35	46.4
21/Oct/2022 20:40	46.1
21/Oct/2022 20:45	47.8
21/Oct/2022 20:50	49.3
21/Oct/2022 20:55	49.5
21/Oct/2022 21:00	49.8
21/Oct/2022 21:05	49.4
21/Oct/2022 21:10	48.9
21/Oct/2022 21:15	49.2
21/Oct/2022 21:20	50.9
21/Oct/2022 21:25	50.7
21/Oct/2022 21:30	50.7
21/Oct/2022 21:35	49.9
21/Oct/2022 21:40	49.6
21/Oct/2022 21:45	49.7
21/Oct/2022 21:50	49.6
21/Oct/2022 21:55	49.6
21/Oct/2022 22:00	49.1
21/Oct/2022 22:05	49.2
21/Oct/2022 22:10	48.8
21/Oct/2022 22:15	49.0
21/Oct/2022 22:20	49.1
21/Oct/2022 22:25	48.6
21/Oct/2022 22:30	48.7
21/Oct/2022 22:35	49.3

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
21/Oct/2022 22:40	48.8
21/Oct/2022 22:45	48.7
21/Oct/2022 22:50	48.8
21/Oct/2022 22:55	48.5
22/Oct/2022 23:00	45.7
22/Oct/2022 23:05	46.0
22/Oct/2022 23:10	45.9
22/Oct/2022 23:15	45.6
22/Oct/2022 23:20	46.0
22/Oct/2022 23:25	46.6
22/Oct/2022 23:30	49.6
22/Oct/2022 23:35	46.2
22/Oct/2022 23:40	45.5
22/Oct/2022 23:45	45.6
22/Oct/2022 23:50	45.5
22/Oct/2022 23:55	45.0
23/Oct/2022 00:00	45.1
23/Oct/2022 00:05	45.0
23/Oct/2022 00:10	45.2
23/Oct/2022 00:15	45.2
23/Oct/2022 00:20	45.4
23/Oct/2022 00:25	45.6
23/Oct/2022 00:30	45.4
23/Oct/2022 00:35	45.0
23/Oct/2022 00:40	45.1
23/Oct/2022 00:45	45.8
23/Oct/2022 00:50	46.0
23/Oct/2022 00:55	45.8
23/Oct/2022 01:00	45.9
23/Oct/2022 01:05	45.4
23/Oct/2022 01:10	45.2
23/Oct/2022 01:15	45.0
23/Oct/2022 01:20	45.2
23/Oct/2022 01:25	44.8
23/Oct/2022 01:30	42.6
23/Oct/2022 01:35	43.1
23/Oct/2022 01:40	41.9
23/Oct/2022 01:45	41.3
23/Oct/2022 01:50	41.2
23/Oct/2022 01:55	40.9
23/Oct/2022 02:00	44.0
23/Oct/2022 02:05	44.9
23/Oct/2022 02:10	44.2
23/Oct/2022 02:15	41.2
23/Oct/2022 02:20	44.7

Start Time	L90 (5mins)*
23/Oct/2022 02:25	44.7
23/Oct/2022 02:30	44.6
23/Oct/2022 02:35	45.2
23/Oct/2022 02:40	44.6
23/Oct/2022 02:45	44.7
23/Oct/2022 02:50	44.6
23/Oct/2022 02:55	44.7
23/Oct/2022 03:00	44.5
23/Oct/2022 03:05	44.5
23/Oct/2022 03:10	44.2
23/Oct/2022 03:15	44.4
23/Oct/2022 03:20	44.2
23/Oct/2022 03:25	44.1
23/Oct/2022 03:30	40.8
23/Oct/2022 03:35	40.2
23/Oct/2022 03:40	40.2
23/Oct/2022 03:45	40.3
23/Oct/2022 03:50	40.3
23/Oct/2022 03:55	39.8
23/Oct/2022 04:00	40.3
23/Oct/2022 04:05	39.8
23/Oct/2022 04:10	40.6
23/Oct/2022 04:15	43.9
23/Oct/2022 04:20	45.3
23/Oct/2022 04:25	45.2
23/Oct/2022 04:30	43.8
23/Oct/2022 04:35	43.1
23/Oct/2022 04:40	42.9
23/Oct/2022 04:45	42.8
23/Oct/2022 04:50	42.3
23/Oct/2022 04:55	42.5
23/Oct/2022 05:00	42.7
23/Oct/2022 05:05	42.6
23/Oct/2022 05:10	42.5
23/Oct/2022 05:15	42.7
23/Oct/2022 05:20	42.4
23/Oct/2022 05:25	38.5
23/Oct/2022 05:30	38.7
23/Oct/2022 05:35	38.4
23/Oct/2022 05:40	38.4
23/Oct/2022 05:45	38.9
23/Oct/2022 05:50	39.3
23/Oct/2022 05:55	40.5
23/Oct/2022 06:00	40.4
23/Oct/2022 06:05	40.7

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
23/Oct/2022 06:10	40.6
23/Oct/2022 06:15	41.7
23/Oct/2022 06:20	41.4
23/Oct/2022 06:25	43.4
23/Oct/2022 06:30	43.3
23/Oct/2022 06:35	42.5
23/Oct/2022 06:40	44.8
23/Oct/2022 06:45	44.8
23/Oct/2022 06:50	45.6
23/Oct/2022 06:55	47.6
23/Oct/2022 07:00	47.8
23/Oct/2022 07:05	48.1
23/Oct/2022 07:10	48.4
23/Oct/2022 07:15	46.1
23/Oct/2022 07:20	44.1
23/Oct/2022 07:25	44.3
23/Oct/2022 07:30	45.0
23/Oct/2022 07:35	47.3
23/Oct/2022 07:40	45.4
23/Oct/2022 07:45	44.1
23/Oct/2022 07:50	46.5
23/Oct/2022 07:55	46.2
23/Oct/2022 08:00	45.1
23/Oct/2022 08:05	45.3
23/Oct/2022 08:10	46.0
23/Oct/2022 08:15	47.1
23/Oct/2022 08:20	47.1
23/Oct/2022 08:25	47.3
23/Oct/2022 08:30	47.8
23/Oct/2022 08:35	47.8
23/Oct/2022 08:40	49.3
23/Oct/2022 08:45	49.4
23/Oct/2022 08:50	49.7
23/Oct/2022 08:55	48.5
23/Oct/2022 09:00	46.2
23/Oct/2022 09:05	47.3
23/Oct/2022 09:10	48.4
23/Oct/2022 09:15	48.0
23/Oct/2022 09:20	46.8
23/Oct/2022 09:25	46.6
23/Oct/2022 09:30	46.7
23/Oct/2022 09:35	48.2
23/Oct/2022 09:40	47.5
23/Oct/2022 09:45	47.9
23/Oct/2022 09:50	49.5

Start Time	L90 (5mins)*
23/Oct/2022 09:55	47.8
23/Oct/2022 10:00	49.0
23/Oct/2022 10:05	48.4
23/Oct/2022 10:10	48.1
23/Oct/2022 10:15	47.2
23/Oct/2022 10:20	46.6
23/Oct/2022 10:25	46.9
23/Oct/2022 10:30	47.1
23/Oct/2022 10:35	46.2
23/Oct/2022 10:40	47.1
23/Oct/2022 10:45	46.7
23/Oct/2022 10:50	48.7
23/Oct/2022 10:55	48.1
23/Oct/2022 11:00	46.9
23/Oct/2022 11:05	46.8
23/Oct/2022 11:10	46.5
23/Oct/2022 11:15	46.2
23/Oct/2022 11:20	47.8
23/Oct/2022 11:25	46.3
23/Oct/2022 11:30	45.2
23/Oct/2022 11:35	45.3
23/Oct/2022 11:40	45.1
23/Oct/2022 11:45	44.8
23/Oct/2022 11:50	45.2
23/Oct/2022 11:55	45.3
23/Oct/2022 12:00	46.5
23/Oct/2022 12:05	46.6
23/Oct/2022 12:10	46.1
23/Oct/2022 12:15	45.5
23/Oct/2022 12:20	45.7
23/Oct/2022 12:25	45.8
23/Oct/2022 12:30	45.7
23/Oct/2022 12:35	46.0
23/Oct/2022 12:40	47.3
23/Oct/2022 12:45	46.9
23/Oct/2022 12:50	47.0
23/Oct/2022 12:55	46.5
23/Oct/2022 13:00	45.8
23/Oct/2022 13:05	45.7
23/Oct/2022 13:10	45.1
23/Oct/2022 13:15	45.1
23/Oct/2022 13:20	45.8
23/Oct/2022 13:25	45.4
23/Oct/2022 13:30	45.6
23/Oct/2022 13:35	45.0

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
23/Oct/2022 13:40	45.6
23/Oct/2022 13:45	45.9
23/Oct/2022 13:50	45.9
23/Oct/2022 13:55	46.4
23/Oct/2022 14:00	46.8
23/Oct/2022 14:05	47.0
23/Oct/2022 14:10	49.5
23/Oct/2022 14:15	47.8
23/Oct/2022 14:20	48.0
23/Oct/2022 14:25	47.1
23/Oct/2022 14:30	46.9
23/Oct/2022 14:35	45.7
23/Oct/2022 14:40	47.5
23/Oct/2022 14:45	48.4
23/Oct/2022 14:50	48.2
23/Oct/2022 14:55	48.0
23/Oct/2022 15:00	47.2
23/Oct/2022 15:05	47.1
23/Oct/2022 15:10	47.2
23/Oct/2022 15:15	47.4
23/Oct/2022 15:20	47.5
23/Oct/2022 15:25	46.5
23/Oct/2022 15:30	45.9
23/Oct/2022 15:35	47.2
23/Oct/2022 15:40	46.9
23/Oct/2022 15:45	45.9
23/Oct/2022 15:50	46.8
23/Oct/2022 15:55	46.4
23/Oct/2022 16:00	45.8
23/Oct/2022 16:05	46.0
23/Oct/2022 16:10	46.0
23/Oct/2022 16:15	45.4
23/Oct/2022 16:20	45.5
23/Oct/2022 16:25	45.8
23/Oct/2022 16:30	46.5
23/Oct/2022 16:35	45.5
23/Oct/2022 16:40	45.1
23/Oct/2022 16:45	45.0
23/Oct/2022 16:50	46.0
23/Oct/2022 16:55	45.6
23/Oct/2022 17:00	45.8
23/Oct/2022 17:05	45.2
23/Oct/2022 17:10	45.9
23/Oct/2022 17:15	45.8
23/Oct/2022 17:20	46.6

Start Time	L90 (5mins)*
23/Oct/2022 17:25	47.1
23/Oct/2022 17:30	47.4
23/Oct/2022 17:35	47.3
23/Oct/2022 17:40	47.5
23/Oct/2022 17:45	47.9
23/Oct/2022 17:50	47.3
23/Oct/2022 17:55	47.6
23/Oct/2022 18:00	47.9
23/Oct/2022 18:05	46.4
23/Oct/2022 18:10	47.2
23/Oct/2022 18:15	46.6
23/Oct/2022 18:20	46.2
23/Oct/2022 18:25	46.9
23/Oct/2022 18:30	47.5
23/Oct/2022 18:35	47.5
23/Oct/2022 18:40	48.1
23/Oct/2022 18:45	48.2
23/Oct/2022 18:50	47.2
23/Oct/2022 18:55	46.7
23/Oct/2022 19:00	47.0
23/Oct/2022 19:05	47.5
23/Oct/2022 19:10	47.4
23/Oct/2022 19:15	47.0
23/Oct/2022 19:20	47.4
23/Oct/2022 19:25	47.0
23/Oct/2022 19:30	47.3
23/Oct/2022 19:35	47.7
23/Oct/2022 19:40	47.7
23/Oct/2022 19:45	48.0
23/Oct/2022 19:50	49.2
23/Oct/2022 19:55	47.7
23/Oct/2022 20:00	47.7
23/Oct/2022 20:05	47.0
23/Oct/2022 20:10	47.4
23/Oct/2022 20:15	48.1
23/Oct/2022 20:20	48.4
23/Oct/2022 20:25	47.4
23/Oct/2022 20:30	47.0
23/Oct/2022 20:35	47.3
23/Oct/2022 20:40	47.5
23/Oct/2022 20:45	47.7
23/Oct/2022 20:50	47.4
23/Oct/2022 20:55	47.2
23/Oct/2022 21:00	47.0
23/Oct/2022 21:05	47.1

Baseline Noise Monitoring Report  
For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

---

Start Time	L90 (5mins)*
23/Oct/2022 21:10	46.9
23/Oct/2022 21:15	46.9
23/Oct/2022 21:20	46.9
23/Oct/2022 21:25	46.5
23/Oct/2022 21:30	46.7
23/Oct/2022 21:35	46.4
23/Oct/2022 21:40	46.6
23/Oct/2022 21:45	46.7
23/Oct/2022 21:50	47.1
23/Oct/2022 21:55	46.8
23/Oct/2022 22:00	47.0
23/Oct/2022 22:05	46.9
23/Oct/2022 22:10	46.4
23/Oct/2022 22:15	47.1
23/Oct/2022 22:20	47.5
23/Oct/2022 22:25	47.8
23/Oct/2022 22:30	46.7
23/Oct/2022 22:35	46.0
23/Oct/2022 22:40	45.5
23/Oct/2022 22:45	45.3
23/Oct/2022 22:50	46.0
23/Oct/2022 22:55	46.5



Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

NA2 - 20 Ling Tsui Tau

Remark:

\* A correction of +3dB(A) has been made to the free-field measurements.

Start Time	L90 (5mins)*
05/Oct/2022 23:00	45.1
05/Oct/2022 23:05	45.3
05/Oct/2022 23:10	45.2
05/Oct/2022 23:15	45.9
05/Oct/2022 23:20	45.5
05/Oct/2022 23:25	45.2
05/Oct/2022 23:30	45.5
05/Oct/2022 23:35	45.7
05/Oct/2022 23:40	46.0
05/Oct/2022 23:45	46.6
05/Oct/2022 23:50	45.2
05/Oct/2022 23:55	46.5
06/Oct/2022 00:00	46.2
06/Oct/2022 00:05	45.4
06/Oct/2022 00:10	45.0
06/Oct/2022 00:15	44.9
06/Oct/2022 00:20	45.0
06/Oct/2022 00:25	44.9
06/Oct/2022 00:30	45.4
06/Oct/2022 00:35	45.2
06/Oct/2022 00:40	45.4
06/Oct/2022 00:45	45.2
06/Oct/2022 00:50	44.9
06/Oct/2022 00:55	45.2
06/Oct/2022 01:00	44.8
06/Oct/2022 01:05	45.0
06/Oct/2022 01:10	44.9
06/Oct/2022 01:15	44.7
06/Oct/2022 01:20	45.6
06/Oct/2022 01:25	45.7
06/Oct/2022 01:30	45.5
06/Oct/2022 01:35	45.1
06/Oct/2022 01:40	44.9
06/Oct/2022 01:45	45.8
06/Oct/2022 01:50	45.4
06/Oct/2022 01:55	44.7
06/Oct/2022 02:00	44.5
06/Oct/2022 02:05	44.6
06/Oct/2022 02:10	44.9
06/Oct/2022 02:15	44.9
06/Oct/2022 02:20	45.2

Start Time	L90 (5mins)*
06/Oct/2022 02:25	44.5
06/Oct/2022 02:30	44.6
06/Oct/2022 02:35	44.9
06/Oct/2022 02:40	44.9
06/Oct/2022 02:45	44.5
06/Oct/2022 02:50	44.5
06/Oct/2022 02:55	44.3
06/Oct/2022 03:00	44.8
06/Oct/2022 03:05	45.2
06/Oct/2022 03:10	44.8
06/Oct/2022 03:15	45.8
06/Oct/2022 03:20	45.5
06/Oct/2022 03:25	45.9
06/Oct/2022 03:30	45.9
06/Oct/2022 03:35	45.2
06/Oct/2022 03:40	45.3
06/Oct/2022 03:45	45.1
06/Oct/2022 03:50	45.1
06/Oct/2022 03:55	45.1
06/Oct/2022 04:00	45.1
06/Oct/2022 04:05	45.0
06/Oct/2022 04:10	45.1
06/Oct/2022 04:15	45.1
06/Oct/2022 04:20	45.2
06/Oct/2022 04:25	45.2
06/Oct/2022 04:30	45.0
06/Oct/2022 04:35	44.8
06/Oct/2022 04:40	45.1
06/Oct/2022 04:45	44.6
06/Oct/2022 04:50	44.7
06/Oct/2022 04:55	45.1
06/Oct/2022 05:00	44.9
06/Oct/2022 05:05	44.9
06/Oct/2022 05:10	44.9
06/Oct/2022 05:15	44.8
06/Oct/2022 05:20	44.8
06/Oct/2022 05:25	45.5
06/Oct/2022 05:30	45.0
06/Oct/2022 05:35	45.0
06/Oct/2022 05:40	45.6
06/Oct/2022 05:45	45.4
06/Oct/2022 05:50	45.6
06/Oct/2022 05:55	45.5
06/Oct/2022 06:00	46.2
06/Oct/2022 06:05	45.9

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
06/Oct/2022 06:10	46.5
06/Oct/2022 06:15	48.4
06/Oct/2022 06:20	47.6
06/Oct/2022 06:25	48.8
06/Oct/2022 06:30	49.7
06/Oct/2022 06:35	50.2
06/Oct/2022 06:40	49.8
06/Oct/2022 06:45	52.0
06/Oct/2022 06:50	51.9
06/Oct/2022 06:55	53.9
06/Oct/2022 07:00	56.7
06/Oct/2022 07:05	57.9
06/Oct/2022 07:10	55.2
06/Oct/2022 07:15	53.1
06/Oct/2022 07:20	56.6
06/Oct/2022 07:25	57.3
06/Oct/2022 07:30	55.1
06/Oct/2022 07:35	53.7
06/Oct/2022 07:40	54.7
06/Oct/2022 07:45	53.2
06/Oct/2022 07:50	53.4
06/Oct/2022 07:55	56.7
06/Oct/2022 08:00	53.6
06/Oct/2022 08:05	50.8
06/Oct/2022 08:10	52.0
06/Oct/2022 08:15	52.0
06/Oct/2022 08:20	52.2
06/Oct/2022 08:25	54.3
06/Oct/2022 08:30	56.4
06/Oct/2022 08:35	58.3
06/Oct/2022 08:40	55.8
06/Oct/2022 08:45	56.7
06/Oct/2022 08:50	57.7
06/Oct/2022 08:55	57.6
06/Oct/2022 09:00	57.3
06/Oct/2022 09:05	54.9
06/Oct/2022 09:10	54.6
06/Oct/2022 09:15	49.9
06/Oct/2022 09:20	49.5
06/Oct/2022 09:25	49.2
06/Oct/2022 09:30	51.1
06/Oct/2022 09:35	50.3
06/Oct/2022 09:40	49.3
06/Oct/2022 09:45	52.0
06/Oct/2022 09:50	50.3

Start Time	L90 (5mins)*
06/Oct/2022 09:55	48.8
06/Oct/2022 10:00	49.4
06/Oct/2022 10:05	56.1
06/Oct/2022 10:10	53.0
06/Oct/2022 10:15	52.3
06/Oct/2022 10:20	49.9
06/Oct/2022 10:25	49.8
06/Oct/2022 10:30	50.1
06/Oct/2022 10:35	52.2
06/Oct/2022 10:40	48.9
06/Oct/2022 10:45	51.0
06/Oct/2022 10:50	50.8
06/Oct/2022 10:55	54.4
06/Oct/2022 11:00	49.2
06/Oct/2022 11:05	48.4
06/Oct/2022 11:10	48.0
06/Oct/2022 11:15	50.4
06/Oct/2022 11:20	56.4
06/Oct/2022 11:25	50.9
06/Oct/2022 11:30	52.4
06/Oct/2022 11:35	52.2
06/Oct/2022 11:40	49.9
06/Oct/2022 11:45	52.6
06/Oct/2022 11:50	51.9
06/Oct/2022 11:55	50.3
06/Oct/2022 12:00	51.2
06/Oct/2022 12:05	50.4
06/Oct/2022 12:10	51.1
06/Oct/2022 12:15	50.8
06/Oct/2022 12:20	50.9
06/Oct/2022 12:25	51.1
06/Oct/2022 12:30	51.1
06/Oct/2022 12:35	58.4
06/Oct/2022 12:40	59.0
06/Oct/2022 12:45	59.9
06/Oct/2022 12:50	59.5
06/Oct/2022 12:55	58.1
06/Oct/2022 13:00	55.1
06/Oct/2022 13:05	50.0
06/Oct/2022 13:10	48.6
06/Oct/2022 13:15	49.3
06/Oct/2022 13:20	50.4
06/Oct/2022 13:25	50.4
06/Oct/2022 13:30	50.0
06/Oct/2022 13:35	50.6

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
06/Oct/2022 13:40	50.4
06/Oct/2022 13:45	53.0
06/Oct/2022 13:50	51.2
06/Oct/2022 13:55	52.8
06/Oct/2022 14:00	54.6
06/Oct/2022 14:05	56.2
06/Oct/2022 14:10	55.2
06/Oct/2022 14:15	56.5
06/Oct/2022 14:20	57.6
06/Oct/2022 14:25	57.1
06/Oct/2022 14:30	56.2
06/Oct/2022 14:35	51.0
06/Oct/2022 14:40	50.6
06/Oct/2022 14:45	49.8
06/Oct/2022 14:50	50.4
06/Oct/2022 14:55	48.6
06/Oct/2022 15:00	49.0
06/Oct/2022 15:05	50.4
06/Oct/2022 15:10	49.3
06/Oct/2022 15:15	47.8
06/Oct/2022 15:20	48.0
06/Oct/2022 15:25	48.8
06/Oct/2022 15:30	50.4
06/Oct/2022 15:35	48.7
06/Oct/2022 15:40	47.9
06/Oct/2022 15:45	47.7
06/Oct/2022 15:50	49.6
06/Oct/2022 15:55	50.8
06/Oct/2022 16:00	50.7
06/Oct/2022 16:05	52.1
06/Oct/2022 16:10	50.5
06/Oct/2022 16:15	48.9
06/Oct/2022 16:20	50.3
06/Oct/2022 16:25	50.3
06/Oct/2022 16:30	48.8
06/Oct/2022 16:35	48.2
06/Oct/2022 16:40	55.9
06/Oct/2022 16:45	52.6
06/Oct/2022 16:50	49.7
06/Oct/2022 16:55	48.1
06/Oct/2022 17:00	48.5
06/Oct/2022 17:05	47.1
06/Oct/2022 17:10	47.3
06/Oct/2022 17:15	47.4
06/Oct/2022 17:20	47.3

Start Time	L90 (5mins)*
06/Oct/2022 17:25	46.9
06/Oct/2022 17:30	47.0
06/Oct/2022 17:35	48.0
06/Oct/2022 17:40	46.7
06/Oct/2022 17:45	46.7
06/Oct/2022 17:50	46.9
06/Oct/2022 17:55	46.8
06/Oct/2022 18:00	46.5
06/Oct/2022 18:05	46.6
06/Oct/2022 18:10	47.1
06/Oct/2022 18:15	46.9
06/Oct/2022 18:20	46.5
06/Oct/2022 18:25	46.6
06/Oct/2022 18:30	46.6
06/Oct/2022 18:35	46.0
06/Oct/2022 18:40	46.0
06/Oct/2022 18:45	46.0
06/Oct/2022 18:50	45.7
06/Oct/2022 18:55	46.3
06/Oct/2022 19:00	46.6
06/Oct/2022 19:05	45.9
06/Oct/2022 19:10	46.3
06/Oct/2022 19:15	45.8
06/Oct/2022 19:20	45.8
06/Oct/2022 19:25	45.7
06/Oct/2022 19:30	46.0
06/Oct/2022 19:35	45.8
06/Oct/2022 19:40	46.2
06/Oct/2022 19:45	46.3
06/Oct/2022 19:50	45.9
06/Oct/2022 19:55	45.7
06/Oct/2022 20:00	49.7
06/Oct/2022 20:05	46.3
06/Oct/2022 20:10	46.1
06/Oct/2022 20:15	46.5
06/Oct/2022 20:20	46.4
06/Oct/2022 20:25	46.4
06/Oct/2022 20:30	48.1
06/Oct/2022 20:35	47.2
06/Oct/2022 20:40	48.7
06/Oct/2022 20:45	47.0
06/Oct/2022 20:50	46.8
06/Oct/2022 20:55	47.9
06/Oct/2022 21:00	48.5
06/Oct/2022 21:05	49.0

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
06/Oct/2022 21:10	47.7
06/Oct/2022 21:15	47.3
06/Oct/2022 21:20	47.4
06/Oct/2022 21:25	47.8
06/Oct/2022 21:30	47.7
06/Oct/2022 21:35	47.0
06/Oct/2022 21:40	46.2
06/Oct/2022 21:45	46.1
06/Oct/2022 21:50	45.9
06/Oct/2022 21:55	46.3
06/Oct/2022 22:00	46.0
06/Oct/2022 22:05	46.1
06/Oct/2022 22:10	46.1
06/Oct/2022 22:15	46.5
06/Oct/2022 22:20	46.1
06/Oct/2022 22:25	45.7
06/Oct/2022 22:30	45.8
06/Oct/2022 22:35	45.4
06/Oct/2022 22:40	45.6
06/Oct/2022 22:45	45.8
06/Oct/2022 22:50	45.8
06/Oct/2022 22:55	45.9
06/Oct/2022 23:00	45.9
06/Oct/2022 23:05	45.6
06/Oct/2022 23:10	45.4
06/Oct/2022 23:15	45.4
06/Oct/2022 23:20	46.3
06/Oct/2022 23:25	46.3
06/Oct/2022 23:30	46.0
06/Oct/2022 23:35	45.5
06/Oct/2022 23:40	45.9
06/Oct/2022 23:45	45.7
06/Oct/2022 23:50	45.7
06/Oct/2022 23:55	45.5
07/Oct/2022 00:00	45.3
07/Oct/2022 00:05	45.1
07/Oct/2022 00:10	44.9
07/Oct/2022 00:15	44.9
07/Oct/2022 00:20	45.2
07/Oct/2022 00:25	45.1
07/Oct/2022 00:30	45.4
07/Oct/2022 00:35	45.1
07/Oct/2022 00:40	45.6
07/Oct/2022 00:45	45.5
07/Oct/2022 00:50	45.3

Start Time	L90 (5mins)*
07/Oct/2022 00:55	45.7
07/Oct/2022 01:00	45.3
07/Oct/2022 01:05	45.5
07/Oct/2022 01:10	45.7
07/Oct/2022 01:15	45.4
07/Oct/2022 01:20	45.5
07/Oct/2022 01:25	45.4
07/Oct/2022 01:30	45.9
07/Oct/2022 01:35	45.9
07/Oct/2022 01:40	45.2
07/Oct/2022 01:45	45.3
07/Oct/2022 01:50	45.5
07/Oct/2022 01:55	45.1
07/Oct/2022 02:00	45.1
07/Oct/2022 02:05	44.7
07/Oct/2022 02:10	45.4
07/Oct/2022 02:15	45.2
07/Oct/2022 02:20	44.7
07/Oct/2022 02:25	44.8
07/Oct/2022 02:30	44.8
07/Oct/2022 02:35	45.0
07/Oct/2022 02:40	45.0
07/Oct/2022 02:45	47.1
07/Oct/2022 02:50	45.2
07/Oct/2022 02:55	45.4
07/Oct/2022 03:00	45.3
07/Oct/2022 03:05	45.4
07/Oct/2022 03:10	45.6
07/Oct/2022 03:15	45.4
07/Oct/2022 03:20	45.0
07/Oct/2022 03:25	45.5
07/Oct/2022 03:30	45.5
07/Oct/2022 03:35	45.4
07/Oct/2022 03:40	45.6
07/Oct/2022 03:45	45.7
07/Oct/2022 03:50	45.4
07/Oct/2022 03:55	45.4
07/Oct/2022 04:00	45.3
07/Oct/2022 04:05	45.5
07/Oct/2022 04:10	45.6
07/Oct/2022 04:15	45.7
07/Oct/2022 04:20	45.9
07/Oct/2022 04:25	45.6
07/Oct/2022 04:30	45.6
07/Oct/2022 04:35	45.6

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
07/Oct/2022 04:40	45.8
07/Oct/2022 04:45	45.4
07/Oct/2022 04:50	45.6
07/Oct/2022 04:55	44.7
07/Oct/2022 05:00	44.7
07/Oct/2022 05:05	44.6
07/Oct/2022 05:10	44.7
07/Oct/2022 05:15	44.6
07/Oct/2022 05:20	44.8
07/Oct/2022 05:25	44.5
07/Oct/2022 05:30	44.9
07/Oct/2022 05:35	44.5
07/Oct/2022 05:40	44.9
07/Oct/2022 05:45	45.0
07/Oct/2022 05:50	45.4
07/Oct/2022 05:55	45.1
07/Oct/2022 06:00	44.7
07/Oct/2022 06:05	45.6
07/Oct/2022 06:10	45.5
07/Oct/2022 06:15	46.1
07/Oct/2022 06:20	47.2
07/Oct/2022 06:25	49.1
07/Oct/2022 06:30	47.6
07/Oct/2022 06:35	49.1
07/Oct/2022 06:40	55.1
07/Oct/2022 06:45	56.0
07/Oct/2022 06:50	57.7
07/Oct/2022 06:55	57.3
07/Oct/2022 07:00	59.0
07/Oct/2022 07:05	57.8
07/Oct/2022 07:10	56.6
07/Oct/2022 07:15	48.4
07/Oct/2022 07:20	47.4
07/Oct/2022 07:25	51.2
07/Oct/2022 07:30	52.9
07/Oct/2022 07:35	53.0
07/Oct/2022 07:40	51.7
07/Oct/2022 07:45	50.4
07/Oct/2022 07:50	51.3
07/Oct/2022 07:55	50.0
07/Oct/2022 08:00	49.8
07/Oct/2022 08:05	49.9
07/Oct/2022 08:10	50.7
07/Oct/2022 08:15	52.4
07/Oct/2022 08:20	50.0

Start Time	L90 (5mins)*
07/Oct/2022 08:25	50.4
07/Oct/2022 08:30	49.5
07/Oct/2022 08:35	52.3
07/Oct/2022 08:40	51.4
07/Oct/2022 08:45	51.3
07/Oct/2022 08:50	52.8
07/Oct/2022 08:55	49.6
07/Oct/2022 09:00	49.7
07/Oct/2022 09:05	50.5
07/Oct/2022 09:10	51.6
07/Oct/2022 09:15	51.1
07/Oct/2022 09:20	50.9
07/Oct/2022 09:25	50.4
07/Oct/2022 09:30	49.5
07/Oct/2022 09:35	49.9
07/Oct/2022 09:40	50.3
07/Oct/2022 09:45	49.8
07/Oct/2022 09:50	50.4
07/Oct/2022 09:55	50.5
07/Oct/2022 10:00	55.0
07/Oct/2022 10:05	54.9
07/Oct/2022 10:10	52.4
07/Oct/2022 10:15	54.0
07/Oct/2022 10:20	51.8
07/Oct/2022 10:25	50.3
07/Oct/2022 10:30	50.5
07/Oct/2022 10:35	49.9
07/Oct/2022 10:40	54.9
07/Oct/2022 10:45	49.6
07/Oct/2022 10:50	54.2
07/Oct/2022 10:55	53.8
07/Oct/2022 11:00	51.1
07/Oct/2022 11:05	51.7
07/Oct/2022 11:10	48.8
07/Oct/2022 11:15	50.3
07/Oct/2022 11:20	49.7
07/Oct/2022 11:25	51.2
07/Oct/2022 11:30	51.4
07/Oct/2022 11:35	53.8
07/Oct/2022 11:40	52.3
07/Oct/2022 11:45	52.4
07/Oct/2022 11:50	53.3
07/Oct/2022 11:55	52.7
07/Oct/2022 12:00	50.5
07/Oct/2022 12:05	51.2

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
07/Oct/2022 12:10	50.8
07/Oct/2022 12:15	50.7
07/Oct/2022 12:20	52.1
07/Oct/2022 12:25	50.0
07/Oct/2022 12:30	52.0
07/Oct/2022 12:35	53.2
07/Oct/2022 12:40	51.6
07/Oct/2022 12:45	55.3
07/Oct/2022 12:50	56.4
07/Oct/2022 12:55	55.2
07/Oct/2022 13:00	55.3
07/Oct/2022 13:05	50.2
07/Oct/2022 13:10	50.3
07/Oct/2022 13:15	51.0
07/Oct/2022 13:20	50.1
07/Oct/2022 13:25	48.4
07/Oct/2022 13:30	49.3
07/Oct/2022 13:35	48.3
07/Oct/2022 13:40	50.9
07/Oct/2022 13:45	50.1
07/Oct/2022 13:50	49.9
07/Oct/2022 13:55	49.8
07/Oct/2022 14:00	55.6
07/Oct/2022 14:05	55.0
07/Oct/2022 14:10	52.8
07/Oct/2022 14:15	53.7
07/Oct/2022 14:20	55.1
07/Oct/2022 14:25	50.5
07/Oct/2022 14:30	51.9
07/Oct/2022 14:35	50.9
07/Oct/2022 14:40	48.7
07/Oct/2022 14:45	49.8
07/Oct/2022 14:50	52.8
07/Oct/2022 14:55	55.4
07/Oct/2022 15:00	55.6
07/Oct/2022 15:05	56.0
07/Oct/2022 15:10	50.6
07/Oct/2022 15:15	51.9
07/Oct/2022 15:20	50.5
07/Oct/2022 15:25	49.5
07/Oct/2022 15:30	50.7
07/Oct/2022 15:35	49.5
07/Oct/2022 15:40	48.9
07/Oct/2022 15:45	51.3
07/Oct/2022 15:50	53.5

Start Time	L90 (5mins)*
07/Oct/2022 15:55	52.1
07/Oct/2022 16:00	52.3
07/Oct/2022 16:05	51.8
07/Oct/2022 16:10	53.8
07/Oct/2022 16:15	53.6
07/Oct/2022 16:20	48.3
07/Oct/2022 16:25	47.1
07/Oct/2022 16:30	48.3
07/Oct/2022 16:35	47.8
07/Oct/2022 16:40	46.4
07/Oct/2022 16:45	47.7
07/Oct/2022 16:50	48.4
07/Oct/2022 16:55	47.5
07/Oct/2022 17:00	48.0
07/Oct/2022 17:05	47.2
07/Oct/2022 17:10	47.4
07/Oct/2022 17:15	46.9
07/Oct/2022 17:20	48.1
07/Oct/2022 17:25	51.7
07/Oct/2022 17:30	51.1
07/Oct/2022 17:35	51.4
07/Oct/2022 17:40	47.6
07/Oct/2022 17:45	48.0
07/Oct/2022 17:50	48.8
07/Oct/2022 17:55	52.2
07/Oct/2022 18:00	49.0
07/Oct/2022 18:05	47.7
07/Oct/2022 18:10	47.1
07/Oct/2022 18:15	46.6
07/Oct/2022 18:20	46.9
07/Oct/2022 18:25	47.8
07/Oct/2022 18:30	47.6
07/Oct/2022 18:35	46.7
07/Oct/2022 18:40	46.1
07/Oct/2022 18:45	45.9
07/Oct/2022 18:50	46.2
07/Oct/2022 18:55	45.6
07/Oct/2022 19:00	45.7
07/Oct/2022 19:05	45.7
07/Oct/2022 19:10	45.8
07/Oct/2022 19:15	46.4
07/Oct/2022 19:20	46.4
07/Oct/2022 19:25	46.2
07/Oct/2022 19:30	46.1
07/Oct/2022 19:35	46.1

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
07/Oct/2022 19:40	46.2
07/Oct/2022 19:45	46.7
07/Oct/2022 19:50	46.4
07/Oct/2022 19:55	46.7
07/Oct/2022 20:00	46.2
07/Oct/2022 20:05	46.4
07/Oct/2022 20:10	46.5
07/Oct/2022 20:15	46.0
07/Oct/2022 20:20	46.2
07/Oct/2022 20:25	46.2
07/Oct/2022 20:30	46.4
07/Oct/2022 20:35	46.3
07/Oct/2022 20:40	46.3
07/Oct/2022 20:45	47.2
07/Oct/2022 20:50	46.8
07/Oct/2022 20:55	46.6
07/Oct/2022 21:00	46.4
07/Oct/2022 21:05	46.5
07/Oct/2022 21:10	46.3
07/Oct/2022 21:15	46.5
07/Oct/2022 21:20	46.8
07/Oct/2022 21:25	53.6
07/Oct/2022 21:30	51.8
07/Oct/2022 21:35	46.4
07/Oct/2022 21:40	46.1
07/Oct/2022 21:45	46.4
07/Oct/2022 21:50	46.1
07/Oct/2022 21:55	46.5
07/Oct/2022 22:00	47.0
07/Oct/2022 22:05	49.4
07/Oct/2022 22:10	47.4
07/Oct/2022 22:15	46.9
07/Oct/2022 22:20	46.5
07/Oct/2022 22:25	46.2
07/Oct/2022 22:30	46.0
07/Oct/2022 22:35	45.9
07/Oct/2022 22:40	45.6
07/Oct/2022 22:45	45.7
07/Oct/2022 22:50	45.6
07/Oct/2022 22:55	45.7
08/Oct/2022 23:00	45.6
08/Oct/2022 23:05	45.6
08/Oct/2022 23:10	45.1
08/Oct/2022 23:15	45.3
08/Oct/2022 23:20	45.5

Start Time	L90 (5mins)*
08/Oct/2022 23:25	45.3
08/Oct/2022 23:30	45.5
08/Oct/2022 23:35	45.3
08/Oct/2022 23:40	45.4
08/Oct/2022 23:45	45.3
08/Oct/2022 23:50	45.4
08/Oct/2022 23:55	46.2
09/Oct/2022 00:00	45.8
09/Oct/2022 00:05	45.4
09/Oct/2022 00:10	45.3
09/Oct/2022 00:15	45.8
09/Oct/2022 00:20	45.4
09/Oct/2022 00:25	45.3
09/Oct/2022 00:30	45.5
09/Oct/2022 00:35	45.5
09/Oct/2022 00:40	45.5
09/Oct/2022 00:45	47.9
09/Oct/2022 00:50	47.3
09/Oct/2022 00:55	47.9
09/Oct/2022 01:00	47.0
09/Oct/2022 01:05	47.4
09/Oct/2022 01:10	51.7
09/Oct/2022 01:15	53.0
09/Oct/2022 01:20	49.6
09/Oct/2022 01:25	50.5
09/Oct/2022 01:30	54.5
09/Oct/2022 01:35	53.8
09/Oct/2022 01:40	55.8
09/Oct/2022 01:45	52.3
09/Oct/2022 01:50	54.1
09/Oct/2022 01:55	52.9
09/Oct/2022 02:00	50.7
09/Oct/2022 02:05	48.8
09/Oct/2022 02:10	48.7
09/Oct/2022 02:15	52.6
09/Oct/2022 02:20	48.9
09/Oct/2022 02:25	47.5
09/Oct/2022 02:30	46.6
09/Oct/2022 02:35	46.4
09/Oct/2022 02:40	46.0
09/Oct/2022 02:45	45.9
09/Oct/2022 02:50	45.6
09/Oct/2022 02:55	45.7
09/Oct/2022 03:00	45.5
09/Oct/2022 03:05	45.5

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
09/Oct/2022 03:10	45.4
09/Oct/2022 03:15	45.5
09/Oct/2022 03:20	45.6
09/Oct/2022 03:25	45.6
09/Oct/2022 03:30	45.4
09/Oct/2022 03:35	45.4
09/Oct/2022 03:40	45.7
09/Oct/2022 03:45	45.5
09/Oct/2022 03:50	45.4
09/Oct/2022 03:55	45.5
09/Oct/2022 04:00	45.2
09/Oct/2022 04:05	45.1
09/Oct/2022 04:10	45.8
09/Oct/2022 04:15	45.5
09/Oct/2022 04:20	45.7
09/Oct/2022 04:25	45.7
09/Oct/2022 04:30	45.3
09/Oct/2022 04:35	45.3
09/Oct/2022 04:40	45.3
09/Oct/2022 04:45	45.3
09/Oct/2022 04:50	45.1
09/Oct/2022 04:55	45.1
09/Oct/2022 05:00	45.2
09/Oct/2022 05:05	45.3
09/Oct/2022 05:10	45.4
09/Oct/2022 05:15	45.1
09/Oct/2022 05:20	45.1
09/Oct/2022 05:25	45.3
09/Oct/2022 05:30	45.2
09/Oct/2022 05:35	45.1
09/Oct/2022 05:40	44.9
09/Oct/2022 05:45	45.1
09/Oct/2022 05:50	45.3
09/Oct/2022 05:55	45.1
09/Oct/2022 06:00	45.1
09/Oct/2022 06:05	46.7
09/Oct/2022 06:10	45.9
09/Oct/2022 06:15	50.0
09/Oct/2022 06:20	47.7
09/Oct/2022 06:25	49.3
09/Oct/2022 06:30	53.4
09/Oct/2022 06:35	49.3
09/Oct/2022 06:40	50.8
09/Oct/2022 06:45	50.6
09/Oct/2022 06:50	55.3

Start Time	L90 (5mins)*
09/Oct/2022 06:55	55.2
09/Oct/2022 07:00	53.4
09/Oct/2022 07:05	54.7
09/Oct/2022 07:10	56.0
09/Oct/2022 07:15	54.7
09/Oct/2022 07:20	52.9
09/Oct/2022 07:25	54.4
09/Oct/2022 07:30	54.1
09/Oct/2022 07:35	55.0
09/Oct/2022 07:40	56.1
09/Oct/2022 07:45	52.1
09/Oct/2022 07:50	51.5
09/Oct/2022 07:55	50.2
09/Oct/2022 08:00	56.3
09/Oct/2022 08:05	57.6
09/Oct/2022 08:10	55.2
09/Oct/2022 08:15	57.4
09/Oct/2022 08:20	58.4
09/Oct/2022 08:25	57.3
09/Oct/2022 08:30	55.8
09/Oct/2022 08:35	56.3
09/Oct/2022 08:40	55.9
09/Oct/2022 08:45	56.1
09/Oct/2022 08:50	55.9
09/Oct/2022 08:55	56.9
09/Oct/2022 09:00	55.1
09/Oct/2022 09:05	56.5
09/Oct/2022 09:10	57.3
09/Oct/2022 09:15	58.6
09/Oct/2022 09:20	60.0
09/Oct/2022 09:25	57.6
09/Oct/2022 09:30	58.7
09/Oct/2022 09:35	58.8
09/Oct/2022 09:40	59.0
09/Oct/2022 09:45	58.9
09/Oct/2022 09:50	59.9
09/Oct/2022 09:55	59.6
09/Oct/2022 10:00	60.0
09/Oct/2022 10:05	60.4
09/Oct/2022 10:10	61.1
09/Oct/2022 10:15	62.6
09/Oct/2022 10:20	60.7
09/Oct/2022 10:25	58.5
09/Oct/2022 10:30	57.5
09/Oct/2022 10:35	57.9



Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
09/Oct/2022 10:40	55.7
09/Oct/2022 10:45	58.0
09/Oct/2022 10:50	56.7
09/Oct/2022 10:55	54.6
09/Oct/2022 11:00	50.0
09/Oct/2022 11:05	53.8
09/Oct/2022 11:10	54.5
09/Oct/2022 11:15	57.3
09/Oct/2022 11:20	56.2
09/Oct/2022 11:25	53.1
09/Oct/2022 11:30	54.7
09/Oct/2022 11:35	54.9
09/Oct/2022 11:40	54.4
09/Oct/2022 11:45	53.3
09/Oct/2022 11:50	55.2
09/Oct/2022 11:55	54.0
09/Oct/2022 12:00	52.9
09/Oct/2022 12:05	53.3
09/Oct/2022 12:10	54.2
09/Oct/2022 12:15	52.0
09/Oct/2022 12:20	51.0
09/Oct/2022 12:25	48.7
09/Oct/2022 12:30	49.1
09/Oct/2022 12:35	49.2
09/Oct/2022 12:40	48.5
09/Oct/2022 12:45	48.5
09/Oct/2022 12:50	47.6
09/Oct/2022 12:55	46.7
09/Oct/2022 13:00	46.9
09/Oct/2022 13:05	47.2
09/Oct/2022 13:10	46.7
09/Oct/2022 13:15	46.5
09/Oct/2022 13:20	46.7
09/Oct/2022 13:25	47.0
09/Oct/2022 13:30	50.0
09/Oct/2022 13:35	52.5
09/Oct/2022 13:40	54.5
09/Oct/2022 13:45	53.7
09/Oct/2022 13:50	51.7
09/Oct/2022 13:55	53.9
09/Oct/2022 14:00	53.9
09/Oct/2022 14:05	54.5
09/Oct/2022 14:10	56.2
09/Oct/2022 14:15	57.1
09/Oct/2022 14:20	51.4

Start Time	L90 (5mins)*
09/Oct/2022 14:25	49.3
09/Oct/2022 14:30	51.8
09/Oct/2022 14:35	47.9
09/Oct/2022 14:40	47.8
09/Oct/2022 14:45	47.9
09/Oct/2022 14:50	47.8
09/Oct/2022 14:55	47.7
09/Oct/2022 15:00	48.3
09/Oct/2022 15:05	48.4
09/Oct/2022 15:10	47.5
09/Oct/2022 15:15	48.0
09/Oct/2022 15:20	47.3
09/Oct/2022 15:25	49.8
09/Oct/2022 15:30	49.6
09/Oct/2022 15:35	48.8
09/Oct/2022 15:40	47.1
09/Oct/2022 15:45	47.2
09/Oct/2022 15:50	48.0
09/Oct/2022 15:55	47.1
09/Oct/2022 16:00	47.1
09/Oct/2022 16:05	47.8
09/Oct/2022 16:10	47.4
09/Oct/2022 16:15	47.1
09/Oct/2022 16:20	48.8
09/Oct/2022 16:25	50.4
09/Oct/2022 16:30	49.9
09/Oct/2022 16:35	49.5
09/Oct/2022 16:40	48.1
09/Oct/2022 16:45	46.4
09/Oct/2022 16:50	47.0
09/Oct/2022 16:55	46.9
09/Oct/2022 17:00	47.1
09/Oct/2022 17:05	46.7
09/Oct/2022 17:10	47.4
09/Oct/2022 17:15	47.2
09/Oct/2022 17:20	51.3
09/Oct/2022 17:25	47.0
09/Oct/2022 17:30	46.7
09/Oct/2022 17:35	46.6
09/Oct/2022 17:40	47.0
09/Oct/2022 17:45	46.8
09/Oct/2022 17:50	47.4
09/Oct/2022 17:55	47.2
09/Oct/2022 18:00	47.5
09/Oct/2022 18:05	47.2

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
09/Oct/2022 18:10	47.4
09/Oct/2022 18:15	47.4
09/Oct/2022 18:20	47.1
09/Oct/2022 18:25	48.1
09/Oct/2022 18:30	47.8
09/Oct/2022 18:35	47.1
09/Oct/2022 18:40	47.1
09/Oct/2022 18:45	47.0
09/Oct/2022 18:50	47.0
09/Oct/2022 18:55	47.2
09/Oct/2022 19:00	47.5
09/Oct/2022 19:05	47.6
09/Oct/2022 19:10	47.3
09/Oct/2022 19:15	47.6
09/Oct/2022 19:20	47.6
09/Oct/2022 19:25	48.0
09/Oct/2022 19:30	47.8
09/Oct/2022 19:35	47.3
09/Oct/2022 19:40	46.8
09/Oct/2022 19:45	47.7
09/Oct/2022 19:50	47.5
09/Oct/2022 19:55	47.6
09/Oct/2022 20:00	46.9
09/Oct/2022 20:05	47.0
09/Oct/2022 20:10	47.1
09/Oct/2022 20:15	47.4
09/Oct/2022 20:20	47.1
09/Oct/2022 20:25	46.9
09/Oct/2022 20:30	47.2
09/Oct/2022 20:35	47.1
09/Oct/2022 20:40	47.1
09/Oct/2022 20:45	48.9
09/Oct/2022 20:50	48.9
09/Oct/2022 20:55	49.0
09/Oct/2022 21:00	49.3
09/Oct/2022 21:05	48.6
09/Oct/2022 21:10	46.7
09/Oct/2022 21:15	47.3
09/Oct/2022 21:20	47.3
09/Oct/2022 21:25	47.3
09/Oct/2022 21:30	47.5
09/Oct/2022 21:35	47.4
09/Oct/2022 21:40	47.7
09/Oct/2022 21:45	47.0
09/Oct/2022 21:50	47.2

Start Time	L90 (5mins)*
09/Oct/2022 21:55	46.9
09/Oct/2022 22:00	47.2
09/Oct/2022 22:05	46.9
09/Oct/2022 22:10	47.2
09/Oct/2022 22:15	48.9
09/Oct/2022 22:20	47.4
09/Oct/2022 22:25	46.9
09/Oct/2022 22:30	47.1
09/Oct/2022 22:35	47.3
09/Oct/2022 22:40	47.4
09/Oct/2022 22:45	47.4
09/Oct/2022 22:50	47.2
09/Oct/2022 22:55	47.3
15/Oct/2022 23:00	45.0
15/Oct/2022 23:05	45.1
15/Oct/2022 23:10	45.1
15/Oct/2022 23:15	45.2
15/Oct/2022 23:20	45.1
15/Oct/2022 23:25	45.5
15/Oct/2022 23:30	45.8
15/Oct/2022 23:35	45.0
15/Oct/2022 23:40	45.3
15/Oct/2022 23:45	45.4
15/Oct/2022 23:50	45.1
15/Oct/2022 23:55	44.7
16/Oct/2022 00:00	44.7
16/Oct/2022 00:05	44.8
16/Oct/2022 00:10	44.7
16/Oct/2022 00:15	44.8
16/Oct/2022 00:20	44.9
16/Oct/2022 00:25	44.3
16/Oct/2022 00:30	44.6
16/Oct/2022 00:35	44.3
16/Oct/2022 00:40	44.3
16/Oct/2022 00:45	44.8
16/Oct/2022 00:50	44.4
16/Oct/2022 00:55	44.4
16/Oct/2022 01:00	44.5
16/Oct/2022 01:05	44.4
16/Oct/2022 01:10	44.5
16/Oct/2022 01:15	44.5
16/Oct/2022 01:20	45.0
16/Oct/2022 01:25	44.4
16/Oct/2022 01:30	44.7
16/Oct/2022 01:35	45.5

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
16/Oct/2022 01:40	44.7
16/Oct/2022 01:45	44.5
16/Oct/2022 01:50	44.5
16/Oct/2022 01:55	44.2
16/Oct/2022 02:00	44.6
16/Oct/2022 02:05	44.7
16/Oct/2022 02:10	44.7
16/Oct/2022 02:15	44.5
16/Oct/2022 02:20	44.6
16/Oct/2022 02:25	44.4
16/Oct/2022 02:30	44.8
16/Oct/2022 02:35	45.1
16/Oct/2022 02:40	45.1
16/Oct/2022 02:45	44.5
16/Oct/2022 02:50	44.9
16/Oct/2022 02:55	44.7
16/Oct/2022 03:00	44.7
16/Oct/2022 03:05	44.9
16/Oct/2022 03:10	44.6
16/Oct/2022 03:15	44.6
16/Oct/2022 03:20	44.8
16/Oct/2022 03:25	44.9
16/Oct/2022 03:30	44.9
16/Oct/2022 03:35	44.5
16/Oct/2022 03:40	44.5
16/Oct/2022 03:45	44.7
16/Oct/2022 03:50	44.6
16/Oct/2022 03:55	45.2
16/Oct/2022 04:00	44.5
16/Oct/2022 04:05	45.1
16/Oct/2022 04:10	45.4
16/Oct/2022 04:15	44.6
16/Oct/2022 04:20	45.0
16/Oct/2022 04:25	45.1
16/Oct/2022 04:30	44.9
16/Oct/2022 04:35	44.6
16/Oct/2022 04:40	44.4
16/Oct/2022 04:45	44.8
16/Oct/2022 04:50	44.8
16/Oct/2022 04:55	44.6
16/Oct/2022 05:00	44.5
16/Oct/2022 05:05	44.5
16/Oct/2022 05:10	44.3
16/Oct/2022 05:15	44.3
16/Oct/2022 05:20	44.5

Start Time	L90 (5mins)*
16/Oct/2022 05:25	44.5
16/Oct/2022 05:30	44.8
16/Oct/2022 05:35	44.5
16/Oct/2022 05:40	45.1
16/Oct/2022 05:45	44.7
16/Oct/2022 05:50	44.6
16/Oct/2022 05:55	45.5
16/Oct/2022 06:00	45.5
16/Oct/2022 06:05	45.6
16/Oct/2022 06:10	45.9
16/Oct/2022 06:15	46.9
16/Oct/2022 06:20	48.1
16/Oct/2022 06:25	49.2
16/Oct/2022 06:30	46.4
16/Oct/2022 06:35	47.4
16/Oct/2022 06:40	46.6
16/Oct/2022 06:45	47.9
16/Oct/2022 06:50	51.3
16/Oct/2022 06:55	48.0
16/Oct/2022 07:00	48.3
16/Oct/2022 07:05	49.3
16/Oct/2022 07:10	47.8
16/Oct/2022 07:15	47.1
16/Oct/2022 07:20	48.1
16/Oct/2022 07:25	48.3
16/Oct/2022 07:30	50.4
16/Oct/2022 07:35	52.8
16/Oct/2022 07:40	50.4
16/Oct/2022 07:45	51.7
16/Oct/2022 07:50	51.7
16/Oct/2022 07:55	48.6
16/Oct/2022 08:00	50.0
16/Oct/2022 08:05	50.1
16/Oct/2022 08:10	47.3
16/Oct/2022 08:15	50.5
16/Oct/2022 08:20	49.9
16/Oct/2022 08:25	48.3
16/Oct/2022 08:30	54.7
16/Oct/2022 08:35	53.3
16/Oct/2022 08:40	53.5
16/Oct/2022 08:45	52.3
16/Oct/2022 08:50	50.5
16/Oct/2022 08:55	49.2
16/Oct/2022 09:00	51.7
16/Oct/2022 09:05	53.2

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
16/Oct/2022 09:10	52.4
16/Oct/2022 09:15	54.0
16/Oct/2022 09:20	54.7
16/Oct/2022 09:25	59.0
16/Oct/2022 09:30	57.1
16/Oct/2022 09:35	61.6
16/Oct/2022 09:40	59.3
16/Oct/2022 09:45	61.0
16/Oct/2022 09:50	60.4
16/Oct/2022 09:55	60.2
16/Oct/2022 10:00	61.8
16/Oct/2022 10:05	63.7
16/Oct/2022 10:10	63.0
16/Oct/2022 10:15	63.1
16/Oct/2022 10:20	62.1
16/Oct/2022 10:25	60.1
16/Oct/2022 10:30	60.9
16/Oct/2022 10:35	58.7
16/Oct/2022 10:40	61.1
16/Oct/2022 10:45	60.4
16/Oct/2022 10:50	58.9
16/Oct/2022 10:55	57.4
16/Oct/2022 11:00	58.5
16/Oct/2022 11:05	61.0
16/Oct/2022 11:10	58.0
16/Oct/2022 11:15	58.0
16/Oct/2022 11:20	59.0
16/Oct/2022 11:25	59.4
16/Oct/2022 11:30	59.5
16/Oct/2022 11:35	58.9
16/Oct/2022 11:40	58.0
16/Oct/2022 11:45	58.1
16/Oct/2022 11:50	56.5
16/Oct/2022 11:55	58.6
16/Oct/2022 12:00	57.9
16/Oct/2022 12:05	58.9
16/Oct/2022 12:10	60.8
16/Oct/2022 12:15	61.5
16/Oct/2022 12:20	59.3
16/Oct/2022 12:25	55.1
16/Oct/2022 12:30	53.8
16/Oct/2022 12:35	55.3
16/Oct/2022 12:40	54.5
16/Oct/2022 12:45	50.9
16/Oct/2022 12:50	50.0

Start Time	L90 (5mins)*
16/Oct/2022 12:55	50.6
16/Oct/2022 13:00	53.9
16/Oct/2022 13:05	55.5
16/Oct/2022 13:10	56.4
16/Oct/2022 13:15	53.0
16/Oct/2022 13:20	53.1
16/Oct/2022 13:25	51.7
16/Oct/2022 13:30	50.0
16/Oct/2022 13:35	49.9
16/Oct/2022 13:40	50.9
16/Oct/2022 13:45	52.0
16/Oct/2022 13:50	53.5
16/Oct/2022 13:55	54.9
16/Oct/2022 14:00	56.5
16/Oct/2022 14:05	54.2
16/Oct/2022 14:10	51.5
16/Oct/2022 14:15	53.7
16/Oct/2022 14:20	51.4
16/Oct/2022 14:25	52.1
16/Oct/2022 14:30	49.8
16/Oct/2022 14:35	50.2
16/Oct/2022 14:40	51.9
16/Oct/2022 14:45	53.0
16/Oct/2022 14:50	54.0
16/Oct/2022 14:55	56.6
16/Oct/2022 15:00	52.4
16/Oct/2022 15:05	53.6
16/Oct/2022 15:10	54.0
16/Oct/2022 15:15	52.2
16/Oct/2022 15:20	50.4
16/Oct/2022 15:25	54.3
16/Oct/2022 15:30	51.4
16/Oct/2022 15:35	49.2
16/Oct/2022 15:40	51.8
16/Oct/2022 15:45	50.6
16/Oct/2022 15:50	52.0
16/Oct/2022 15:55	51.8
16/Oct/2022 16:00	53.4
16/Oct/2022 16:05	52.3
16/Oct/2022 16:10	53.4
16/Oct/2022 16:15	52.6
16/Oct/2022 16:20	53.2
16/Oct/2022 16:25	51.0
16/Oct/2022 16:30	48.0
16/Oct/2022 16:35	48.9

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
16/Oct/2022 16:40	48.4
16/Oct/2022 16:45	47.4
16/Oct/2022 16:50	47.6
16/Oct/2022 16:55	49.5
16/Oct/2022 17:00	48.9
16/Oct/2022 17:05	51.3
16/Oct/2022 17:10	52.0
16/Oct/2022 17:15	51.0
16/Oct/2022 17:20	50.0
16/Oct/2022 17:25	50.6
16/Oct/2022 17:30	48.6
16/Oct/2022 17:35	48.6
16/Oct/2022 17:40	47.5
16/Oct/2022 17:45	48.0
16/Oct/2022 17:50	48.1
16/Oct/2022 17:55	47.8
16/Oct/2022 18:00	49.2
16/Oct/2022 18:05	47.4
16/Oct/2022 18:10	48.4
16/Oct/2022 18:15	50.9
16/Oct/2022 18:20	48.0
16/Oct/2022 18:25	48.3
16/Oct/2022 18:30	47.1
16/Oct/2022 18:35	47.6
16/Oct/2022 18:40	47.3
16/Oct/2022 18:45	46.8
16/Oct/2022 18:50	46.8
16/Oct/2022 18:55	46.8
16/Oct/2022 19:00	46.3
16/Oct/2022 19:05	45.7
16/Oct/2022 19:10	46.8
16/Oct/2022 19:15	46.6
16/Oct/2022 19:20	46.6
16/Oct/2022 19:25	46.1
16/Oct/2022 19:30	45.7
16/Oct/2022 19:35	45.5
16/Oct/2022 19:40	45.3
16/Oct/2022 19:45	45.5
16/Oct/2022 19:50	45.5
16/Oct/2022 19:55	45.9
16/Oct/2022 20:00	46.1
16/Oct/2022 20:05	46.1
16/Oct/2022 20:10	45.8
16/Oct/2022 20:15	45.7
16/Oct/2022 20:20	45.9

Start Time	L90 (5mins)*
16/Oct/2022 20:25	46.9
16/Oct/2022 20:30	46.4
16/Oct/2022 20:35	46.3
16/Oct/2022 20:40	46.5
16/Oct/2022 20:45	46.0
16/Oct/2022 20:50	46.0
16/Oct/2022 20:55	45.7
16/Oct/2022 21:00	45.9
16/Oct/2022 21:05	45.6
16/Oct/2022 21:10	45.8
16/Oct/2022 21:15	46.3
16/Oct/2022 21:20	45.9
16/Oct/2022 21:25	45.6
16/Oct/2022 21:30	46.1
16/Oct/2022 21:35	45.8
16/Oct/2022 21:40	48.4
16/Oct/2022 21:45	46.6
16/Oct/2022 21:50	46.0
16/Oct/2022 21:55	45.8
16/Oct/2022 22:00	45.5
16/Oct/2022 22:05	45.5
16/Oct/2022 22:10	46.1
16/Oct/2022 22:15	45.5
16/Oct/2022 22:20	45.3
16/Oct/2022 22:25	45.1
16/Oct/2022 22:30	45.2
16/Oct/2022 22:35	45.7
16/Oct/2022 22:40	45.4
16/Oct/2022 22:45	46.3
16/Oct/2022 22:50	45.9
16/Oct/2022 22:55	45.2
20/Oct/2022 23:00	45.0
20/Oct/2022 23:05	44.4
20/Oct/2022 23:10	44.3
20/Oct/2022 23:15	44.3
20/Oct/2022 23:20	44.3
20/Oct/2022 23:25	44.7
20/Oct/2022 23:30	44.7
20/Oct/2022 23:35	44.7
20/Oct/2022 23:40	44.8
20/Oct/2022 23:45	45.7
20/Oct/2022 23:50	45.5
20/Oct/2022 23:55	44.9
21/Oct/2022 00:00	45.0
21/Oct/2022 00:05	45.1

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
21/Oct/2022 00:10	44.5
21/Oct/2022 00:15	44.8
21/Oct/2022 00:20	44.5
21/Oct/2022 00:25	44.6
21/Oct/2022 00:30	44.3
21/Oct/2022 00:35	44.2
21/Oct/2022 00:40	44.6
21/Oct/2022 00:45	44.7
21/Oct/2022 00:50	44.3
21/Oct/2022 00:55	43.8
21/Oct/2022 01:00	43.9
21/Oct/2022 01:05	44.6
21/Oct/2022 01:10	44.8
21/Oct/2022 01:15	44.3
21/Oct/2022 01:20	44.4
21/Oct/2022 01:25	44.3
21/Oct/2022 01:30	45.4
21/Oct/2022 01:35	44.3
21/Oct/2022 01:40	44.1
21/Oct/2022 01:45	44.0
21/Oct/2022 01:50	44.1
21/Oct/2022 01:55	44.3
21/Oct/2022 02:00	44.1
21/Oct/2022 02:05	43.9
21/Oct/2022 02:10	43.8
21/Oct/2022 02:15	44.2
21/Oct/2022 02:20	44.6
21/Oct/2022 02:25	44.9
21/Oct/2022 02:30	44.5
21/Oct/2022 02:35	44.3
21/Oct/2022 02:40	45.0
21/Oct/2022 02:45	45.3
21/Oct/2022 02:50	44.6
21/Oct/2022 02:55	45.6
21/Oct/2022 03:00	44.6
21/Oct/2022 03:05	44.3
21/Oct/2022 03:10	44.2
21/Oct/2022 03:15	44.0
21/Oct/2022 03:20	44.0
21/Oct/2022 03:25	43.9
21/Oct/2022 03:30	44.1
21/Oct/2022 03:35	43.9
21/Oct/2022 03:40	44.6
21/Oct/2022 03:45	44.4
21/Oct/2022 03:50	44.6

Start Time	L90 (5mins)*
21/Oct/2022 03:55	44.6
21/Oct/2022 04:00	45.6
21/Oct/2022 04:05	44.6
21/Oct/2022 04:10	44.4
21/Oct/2022 04:15	44.3
21/Oct/2022 04:20	44.5
21/Oct/2022 04:25	44.6
21/Oct/2022 04:30	44.2
21/Oct/2022 04:35	44.2
21/Oct/2022 04:40	44.2
21/Oct/2022 04:45	43.8
21/Oct/2022 04:50	43.6
21/Oct/2022 04:55	43.6
21/Oct/2022 05:00	44.1
21/Oct/2022 05:05	44.2
21/Oct/2022 05:10	43.9
21/Oct/2022 05:15	44.0
21/Oct/2022 05:20	45.2
21/Oct/2022 05:25	45.7
21/Oct/2022 05:30	45.6
21/Oct/2022 05:35	44.7
21/Oct/2022 05:40	44.8
21/Oct/2022 05:45	44.4
21/Oct/2022 05:50	44.5
21/Oct/2022 05:55	44.7
21/Oct/2022 06:00	44.7
21/Oct/2022 06:05	44.8
21/Oct/2022 06:10	45.6
21/Oct/2022 06:15	46.7
21/Oct/2022 06:20	46.5
21/Oct/2022 06:25	46.6
21/Oct/2022 06:30	46.1
21/Oct/2022 06:35	49.8
21/Oct/2022 06:40	51.2
21/Oct/2022 06:45	59.8
21/Oct/2022 06:50	55.9
21/Oct/2022 06:55	49.7
21/Oct/2022 07:00	50.5
21/Oct/2022 07:05	55.9
21/Oct/2022 07:10	51.3
21/Oct/2022 07:15	55.4
21/Oct/2022 07:20	50.4
21/Oct/2022 07:25	53.9
21/Oct/2022 07:30	54.8
21/Oct/2022 07:35	52.9

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
21/Oct/2022 07:40	53.7
21/Oct/2022 07:45	52.2
21/Oct/2022 07:50	53.8
21/Oct/2022 07:55	56.0
21/Oct/2022 08:00	54.1
21/Oct/2022 08:05	56.2
21/Oct/2022 08:10	55.8
21/Oct/2022 08:15	55.5
21/Oct/2022 08:20	55.7
21/Oct/2022 08:25	52.4
21/Oct/2022 08:30	54.5
21/Oct/2022 08:35	49.1
21/Oct/2022 08:40	48.6
21/Oct/2022 08:45	49.8
21/Oct/2022 08:50	49.6
21/Oct/2022 08:55	50.2
21/Oct/2022 09:00	54.1
21/Oct/2022 09:05	54.6
21/Oct/2022 09:10	57.5
21/Oct/2022 09:15	56.0
21/Oct/2022 09:20	53.4
21/Oct/2022 09:25	54.9
21/Oct/2022 09:30	54.1
21/Oct/2022 09:35	52.1
21/Oct/2022 09:40	52.3
21/Oct/2022 09:45	52.3
21/Oct/2022 09:50	52.0
21/Oct/2022 09:55	52.5
21/Oct/2022 10:00	55.4
21/Oct/2022 10:05	53.9
21/Oct/2022 10:10	55.4
21/Oct/2022 10:15	55.3
21/Oct/2022 10:20	54.2
21/Oct/2022 10:25	53.5
21/Oct/2022 10:30	53.2
21/Oct/2022 10:35	51.7
21/Oct/2022 10:40	53.4
21/Oct/2022 10:45	53.5
21/Oct/2022 10:50	54.4
21/Oct/2022 10:55	52.5
21/Oct/2022 11:00	54.8
21/Oct/2022 11:05	57.9
21/Oct/2022 11:10	55.7
21/Oct/2022 11:15	53.4
21/Oct/2022 11:20	55.0

Start Time	L90 (5mins)*
21/Oct/2022 11:25	55.6
21/Oct/2022 11:30	57.7
21/Oct/2022 11:35	57.0
21/Oct/2022 11:40	57.2
21/Oct/2022 11:45	53.5
21/Oct/2022 11:50	52.3
21/Oct/2022 11:55	54.4
21/Oct/2022 12:00	55.9
21/Oct/2022 12:05	54.7
21/Oct/2022 12:10	55.1
21/Oct/2022 12:15	52.5
21/Oct/2022 12:20	51.8
21/Oct/2022 12:25	50.6
21/Oct/2022 12:30	53.5
21/Oct/2022 12:35	54.9
21/Oct/2022 12:40	50.9
21/Oct/2022 12:45	52.2
21/Oct/2022 12:50	54.0
21/Oct/2022 12:55	55.1
21/Oct/2022 13:00	52.9
21/Oct/2022 13:05	51.4
21/Oct/2022 13:10	53.7
21/Oct/2022 13:15	56.1
21/Oct/2022 13:20	54.3
21/Oct/2022 13:25	55.0
21/Oct/2022 13:30	54.8
21/Oct/2022 13:35	54.1
21/Oct/2022 13:40	54.4
21/Oct/2022 13:45	53.5
21/Oct/2022 13:50	52.7
21/Oct/2022 13:55	54.8
21/Oct/2022 14:00	53.7
21/Oct/2022 14:05	49.8
21/Oct/2022 14:10	55.4
21/Oct/2022 14:15	56.2
21/Oct/2022 14:20	56.2
21/Oct/2022 14:25	54.0
21/Oct/2022 14:30	54.4
21/Oct/2022 14:35	51.4
21/Oct/2022 14:40	60.7
21/Oct/2022 14:45	58.9
21/Oct/2022 14:50	55.2
21/Oct/2022 14:55	49.1
21/Oct/2022 15:00	52.2
21/Oct/2022 15:05	50.3

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
21/Oct/2022 15:10	47.6
21/Oct/2022 15:15	48.7
21/Oct/2022 15:20	51.8
21/Oct/2022 15:25	50.2
21/Oct/2022 15:30	48.7
21/Oct/2022 15:35	48.7
21/Oct/2022 15:40	47.6
21/Oct/2022 15:45	48.1
21/Oct/2022 15:50	47.6
21/Oct/2022 15:55	47.9
21/Oct/2022 16:00	48.0
21/Oct/2022 16:05	48.0
21/Oct/2022 16:10	47.5
21/Oct/2022 16:15	49.3
21/Oct/2022 16:20	49.6
21/Oct/2022 16:25	48.5
21/Oct/2022 16:30	48.8
21/Oct/2022 16:35	50.5
21/Oct/2022 16:40	49.7
21/Oct/2022 16:45	48.4
21/Oct/2022 16:50	48.7
21/Oct/2022 16:55	48.7
21/Oct/2022 17:00	48.8
21/Oct/2022 17:05	47.6
21/Oct/2022 17:10	48.4
21/Oct/2022 17:15	47.3
21/Oct/2022 17:20	46.5
21/Oct/2022 17:25	46.7
21/Oct/2022 17:30	46.5
21/Oct/2022 17:35	46.6
21/Oct/2022 17:40	46.7
21/Oct/2022 17:45	47.7
21/Oct/2022 17:50	46.6
21/Oct/2022 17:55	46.5
21/Oct/2022 18:00	46.3
21/Oct/2022 18:05	46.5
21/Oct/2022 18:10	46.6
21/Oct/2022 18:15	46.3
21/Oct/2022 18:20	45.4
21/Oct/2022 18:25	45.5
21/Oct/2022 18:30	45.0
21/Oct/2022 18:35	45.2
21/Oct/2022 18:40	45.6
21/Oct/2022 18:45	45.5
21/Oct/2022 18:50	45.5

Start Time	L90 (5mins)*
21/Oct/2022 18:55	45.9
21/Oct/2022 19:00	44.9
21/Oct/2022 19:05	45.1
21/Oct/2022 19:10	45.5
21/Oct/2022 19:15	45.8
21/Oct/2022 19:20	45.4
21/Oct/2022 19:25	45.7
21/Oct/2022 19:30	45.6
21/Oct/2022 19:35	45.9
21/Oct/2022 19:40	46.5
21/Oct/2022 19:45	45.7
21/Oct/2022 19:50	46.2
21/Oct/2022 19:55	45.7
21/Oct/2022 20:00	45.8
21/Oct/2022 20:05	45.6
21/Oct/2022 20:10	45.3
21/Oct/2022 20:15	45.3
21/Oct/2022 20:20	45.2
21/Oct/2022 20:25	45.3
21/Oct/2022 20:30	45.9
21/Oct/2022 20:35	45.6
21/Oct/2022 20:40	45.3
21/Oct/2022 20:45	45.8
21/Oct/2022 20:50	45.6
21/Oct/2022 20:55	45.5
21/Oct/2022 21:00	45.4
21/Oct/2022 21:05	45.8
21/Oct/2022 21:10	45.7
21/Oct/2022 21:15	45.9
21/Oct/2022 21:20	46.2
21/Oct/2022 21:25	45.9
21/Oct/2022 21:30	45.8
21/Oct/2022 21:35	45.8
21/Oct/2022 21:40	45.7
21/Oct/2022 21:45	46.1
21/Oct/2022 21:50	46.1
21/Oct/2022 21:55	45.3
21/Oct/2022 22:00	45.1
21/Oct/2022 22:05	45.4
21/Oct/2022 22:10	45.2
21/Oct/2022 22:15	45.2
21/Oct/2022 22:20	45.2
21/Oct/2022 22:25	44.5
21/Oct/2022 22:30	44.6
21/Oct/2022 22:35	44.8



Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
21/Oct/2022 22:40	44.5
21/Oct/2022 22:45	44.2
21/Oct/2022 22:50	44.3
21/Oct/2022 22:55	44.2
22/Oct/2022 23:00	44.9
22/Oct/2022 23:05	44.9
22/Oct/2022 23:10	44.5
22/Oct/2022 23:15	44.7
22/Oct/2022 23:20	45.2
22/Oct/2022 23:25	45.7
22/Oct/2022 23:30	46.2
22/Oct/2022 23:35	46.2
22/Oct/2022 23:40	44.7
22/Oct/2022 23:45	44.5
22/Oct/2022 23:50	44.5
22/Oct/2022 23:55	44.5
23/Oct/2022 00:00	44.4
23/Oct/2022 00:05	44.3
23/Oct/2022 00:10	44.6
23/Oct/2022 00:15	44.5
23/Oct/2022 00:20	44.6
23/Oct/2022 00:25	44.4
23/Oct/2022 00:30	44.8
23/Oct/2022 00:35	44.0
23/Oct/2022 00:40	44.0
23/Oct/2022 00:45	44.1
23/Oct/2022 00:50	44.1
23/Oct/2022 00:55	44.1
23/Oct/2022 01:00	44.2
23/Oct/2022 01:05	43.8
23/Oct/2022 01:10	43.9
23/Oct/2022 01:15	44.0
23/Oct/2022 01:20	44.1
23/Oct/2022 01:25	43.9
23/Oct/2022 01:30	44.0
23/Oct/2022 01:35	44.5
23/Oct/2022 01:40	44.1
23/Oct/2022 01:45	43.8
23/Oct/2022 01:50	43.7
23/Oct/2022 01:55	43.5
23/Oct/2022 02:00	44.2
23/Oct/2022 02:05	44.7
23/Oct/2022 02:10	44.4
23/Oct/2022 02:15	44.3
23/Oct/2022 02:20	44.8

Start Time	L90 (5mins)*
23/Oct/2022 02:25	44.5
23/Oct/2022 02:30	44.5
23/Oct/2022 02:35	44.5
23/Oct/2022 02:40	44.5
23/Oct/2022 02:45	44.5
23/Oct/2022 02:50	44.6
23/Oct/2022 02:55	45.0
23/Oct/2022 03:00	44.5
23/Oct/2022 03:05	44.4
23/Oct/2022 03:10	44.2
23/Oct/2022 03:15	44.4
23/Oct/2022 03:20	44.3
23/Oct/2022 03:25	44.4
23/Oct/2022 03:30	44.2
23/Oct/2022 03:35	43.5
23/Oct/2022 03:40	43.4
23/Oct/2022 03:45	43.8
23/Oct/2022 03:50	43.5
23/Oct/2022 03:55	43.6
23/Oct/2022 04:00	44.1
23/Oct/2022 04:05	43.7
23/Oct/2022 04:10	43.7
23/Oct/2022 04:15	44.3
23/Oct/2022 04:20	44.5
23/Oct/2022 04:25	44.0
23/Oct/2022 04:30	44.0
23/Oct/2022 04:35	44.2
23/Oct/2022 04:40	44.3
23/Oct/2022 04:45	44.2
23/Oct/2022 04:50	44.3
23/Oct/2022 04:55	44.1
23/Oct/2022 05:00	44.2
23/Oct/2022 05:05	44.0
23/Oct/2022 05:10	44.0
23/Oct/2022 05:15	44.2
23/Oct/2022 05:20	44.1
23/Oct/2022 05:25	43.5
23/Oct/2022 05:30	43.7
23/Oct/2022 05:35	43.7
23/Oct/2022 05:40	43.6
23/Oct/2022 05:45	43.6
23/Oct/2022 05:50	43.8
23/Oct/2022 05:55	44.3
23/Oct/2022 06:00	44.3
23/Oct/2022 06:05	44.5

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
23/Oct/2022 06:10	44.4
23/Oct/2022 06:15	45.4
23/Oct/2022 06:20	45.4
23/Oct/2022 06:25	50.2
23/Oct/2022 06:30	48.5
23/Oct/2022 06:35	46.0
23/Oct/2022 06:40	48.4
23/Oct/2022 06:45	48.1
23/Oct/2022 06:50	50.6
23/Oct/2022 06:55	56.2
23/Oct/2022 07:00	56.6
23/Oct/2022 07:05	58.1
23/Oct/2022 07:10	55.5
23/Oct/2022 07:15	56.9
23/Oct/2022 07:20	48.8
23/Oct/2022 07:25	49.0
23/Oct/2022 07:30	54.3
23/Oct/2022 07:35	55.4
23/Oct/2022 07:40	56.4
23/Oct/2022 07:45	50.0
23/Oct/2022 07:50	50.0
23/Oct/2022 07:55	51.3
23/Oct/2022 08:00	50.4
23/Oct/2022 08:05	51.5
23/Oct/2022 08:10	53.7
23/Oct/2022 08:15	54.3
23/Oct/2022 08:20	55.6
23/Oct/2022 08:25	56.2
23/Oct/2022 08:30	54.6
23/Oct/2022 08:35	56.4
23/Oct/2022 08:40	56.8
23/Oct/2022 08:45	57.5
23/Oct/2022 08:50	60.1
23/Oct/2022 08:55	56.9
23/Oct/2022 09:00	57.2
23/Oct/2022 09:05	56.4
23/Oct/2022 09:10	56.0
23/Oct/2022 09:15	55.6
23/Oct/2022 09:20	55.8
23/Oct/2022 09:25	54.5
23/Oct/2022 09:30	56.0
23/Oct/2022 09:35	56.6
23/Oct/2022 09:40	56.2
23/Oct/2022 09:45	57.9
23/Oct/2022 09:50	59.0

Start Time	L90 (5mins)*
23/Oct/2022 09:55	57.5
23/Oct/2022 10:00	59.0
23/Oct/2022 10:05	56.6
23/Oct/2022 10:10	55.4
23/Oct/2022 10:15	55.7
23/Oct/2022 10:20	54.2
23/Oct/2022 10:25	52.6
23/Oct/2022 10:30	54.9
23/Oct/2022 10:35	48.5
23/Oct/2022 10:40	48.9
23/Oct/2022 10:45	49.3
23/Oct/2022 10:50	50.3
23/Oct/2022 10:55	57.5
23/Oct/2022 11:00	57.9
23/Oct/2022 11:05	56.2
23/Oct/2022 11:10	49.7
23/Oct/2022 11:15	50.3
23/Oct/2022 11:20	56.3
23/Oct/2022 11:25	50.1
23/Oct/2022 11:30	48.2
23/Oct/2022 11:35	47.9
23/Oct/2022 11:40	48.1
23/Oct/2022 11:45	48.0
23/Oct/2022 11:50	48.0
23/Oct/2022 11:55	48.7
23/Oct/2022 12:00	48.6
23/Oct/2022 12:05	48.4
23/Oct/2022 12:10	48.6
23/Oct/2022 12:15	48.6
23/Oct/2022 12:20	49.1
23/Oct/2022 12:25	50.8
23/Oct/2022 12:30	51.2
23/Oct/2022 12:35	50.1
23/Oct/2022 12:40	51.3
23/Oct/2022 12:45	48.8
23/Oct/2022 12:50	48.2
23/Oct/2022 12:55	50.8
23/Oct/2022 13:00	49.5
23/Oct/2022 13:05	50.1
23/Oct/2022 13:10	49.0
23/Oct/2022 13:15	48.4
23/Oct/2022 13:20	48.2
23/Oct/2022 13:25	49.3
23/Oct/2022 13:30	49.4
23/Oct/2022 13:35	49.0

Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Start Time	L90 (5mins)*
23/Oct/2022 13:40	47.6
23/Oct/2022 13:45	49.1
23/Oct/2022 13:50	50.2
23/Oct/2022 13:55	51.5
23/Oct/2022 14:00	50.8
23/Oct/2022 14:05	49.3
23/Oct/2022 14:10	56.3
23/Oct/2022 14:15	53.5
23/Oct/2022 14:20	53.1
23/Oct/2022 14:25	52.1
23/Oct/2022 14:30	53.0
23/Oct/2022 14:35	49.8
23/Oct/2022 14:40	53.1
23/Oct/2022 14:45	51.5
23/Oct/2022 14:50	55.0
23/Oct/2022 14:55	51.5
23/Oct/2022 15:00	53.3
23/Oct/2022 15:05	55.8
23/Oct/2022 15:10	52.4
23/Oct/2022 15:15	53.4
23/Oct/2022 15:20	52.7
23/Oct/2022 15:25	51.9
23/Oct/2022 15:30	50.6
23/Oct/2022 15:35	50.4
23/Oct/2022 15:40	50.5
23/Oct/2022 15:45	48.8
23/Oct/2022 15:50	49.0
23/Oct/2022 15:55	50.1
23/Oct/2022 16:00	48.4
23/Oct/2022 16:05	48.9
23/Oct/2022 16:10	48.6
23/Oct/2022 16:15	48.5
23/Oct/2022 16:20	49.0
23/Oct/2022 16:25	48.6
23/Oct/2022 16:30	48.0
23/Oct/2022 16:35	48.0
23/Oct/2022 16:40	48.0
23/Oct/2022 16:45	48.4
23/Oct/2022 16:50	49.1
23/Oct/2022 16:55	48.2
23/Oct/2022 17:00	48.6
23/Oct/2022 17:05	47.0
23/Oct/2022 17:10	47.1
23/Oct/2022 17:15	47.6
23/Oct/2022 17:20	47.7

Start Time	L90 (5mins)*
23/Oct/2022 17:25	48.6
23/Oct/2022 17:30	48.6
23/Oct/2022 17:35	48.3
23/Oct/2022 17:40	48.4
23/Oct/2022 17:45	48.3
23/Oct/2022 17:50	49.4
23/Oct/2022 17:55	48.3
23/Oct/2022 18:00	48.2
23/Oct/2022 18:05	47.5
23/Oct/2022 18:10	48.3
23/Oct/2022 18:15	47.9
23/Oct/2022 18:20	47.0
23/Oct/2022 18:25	47.2
23/Oct/2022 18:30	47.2
23/Oct/2022 18:35	47.0
23/Oct/2022 18:40	47.2
23/Oct/2022 18:45	47.4
23/Oct/2022 18:50	46.8
23/Oct/2022 18:55	46.8
23/Oct/2022 19:00	46.6
23/Oct/2022 19:05	47.0
23/Oct/2022 19:10	46.8
23/Oct/2022 19:15	46.8
23/Oct/2022 19:20	47.1
23/Oct/2022 19:25	46.3
23/Oct/2022 19:30	46.8
23/Oct/2022 19:35	47.8
23/Oct/2022 19:40	47.5
23/Oct/2022 19:45	47.1
23/Oct/2022 19:50	46.8
23/Oct/2022 19:55	46.5
23/Oct/2022 20:00	46.9
23/Oct/2022 20:05	46.3
23/Oct/2022 20:10	46.9
23/Oct/2022 20:15	47.5
23/Oct/2022 20:20	47.8
23/Oct/2022 20:25	47.6
23/Oct/2022 20:30	46.7
23/Oct/2022 20:35	47.0
23/Oct/2022 20:40	46.9
23/Oct/2022 20:45	46.9
23/Oct/2022 20:50	46.7
23/Oct/2022 20:55	46.6
23/Oct/2022 21:00	46.2
23/Oct/2022 21:05	46.6

Baseline Noise Monitoring Report  
For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

---

Start Time	L90 (5mins)*
23/Oct/2022 21:10	46.4
23/Oct/2022 21:15	46.4
23/Oct/2022 21:20	46.2
23/Oct/2022 21:25	45.6
23/Oct/2022 21:30	45.9
23/Oct/2022 21:35	45.6
23/Oct/2022 21:40	45.5
23/Oct/2022 21:45	45.4
23/Oct/2022 21:50	45.8
23/Oct/2022 21:55	45.6
23/Oct/2022 22:00	45.6
23/Oct/2022 22:05	45.9
23/Oct/2022 22:10	45.6
23/Oct/2022 22:15	46.3
23/Oct/2022 22:20	46.0
23/Oct/2022 22:25	45.7
23/Oct/2022 22:30	45.3
23/Oct/2022 22:35	46.1
23/Oct/2022 22:40	45.6
23/Oct/2022 22:45	45.5
23/Oct/2022 22:50	45.5
23/Oct/2022 22:55	45.3

Appendix E - Photo Record of Baseline Noise Monitoring

Baseline Noise Monitoring Report  
For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

NA1	NA2
 A photograph showing a fenced area with a concrete path leading towards a mountain range under a clear sky. The fence is made of chain-link and metal posts.	 A photograph of a stone-lined drainage channel with water. In the background, there are trees and a multi-story residential building under a clear blue sky.
 A photograph showing a fenced area with a concrete path leading towards a mountain range under a clear sky. The fence is made of chain-link and metal posts.	 A photograph of a stone-lined drainage channel with water. In the background, there are trees and a multi-story residential building under a clear blue sky.
 A photograph showing a fenced area with a concrete path leading towards a mountain range at dusk. The sky is dark, and the mountains are silhouetted against the twilight.	 A photograph of a stone-lined drainage channel at dusk. The sky is dark, and the stone wall is illuminated by a light source, possibly a street lamp.

Appendix F - Site Conditions, Potential Noise Sources and Observations

Site Conditions








Baseline Noise Monitoring Report  
For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

---




Baseline Noise Monitoring Report  
 For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
 Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

Potential Noise Sources and Observations	Description
	<p>Ngan Shu Street Refuse Collection Point</p>
	<p>Construction along Mui Wo Rural Committee Road</p>
	<p>Activities from residents on Ngan Shu Street</p>

Baseline Noise Monitoring Report  
For Agreement No. CE 54/2020 (DS) Drainage Improvement Works in Mui Wo –  
Investigation Contract No. PM 07/2022 Baseline Noise Monitoring In Mui Wo

---



Activities from residents at 9 Nam Bin Wai



Traffic on Ngan Shu Street