

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP1	GP1_V1-V3	<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	29	74	5-9	150-250	3-6	L	A	A	A	L	a,b	No	0%	0	74	Conflicts with Site formation
		<i>Leucaena leucocephala</i>	銀合歡	45		7-12	100-150	2-5	L	A	A	A	L	a,g,h	No				
GP2	GP2_V1-V3	<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	41	444	8-11	250-350	5-8	L	A	A	A	L	a,b,c	No	0%	0	444	Conflicts with Site formation
		<i>Celtis sinensis</i>	朴樹	22		6-9	250-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	21		6-8	200-270	5-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	11		6-9	250-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus subpisocarpa</i>	筆管榕	10		6-9	200-280	5-7	L	A	A	A	L	a,b,c	No				
		<i>Hibiscus tiliaceus</i>	黃槿	76		5-8	220-350	5-8	L	P-A	A	A	L	a,f,h	No				
		<i>Leucaena leucocephala</i>	銀合歡	144		7-10	100-200	3-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	88		4-8	150-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	8		8-10	250-300	6-8	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	12		8-11	320-380	7-9	L	A	A	A	L	a,b,c	No				
		<i>Morus alba</i>	桑	5		5-6	120-160	3-5	L	A	A	A	L	a,b,c	No				
		<i>Syzygium jambos</i>	蒲桃	6		5-6	120-160	3-5	L	A	A	A	L	a,b,c	No				
GP4	GP4_V1-V3	<i>Artocarpus heterophyllus</i>	菠蘿蜜	3	62	4-6	100-150	2.5-4	L	A	A	A	L	a,b,c	No	0%	0	62	Conflicts with Site formation
		<i>Celtis sinensis</i>	朴樹	2		6-9	200-350	4-8	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	6		6-8	220-250	4-7	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	1		8	250	5	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	11		5-8	210-260	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	3		9-10	310-380	8-9	L	A	A	A	L	a,b,c	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	4		4-6	150-170	3-4	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	6		7-8	100-120	3-5	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	19		4-8	150-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	3		8-10	320-380	7-9	L	A	A	A	L	a,b,c	No				
		<i>Spathodea campanulata</i>	火焰樹	4		5-7	200-250	4-5	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP5	GP5_V1-V4	<i>Bridelia tomentosa</i>	土蜜樹	15	427	4-6	120-180	4-5	L	A	A	A	L	a,b,c	No	0%	0	427	Conflicts with Site formation and Road works
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	34		8-11	180-320	5-7	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	26		6-9	150-300	5-8	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum burmannii</i>	陰香	5		6-8	200-250	5-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	9		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	51		4-10	120-350	3-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	21		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	30		7-10	250-480	5-8	L	A	A	A	L	a,b,c	No				
		<i>Hibiscus tiliaceus</i>	黃槿	40		5-8	220-350	5-8	L	P-A	A	A	L	a,b,f	No				
		<i>Leucaena leucocephala</i>	銀合歡	42		6-9	100-150	3-4	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	12		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	69		3-7	120-280	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	10		6-9	200-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	35		8-10	120-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	13		7-9	150-280	4-7	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	15	5-7	120-220	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP6	GP6_V1-V4	<i>Araucaria columnaris</i>	柱狀南洋杉	2	588	12-14	275-300	4	L	P-A	A	A	L	a,b,c,f	No	0%	0	588	Conflicts with Site formation and Road Works
		<i>Bauhinia</i> spp.	羊蹄甲屬	19		4-6	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	5		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	39		7-11	200-300	5-8	L	P-A	A	A	L	a,b,c,f	No				
		<i>Celtis sinensis</i>	朴樹	40		6-8	250-350	6-8	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	22		6-8	200-300	6-8	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	26		4-6	100-200	2.5-4	L	A	A	A	L	a,b,c	No				
		<i>Delonix regia</i>	鳳凰木	12		6-9	200-350	6-9	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	48		4-8.5	110-350	3.5-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	24		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	38		7-11	250-900	5-8	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus variegata</i>	青果榕	20		6-10	250-450	5-8	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>toментosa</i>	血桐	55		4-6.5	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	12		7-10	200-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	54		8-10	120-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	23		7-9	150-280	4-7	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	16		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Morus alba</i>	桑	12		4-6	100-150	3-4	L	A	A	A	L	a,b,c	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	8		4-6	100-160	3-4	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	38		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
<i>Litchi chinensis</i>	荔枝	13	4-6	100-200	2.5-4	L	A	A	A	L	a,b,c	No							
<i>Litsea glutinosa</i>	潺槁樹	15	6-8	150-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Peltophorum pterocarpum</i>	盾柱木 (雙翼豆)	5	7-9	250-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Psidium guajava</i>	番石榴	10	3-5	110-150	2-4	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	14	4-7	120-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	18	5-7	120-250	3-5	L	A	A	A	L	a,b,c	No							
GP7	GP7_V1-V3	<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	10	178	8-11	200-300	6-8	L	A	A	A	L	a,b,c	No	0%	0	178	Conflicts with Site formation and Road works
		<i>Ficus hispida</i>	對葉榕	8		5-8	120-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	9		9-13	400-500	8-13	L	A	A	A	L	a,b,c	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	39		4-6	100-150	2.5-4	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	28		7-13	100-300	4-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>toментosa</i>	血桐	8		4-8	150-280	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	70		9-11	200-300	6-8	L	A	A	A	L	a,b,c	No				
<i>Spathodea campanulata</i>	火焰樹	6	5-7	200-250	4-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP8	GP8_V1-V3	<i>Bauhinia</i> spp.	羊蹄甲屬	20	627	4-6	120-200	4-5	L	A	A	A	L	a,b,c	No	0%	0	627	Conflicts with Site formation and Road works
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	70		8-11	150-800	5-6	L	A	A	A	L	a,b,c,d	No				
		<i>Celtis sinensis</i>	朴樹	26		6-9	200-300	6-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	35		4-6	150-200	4-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	20		8-11	200-400	6-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	180		6-9	100-300	4-7	L	A	A	A	L	a,g	No				
		<i>Livistona chinensis</i>	蒲葵	12		6-8	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	114		4-7	120-220	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	115		6-11	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	25		6-8	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Morus alba</i>	桑	10		6-8	100-150	4-5	L	A	A	A	L	a,b,c	No				
GP9	GP9_V1-V4	<i>Artocarpus heterophyllus</i>	菠蘿蜜	25	760	4-7	120-220	3-5	L	A	A	A	L	a,b,c	No	59%	448	312	Partially Conflicts with Site Formation and Road Works
		<i>Averrhoa carambola</i>	楊桃	34		4-6	150-280	3-5	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	12		4-6	120-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	31		8-11	200-300	6-8	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	30		6-9	250-350	6-9	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	36		6-8	200-250	4-7	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	26		4-6	150-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	58		4-8	150-350	4-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	27		5-8	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	36		6-11	250-800	5-9	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus variegata</i>	青果榕	22		5-8	150-300	4-7	L	A	A	A	L	a,b,c	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	11		4-6	120-180	3-4	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	61		6-9	100-200	2-5	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	20		4-6	100-150	3-4	L	A	A	A	L	a,b,c	No				
		<i>Litchi chinensis</i>	荔枝	22		4-5	100-150	3-4	L	A	A	A	L	a,b,c	No				
		<i>Litsea glutinosa</i>	潺槁樹	25		4-6	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Livistona chinensis</i>	蒲葵	10		6-7	120-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	78		4-8	150-280	3-6	L	P-A	A	A	L	a,b,f	No				
		<i>Mangifera indica</i>	芒果	28		6-9	250-350	4-6	L	A	A	A	L	a,b,c	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	40		8-11	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	44		8-12	200-350	4-7	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	21		6-8	150-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Morus alba</i>	桑	14		5-7	120-200	3-4	L	A	A	A	L	a,b,c	No				
<i>Peltophorum pterocarpum</i>	盾柱木 (雙翼豆)	8	6-8	250-350	4-6	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	15	5-7	150-300	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	26	5-8	150-250	3-4	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP10	GP10_V1-V3	<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	45	287	8-11	200-300	6-8	L	A	A	A	L	a,b,c	No	0%	0	287	Conflicts with Site Formation and Road Works
		<i>Celtis sinensis</i>	朴樹	26		6-9	250-350	6-9	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	31		5-8	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ligustrum sinense</i>	山指甲	8		5-6	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	38		6-9	100-200	2-5	L	A	A	A	L	a,g	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	78		8-11	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	61		4-6	150-220	4-6	L	A	A	A	L	a,b	No				
GP11	GP11_V1-V4	<i>Artocarpus heterophyllus</i>	菠蘿蜜	8	471	4-7	120-180	3-4	L	A	A	A	L	a,b,c	No	46%	217	254	Partially conflicts with Site formation
		<i>Averrhoa carambola</i>	楊桃	18		4-6	150-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	12		4-6	100-120	1.5-3	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	22		6-10	250-380	6-9	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	23		6-9	220-250	4-7	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	4		6-9	250-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	50		6-11	150-300	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	10		7-9	150-300	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	22		5-8	120-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	9		4-6	150-220	3-5	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	31		6-9	100-200	2-5	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	131		4-8	150-280	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	25		8-10	280-400	6-9	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	21		6-8	150-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	56		8-12	200-400	4-8	L	A	A	A	L	a,b,c	No				
		<i>Sapium sebiferum</i>	烏柏	7		6-8	250-350	3-5	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	22	5-8	150-250	3-4	L	A	A	A	L	a,b,c	No							
GP12	GP12_V1-V4	<i>Bridelia tomentosa</i>	土蜜樹	11	663	6-8	120-200	3-5	L	A	A	A	L	a,b,c	No	0%	0	663	Conflicts with Site Formation
		<i>Cassia fistula</i>	臘腸樹	25		5-8	100-170	2-4	L	A	A	A	M-L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	65		8-12	250-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	28		7-9	250-350	6-8	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	4		7-8	250-400	3-4	L	P	P	P	L	a,f	No				
		<i>Ficus microcarpa</i>	細葉榕	8		7-10	250-450	4-8	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus hispida</i>	對葉榕	20		5-8	120-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Hibiscus tiliaceus</i>	黃槿	143		5-8	220-350	5-8	L	P-A	A	A	L	a,b,f	No				
		<i>Ligustrum sinense</i>	山指甲	6		5-6	100-160	2-4	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	211		6-9	100-250	2-5	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	110		4-8	150-280	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	8		8-11	250-360	5-8	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	12		8-11	200-330	5-7	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	12		5-8	150-220	3-5	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP13	GP13_V1-V3	<i>Alangium chinense</i>	八角楓	5	144	4-5	100-150	3-4	L	A	A	A	L	a,b,c	No	0%	0	144	Conflicts with Site Formation
		<i>Bauhinia</i> spp.	羊蹄甲屬	9		4-6	120-200	4-5	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	6		4-6	120-210	4-5	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	19		6-9	250-350	4-8	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	10		6-8	220-250	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	12		6-8	120-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	19		6-10	250-450	6-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus subpisocarpa</i>	筆管榕	4		6-8	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	18		5-7	100-150	2-4	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	22		4-6	150-250	3-6	L	A	A	A	L	a,b	No				
		<i>Roystonea regia</i>	王棕	20		8	140-170	2.5-3.5	L	A	A	A	L	a,b,c	No				
GP14	GP14_V1-V4	<i>Bridelia tomentosa</i>	土蜜樹	25	609	4-6	120-220	3-6	L	A	A	A	L	a,b,c	No	0%	0	609	Conflicts with Site Formation and Road Works
		<i>Broussonetia papyrifera</i>	構樹	10		4-6	150-220	3-6	L	A	A	A	L	a,b,c	No				
		<i>Cassia fistula</i>	臘腸樹	15		6-7	100-150	3-4	L	A	A	A	M-L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	69		8-11	200-300	6-8	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	15		6-9	250-350	4-8	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	8		6-9	200-350	5-8	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	3		7-9	200-300	6-8	L	P	P	P	L	a,f	No				
		<i>Delonix regia</i>	鳳凰木	10		7-10	200-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	28		8-12	250-550	8-12	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus hispida</i>	對葉榕	25		5-8	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Hibiscus tiliaceus</i>	黃槿	35		5-8	220-350	5-8	L	P-A	A	A	L	a,b,f	No				
		<i>Leucaena leucocephala</i>	銀合歡	245		6-8	100-200	2-5	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	12		3-5	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	79		4-6	150-250	3-6	L	A	A	A	L	a,b	No				
				<i>Melia azedarach</i>		苦楝	10		7-9	200-300	5-7	L	A	A	A				
		<i>Morus alba</i>	桑	11		4-6	150-220	3-6	L	A	A	A	L	a,b,c	No				
		<i>Senna siamea</i>	鐵刀木	9		6-7	150-250	4-6	L	A	A	A	L	a,b,c	No				
GP15	GP15_V1-V3	<i>Bauhinia</i> spp.	羊蹄甲屬	36	703	5-6	100-200	3-5	L	A	A	A	L	a,b,c	No	0%	0	703	Conflicts with Site Formation and Road Works
		<i>Bridelia tomentosa</i>	土蜜樹	38		5-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	107		8-12	150-300	4-8	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	30		7-9	150-300	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	21		6-8	150-200	4-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	18		7-11	150-450	6-9	L	A	A	A	L	a,b,c	No				
		<i>Ficus subpisocarpa</i>	筆管榕	15		6-10	150-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	303		7-13	100-220	4-8	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	135		5-8	150-280	4-7	L	A	A	A	L	a,b	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP16	GP16_V1-V4	<i>Aleurites moluccana</i>	石栗	4	533	8-9	200-280	4-6	L	A	A	A	L	a,b,c	No	0%	0	533	Conflicts with Site Formation
		<i>Archontophoenix alexandrae</i>	假檳榔	3		8	100-150	4	L	A	A	A	L	a,b,c	No				
		<i>Averrhoa carambola</i>	楊桃	12		5-8	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	7		7-9	200-300	6-8	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	10		4-6	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	70		9-12	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	22		7-9	150-300	5-8	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	10		6-9	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	13		5-8	150-250	4-6	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	2		6-8	250-350	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	85		4-9	150-350	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	27		5-8	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	45		4-12	150-550	3-6	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus subpisocarpa</i>	筆管榕	23		6-9	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	12		7-9	100-180	3-6	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	64		4-6	150-280	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	24		6-9	200-350	6-7	L	A	A	A	L	a,b,c	No				
		<i>Melaleuca bracteata</i> 'Revolution Gold'	黃金串錢柳	2		6-7	120-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	26		8-12	120-900	4-7	L	A	A	A	L	a,b,c,d	No				
		<i>Melia azedarach</i>	苦楝	26		8-11	200-350	5-7	L	A	A	A	L	a,b,c	No				
<i>Microcos nervosa</i>	破布葉 (布渣葉)	21	5-6	150-220	3-5	L	A	A	A	L	a,b,c	No							
<i>Morus alba</i>	桑	10	4-6	120-200	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	15	5-8	150-250	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP17	GP17_V1-V3	<i>Bauhinia</i> spp.	羊蹄甲屬	23	810	4-6	110-160	3-4	L	A	A	A	L	a,b,c	No	73%	591	219	Partially conflicts with Site formation
		<i>Bombax ceiba</i>	木棉	19		8-10	250-320	6-8	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	37		5-7	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	18		9-12	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	97		5-9	150-350	4-8	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	47		6-9	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	30		4-9	150-350	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	33		5-8	120-260	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	66		4-12	150-550	3-6	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus subpisocarpa</i>	筆管榕	32		6-9	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus variegata</i>	青果榕	26		6-8	200-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	38		6-8	100-180	3-6	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	21		3-5	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Litsea glutinosa</i>	潺槁樹	18		4-7	150-280	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	140		4-6	150-250	3-6	L	A	A	A	L	a,b	No				
		<i>Machilus</i> spp.	潤楠屬	16		3-6	120-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	13		6-15	120-950	4-7	L	A	A	A	L	a,b,c,d	No				
		<i>Melia azedarach</i>	苦楝	31		8-11	200-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	17		5-6	150-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Morus alba</i>	桑	16		4-6	120-180	3-5	L	A	A	A	L	a,b,c	No				
<i>Schefflera heptaphylla</i>	鵝掌柴	22	4-7	100-220	3-5	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	31	5-7	150-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	19	5-8	150-250	3-5	L	A	A	A	L	a,b,c	No							
GP18	GP18-V1-V4	<i>Bombax ceiba</i>	木棉	22	588	5-8	150-200	3-5	L	A	A	A	L	a,b,c	No	0%	0	588	Conflicts with Site Formation and Road Works
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	145		9-12	150-280	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	36		5-9	150-350	4-8	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	12		6-8	150-220	4-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	24		6-7	150-250	5-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	22		5-8	120-260	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	46		4-12	150-500	3-6	L	A	A	A	L	a,b,c,d	No				
		<i>Leucaena leucocephala</i>	銀合歡	125		6-9	100-170	3-6	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	13		3-5	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	65		4-6	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	37		6-9	120-250	4-7	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	25		8-11	200-350	5-7	L	A	A	A	L	a,b,c	No				
<i>Microcos nervosa</i>	破布葉 (布渣葉)	16	5-6	150-250	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP19	GP19-V1-V4	<i>Cinnamomum camphora</i>	樟	4	157	6-11	200-500	5-6	L	A	A	A	L	a,b,c	No	0%	0	157	Conflicts with Site Formation
		Dead tree	死樹	1		7	250	5	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	7		6-8	150-220	4-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	5		5-8	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	8		6-9	200-400	3-6	L	A	A	A	L	a,b,c	No				
		<i>Hibiscus tiliaceus</i>	黃槿	29		5-9	220-350	5-8	L	P-A	A	A	L	a,b,f	No				
		<i>Leucaena leucocephala</i>	銀合歡	10		6-9	100-170	3-6	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	22		4-6	150-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	41		6-9	120-250	4-7	L	A	A	A	L	a,b,c	No				
		<i>Syzygium hancei</i>	韓氏蒲桃 (紅鱗蒲桃)	12		5-9	150-250	3-6	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	18	5-8	150-250	3-5	L	A	A	A	L	a,b,c	No							
GP20	GP20_V1-V3	<i>Artocarpus heterophyllus</i>	菠蘿蜜	25	775	4-5	100-200	3-4	L	A	A	A	L	a,b,c	No	0%	0	775	Conflicts with Site Formation
		<i>Aporosa dioica</i>	銀柴	18		3-5	100-200	2-4	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia</i> spp.	羊蹄甲屬	10		3-6	100-180	2-4	L	A	A	A	L	a,b,c	No				
		<i>Bischofia javanica</i>	秋楓	20		4-8	100-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	10		4	100-120	2-3	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	42		9-12	150-400	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	41		8-10	150-400	4-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	27		6-8	200-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	25		5-6	120-180	3-4	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	2		5-8	150-250	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	62		6-9	150-500	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	30		6-9	150-400	4-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	85		8-13	250-650	4-9	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus variegata</i>	青果榕	25		8-10	250-450	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	80		8-12	250-650	3-8	L	A	A	A	L	a,b,c,d	No				
		<i>Litsea glutinosa</i>	潺槁樹	22		4-6	100-250	3-4	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	63		5-8	100-170	3-5	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	75		5-6	120-180	3-4	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	18		5-6	120-180	3-4	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	23		6-10	200-300	4-9	L	A	A	A	L	a,b,c	No				
<i>Morus alba</i>	桑	22	4-6	120-220	3-6	L	A	A	A	L	a,b,c	No							
<i>Schefflera heptaphylla</i>	鵝掌柴	25	4-7	100-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	25	4-7	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP21	GP21_V1-V3	<i>Bridelia tomentosa</i>	土蜜樹	10	82	4-5	100-200	3-4	L	A	A	A	L	a,b,c	No	0%	0	82	Conflicts with Site Formation and Road Works
		<i>Clausena lansium</i>	黃皮	5		5-6	120-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Cleistocalyx nervosum</i>	水翁	12		5-8	150-300	5-6	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	2		6-7	250-280	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	9		6-8	150-220	4-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	6		5-8	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	4		6-9	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	8		5-8	100-170	3-5	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	6		5-6	120-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	12		4-6	150-250	3-6	L	A	A	A	L	a,b	No				
		<i>Syzygium cumini</i>	烏墨 (海南蒲桃)	8		6-11	150-300	5-6	L	A	A	A	L	a,b,c	No				
GP22	GP22_V1-V4	<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	23	390	8-10	150-280	4-6	L	A	A	A	L	a,b,c	No	0%	0	390	Conflicts with Site Formation and Road Works
		<i>Celtis sinensis</i>	朴樹	12		5-9	150-350	4-8	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	4		6-8	200-250	5-7	L	A	A	A	L	a,b,c	No				
		<i>Cleistocalyx nervosum</i>	水翁	43		5-8	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	29		6-8	150-220	4-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	22		5-8	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	28		6-15	200-600	3-6	L	A	A	A	L	a,b,c,h	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	25		6-15	200-950	3-13	L	A	A	A	L	a,b,c,d	No				
		<i>Hibiscus tiliaceus</i>	黃槿	24		5-8	220-350	5-8	L	P-A	A	A	L	a,b,f	No				
		<i>Juniperus chinensis 'Kaizuca'</i>	龍柏	22		4-6	100-150	3-4	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	39		5-8	100-170	3-5	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	23		4-5	150-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	41		4-6	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	15		6-10	200-300	5-6	L	A	A	A	L	a,b,c	No				
<i>Syzygium cumini</i>	烏墨 (海南蒲桃)	40	6-11	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP23	GP23_V1-V4	<i>Artocarpus heterophyllus</i>	菠蘿蜜	28	921	5-6	120-180	3-4	L	A	A	A	L	a,b,c	No	0%	0	921	Conflicts with Site Formation and Road Works
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	111		9-12	150-280	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	23		5-8	120-300	3-5	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	21		5-8	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	30		4-6	120-180	3-5	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	5		5-8	150-300	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	70		6-10	150-400	4-7	L	A	A	A	L	a,b,c,h	No				
		<i>Ficus benjamina</i>	垂葉榕	30		4-7	120-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	25		5-9	120-300	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	65		6-15	200-700	3-6	L	A	A	A	L	a,b,c,d,h	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	60		6-15	200-950	3-11	L	A	A	A	L	a,b,c,d	No				
		<i>Juniperus chinensis 'Kaizuca'</i>	龍柏	12		3-5	95-130	2-3	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	175		5-8	100-150	3-5	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	77		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	92		6-12	90-400	4-7	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	28		6-10	200-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Morus alba</i>	桑	20		4-6	120-180	3-5	L	A	A	A	L	a,b,c	No				
<i>Schefflera heptaphylla</i>	鵝掌柴	31	4-8	150-300	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	18	6-8	150-300	5-6	L	A	A	A	L	a,b,c	No							
GP24	GP24_V1-V3	<i>Araucaria columnaris</i>	柱狀南洋杉	3	602	11-14	200-250	3-4	L	A	A	A	L	a,b,c	No	0%	0	602	Conflicts with Site Formation and Road works
		<i>Archontophoenix alexandrae</i>	假檳榔	5		11-12	150-250	3-4	L	A	A	A	L	a,b,c	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	31		5-6	120-200	4-5	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	8		3-6	120-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	11		9-12	150-280	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	14		4-6	120-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	25		5-8	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	88		6-10	150-350	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	25		5-9	120-300	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	51		8-12	200-450	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	65		8-12	200-450	3-11	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	25		8-10	200-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	28		3-6	120-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Juniperus chinensis 'Kaizuca'</i>	龍柏	15		3-5	95-130	2-3	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	70		5-8	100-150	3-5	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	22		4-6	120-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	69		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
<i>Morus alba</i>	桑	12	4-6	120-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Roystonea regia</i>	王棕	10	11-12	150-250	3-4	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	25	6-8	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP25	GP25_V1-V3	<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	9	184	9-10	150-250	4-6	L	A	A	A	L	a,b,c	No	0%	0	184	Conflicts with Site Formation and Road works
		<i>Celtis sinensis</i>	朴樹	8		7-9	200-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	15		6-8	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	15		4-6	100-180	3-5	L	A	A	A	L	a,b	No				
		<i>Ficus microcarpa</i>	細葉榕	14		8-10	200-400	3-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	11		8-10	200-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	45		5-8	100-200	3-5	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	55		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Schefflera heptaphylla</i>	鵝掌柴	12		4-7	150-250	5-6	L	A	A	A	L	a,b,c	No				
GP26	GP26_V1-V4	<i>Aleurites moluccana</i>	石栗	8	444	4-7	150-250	4-6	L	A	A	A	L	a,b,c	No	0%	0	444	Conflicts with Site Formation and Road works
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	87		9-10	150-350	4-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	20		4-7	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	15		3-5	100-180	2-3	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	45		8-10	200-400	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	27		8-10	200-400	4-7	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	78		8-10	150-350	4-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	71		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	80		4-7	150-350	3-6	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	13		3-5	100-200	2-4	L	A	A	A	L	a,b,c	No				
GP27	GP27_V1-V3	<i>Acacia confusa</i>	台灣相思	75	988	8-12	150-400	4-8	L	A	A	A	L	a,b,c	No	0%	0	988	Conflicts with Site Formation
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	72		8-12	150-400	4-8	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia spp.</i>	羊蹄甲屬	28		4-6	150-220	3-5	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	6		7-9	150-300	4-8	L	P	P	P	L	a,f	No				
		<i>Delonix regia</i>	鳳凰木	25		7-10	150-300	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	42		5-9	120-300	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	57		8-10	200-400	4-7	L	A	A	A	L	a,b,c	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	12		4-6	150-220	3-5	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	323		8-10	150-350	4-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	224		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	25		3-5	100-180	2-4	L	A	A	A	L	a,b,c	No				
		<i>Sterculia lanceolata</i>	假蘋婆	22		4-6	120-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Senna siamea</i>	鐵刀木	77		4-7	150-300	4-6	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP28	GP28_V1-V3	<i>Acacia confusa</i>	台灣相思	29	707	8-11	150-300	4-7	L	A	A	A	L	a,b,c	No	0%	0	707	Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	30		8-11	150-300	4-7	L	A	A	A	L	a,b,c	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	37		5-6	120-200	4-5	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	29		4-6	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Citrus maxima</i>	柚	17		4-6	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Citrus reticulata</i>	柑橘	10		4-6	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	35		4-6	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	65		4-6	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	25		6-7	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Litchi chinensis</i>	荔枝	31		4-6	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	131		7-11	150-350	4-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	79		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	43		6-9	150-250	5-6	L	A	A	A	L	a,b,c	No				
		<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	38		6-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Phyllanthus emblica</i>	餘甘子 (油甘子)	82		5-8	100-200	4-5	L	A	A	A	L	a,b,c	No				
<i>Psidium guajava</i>	番石榴	26	4-7	150-250	4-6	L	A	A	A	L	a,b,c	No							
GP29	GP29_V1-V2	<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	26	178	6-10	150-280	5-6	L	A	A	A	L	a,b,c	No	0%	0	178	Conflicts with Site Formation
		<i>Celtis sinensis</i>	朴樹	6		6-8	150-300	4-6	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	4		6-9	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Ficus hispida</i>	對葉榕	3		3-5	100-180	2-3	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	9		7-9	250-370	4-7	L	A	A	A	L	a,b,c	No				
		<i>Hibiscus tiliaceus</i>	黃槿	26		5-8	220-350	5-8	L	P-A	A	A	L	a,b,f	No				
		<i>Leucaena leucocephala</i>	銀合歡	78		4-9	120-300	3-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	26		4-7	150-250	4-6	L	A	A	A	L	a,b	No				
GP30	GP30_V1-V3	<i>Acacia confusa</i>	台灣相思	43	690	8-11	150-300	4-7	L	A	A	A	L	a,b,c	No	0%	0	690	Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	48		8-11	150-300	4-7	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	11		8-11	150-300	5-8	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	15		3-5	100-180	2-3	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	12		5-8	15-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	25		7-9	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Delonix regia</i>	鳳凰木	56		7-10	150-300	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	20		3-5	100-180	2-3	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	85		5-10	150-550	5-11	L	A	A	A	L	a,b,c	No				
		<i>Hibiscus tiliaceus</i>	黃槿	56		5-8	220-350	5-8	L	P-A	A	A	L	a,b,f	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	56		4-6	150-220	3-5	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	121		4-9	120-300	3-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	88		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	12		6-8	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Spathodea campanulata</i>	火焰樹	31		5-7	150-250	4-6	L	A	A	A	L	a,b,c	No				
<i>Sterculia lanceolata</i>	假蘋婆	11	5-7	150-250	4-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP31	GP31_V1-V3	<i>Acacia confusa</i>	台灣相思	43	629	8-11	150-300	4-7	L	A	A	A	L	a,b,c	No	0%	0	629	Conflicts with Site Formation
		<i>Archontophoenix alexandrae</i>	假檳榔	6		9-11	150-200	2-4	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia</i> spp.	羊蹄甲屬	15		4-5	120-180	2-4	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	10		3-5	100-180	2-3	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	160		6-11	150-350	4-5	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	65		6-10	200-300	4-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	21		3-6	100-200	2-4	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	82		5-10	150-400	5-9	L	A	A	A	L	a,b,c	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	10		4-6	150-220	3-5	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	121		4-11	120-200	3-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	77		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
<i>Melia azedarach</i>	苦楝	19	4-6	120-250	3-5	L	A	A	A	L	a,b,c	No							
GP32	GP32_V1-V3	<i>Artocarpus heterophyllus</i>	菠蘿蜜	29	484	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No	0%	0	484	Conflicts with Site Formation
		<i>Citrus reticulata</i>	柑橘	23		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	22		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	68		4-7	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Eriobotrya japonica</i>	枇杷	10		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	29		5-11	150-450	5-9	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	75		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	38		5-11	150-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	42		8-11	150-350	5-9	L	A	A	A	L	a,b,c	No				
		<i>Litchi chinensis</i>	荔枝	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	76		4-11	100-200	3-7	L	A	A	A	L	a,g	No				
		<i>Phyllanthus emblica</i>	餘甘子 (油甘子)	35		5-8	100-250	4-5	L	A	A	A	L	a,b,c	No				
<i>Psidium guajava</i>	番石榴	25	4-6	100-200	4-5	L	A	A	A	L	a,b,c	No							
GP33	GP33_V1-V3	<i>Artocarpus heterophyllus</i>	菠蘿蜜	28	716	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No	0%	0	716	Conflicts with Site Formation
		<i>Celtis sinensis</i>	朴樹	42		6-9	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	45		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	60		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	34		3-6	100-200	2-4	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	44		5-11	150-450	5-9	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	210		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	59		8-11	150-350	5-9	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	31		4-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	148		5-11	100-250	3-7	L	A	A	A	L	a,g	No				
<i>Litchi chinensis</i>	荔枝	15	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP34	GP34_V1-V3	<i>Acacia confusa</i>	台灣相思	34	741	6-9	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	741	Conflicts with Site Formation and Road Works
		<i>Bombax ceiba</i>	木棉	12		8-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	41		8-10	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Crateva unilocularis</i>	樹頭菜	23		8-11	200-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	31		4-7	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	91		5-15	200-850	5-12	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	109		5-15	200-850	5-12	L	A	A	A	L	a,b,c,d	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	68		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	65		8-11	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	35		8-10	150-350	5-9	L	A	A	A	L	a,b,c	No				
		<i>Ligustrum sinense</i>	山指甲	12		4-6	120-250	3-4	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	124		8-11	150-350	5-9	L	A	A	A	L	a,g	No				
		<i>Liquidambar formosana</i>	楓香	25		8-11	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Phyllanthus emblica</i>	餘甘子 (油甘子)	28		8-11	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Sterculia lanceolata</i>	假蘋婆	22		4-8	150-200	3-5	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	21	5-11	100-250	3-7	L	A	A	A	L	a,b,c	No							
GP35	GP35_V1-V3	<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	15	609	5-7	150-200	3-5	L	A	A	A	L	a,b,c	No	0%	0	609	Conflicts with Site Formation and Road Works
		<i>Celtis sinensis</i>	朴樹	12		4-7	120-280	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	45		4-8	100-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Dyopsis lutescens</i>	散尾葵	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	12		4-7	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	121		5-15	200-850	5-12	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	130		5-15	200-850	5-12	L	A	A	A	L	a,b,c,d	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	91		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	79		8-11	150-300	5-7	L	A	A	A	L	a,b,c	No				
<i>Leucaena leucocephala</i>	銀合歡	92	8-11	150-350	5-9	L	A	A	A	L	a,g	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP36	GP36_V1-V3	<i>Acacia auriculiformis</i>	耳果相思 (耳葉相思)	9	868	6-9	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	868	Conflicts with Site Formation and Road Works
		<i>Albizia lebbbeck</i>	大葉合歡	3		8-11	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Archontophoenix alexandrae</i>	假檳榔	1		8	180	5	L	A	A	A	L	a,b,c	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	7		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia spp.</i>	羊蹄甲屬	3		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	8		8-11	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	6		4-5	100-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	7		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	4		4-5	100-150	3	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	22		6-10	200-300	4-5	L	A	A	A	L	a,b,c	No				
		<i>Delonix regia</i>	鳳凰木	3		6-10	200-300	4-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	22		4-9	100-300	3-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus benjamina</i>	垂葉榕	57		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	28		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	55		7-12	200-650	5-10	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	6		7-12	200-900	5-10	L	A	A	A	L	a,b,c,d	No				
		<i>Leucaena leucocephala</i>	銀合歡	184		8-11	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	10		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	350		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	6		6-11	150-300	5-6	L	A	A	A	L	a,b,c	No				
<i>Melia azedarach</i>	苦楝	54	6-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Morus alba</i>	桑	7	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							
<i>Psidium guajava</i>	番石榴	8	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							
<i>Roystonea regia</i>	王棕	8	8-10	150-200	4-5	L	A	A	A	L	a,b,c	No							
GP37	GP37_V1-V3	<i>Acacia confusa</i>	台灣相思	23	772	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	772	Conflicts with Site Formation
		<i>Bombax ceiba</i>	木棉	8		8-11	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	8		3-5	100-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	43		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	15		4-5	100-150	3	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	32		7-9	150-250	5-7	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	42		6-10	200-300	4-5	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	20		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	61		4-7	100-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	20		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	60		7-12	200-450	5-10	L	A	A	A	L	a,b,c	No				
		<i>Kandelia obovata</i>	秋茄樹 (紅萼、水筆仔)	12		3-5	100-140	2-3	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	250		8-11	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	123		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	35		8-10	150-300	5-8	L	A	A	A	L	a,b	No				
<i>Sterculia lanceolata</i>	假蘋婆	20	4-7	100-250	3-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP38	GP38_V1-V3	<i>Broussonetia papyrifera</i>	構樹	38	1232	4-7	100-300	3-6	L	A	A	A	L	a,b,c	No	0%	0	1232	Conflicts with Site Formation and Road Works
		<i>Celtis sinensis</i>	朴樹	80		6-10	200-300	4-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	105		4-6	100-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	48		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	60		7-12	200-450	5-10	L	A	A	A	L	a,b,c	No				
		<i>Kandelia obovata</i>	秋茄樹 (紅萼、水筆仔)	15		3-5	100-140	2-3	L	A	A	A	L	a,b,c	No				
		<i>Litchi chinensis</i>	荔枝	25		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	380		8-11	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	366		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	115		8-11	150-350	5-9	L	A	A	A	L	a,b,c	No				
GP39	GP39_V1-V3	<i>Araucaria columnaris</i>	柱狀南洋杉	2	787	12	150-200	3-5	L	A	A	A	L	a,b,c	No	0%	0	787	Conflicts with Site Formation
		<i>Archontophoenix alexandrae</i>	假檳榔	2		9-10	150-250	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	12		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	30		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	45		6-10	200-300	4-5	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	21		7-9	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	80		6-10	150-300	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	89		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	79		7-12	200-450	5-10	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	140		8-11	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Litsea glutinosa</i>	潺槁樹	18		5-7	150-250	4-5	L	A	A	A	L	a,b,c	No				
		<i>Ligustrum sinense</i>	山指甲	15		4-5	100-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	130		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	77		4-6	120-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	30		8-11	150-350	5-9	L	A	A	A	L	a,b,c	No				
		<i>Sterculia lanceolata</i>	假蘋婆	12		5-7	150-250	3-4	L	A	A	A	L	a,b,c	No				
<i>Roystonea regia</i>	王棕	5	8-11	150-200	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP40	GP40_V1-V3	<i>Acacia confusa</i>	台灣相思	28	559	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	59%	330	229	Partially Conflicts with Site Formation
		<i>Archontophoenix alexandrae</i>	假檳榔	4		9-10	150-250	3-4	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	27		4-6	100-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	8		4-5	100-150	3	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	36		6-10	200-300	4-5	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	10		4-6	100-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	55		4-7	150-400	3-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	28		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	65		7-15	200-800	5-10	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	101		7-15	200-950	5-15	L	A	A	A	L	a,b,c,d	No				
		<i>Leucaena leucocephala</i>	銀合歡	35		8-11	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	55		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	18		5-9	250-400	4-6	L	A	A	A	L	a,b,c	No				
		<i>Mallotus paniculatus</i>	白楸	14		4-5	100-150	3-4	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	25		6-10	200-300	4-5	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	17		4-6	100-250	3-5	L	A	A	A	L	a,b,c	No				
<i>Melia azedarach</i>	苦楝	29	8-11	150-350	5-9	L	A	A	A	L	a,b,c	No							
<i>Roystonea regia</i>	王棕	4	8-11	150-200	5-6	L	A	A	A	L	a,b,c	No							
GP41	GP41_V1-V3	<i>Acacia confusa</i>	台灣相思	12	496	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	17%	84	412	Partially Conflicts with Site Formation and Road Works
		<i>Archontophoenix alexandrae</i>	假檳榔	4		9-10	150-250	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia spp.</i>	羊蹄甲屬	7		3-5	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	17		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Callistemon viminalis</i>	串錢柳	3		7-9	150-250	5-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	25		4-7	150-400	3-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus benjamina</i>	垂葉榕	35		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	22		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	99		7-12	200-550	5-10	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	82		7-12	200-550	5-10	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	101		8-11	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	65		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	12		5-9	250-400	4-6	L	A	A	A	L	a,b,c	No				
<i>Melia azedarach</i>	苦楝	12	8-11	150-350	5-9	L	A	A	A	L	a,b,c	No							
GP43	GP43_V1-V2	<i>Eucalyptus spp.</i>	桉屬	293	311	6-15	150-350	5-8	L	A	A	A	L	a,b,c	No	0%	0	311	Conflicts with Road Works
		<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	18		8-11	150-350	5-9	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP44	GP44_V1-V3	<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	29	425	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	425	Conflicts with Site Formation and Road Works
		<i>Cinnamomum camphora</i>	樟	28		6-9	250-450	3-8	L	A	A	A	L	a,b,c	No				
		<i>Crateva unilocularis</i>	樹頭菜	15		8-12	150-280	5-9	L	A	A	A	L	a,b,c	No				
		<i>Ficus benjamina</i>	垂葉榕	36		4-6	100-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	22		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	59		7-10	150-450	5-8	L	A	A	A	L	a,b,c	No				
		<i>Phyllanthus emblica</i>	餘甘子 (油甘子)	35		4-8	120-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	3		4-6	120-180	3-5	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	92		8-11	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	99		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Sapium sebiferum</i>	烏柏	7		4-6	120-250	3-6	L	A	A	A	L	a,b,c	No				
GP45	GP45_V1-V2	<i>Acacia confusa</i>	台灣相思	10	315	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	315	Conflicts with Site Formation and Road Works
		<i>Araucaria columnaris</i>	柱狀南洋杉	1		11	200	4	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	14		4-6	150-250	3-4	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	27		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Delonix regia</i>	鳳凰木	15		7-11	120-300	5-8	L	A	A	A	L	a,b,c	No				
		<i>Dyopsis lutescens</i>	散尾葵	8		4-5	100-150	3-5	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus spp.</i>	桉屬	6		8-11	200-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	45		7-10	150-450	5-8	L	A	A	A	L	a,b,c	No				
		<i>Livistona chinensis</i>	蒲葵	3		4-6	150-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ligustrum sinense</i>	山指甲	15		4-6	150-250	3-4	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	118		8-12	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	48		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Schefflera actinophylla</i>	傘樹	5		4-6	120-150	3-4	L	A	A	A	L	a,b,c	No				
GP46	GP46_V1-V2	<i>Bombax ceiba</i>	木棉	3	189	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	189	Conflicts with Site Formation
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	64		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	31		7-10	150-400	5-7	L	A	A	A	L	a,b,c	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	1		4	120	3	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	55		8-12	150-250	5-8	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	23		4-6	120-250	5-6	L	A	A	A	L	a,b	No				
GP47	GP47_V1-V3	<i>Acacia confusa</i>	台灣相思	15	251	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	251	Conflicts with Site Formation
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	70		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	32		7-10	150-450	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	54		8-12	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	31		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	22		6-9	120-200	5-7	L	A	A	A	L	a,b,c	No				
		<i>Schefflera heptaphylla</i>	鵝掌柴	15		4-6	120-200	3-5	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP48	GP48_V1-V4	<i>Acacia confusa</i>	台灣相思	50	451	6-11	150-350	5-6	L	A	A	A	L	a,b,c	No	100%	451	0	-
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	30		6-10	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Araucaria columnaris</i>	柱狀南洋杉	6		9-11	250-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	4		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	18		9-11	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	13		5-8	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	23		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	2		8-9	200-250	5-6	L	P	P	P	L	a,f	No				
		<i>Delonix regia</i>	鳳凰木	35		8-11	250-550	5-9	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus</i> spp.	按屬	38		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	38		5-8	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	66		8-12	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	45		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	14		4-6	100-200	3-5	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	16		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Ligustrum sinense</i>	山指甲	8		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Schefflera heptaphylla</i>	鵝掌柴	15		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Sterculia lanceolata</i>	假蘋婆	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
<i>Viburnum odoratissimum</i>	珊瑚樹	6	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							
GP49	GP49_V1-V2	<i>Acacia confusa</i>	台灣相思	25	548	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	548	Conflicts with Site Formation
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia</i> spp.	羊蹄甲屬	18		4-6	120-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	12		8-10	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	63		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	22		6-9	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	32		8-10	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Delonix regia</i>	鳳凰木	6		7-11	120-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	41		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus benjamina</i>	垂葉榕	15		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	25		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	40		7-10	150-450	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	85		8-12	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	70		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	18		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	26		8-10	250-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Pongamia pinnata</i>	水黃皮	7		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Roystonea regia</i>	王棕	4		8-10	120-200	3-5	L	A	A	A	L	a,b,c	No				
<i>Sterculia lanceolata</i>	假蘋婆	15	6-7	150-250	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP50	GP50_V1-V3	<i>Acacia confusa</i>	台灣相思	14	577	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	577	Conflicts with Site Formation
		<i>Araucaria columnaris</i>	柱狀南洋杉	3		8-11	250-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia</i> spp.	羊蹄甲屬	18		4-6	120-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	8		8-10	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	8		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	48		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	36		8-10	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	15		8-10	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	18		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Delonix regia</i>	鳳凰木	18		7-11	120-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	51		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus benjamina</i>	垂葉榕	26		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus elastica</i>	印度榕 (印度橡樹)	5		5-7	200-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	35		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	65		7-12	150-500	5-10	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	60		8-12	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	15		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	59		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	16		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	21		8-10	250-300	5-6	L	A	A	A	L	a,b,c	No				
<i>Sterculia lanceolata</i>	假蘋婆	15	6-7	150-250	4-6	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	18	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							
<i>Roystonea regia</i>	王棕	5	8-10	120-200	3-5	L	A	A	A	L	a,b,c	No							
GP51	GP51_V1-V2	<i>Acacia confusa</i>	台灣相思	16	231	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	231	Conflicts with Site Formation and Road Works
		<i>Bridelia tomentosa</i>	土蜜樹	13		4-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	28		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	9		8-10	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus benjamina</i>	垂葉榕	19		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	16		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	42		7-12	150-550	5-10	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	23		8-10	150-250	5-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	48		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Schefflera heptaphylla</i>	鵝掌柴	17		4-7	120-240	3-6	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP52	GP52_V1-V3	<i>Bridelia tomentosa</i>	土蜜樹	6	72	4-6	100-200	3-4	L	A	A	A	L	a,b,c	No	0%	0	72	Conflicts with Site Formation
		<i>Celtis sinensis</i>	朴樹	5		4-6	150-200	3-4	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	1		10	200	3	L	P	P	P	L	a,f	No				
		<i>Eucalyptus</i> spp.	按屬	6		8-13	250-900	5-7	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus hispida</i>	對葉榕	7		4-5	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	2		7-12	250-900	5-10	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus variegata</i>	青果榕	1		7	250	6	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	22		6-8	150-250	4-6	L	A	A	A	L	a,g	No				
		<i>Livistona chinensis</i>	蒲葵	2		4	150	3	L	A	A	A	L	a,b,c	No				
		<i>Ligustrum sinense</i>	山指甲	8		4-6	120-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	11		4-6	120-200	3-5	L	A	A	A	L	a,b	No				
<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	1	11	900	7	L	A	A	A	L	a,b,c,d	No							
GP53	GP53_V1-V2	<i>Acacia confusa</i>	台灣相思	8	109	6-9	150-300	5-6	L	A	A	A	L	a,b,c	No	0%	0	109	Conflicts with Site Formation
		<i>Bauhinia</i> spp.	羊蹄甲屬	6		4-6	120-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	4		8-10	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	6		4-6	100-150	3-4	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	14		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	6		4-10	120-350	4-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	26		7-12	150-500	5-10	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	13		8-12	150-250	5-9	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	8		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	6		8-10	250-300	5-6	L	A	A	A	L	a,b,c	No				
GP54	GP54_V1-V3	<i>Acacia confusa</i>	台灣相思	44	830	6-9	150-350	5-7	L	A	A	A	L	a,b,c	No	44%	365	465	Partially Conflicts with Site Formation and Road Works
		<i>Bauhinia</i> spp.	羊蹄甲屬	45		4-6	120-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	17		4-6	120-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	90		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	37		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	32		6-8	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	42		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus</i> spp.	按屬	200		6-11	150-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	33		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	56		7-12	150-550	5-10	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	70		7-13	150-900	5-10	L	A	A	A	L	a,b,c,d	No				
		<i>Leucaena leucocephala</i>	銀合歡	45		8-12	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	35		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	39		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	21		8-10	150-250	5-6	L	A	A	A	L	a,b,c	No				
		<i>Schefflera heptaphylla</i>	鵝掌柴	12		4-7	120-250	3-5	L	A	A	A	L	a,b,c	No				
<i>Sterculia lanceolata</i>	假蘋婆	12	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP55	GP55_V1-V2	<i>Eucalyptus spp.</i>	桉屬	320	331	6-12	100-300	3-7	L	A	A	A	L	a,b,c	No	0%	0	331	Conflicts with Site Formation and Road Works
		<i>Ficus microcarpa</i>	細葉榕	3		7-13	150-900	5-10	L	A	A	A	L	a,b,c,d	No				
		<i>Leucaena leucocephala</i>	銀合歡	5		8-12	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	3		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
GP56	GP56_V1-V2	<i>Acacia confusa</i>	台灣相思	27	520	6-9	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	520	Conflicts with Site Formation and Road Works
		<i>Bridelia tomentosa</i>	土蜜樹	25		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	28		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	10		4-5	100-150	3	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	25		5-7	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	20		5-7	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	45		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Dyopsis lutescens</i>	散尾葵	15		3-4	100-130	2-3	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus spp.</i>	桉屬	38		6-11	150-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	25		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	24		7-12	150-550	5-10	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	102		8-12	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	56		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	27		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	18		5-7	150-250	3-6	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	35	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							
GP57	GP57_V1-V2	<i>Acacia confusa</i>	台灣相思	123	562	6-9	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	562	Conflicts with Site Formation and Road Works
		<i>Albizia lebbbeck</i>	大葉合歡	20		6-9	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	4		7-8	150-250	4-5	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	34		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	30		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	34		4-6	150-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	16		4-6	150-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	40		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	45		7-12	150-550	5-10	L	A	A	A	L	a,b,c	No				
		<i>Hibiscus tiliaceus</i>	黃槿	24		6-7	100-250	4-7	L	P-A	A	A	L	a,b,f	No				
		<i>Leucaena leucocephala</i>	銀合歡	45		8-12	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	30		4-6	120-150	3-5	L	A	A	A	L	a,b,c	No				
		<i>Livistona chinensis</i>	蒲葵	5		4-6	150-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	69		4-6	150-200	3-6	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	14		4-6	120-150	3-5	L	A	A	A	L	a,b	No				
<i>Melia azedarach</i>	苦楝	17	8-10	150-300	4-6	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	12	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP58	GP58_V1-V3	<i>Acacia confusa</i>	台灣相思	35	806	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	806	Conflicts with Site Formation and Road Works
		<i>Araucaria columnaris</i>	柱狀南洋杉	6		9-11	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia</i> spp.	羊蹄甲屬	22		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	5		6-11	150-300	4-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	60		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	55		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	12		6-9	150-250	5-6	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	3		5-8	150-300	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	55		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	44		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	46		7-12	150-450	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	44		7-12	150-450	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	116		8-12	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Livistona chinensis</i>	蒲葵	20		3-5	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	136		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	23		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	44		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	29		4-6	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Sterculia lanceolata</i>	假蘋婆	25		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	26	4-6	100-250	3-5	L	A	A	A	L	a,b,c	No							
GP59	GP59_V1-V4	<i>Acacia confusa</i>	台灣相思	39	714	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	10%	69	645	Partially Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	48		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	33		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	28		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	16		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	22		4-5	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	31		7-9	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	32		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	2		7-9	200-300	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	97		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eriobotrya japonica</i>	枇杷	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	30		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	44		7-12	150-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	88		8-11	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	89		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	48		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	20		4-6	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Syzygium jambos</i>	蒲桃	23		4-6	100-250	3-5	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP60	GP60_V1-V2	<i>Acacia confusa</i>	台灣相思	27	682	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	682	Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	45		6-10	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	19		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	28		7-9	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	32		7-9	150-300	5-6	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	2		7-9	200-250	5	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	44		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	26		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	46		7-12	150-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus variegata</i>	青果榕	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus religiosa</i>	菩提樹	7		4-6	100-150	3-4	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	170		8-11	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	14		4-6	100-150	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	88		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	20		4-6	100-150	3-4	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	23		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	25		4-6	150-250	3-5	L	A	A	A	L	a,b,c	No				
<i>Sterculia lanceolata</i>	假蘋婆	20	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	34	4-6	100-250	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP61	GP61_V1-V4	<i>Acacia confusa</i>	台灣相思	96	1266	6-10	150-350	5-6	L	A	A	A	L	a,b,c	No	0%	0	1266	Conflicts with Site Formation and Road Works
		<i>Albizia lebbbeck</i>	大葉合歡	22		6-10	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	62		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	287		8-11	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	55		7-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	21		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	27		6-8	150-300	5-6	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	25		7-9	200-250	5	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	68		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus</i> spp.	桉屬	81		8-11	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	35		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	72		8-11	250-550	6-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus variegata</i>	青果榕	19		7-10	250-550	6-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	37		8-11	250-550	6-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	72		8-11	150-200	3-7	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	20		4-6	100-150	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	88		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Machilus</i> spp.	潤楠屬	27		4-6	150-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Mallotus paniculatus</i>	白楸	26		4-6	100-200	3-5	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	14		7-9	150-220	3-6	L	A	A	A	L	a,g	No				
<i>Microcos nervosa</i>	破布葉 (布渣葉)	26	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Schefflera heptaphylla</i>	鵝掌柴	45	4-6	150-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	25	4-6	100-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Viburnum odoratissimum</i>	珊瑚樹	16	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							
GP62	GP62_V1-V2	<i>Acacia confusa</i>	台灣相思	19	272	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	272	Conflicts with Site Formation and Road Works
		<i>Araucaria columnaris</i>	柱狀南洋杉	2		9-11	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia</i> spp.	羊蹄甲屬	9		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	5		4-5	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	15		7-9	150-250	4-5	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	15		7-9	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	21		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	15		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	48		7-11	150-650	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	45		8-10	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	46		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	20		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
<i>Sterculia lanceolata</i>	假蘋婆	12	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							
GP63	GP63_V1-V2	<i>Eucalyptus</i> spp.	桉屬	380	380	6-12	100-300	3-7	L	A	A	A	L	a,b,c	No	0%	0	380	Conflicts with Road Works

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP64	GP64_V1-V3	<i>Acacia confusa</i>	台灣相思	99	1316	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	1316	Conflicts with Site Formation and Road Works
		<i>Araucaria columnaris</i>	柱狀南洋杉	8		9-11	200-300	4-5	L	A	A	A	L	a,b,c	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	40		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	28		4-6	100-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	70		8-10	100-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	90		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	47		5-7	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	49		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	90		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	55		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	131		7-11	150-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus variegata</i>	青果榕	56		7-11	150-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	75		7-11	150-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	105		8-10	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	27		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Litchi chinensis</i>	荔枝	24		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Litsea glutinosa</i>	潺槁樹	35		4-6	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	135		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	35		4-8	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	77		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
<i>Microcos nervosa</i>	破布葉 (布渣葉)	40	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
GP65	GP65_V1-V2	<i>Acacia confusa</i>	台灣相思	192	1021	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	100%	1021	0	-
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	165		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	25		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	46		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	39		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	5		7-9	150-250	4-5	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	34		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	51		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	28		7-11	150-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	160		8-10	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	30		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	105		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	28		4-6	100-200	3-5	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	47		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	38		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Sterculia lanceolata</i>	假蘋婆	28		6-8	150-250	5-6	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP66	GP66_V1-V2	<i>Acacia confusa</i>	台灣相思	250	1251	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	96%	1204	47	Partially Conflicts with Site Formation
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	200		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Araucaria columnaris</i>	柱狀南洋杉	5		9-11	250-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	20		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	50		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	48		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	32		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	5		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	53		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	22		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	7		7-11	150-450	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	210		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	20		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Litsea glutinosa</i>	潺槁樹	30		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	105		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Machilus spp.</i>	潤楠屬	30		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	50		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	28		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Schefflera heptaphylla</i>	鵝掌柴	25		4-6	120-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Sterculia lanceolata</i>	假蘋婆	28		5-7	150-250	4-5	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	33	5-8	150-300	5-6	L	A	A	A	L	a,b,c	No							
GP67	GP67_V1-V3	<i>Acacia confusa</i>	台灣相思	25	361	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	18%	65	296	Partially Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	28		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Archontophoenix alexandrae</i>	假檳榔	5		9-11	250-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	5		5-8	150-220	4-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	8		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	12		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	65		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	17		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	10		7-11	150-450	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	18		7-11	150-450	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	49		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	42		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	28		7-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	25		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	15		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Syzygium jambos</i>	蒲桃	9		5-8	150-300	5-6	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP68	GP68_V1-V2	<i>Acacia confusa</i>	台灣相思	55	798	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	35%	281	517	Partially Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	40		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Archontophoenix alexandrae</i>	假檳榔	5		9-11	200-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bischofia javanica</i>	秋楓	22		5-7	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	9		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	12		3-4	100-200	2-3	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	15		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	38		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	4		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	46		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	38		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	126		7-11	150-600	5-8	L	A	A	A	L	a,b,c,h	No				
		<i>Leucaena leucocephala</i>	銀合歡	125		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	88		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Machilus</i> spp.	潤楠屬	23		7-11	150-250	5-7	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	79		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	20		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Sapium sebiferum</i>	烏桕	22		4-9	150-250	3-6	L	A	A	A	L	a,b,c	No				
		<i>Sterculia lanceolata</i>	假蘋婆	19		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	12	5-8	150-300	5-6	L	A	A	A	L	a,b,c	No							
GP69	GP69_V1-V3	<i>Acacia confusa</i>	台灣相思	85	1102	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	51%	560	542	Partially Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	79		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	22		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	38		5-6	100-200	4-5	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	108		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	8		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	131		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	38		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	89		7-11	150-600	5-8	L	A	A	A	L	a,b,c,h	No				
		<i>Leucaena leucocephala</i>	銀合歡	141		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	119		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Machilus</i> spp.	潤楠屬	55		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	85		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Psidium guajava</i>	番石榴	35		5-6	100-200	4-5	L	A	A	A	L	a,b,c	No				
		<i>Schefflera heptaphylla</i>	鵝掌柴	25		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Sterculia lanceolata</i>	假蘋婆	21		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	23	5-8	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP70	GP70_V1-V3	<i>Acacia confusa</i>	台灣相思	30	336	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	336	Conflicts with Site Formation
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	18		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Araucaria columnaris</i>	柱狀南洋杉	3		8-12	150-250	5-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	5		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	10		4-5	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	21		9-11	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	25		7-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	12		4-5	100-200	3-4	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	3		6-8	150-300	4-7	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	40		4-9	120-280	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	23		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	12		7-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Juniperus chinensis 'Kaizuca'</i>	龍柏	15		2-4	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	31		8-10	150-250	4-6	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	28		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	12		7-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	25		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	23	5-8	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP71	GP71_V1-V3	<i>Acacia confusa</i>	台灣相思	48	1106	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	34%	376	730	Partially Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	45		6-11	150-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Aporosa dioica</i>	銀柴	30		3-5	100-180	2-3	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia</i> spp.	羊蹄甲屬	14		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bischofia javanica</i>	秋楓	10		5-8	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	25		6-10	150-250	4-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	31		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Callistemon viminalis</i>	串錢柳	8		4-6	100-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	20		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	52		5-8	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Chukrasia tabularia</i>	麻楝	8		8-9	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	28		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	5		5-8	150-300	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	70		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	49		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	75		7-12	150-650	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	88		7-12	150-850	5-8	L	A	A	A	L	a,b,c,d	No				
		<i>Leucaena leucocephala</i>	銀合歡	58		8-12	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	25		4-6	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Liquidambar formosana</i>	楓香	10		7-9	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Litchi chinensis</i>	荔枝	22		4-6	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	129		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	22		4-6	150-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	24		7-9	200-300	4-6	L	A	A	A	L	a,b,c	No				
<i>Melaleuca cajuputi</i> subsp. <i>Cumingiana</i>	白千層	65	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Melia azedarach</i>	苦楝	48	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Microcos nervosa</i>	破布葉 (布渣葉)	22	4-6	150-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Sapium sebiferum</i>	烏桕	12	6-8	150-280	3-5	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	28	4-6	150-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	35	4-6	100-250	3-5	L	A	A	A	L	a,b,c	No							
GP72	GP72_V1-V2	<i>Bridelia tomentosa</i>	土蜜樹	14	117	3-5	100-180	3-5	L	A	A	A	L	a,b,c	No	0%	0	117	Conflicts with Site Formation
		<i>Clausena lansium</i>	黃皮	8		4-6	100-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Crateva unilocularis</i>	樹頭菜	3		6-10	150-250	4-7	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	37		4-6	120-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	17		4-6	100-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	12		4-6	120-200	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	3		6-8	200-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	8		6-8	150-250	5-6	L	A	A	A	L	a,b,c	No				
		<i>Syzygium jambos</i>	蒲桃	15		6-8	200-280	5-6	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP73	GP73_V1-V2	<i>Acacia confusa</i>	台灣相思	10	898	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	898	Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	22		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Alangium chinense</i>	八角楓	14		2-4	100-130	2-3	L	A	A	A	L	a,b,c	No				
		<i>Aporosa dioica</i>	銀柴	20		3-5	100-180	2-3	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia spp.</i>	羊蹄甲屬	24		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	12		6-10	200-300	4-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	37		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	25		8-12	150-300	5-6	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	25		4-5	100-120	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	35		5-8	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	35		7-12	250-400	5-11	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	35		4-6	150-250	3-4	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	130		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	35		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus lyrata</i>	琴葉榕	2		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	40		7-11	150-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	40		7-12	150-550	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	74		8-12	150-200	5-7	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	23		4-6	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	121		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
<i>Melaleuca bracteata 'Revolution Gold'</i>	黃金串錢柳	3	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							
<i>Mangifera indica</i>	芒果	29	4-6	150-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Melia azedarach</i>	苦楝	55	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Microcos nervosa</i>	破布葉 (布渣葉)	24	4-6	150-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	28	4-6	100-250	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP74	GP74_V1-V3	<i>Acacia confusa</i>	台灣相思	18	816	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	816	Conflicts with Site Formation and Road Works
		<i>Araucaria columnaris</i>	柱狀南洋杉	2		12	150-200	3	L	A	A	A	L	a,b,c	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	12		4-5	100-200	2-3	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia spp.</i>	羊蹄甲屬	30		4-6	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	8		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	10		4-5	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	21		7-11	200-300	5-8	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	10		3-6	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	28		6-8	250-350	6-8	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	38		6-8	200-300	6-8	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	14		4-6	100-200	2.5-4	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	74		4-8.5	110-350	3.5-7	L	A	A	A	L	a,b,c	No				
		<i>Dyopsis lutescens</i>	散尾葵	5		5-6	100-140	2-3	L	A	A	A	L	a,b,c	No				
		<i>Eriobotrya japonica</i>	枇杷	10		4-5	100-200	2-3	L	A	A	A	L	a,b,c	No				
		<i>Erythrina variegata</i>	刺桐	5		5-7	150-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	28		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	48		7-11	250-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	85		4-6.5	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	50		7-10	200-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	55		7-9	150-280	4-7	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	21		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Morus alba</i>	桑	21		4-6	100-150	3-4	L	A	A	A	L	a,b,c	No				
<i>Leucaena leucocephala</i>	銀合歡	180	7-9	100-160	2-5	L	A	A	A	L	a,g	No							
<i>Litchi chinensis</i>	荔枝	10	4-6	100-200	2.5-4	L	A	A	A	L	a,b,c	No							
<i>Psidium guajava</i>	番石榴	20	4-6	100-180	2-3	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	13	5-7	120-250	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP75	GP75_V1-V3	<i>Bauhinia</i> spp.	羊蹄甲屬	30	698	5-6	150-200	4-5	L	A	A	A	L	a,b,c	No	0%	0	698	Conflicts with Site Formation and Road Works
		<i>Bombax ceiba</i>	木棉	8		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	18		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	39		6-8	250-350	6-7	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	28		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	40		7-10	200-300	6-8	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	6		7-8	150-300	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	85		4-8	110-350	3-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	42		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	39		7-11	250-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	73		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	15		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	96		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	45		7-10	200-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	43		7-9	150-280	4-7	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	32		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Psidium guajava</i>	番石榴	22		4-6	100-180	2-3	L	A	A	A	L	a,b,c	No				
<i>Schefflera heptaphylla</i>	鵝掌柴	19	5-6	100-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	18	5-7	120-250	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP76	GP76_V1-V3	<i>Acacia confusa</i>	台灣相思	22	919	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	919	Conflicts with Site Formation and Road Works
		<i>Araucaria columnaris</i>	柱狀南洋杉	1		11	150	4	L	A	A	A	L	a,b,c	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	35		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia spp.</i>	羊蹄甲屬	32		4-6	150-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	20		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	65		6-8	250-350	6-7	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	44		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	40		7-10	200-300	6-8	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	5		7-8	150-300	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	70		4-8	110-350	3-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus elastica</i>	印度榕 (印度橡樹)	2		9-11	300-450	6-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	46		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	47		7-11	250-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	75		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	30		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	89		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	20		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	55		7-10	200-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	70		7-11	150-280	5-8	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	37		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
<i>Morus alba</i>	桑	25	5-6	100-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Psidium guajava</i>	番石榴	23	4-6	100-200	3-4	L	A	A	A	L	a,b,c	No							
<i>Schefflera heptaphylla</i>	鵝掌柴	29	5-6	100-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	12	4-6	100-200	3-4	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	25	5-7	120-220	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP77	GP77_V1-V3	<i>Acacia confusa</i>	台灣相思	74	935	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	935	Conflicts with Site Formation and Road Works
		<i>Aporosa dioica</i>	銀柴	13		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Araucaria columnaris</i>	柱狀南洋杉	5		8-12	150-250	5-6	L	A	A	A	L	a,b,c	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	10		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia spp.</i>	羊蹄甲屬	18		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bischofia javanica</i>	秋楓	13		4-7	180-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	10		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	8		3-6	100-150	2-4	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	20		4-8	100-120	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	45		6-8	250-350	6-7	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	25		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	25		7-10	200-300	6-8	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	10		7-8	150-300	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	92		4-8	110-350	3-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	46		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	59		7-11	250-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	81		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	22		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Ligustrum sinense</i>	山指甲	10		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	78		4-8	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	50		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	29		7-10	200-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	68		7-11	150-280	5-8	L	A	A	A	L	a,b,c	No				
<i>Microcos nervosa</i>	破布葉 (布渣葉)	28	5-6	100-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Morus alba</i>	桑	10	5-6	100-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Sapium sebiferum</i>	烏柏	8	4-6	100-200	3-4	L	A	A	A	L	a,b,c	No							
<i>Schefflera heptaphylla</i>	鵝掌柴	35	5-6	100-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	20	5-6	100-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	23	5-7	120-220	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP78	GP78_V1-V2	<i>Acacia confusa</i>	台灣相思	20	775	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	775	Conflicts with Site Formation and Road Works
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	25		5-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	10		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	22		4-6	100-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	35		6-8	250-350	6-7	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	5		7-8	150-300	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	110		4-8	110-350	3-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	52		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	56		7-11	250-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus religiosa</i>	菩提樹	8		5-8	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	126		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	15		4-6	100-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	141		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	44		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	32		7-10	200-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	39		7-11	150-280	5-8	L	A	A	A	L	a,b,c	No				
<i>Schefflera heptaphylla</i>	鵝掌柴	12	5-6	100-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	23	5-7	120-220	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP79	GP79_V1-V2	<i>Acacia confusa</i>	台灣相思	15	847	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	847	Conflicts with Site Formation and Road Works
		<i>Aporosa dioica</i>	銀柴	45		3-5	100-150	2-4	L	A	A	A	L	a,b,c	No				
		<i>Araucaria columnaris</i>	柱狀南洋杉	2		10-11	150-160	3	L	A	A	A	L	a,b,c	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	23		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bischofia javanica</i>	秋楓	12		7-10	150-250	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	13		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	12		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	13		4-5	100-120	4-6	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	15		7-10	150-250	5-7	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	38		6-8	250-350	6-7	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	25		7-10	150-250	5-7	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	45		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	76		4-8	110-350	3-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	45		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	26		7-11	250-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	55		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	30		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Litsea glutinosa</i>	潺槁樹	45		7-10	150-250	5-7	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	120		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	32		7-10	200-350	5-8	L	A	A	A	L	a,b,c	No				
<i>Melia azedarach</i>	苦楝	65	7-11	150-280	5-8	L	A	A	A	L	a,b,c	No							
<i>Schefflera heptaphylla</i>	鵝掌柴	42	5-8	120-250	3-5	L	A	A	A	L	a,b	No							
<i>Sterculia lanceolata</i>	假蘋婆	35	4-7	150-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	18	5-7	120-220	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP80	GP80_V1-V3	<i>Acacia confusa</i>	台灣相思	25	855	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	855	Conflicts with Site Formation and Road Works
		<i>Araucaria columnaris</i>	柱狀南洋杉	2		11-13	120-150	3	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	15		8-10	250-320	6-8	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	38		5-7	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	30		5-9	150-350	4-8	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	38		6-9	200-400	5-7	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	76		4-9	150-350	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus benjamina</i>	垂葉榕	28		5-8	120-260	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	72		5-8	120-260	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	27		4-12	150-550	3-6	L	A	A	A	L	a,b,c,d	No				
		<i>Ilex rotunda</i>	鐵冬青	12		5-8	120-260	3-6	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	130		6-8	100-180	3-6	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	15		3-5	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Litsea glutinosa</i>	潺槁樹	26		4-7	150-280	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	116		4-6	150-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	22		6-8	200-300	4-7	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	60		8-11	200-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	35		5-6	150-220	3-5	L	A	A	A	L	a,b,c	No				
<i>Morus alba</i>	桑	15	4-6	120-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Schefflera heptaphylla</i>	鵝掌柴	25	4-7	100-220	3-5	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	28	5-7	150-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	20	5-8	150-250	3-5	L	A	A	A	L	a,b,c	No							
GP81	GP81_V1-V3	<i>Acacia confusa</i>	台灣相思	15	517	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	517	Conflicts with Site Formation and Road Works
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	10		4-5	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	13		8-10	250-320	6-8	L	A	A	A	L	a,b,c	No				
		<i>Bischofia javanica</i>	秋楓	14		7-11	250-400	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	11		5-7	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	21		5-9	150-350	4-8	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	26		4-6	150-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	35		6-9	200-400	5-7	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	80		4-9	150-350	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	20		5-8	120-260	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	17		4-12	150-550	3-6	L	A	A	A	L	a,b,c,d	No				
		<i>Leucaena leucocephala</i>	銀合歡	80		6-8	100-180	3-6	L	A	A	A	L	a,g	No				
		<i>Litsea glutinosa</i>	潺槁樹	16		4-7	150-280	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	90		4-6	150-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	15		4-6	150-200	3-5	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	18		8-11	200-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	16		5-6	150-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Psidium guajava</i>	番石榴	20		4-5	120-180	3-4	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP82	GP82_V1-V3	<i>Acacia confusa</i>	台灣相思	17	668	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	668	Conflicts with Site Formation
		<i>Araucaria columnaris</i>	柱狀南洋杉	2		8-9	150-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia</i> spp.	羊蹄甲屬	10		5-7	100-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	15		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	14		4-5	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	23		7-9	150-350	4-8	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	42		6-8	250-350	6-7	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	25		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	25		7-10	200-300	6-8	L	A	A	A	L	a,b,c	No				
		Dead tree	死樹	5		7-8	150-300	5-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	75		4-8	110-350	3-7	L	A	A	A	L	a,b,c	No				
		<i>Dyopsis lutescens</i>	散尾葵	10		4-5	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	22		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	25		7-11	250-500	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ilex rotunda</i>	鐵冬青	6		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	89		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	18		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Litsea glutinosa</i>	潺槁樹	8		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	77		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	14		4-6	120-200	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	23		7-10	200-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	40		7-11	150-280	5-8	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	14		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
<i>Morus alba</i>	桑	10	5-6	100-180	3-4	L	A	A	A	L	a,b,c	No							
<i>Psidium guajava</i>	番石榴	12	4-6	100-180	3-4	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	29	4-6	100-200	3-4	L	A	A	A	L	a,b,c	No							
<i>Roystonea regia</i>	王棕	18	5-7	120-220	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP83	GP83_V1-V2	<i>Bombax ceiba</i>	木棉	10	739	7-11	200-300	6-7	L	A	A	A	L	a,b,c	No	0%	0	739	Conflicts with Site Formation
		<i>Bischofia javanica</i>	秋楓	11		6-8	200-400	5-6	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	25		5-7	150-200	4-6	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	15		4-5	100-120	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	32		5-8	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	24		7-8	200-250	6-8	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	32		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	97		4-7	110-300	3-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	52		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus variegata</i>	青果榕	18		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	92		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	11		4-6	100-150	4-6	L	A	A	A	L	a,b,c	No				
		<i>Litchi chinensis</i>	荔枝	52		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	147		4-8	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Machilus spp.</i>	潤楠屬	5		5-8	100-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Mallotus paniculatus</i>	白楸	10		4-6	100-200	3-4	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	31		8-11	200-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Schefflera heptaphylla</i>	鵝掌柴	45		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
<i>Sterculia lanceolata</i>	假蘋婆	20	4-6	120-280	3-5	L	A	A	A	L	a,b,c	No							
<i>Roystonea regia</i>	王棕	10	7-11	150-280	5-8	L	A	A	A	L	a,b,c	No							
GP84	GP84_V1-V3	<i>Archontophoenix alexandrae</i>	假欖椰	5	522	7-11	200-300	6-7	L	A	A	A	L	a,b,c	No	0%	0	522	Conflicts with Site Formation and Road Works
		<i>Bischofia javanica</i>	秋楓	5		4-6	150-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	9		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	23		5-7	150-200	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	15		5-8	150-250	4-7	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	65		4-7	110-300	3-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	42		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	8		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	170		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	135		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	10		5-7	150-250	3-6	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	35		7-11	150-280	5-8	L	A	A	A	L	a,b,c	No				

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP85	GP85_V1-V2	<i>Archontophoenix alexandrae</i>	假檳榔	5	565	7-11	200-300	6-7	L	A	A	A	L	a,b,c	No	0%	0	565	Conflicts with Site Formation and Road Works
		<i>Bauhinia</i> spp.	羊蹄甲屬	22		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	9		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	23		5-7	150-200	4-6	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	81		4-7	110-300	3-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	53		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	8		4-6	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	140		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	15		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	140		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Morus alba</i>	桑	12		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	35		7-11	150-280	5-8	L	A	A	A	L	a,b,c	No				
		<i>Psidium guajava</i>	番石榴	22		4-6	120-180	3-4	L	A	A	A	L	a,b,c	No				
GP86	GP86_V1-V2	<i>Aporosa dioica</i>	銀柴	20	962	3-5	100-150	3-4	L	A	A	A	L	a,b,c	No	58%	561	401	Partially Conflicts with Site Formation and Road Works
		<i>Bombax ceiba</i>	木棉	8		7-11	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	25		5-7	150-200	4-6	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	34		5-7	150-200	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	60		7-10	200-300	6-7	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	79		4-7	110-300	3-7	L	A	A	A	L	a,b,c	No				
		<i>Dyopsis lutescens</i>	散尾葵	12		5-6	100-160	2-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	55		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	20		6-8	150-350	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus variegata</i>	青果榕	18		6-8	150-350	4-7	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	210		7-9	100-160	2-5	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	40		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	180		4-6	120-280	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	57		6-8	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Morus alba</i>	桑	40		5-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	48		7-11	150-280	5-8	L	A	A	A	L	a,b,c	No				
		<i>Psidium guajava</i>	番石榴	12		4-6	120-180	3-4	L	A	A	A	L	a,b,c	No				
		<i>Sterculia lanceolata</i>	假蘋婆	12		5-7	150-250	3-5	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	32	5-8	150-250	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP87	GP87_V1-V2	<i>Acacia confusa</i>	台灣相思	89	879	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	879	Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	75		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Aporosa dioica</i>	銀柴	29		4-6	100-200	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bischofia javanica</i>	秋楓	17		8-10	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	8		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	19		4-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	20		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Citrus maxima</i>	柚	18		4-6	100-200	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	56		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	9		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	66		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	50		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	27		7-11	150-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus variegata</i>	青果榕	27		7-11	150-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Litsea glutinosa</i>	潺槁樹	49		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Livistona chinensis</i>	蒲葵	8		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	69		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	98		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Machilus spp.</i>	潤楠屬	37		7-11	150-250	5-7	L	A	A	A	L	a,b,c	No				
		<i>Mallotus paniculatus</i>	白楸	21		4-6	120-180	3-5	L	A	A	A	L	a,b	No				
<i>Melia azedarach</i>	苦楝	30	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Microcos nervosa</i>	破布葉 (布渣葉)	15	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	21	4-6	120-180	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	21	5-8	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP88	GP88_V1-V2	<i>Acacia confusa</i>	台灣相思	43	898	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	898	Conflicts with Site Formation and Road Works
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	41		4-6	120-180	4-5	L	A	A	A	L	a,b,c	No				
		<i>Averrhoa carambola</i>	楊桃	29		4-6	120-180	4-5	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	15		4-6	120-180	4-5	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	34		4-6	120-180	4-5	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	49		6-9	150-300	5-8	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	89		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	115		4-10	120-350	3-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	52		4-6	120-220	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	35		7-10	250-480	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	70		6-9	100-150	3-4	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	39		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	131		3-7	120-280	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	41		6-9	200-250	4-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	27		7-9	150-280	4-7	L	A	A	A	L	a,b,c	No				
		<i>Morus alba</i>	桑	18		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Psidium guajava</i>	番石榴	25		4-6	120-180	4-5	L	A	A	A	L	a,b,c	No				
<i>Syzygium jambos</i>	蒲桃	45	5-7	120-220	3-5	L	A	A	A	L	a,b,c	No							
GP89	GP89_V1-V2	<i>Acacia confusa</i>	台灣相思	25	495	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	495	Conflicts with Site Formation and Road works
		<i>Bombax ceiba</i>	木棉	10		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	8		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	6		4-5	100-120	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	28		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	15		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	6		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Delonix regia</i>	鳳凰木	2		10-12	500-600	7-9	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	68		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus spp.</i>	桉屬	45		7-12	150-400	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	22		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	23		7-11	250-480	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	10		7-11	250-550	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	40		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	82		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	31		4-5	120-160	3-4	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	21		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
<i>Microcos nervosa</i>	破布葉 (布渣葉)	23	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Schefflera heptaphylla</i>	鵝掌柴	12	7-8	150-200	2-4	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	18	5-8	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP90	GP90_V1-V3	<i>Acacia confusa</i>	台灣相思	35	861	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	90%	777	84	Partially Conflicts with Site formation
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	38		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bischofia javanica</i>	秋楓	20		5-8	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	17		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	28		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	40		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	20		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	45		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Cratoxylum cochinchinense</i>	黃牛木	21		6-8	150-250	4-6	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	5		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	49		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus</i> spp.	按屬	160		7-12	150-400	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	38		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	10		7-11	150-600	5-8	L	A	A	A	L	a,b,c,h	No				
		<i>Leucaena leucocephala</i>	銀合歡	19		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Lophostemon confertus</i>	紅膠木	32		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	69		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Machilus</i> spp.	潤楠屬	34		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Mallotus paniculatus</i>	白楸	46		4-5	120-160	3-4	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	38		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
<i>Microcos nervosa</i>	破布葉 (布渣葉)	28	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Sapium sebiferum</i>	烏柏	12	6-10	180-320	5-6	L	A	A	A	L	a,b,c	No							
<i>Schefflera heptaphylla</i>	鵝掌柴	12	6-9	150-350	5-7	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	33	4-6	120-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	12	5-8	150-300	5-6	L	A	A	A	L	a,b,c	No							
GP91	GP91_V1-V2	<i>Acacia confusa</i>	台灣相思	47	610	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	3%	17	593	Partially Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	26		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	8		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bridelia tomentosa</i>	土蜜樹	12		4-6	120-180	4-5	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	12		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	29		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	38		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	6		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	45		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	51		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	93		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Lophostemon confertus</i>	紅膠木	22		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	121		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	28		4-5	120-160	3-4	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	39		8-10	150-300	5-6	L	A	A	A	L	a,b,c	No				
<i>Microcos nervosa</i>	破布葉 (布渣葉)	33	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP92	GP92_V1-V2	<i>Acacia confusa</i>	台灣相思	25	758	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	95%	717	41	Partially Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	25		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Aporosa dioica</i>	銀柴	33		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bischofia javanica</i>	秋楓	39		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	19		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	18		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	35		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	22		8-10	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	42		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	22		4-5	100-180	3-4	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	5		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	55		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus</i> spp.	桉屬	37		6-12	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	45		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	26		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	20		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	21		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	12		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	70		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Machilus</i> spp.	潤楠屬	12		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Mallotus paniculatus</i>	白楸	28		4-5	120-160	3-4	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	22		4-8	200-350	4-6	L	A	A	A	L	a,b,c	No				
<i>Melia azedarach</i>	苦楝	53	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Microcos nervosa</i>	破布葉 (布渣葉)	30	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Sterculia lanceolata</i>	假蘋婆	20	4-6	120-250	4-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	22	5-8	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP93	GP93_V1-V3	<i>Acacia confusa</i>	台灣相思	45	641	6-11	150-350	5-7	L	A	A	A	L	a,b,c	No	0%	0	641	Conflicts with Site Formation and Road Works
		<i>Acacia mangium</i>	大葉相思 (馬占相思)	18		6-11	150-350	5-7	L	A	A	A	L	a,b,c	No				
		<i>Archontophoenix alexandrae</i>	假欖榔	5		8-9	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	7		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Broussonetia papyrifera</i>	構樹	10		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	10		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	23		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	44		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Citrus maxima</i>	柚	16		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	2		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	105		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	40		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	33		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	7		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	51		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Ligustrum sinense</i>	山指甲	13		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Litchi chinensis</i>	荔枝	24		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	89		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mallotus paniculatus</i>	白楸	16		4-5	120-160	3-4	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	23		4-8	200-350	4-6	L	A	A	A	L	a,b,c	No				
<i>Melia azedarach</i>	苦楝	26	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Microcos nervosa</i>	破布葉 (布渣葉)	19	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	15	7-8	200-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP94	GP94_V1-V2	<i>Archontophoenix alexandrae</i>	假檳榔	8	411	8-9	100-150	2-3	L	A	A	A	L	a,b,c	No	0%	0	411	Conflicts with Site formation and Road works
		<i>Bombax ceiba</i>	木棉	6		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	10		4-5	100-120	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	20		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	24		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Citrus maxima</i>	柚	8		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	3		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dimocarpus longan</i>	龍眼	65		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eriobotrya japonica</i>	枇杷	8		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus</i> spp.	桉屬	28		8-15	300-900	4-7	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus hispida</i>	對葉榕	32		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	33		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	16		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Juniperus chinensis</i> 'Kaizuca'	龍柏	8		3-4	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	44		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Livistona chinensis</i>	蒲葵	5		6-10	120-180	2-3	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	44		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	12		4-8	150-250	4-6	L	A	A	A	L	a,b,c	No				
<i>Melia azedarach</i>	苦楝	19	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Psidium guajava</i>	番石榴	18	3-5	100-180	3-4	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP95	GP95_V1-V3	<i>Archontophoenix alexandrae</i>	假檳榔	6	991	8-9	100-150	2-3	L	A	A	A	L	a,b,c	No	0%	0	991	Conflicts with Site Formation and Road Works
		<i>Araucaria columnaris</i>	柱狀南洋杉	1		12	200	4	L	A	A	A	L	a,b,c	No				
		<i>Araucaria cunninghamii</i>	南洋杉 (花旗杉)	3		12	200-220	4	L	A	A	A	L	a,b,c	No				
		<i>Bauhinia</i> spp.	羊蹄甲屬	29		4-8	100-200	3-4	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	14		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Bischofia javanica</i>	秋楓	22		9-11	200-400	5-7	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	20		4-5	100-120	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	65		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	37		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	25		9-10	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Citrus maxima</i>	柚	22		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	3		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dyopsis lutescens</i>	散尾葵	7		5-7	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	65		4-10	120-500	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eriobotrya japonica</i>	枇杷	18		4-7	120-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus</i> spp.	桉屬	20		8-15	300-900	4-7	L	A	A	A	L	a,b,c,d	No				
		<i>Ficus hispida</i>	對葉榕	52		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	68		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus variegata</i>	青果榕	38		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	55		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	165		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
<i>Litchi chinensis</i>	荔枝	30	4-7	120-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Macaranga tanarius</i> var. <i>tomentosa</i>	血桐	117	4-6	120-250	3-5	L	A	A	A	L	a,b	No							
<i>Mangifera indica</i>	芒果	46	4-10	150-2400	4-6	L	A	A	A	L	a,b,c	No							
<i>Melia azedarach</i>	苦楝	42	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	21	4-7	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP96	GP96_V1-V2	<i>Archontophoenix alexandrae</i>	假檳榔	4	1312	8-9	100-150	2-3	L	A	A	A	L	a,b,c	No	0%	0	1312	Conflicts with Site formation and Road works
		<i>Araucaria columnaris</i>	柱狀南洋杉	2		12	200	4	L	A	A	A	L	a,b,c	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	78		4-6	120-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Averrhoa carambola</i>	楊桃	37		4-6	120-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	12		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	40		4-5	100-120	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	67		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	59		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	40		9-10	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Citrus maxima</i>	柚	32		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	5		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dyopsis lutescens</i>	散尾葵	16		5-7	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	188		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eriobotrya japonica</i>	枇杷	46		4-7	120-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Eucalyptus spp.</i>	桉屬	43		10-12	150-350	4-7	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	29		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	45		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus variegata</i>	青果榕	22		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	18		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	65		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	88		4-7	120-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Litsea glutinosa</i>	潺槁樹	23		5-8	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	98		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	78		4-8	150-250	4-6	L	A	A	A	L	a,b,c	No				
<i>Melia azedarach</i>	苦楝	66	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Morus alba</i>	桑	25	4-7	120-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Psidium guajava</i>	番石榴	44	4-7	120-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	42	4-7	150-300	5-6	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP97	GP97_V1	<i>Archontophoenix alexandrae</i>	假檳榔	4	998	8-9	100-150	2-3	L	A	A	A	L	a,b,c	No	0%	0	998	Conflicts with Site Formation and Road Works
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	33		4-6	120-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Averrhoa carambola</i>	楊桃	25		4-6	120-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Bombax ceiba</i>	木棉	16		9-12	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	28		4-5	100-120	4-6	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	33		7-9	150-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	55		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		<i>Cinnamomum camphora</i>	樟	35		9-10	200-300	5-7	L	A	A	A	L	a,b,c	No				
		<i>Citrus maxima</i>	柚	28		4-5	120-160	3-4	L	A	A	A	L	a,b,c	No				
		Dead Tree	死樹	6		5-8	150-300	4-6	L	P	P	P	L	a,f	No				
		<i>Dyopsis lutescens</i>	散尾葵	10		5-7	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	121		4-9	120-300	3-6	L	A	A	A	L	a,b,c	No				
		<i>Eriobotrya japonica</i>	枇杷	24		4-7	120-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	47		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	85		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus variegata</i>	青果榕	19		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Ficus virens</i>	黃葛樹 (大葉榕)	35		7-11	200-400	5-8	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	38		8-10	150-200	4-6	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	45		4-7	120-250	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	101		4-6	120-250	3-5	L	A	A	A	L	a,b	No				
<i>Mangifera indica</i>	芒果	79	4-8	150-250	4-6	L	A	A	A	L	a,b,c	No							
<i>Melia azedarach</i>	苦楝	53	8-10	150-300	5-6	L	A	A	A	L	a,b,c	No							
<i>Morus alba</i>	桑	25	4-7	120-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Psidium guajava</i>	番石榴	28	4-7	120-250	3-5	L	A	A	A	L	a,b,c	No							
<i>Syzygium jambos</i>	蒲桃	25	4-7	150-300	5-6	L	A	A	A	L	a,b,c	No							
GP98	GP98_V1-V2	<i>Artocarpus heterophyllus</i>	菠蘿蜜	28	330	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No	0%	0	330	Conflicts with Site Formation
		<i>Bombax ceiba</i>	木棉	8		7-10	150-250	5-7	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	12		4-7	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	15		6-9	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	34		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	70		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	24		3-6	100-200	2-4	L	A	A	A	L	a,b,c	No				
		<i>Ficus microcarpa</i>	細葉榕	10		5-11	150-450	5-9	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	44		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	12		6-9	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	12		8-11	150-350	5-9	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	8		4-6	100-180	3-5	L	A	A	A	L	a,b,c	No				
		<i>Leucaena leucocephala</i>	銀合歡	10		5-11	100-250	3-7	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	27		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
<i>Psidium guajava</i>	番石榴	16	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP99	GP99_V1-V2	<i>Artocarpus heterophyllus</i>	菠蘿蜜	31	200	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No	0%	0	200	Conflicts with Site Formation
		<i>Bombax ceiba</i>	木棉	3		7-10	150-250	5-7	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	25		4-7	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	4		6-9	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	24		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	40		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	6		3-6	100-200	2-4	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	15		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	4		6-9	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Melia azedarach</i>	苦楝	2		8-11	150-350	5-9	L	A	A	A	L	a,b,c	No				
		<i>Litchi chinensis</i>	荔枝	30		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
<i>Psidium guajava</i>	番石榴	16	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No							
GP100	GP100_V1-V2	<i>Artocarpus heterophyllus</i>	菠蘿蜜	14	104	4-6	100-200	3-5	L	A	A	A	L	a,b,c	No	0%	0	104	Conflicts with Site Formation
		<i>Carica papaya</i>	番木瓜	11		4-7	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	2		6-9	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Clausena lansium</i>	黃皮	16		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	30		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	15		4-6	120-250	3-6	L	A	A	A	L	a,b	No				
		<i>Mangifera indica</i>	芒果	4		6-9	150-350	5-6	L	A	A	A	L	a,b,c	No				
		<i>Litchi chinensis</i>	荔枝	12		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
GP101	GP101_V1-V2	<i>Acacia confusa</i>	台灣相思	36	445	4-12	150-380	2-8	L	A	A	A	L	a,b,c	No	0%	0	445	Conflicts with Site Formation
		<i>Bauhinia spp.</i>	羊蹄甲屬	20		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Carica papaya</i>	番木瓜	23		3-4	100-150	2-3	L	A	A	A	L	a,b,c	No				
		<i>Celtis sinensis</i>	朴樹	20		5-8	200-300	4-6	L	A	A	A	L	a,b,c	No				
		<i>Delonix regia</i>	鳳凰木	15		7-10	150-350	5-8	L	A	A	A	L	a,b,c	No				
		<i>Dimocarpus longan</i>	龍眼	66		4-7	100-300	3-5	L	A	A	A	L	a,b,c	No				
		<i>Ficus hispida</i>	對葉榕	20		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Lagerstroemia speciosa</i>	大花紫薇	2		4-5	130-150	3-4	M	A	A	A	M-L	b,c	(B) (*)				
		<i>Leucaena leucocephala</i>	銀合歡	78		5-10	100-200	3-5	L	A	A	A	L	a,g	No				
		<i>Litchi chinensis</i>	荔枝	26		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	66		4-6	120-180	3-5	L	A	A	A	L	a,b	No				
		<i>Melia azedarach</i>	苦楝	16		5-9	180-280	4-6	L	A	A	A	L	a,b,c	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	20		4-6	100-200	3-5	L	A	A	A	L	a,b,c	No				
		<i>Phyllanthus emblica</i>	餘甘子 (油甘子)	25		6-8	100-250	3-5	L	A	A	A	L	a,b,c	No				
<i>Sterculia lanceolata</i>	假蘋婆	12	3-7	120-200	2-5	L	A	A	A	L	a,b,c	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP102	GP102_V1-V2	<i>Acacia auriculiformis</i>	耳果相思 (耳葉相思)	42	1224	4-12	150-380	2-8	L	A	A	A	L	a,b,c,h	No	0%	0	1224	Conflicts with Site Formation
		<i>Acacia confusa</i>	台灣相思	47		4-12	150-380	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Alangium chinense</i>	八角楓	15		2-6	100-180	2-3	L	A	A	A	L	a,b,c,h	No				
		<i>Aporosa dioica</i>	銀柴	35		2-6	100-180	2-3	L	A	A	A	L	a,b,c,h	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	89		3-6	100-220	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Bischofia javanica</i>	秋楓	44		4-11	150-400	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Bridelia tomentosa</i>	土蜜樹	27		2-6	100-200	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Broussonetia papyrifera</i>	構樹	16		2-6	100-200	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	37		5-13	110-450	2-7	L	A	A	A	L	a,b,c,h	No				
		<i>Celtis sinensis</i>	朴樹	126		3-8	120-400	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Cinnamomum camphora</i>	樟	48		5-9	150-350	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Dimocarpus longan</i>	龍眼	139		3-9	140-400	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Ficus microcarpa</i>	細葉榕	22		3-12	120-450	2-9	L	A	A	A	L	a,b,c,h	No				
		<i>Ficus variegata</i>	青果榕	33		3-10	120-400	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Ilex rotunda</i>	鐵冬青	7		4-9	150-320	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Ligustrum sinense</i>	山指甲	13		2-5	100-230	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Litchi chinensis</i>	荔枝	50		3-6	100-220	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Litsea glutinosa</i>	潺槁樹	19		3-7	100-280	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	91		2-7	100-250	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Machilus spp.</i>	潤楠屬	38		4-13	150-400	2-9	L	A	A	A	L	a,b,c,h	No				
		<i>Mallotus paniculatus</i>	白楸	25		3-7	100-210	2-5	L	A	A	A	L	a,b,h	No				
		<i>Melia azedarach</i>	苦楝	42		3-12	100-350	2-9	L	A	A	A	L	a,b,c,h	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	65		2-6	100-200	2-4	L	A	A	A	L	a,b,c,h	No				
<i>Pterocarpus indicus</i>	紫檀	7	5-10	150-350	3-7	L	A	A	A	L	a,b,c,h	No							
<i>Schefflera heptaphylla</i>	鵝掌柴	13	2-10	110-350	2-8	L	A	A	A	L	a,b,c,h	No							
<i>Sterculia lanceolata</i>	假蘋婆	108	3-10	150-350	2-7	L	A	A	A	L	a,b,c,h	No							
<i>Syzygium jambos</i>	蒲桃	12	5-12	150-350	3-8	L	A	A	A	L	a,b,c,h	No							
<i>Viburnum odoratissimum</i>	珊瑚樹	14	3-8	120-280	2-6	L	A	A	A	L	a,b,c,h	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP103	GP103_V1-V2	<i>Acacia confusa</i>	台灣相思	20	401	4-12	150-380	2-8	L	A	A	A	L	a,b,c,h	No	0%	0	401	Conflicts with Site Formation
		<i>Alangium chinense</i>	八角楓	12		2-6	100-180	2-3	L	A	A	A	L	a,b,c,h	No				
		<i>Aporosa dioica</i>	銀柴	8		2-6	100-180	2-3	L	A	A	A	L	a,b,c,h	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	15		3-6	100-220	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Bridelia tomentosa</i>	土蜜樹	5		2-6	100-200	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Broussonetia papyrifera</i>	構樹	14		2-6	100-200	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	16		5-13	110-450	2-7	L	A	A	A	L	a,b,c,h	No				
		<i>Celtis sinensis</i>	朴樹	57		3-8	120-400	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Cinnamomum camphora</i>	樟	22		5-9	150-350	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Dimocarpus longan</i>	龍眼	12		3-9	140-400	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Ficus variegata</i>	青果榕	7		3-10	120-400	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Ilex rotunda</i>	鐵冬青	7		4-9	150-320	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Litchi chinensis</i>	荔枝	28		3-6	100-220	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Litsea glutinosa</i>	潺槁樹	23		3-7	100-280	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	33		2-7	100-250	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Machilus spp.</i>	潤楠屬	7		4-13	150-400	2-9	L	A	A	A	L	a,b,c,h	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	42		2-6	100-200	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Pterocarpus indicus</i>	紫檀	9		5-10	150-350	3-7	L	A	A	A	L	a,b,c,h	No				
		<i>Schefflera heptaphylla</i>	鵝掌柴	25		2-10	110-350	2-8	L	A	A	A	L	a,b,c,h	No				
<i>Syzygium jambos</i>	蒲桃	19	5-12	150-350	3-8	L	A	A	A	L	a,b,c,h	No							
<i>Viburnum odoratissimum</i>	珊瑚樹	20	3-8	120-280	2-6	L	A	A	A	L	a,b,c,h	No							

Tree Group No.	Photo No.	Scientific Name	Chinese Name	Approx. Quantity of the group		Measurements			Amenity Value (high(H)/medium(M)/Low(L))	Form (good(G)/average(A)/poor(P))	Health (good(G)/average(A)/poor(P))	Structural condition (good(G)/average(A)/poor(P))	Suitability for Transplanting		Conservation Status	Recommendation (Retain/Affected)			Justification
				Qty	Sub-Total	Height (m)	DBH (mm)	Crown spread (m)					(high(H)/medium(M)/low(L))	Remarks		Retain %	Retain	Affected	
GP104	GP104_V1-V2	<i>Acacia auriculiformis</i>	耳果相思 (耳葉相思)	27	2950	4-12	150-380	2-8	L	A	A	A	L	a,b,c,h	No	0%	0	2950	Conflicts with Slope Works
		<i>Acacia confusa</i>	台灣相思	160		4-12	150-380	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Alangium chinense</i>	八角楓	52		2-6	100-180	2-3	L	A	A	A	L	a,b,c,h	No				
		<i>Aporosa dioica</i>	銀柴	127		2-6	100-180	2-3	L	A	A	A	L	a,b,c,h	No				
		<i>Artocarpus heterophyllus</i>	菠蘿蜜	74		3-6	100-220	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Bischofia javanica</i>	秋楓	85		4-11	150-400	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Bridelia tomentosa</i>	土蜜樹	45		2-6	100-200	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Broussonetia papyrifera</i>	構樹	104		2-6	100-200	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Casuarina equisetifolia</i>	木麻黃 (牛尾松)	118		5-13	110-450	2-7	L	A	A	A	L	a,b,c,h	No				
		<i>Celtis sinensis</i>	朴樹	304		3-8	120-400	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Cinnamomum camphora</i>	樟	187		5-9	150-350	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Dimocarpus longan</i>	龍眼	286		3-9	140-400	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Ficus microcarpa</i>	細葉榕	56		3-12	120-450	2-9	L	A	A	A	L	a,b,c,h	No				
		<i>Ficus subpisocarpa</i>	筆管榕	14		3-10	120-400	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Ficus variegata</i>	青果榕	54		3-10	120-400	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Ilex rotunda</i>	鐵冬青	56		4-9	150-320	2-8	L	A	A	A	L	a,b,c,h	No				
		<i>Ligustrum sinense</i>	山指甲	26		2-5	100-230	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Litchi chinensis</i>	荔枝	60		3-6	100-220	2-4	L	A	A	A	L	a,b,c,h	No				
		<i>Litsea glutinosa</i>	潺槁樹	124		3-7	100-280	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Macaranga tanarius var. tomentosa</i>	血桐	131		2-7	100-250	2-6	L	A	A	A	L	a,b,c,h	No				
		<i>Machilus spp.</i>	潤楠屬	124		4-13	150-400	2-9	L	A	A	A	L	a,b,c,h	No				
		<i>Mallotus paniculatus</i>	白楸	19		3-7	100-210	2-5	L	A	A	A	L	a,b,h	No				
		<i>Melia azedarach</i>	苦楝	174		3-12	100-350	2-9	L	A	A	A	L	a,b,c,h	No				
		<i>Microcos nervosa</i>	破布葉 (布渣葉)	165		2-6	100-200	2-4	L	A	A	A	L	a,b,c,h	No				
<i>Pterocarpus indicus</i>	紫檀	18	5-10	150-350	3-7	L	A	A	A	L	a,b,c,h	No							
<i>Schefflera heptaphylla</i>	鵝掌柴	102	2-10	110-350	2-8	L	A	A	A	L	a,b,c,h	No							
<i>Sterculia lanceolata</i>	假蘋婆	137	3-10	150-350	2-7	L	A	A	A	L	a,b,c,h	No							
<i>Syzygium jambos</i>	蒲桃	75	5-12	150-350	3-8	L	A	A	A	L	a,b,c,h	No							
<i>Viburnum odoratissimum</i>	珊瑚樹	46	3-8	120-280	2-6	L	A	A	A	L	a,b,c,h	No							

64473

8134 56339

Remarks for Suitability for Transplanting

- (a) Low amenity value;
- (b) Irrecoverable form after transplanting (e.g. transplanting requires substantial crown and root pruning);
- (c) Low chance of survival upon transplanting;
- (d) Very large size (unless the feasibility to transplant has been considered financially reasonable and technically feasible during the feasibility stage);
- (e) With evidence of over-maturity and onset of senescence;
- (f) With poor health, structure or form (e.g. imbalanced form, leaning, with major cavity/cracks/splits); or cavity/cracks/splits);
- (g) Undesirable species (e.g. *Leucaena leucocephala* which is an invasive exotic and self-seeding tree); or
- (h) Trees grown under poor conditions which have limited the formation of proper root ball necessary for transplanting (e.g. on steep slope)

Conservation Status

- (A) The Protection of Endangered Species of Animals and Plants Ordinance (Cap.586)
- (B) Forests and Countryside Ordinance (Cap. 96)
- (C) Rare and Precious Plants of Hong Kong
- (D) IUCN Red List of Threatened Species

Note:

(* Please note that the surveyed *Lagerstroemia speciosa* are not considered as TPLs in this report, as they are widely imported and planted as ornamental trees in Hong Kong for amenity purpose.

Tree No.	Photo No.	Scientific Name	Chinese Name	Measurements			Amenity Value (high(H)/ medium(M)/ low(L))	Form (good(G)/ average(A)/ poor(P))	Health (good(G)/ average(A)/ poor(P))	Structural condition (good(G)/ average(A)/ poor(P))	Suitability for Transplanting		Conservation Status	Recommendations (Retain/Affected)	Justification	Additional Remarks
				Height (m)	DBH (mm)	Crown spread (m)					(high(H)/ medium(M)/ low(L))	Remarks				
T1	T1	<i>Ficus microcarpa</i>	細葉榕	18	1200	15	L	A	A	A	L	a,b,c,d,h	Nil	Affected	Conflict with G.1.2	Restricted rooting area, located in GP6 area
T3	T3	<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	15	1215	8	L	P	A	A	L	a,b,c,d,h	Nil	Retain	-	Co-dominant trunks, Restricted rooting area, located in GP17 area
T4	T4	<i>Ficus virens</i>	黃葛樹 (大葉榕)	16	1200	13	L	P	A	A	L	a,b,c,d,h	Nil	Retain	-	Multiple trunks, Restricted Rooting area, On slope, located in GP22 area
T5	T5	<i>Ficus virens</i>	黃葛樹 (大葉榕)	15	1150	14	L	P	A	A	L	a,b,c,d,h	Nil	Affected	Conflict with OU.1.11	Multiple trunks, Restricted Rooting area, On slope, located in GP40 area
T6	T6	<i>Ficus virens</i>	黃葛樹 (大葉榕)	17	2500	15	L	P	A	A	L	a,b,c,d	Nil	Retain	-	Asymmetric crown, Multiple trunks, located in GP40
T8	T8	<i>Ficus virens</i>	黃葛樹 (大葉榕)	17	1400	12	L	P	A	A	L	a,b,c,d,h	Nil	Affected	Conflict with Road L11	Multiple trunks, Restricted rooting area, located in GP36
T9	T9	<i>Ficus virens</i>	黃葛樹 (大葉榕)	16	1100	14	L	P	A	A	L	a,b,c,d	Nil	Retain	-	Multiple trunks, located in GP40
T12	T12	<i>Ficus microcarpa</i>	細葉榕	18	1250	14	L	P	A	A	L	a,b,c,d,h	Nil	Retain	-	Multiple trunks, Restricted rooting area, located in GP40
T13	T13	<i>Ficus microcarpa</i>	細葉榕	16	1150	11	L	P	A	A	L	a,b,c,d,h	Nil	Affected	Conflict with G.5.3 and proposed site formation	Multiple trunks, On slope, located in GP57
T16	T16	<i>Ficus microcarpa</i>	細葉榕	16	1020	10	L	P	P	A	L	a,b,c,d	Nil	Retain	-	Multiple trunks, Trunk wound, located in GP71
T17	T17	<i>Eucalyptus spp.</i>	桉屬	18	1178	10	L	P	A	A	L	a,b,c,d,h	Nil	Affected	Conflicts with Site Formation	Multiple trunks, Restricted rooting area, on slope, located in GP90
T18	T18	<i>Ficus virens</i>	黃葛樹 (大葉榕)	18	1150	18	L	P	A	A	L	a,b,c,d,h	Nil	Affected	Conflict with Site Formation and road L10	Multiple trunks, On slope, located in GP54
T19	T19	<i>Ficus virens</i>	黃葛樹 (大葉榕)	16	1066	12	L	P	A	A	L	a,b,c,d,h	Nil	Retain	-	Multiple trunks, Restricted rooting area, On slope, located in GP54
T21	T21	<i>Ficus virens</i>	黃葛樹 (大葉榕)	17	1350	15	L	P	A	A	L	a,b,c,d,h	Nil	Affected	Conflicts with Site Formation	Multiple trunks, located in GP26
T24	T24	<i>Ficus microcarpa</i>	細葉榕	16	1057	14	L	P	A	A	L	a,b,c,d,h	Nil	Affected	Conflict with Road work	Multiple trunks, Restricted rooting area, located in GP52
T27	T27	<i>Melaleuca cajuputi subsp. Cumingiana</i>	白千層	16	1035	8	L	P	A	A	L	a,b,c,d	Nil	Retain	-	Multiple trunks, located in GP81
T28	T28	<i>Ficus virens</i>	黃葛樹 (大葉榕)	18	1500	15	L	P	A	A	L	a,b,c,d	Nil	Affected	Conflict with OU.2.1 and Site Formation	Multiple trunks, located in GP58

Remarks for Suitability for Transplanting

- (a) Low amenity value;
- (b) Irrecoverable form after transplanting (e.g. transplanting requires substantial crown and root pruning);
- (c) Low chance of survival upon transplanting;
- (d) Very large size (unless the feasibility to transplant has been considered financially reasonable and technically feasible during the feasibility stage);
- (e) With evidence of over-maturity and onset of senescence;
- (f) With poor health, structure or form (e.g. imbalanced form, leaning, with major cavity/cracks/splits); or cavity/cracks/splits;
- (g) Undesirable species (e.g. *Leucaena leucocephala* which is an invasive exotic and self-seeding tree); or
- (h) Trees grown under poor conditions which have limited the formation of proper root ball necessary for transplanting (e.g. on steep slope)

Conservation Status

- (A) The Protection of Endangered Species of Animals and Plants Ordinance (Cap.586)
- (B) Forests and Countryside Ordinance (Cap. 96)
- (C) Rare and Precious Plants of Hong Kong
- (D) IUCN Red List of Threatened Species



GP1_V1



GP1_V2



GP1_V3



GP2_V1



GP2_V2



GP2_V3



GP4_V1



GP4_V2



GP4_V3



GP5_V1



GP5_V2



GP5_V3



GP5_V4



GP6_V1



GP6_V2



GP6_V3



GP6_V4



GP7_V1



GP7_V2



GP7_V3



GP8_V1



GP8_V2



GP8_V3



GP9_V1



GP9_V2



GP9_V3



GP9_V4



GP10_V1



GP10_V2



GP10_V3



GP11_V1



GP11_V2



GP11_V3



GP11_V4




GP12_V1



GP12_V2



GP12_V3



GP12_V4



GP13_V1



GP13_V2



GP13_V3



GP14_V1



GP14_V2



GP14_V3



GP14_V4



GP15_V1



GP15_V2



GP15_V3



GP16_V1



GP16_V2



GP16_V3



GP16_V4




GP17_V1



GP17_V2



GP17_V3



GP18_V1



GP18_V2



GP18_V3



GP18_V4



GP19_V1




GP19_V2



GP19_V3



GP19_V4



GP20_V1



GP20_V2



GP20_V3



GP21_V1




GP21_V2



GP21_V3



GP22_V1



GP22_V2



GP22_V3



GP22_V4



GP23_V1



GP23_V2



GP23_V3



GP23_V4




GP24_V1



GP24_V2



GP24_V3



GP25_V1



GP25_V2



GP25_V3



GP26_V1



GP26_V2



GP26_V3



GP26_V4



GP27_V1



GP27_V2



GP27_V3



GP28_V1



GP28_V2



GP28_V3



GP29_V1



GP29_V2




GP30_V1



GP30_V2



GP30_V3



GP31_V1



GP31_V2



GP31_V3



GP32_V1



GP32_V2



GP32_V3



GP33_V1



GP33_V2



GP33_V3



GP34_V1



GP34_V2



GP34_V3



GP35_V1



GP35_V2



GP35_V3



GP36_V1



GP36_V2



GP36_V3



GP37_V1



GP37_V2



GP37_V3



GP38_V1



GP38_V2



GP38_V3



GP39_V1



GP39_V2



GP39_V3



GP40_V1



GP40_V2



GP40_V3



GP41_V1



GP41_V2




GP41_V3



GP43_V1



GP43_V2



GP44_V1



GP44_V2



GP44_V3



GP45_V1



GP45_V2



GP46_V1



GP46_V2



GP47_V1



GP47_V2



GP47_V3



GP48_V1



GP48_V2



GP48_V3



GP48_V4



GP49_V1



GP49_V2



GP50_V1



GP50_V2



GP50_V3



GP51_V1



GP51_V2



GP52_V1



GP52_V2



GP52_V3



GP53_V1



GP53_V2



GP54_V1



GP54_V2



GP54_V3



GP55_V1



GP55_V2



GP56_V1



GP56_V2



GP57_V1



GP57_V2



GP58_V1



GP58_V2



GP58_V3



GP59_V1



GP59_V2



GP59_V3



GP59_V4



GP60_V1



GP60_V2



GP61_V1



GP61_V2



GP61_V3



GP61_V4



GP62_V1



GP62_V2



GP63_V1



GP63_V2



GP64_V1



GP64_V2



GP64_V3



GP65_V1



GP65_V2



GP66_V1



GP66_V2



GP67_V1



GP67_V2



GP67_V3



GP68_V1



GP68_V2



GP69_V1



GP69_V2



GP69_V3



GP70_V1



GP70_V2



GP71_V1



GP71_V2



GP71_V3



GP72_V1



GP72_V2



GP73_V1



GP73_V2



GP74_V1



GP74_V2



GP74_V3



GP75_V1



GP75_V2



GP75_V3



GP76_V1



GP76_V2



GP76_V3



GP77_V1



GP77_V2



GP77_V3



GP78_V1



GP78_V2



GP79_V1



GP79_V2



GP80_V1



GP80_V2



GP80_V3



GP81_V1



GP81_V2



GP81_V3



GP82_V1



GP82_V2



GP83_V1



GP83_V2



GP84_V1



GP84_V2



GP84_V3



GP85_V1



GP85_V2



GP86_V1



GP86_V2



GP87_V1



GP87_V2



GP88_V1



GP88_V2



GP89_V1



GP89_V2



GP90_V1



GP90_V2



GP90_V3



GP91_V1



GP91_V2



GP92_V1



GP92_V2



GP93_V1



GP93_V2



GP93_V3



GP94_V1




GP94_V2



GP95_V1



GP95_V2



GP95_V3



GP96_V1



GP96_V2



GP97_V1



GP98_V1



GP98_V2



GP99_V1



GP99_V2



GP100_V1



GP100_V2



GP101_V1



GP101_V2



GP102_V1



GP102_V2



GP103_V1



GP103_V2



GP104_V1



GP104_V2



T1_ Ficus microcarpa_1_Overall



T1_ Ficus microcarpa_2_Crown



T1_ Ficus microcarpa_3_Trunk



T1_ Ficus microcarpa_4_Root



T3_ Melaleuca cajuputi subsp. Cumingiana_1_Overall



T3_ Melaleuca cajuputi subsp. Cumingiana_2_Crown



T3_ Melaleuca cajuputi subsp. Cumingiana_3_Trunk



T3_ Melaleuca cajuputi subsp. Cumingiana_4_Root



T4_Ficus virens_1_Overall



T4_Ficus virens_2_Crown



T4_Ficus virens_3_Trunk



T4_Ficus virens_4_Root



T5_Ficus virens_1_Overall



T5_Ficus virens_2_Crown



T5_Ficus virens_3_Trunk



T5_Ficus virens_4_Root



T6_Ficus virens_1_Overall



T6_Ficus virens_2_Crown



T6_Ficus virens_3_Trunk



T6_Ficus virens_4_Root



T8_Ficus virens_1_Overall



T8_Ficus virens_2_Crown



T8_Ficus virens_3_Trunk




T8_Ficus virens_4_Root



T9_Ficus virens_1_Overall



T9_Ficus virens_2_Crown



T9_Ficus virens_3_Trunk



T9_Ficus virens_4_Root



T12_Ficus microcarpa_1_Overall



T12_Ficus microcarpa_2_Crown



T12_Ficus microcarpa_3_Trunk



T12_Ficus microcarpa_4_Root



T13_Ficus microcarpa_1_Overall



T13_Ficus microcarpa_2_Crown



T13_Ficus microcarpa_3_Trunk



T13_Ficus microcarpa_4_Root



T16_Ficus microcarpa_1_Overall



T16_Ficus microcarpa_2_Crown



T16_Ficus microcarpa_3_Trunk



T16_Ficus microcarpa_4_Root



T17_Eucalyptus spp_1_Overall




T17_Eucalyptus spp_2_Crown



T17_Eucalyptus spp_3_Trunk



T17_Eucalyptus spp_4_Root



T18_Ficus virens_1_Overall



T18_Ficus virens_2_Crown




T18_Ficus virens_3_Trunk



T18_Ficus virens_4_Root



T19_Ficus virens_1_Overall



T19_Ficus virens_2_Crown



T19_Ficus virens_3_Trunk



T19_Ficus virens_4_Root



T21_Ficus virens_1_Overall



T21_Ficus virens_2_Crown



T21_Ficus virens_3_Trunk



T21_Ficus virens_4_Root



T24_Ficus microcarpa_1_Overall



T24_Ficus microcarpa_2_Crown



T24_Ficus microcarpa_3_Trunk



T24_Ficus microcarpa_4_Root



T27_Melaleuca cajuputi subsp. cumingiana_1_Overall



T27_Melaleuca cajuputi subsp. cumingiana_2_Crown



T27_Melaleuca cajuputi subsp. cumingiana_3_Trunk



T27_Melaleuca cajuputi subsp. cumingiana_4_Root




T28_Ficus virens_1_Overall



T28_Ficus virens_2_Crown



T28_Ficus virens_3_Trunk



T28_Ficus virens_4_Roots

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH PROJECTS/60670882/DRAWING/REPORT/A34/A34_970.dwg
 838000 N

- LEGEND:**
- SITE BOUNDARY
 - PROPOSED DEVELOPMENT
 - T12
TREES GROUP TO BE REMOVED
 - T13
TREES GROUP TO BE RETAINED
 - TREE OF PARTICULAR INTERESTS TO BE RETAINED
 - TREE OF PARTICULAR INTERESTS TO BE AFFECTED



824000 E

826000 E

840000 N

838000 N



AECOM

PROJECT
 項目
FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
土木工程拓展署
 Civil Engineering and Development Department
規劃署
 Planning Department

CONSULTANT
 顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師/顧問公司

ISSUE/REVISION
 修訂

I/R	DATE	DESCRIPTION	CHK.
修訂	日期	內容描述	核對

STATUS
 階段

SCALE **DIMENSION UNIT**
 比例 尺寸單位
 A3 1 : 20000 METRES

KEY PLAN
 索引圖

PROJECT NO. **AGREEMENT NO.**
 項目編號 協議編號
 60670882 CE 20/2021

SHEET TITLE
 圖紙名稱
BROAD-BRUSH TREE SURVEY PLAN KEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/970








This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and disclaims any liability whatsoever, for any part, that less or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.


ISO A1 594mm x 841mm
Approved:
Checked:
Designer:
Project Management Initials:

NOTE:

1. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.

LEGEND:

-  SITE BOUNDARY
-  PROPOSED DEVELOPMENT
-  TREES GROUP TO BE REMOVED
-  TREES GROUP TO BE RETAINED
-  TREE OF PARTICULAR INTERESTS TO BE RETAINED
-  TREE OF PARTICULAR INTERESTS TO BE AFFECTED
-  PROPOSED SITE FORMATION LEVEL



PROJECT

FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT



CONSULTANT

AECOM Asia Company Ltd.
www.aecom.com

SUB-CONSULTANTS

ISSUE/REVISION


IR	DATE	DESCRIPTION	CHK.

STATUS

SCALE **DIMENSION UNIT**

A3 1 : 2000 METRES

KEY PLAN A3 1 : 160000



PROJECT NO. **AGREEMENT NO.**

60670882 CE 20/2021

SHEET TITLE

BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER


60670882/A34/971

SHEET 1 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM in writing. AECOM accepts no responsibility, and disclaims any liability whatsoever, for any part, that less or more than this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

Plot File by: RenS
2023/11/8
PATH: P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_971.dgn

ISO A1 594mm x 841mm
 Approved: _____
 Checked: _____
 Designer: _____
 Project Management Initials: _____
 2023/11/8
 PATH PROJECTS\60670882\DRAWING\REPORT\A34\A34_972.dgn
 Plot File by: RenS



NOTES:

- FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 **土木工程拓展署**
 Civil Engineering and Development Department
 **規劃署**
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師有限公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.
修訂	日期	內容摘要	校核

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882


AGREEMENT NO.
 協議編號
 CE 20/2021

SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/972

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH\PROJECTS\60670882\DRAWING\REPORT\A34\A34_973.dgn
 Plot File by: RenS



NOTES:

- FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.

CUT LINE 1-1
 SEE DRAWING NO. 60670882/A34/971

CUT LINE 4-4
 SEE DRAWING NO. 60670882/A34/975

CUT LINE 5-5
 SEE DRAWING NO. 60670882/A34/974



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com


SUB-CONSULTANTS
 分判工程師/顧問公司

ISSUE/REVISION
 修訂

I/R	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1 : 2000
DIMENSION UNIT
 尺寸單位
 METRES
KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882
AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/973

SHEET 3 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.



ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH PROJECTS/60670882/DRAWING/REPORT/A34/A34_974.dgn



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.

AECOM

PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分門工程顧問公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/974

SHEET 4 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and disclaims any liability, whatsoever, for any part, that is less or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 Plot File by: RenS
 PATH: P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_975.dgn
 2023/11/8



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.

CUT LINE 4-4
 SEE DRAWING NO. 60670882/A34_973

↑
N
 三寶樹
 FAN LAW CHAU
 (SAM PO SHUE)

NBA

CUT LINE 7-7
 SEE DRAWING NO. 60670882/A34/979

CUT LINE 8-8
 SEE DRAWING NO. 60670882/A34/976



PROJECT
 項目
FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 **土木工程拓展署**
 Civil Engineering and Development Department
 **規劃署**
 Planning Department

CONSULTANT
 顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師有限公司


ISSUE/REVISION
 修訂

I/R	DATE	DESCRIPTION	CHK.
修訂	日期	內容描述	校核

STATUS
 階段

SCALE
 比例
 A3 1 : 2000
 米可圖

DIMENSION UNIT
 尺寸單位
 METRES



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/975

SHEET 5 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH\PROJECTS\60670882\DRAWING\REPORT\A34\A34_976.dgn



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師有限公司


ISSUE/REVISION
 修訂

IR	DATE	DESCRIPTION	CHK.
修訂	日期	內容摘要	校核

STATUS
 階段

SCALE
 比例
 A3 1 : 2000
DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882
AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/976

SHEET 6 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH - SAN TIN / LOK MA CHAU DEVELOPMENT NODE - INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師/顧問公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1:2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1:160000
 索引圖



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/977

File by: HED2
 PATH: P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_977.dgn
 2023/11/8

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and disclaims any liability whatsoever, for any part, that is less or more than this drawing, without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

CUT LINE 12-12
 SEE DRAWING NO. 60670882/A34/977



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 **土木工程拓展署**
 Civil Engineering and Development Department
 **規劃署**
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程顧問公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882


AGREEMENT NO.
 協議編號
 CE 20/2021

SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/978

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, for any part, in whole or in part, that is used or relied upon in this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
Approved:
Checked:
Designer:
Project Management Initials:
840400 N
840000 N
840000 N
2023/11/8
C:\PATH\PROJECTS\60670882\DRAWING\REPORT\A34\A34_979.dgn



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師有限公司


ISSUE/REVISION
 修訂

NO.	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1 : 2000
DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖




PROJECT NO.
 項目編號
 60670882
AGREEMENT NO.
 協議編號
 CE 20/2021

SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/979

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, for any part that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 2023/11/8
 RTH PROJECTS/60670882/DRAWINGREPORT/A34/A34_980.dgn



NOTES:

- FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師/顧問公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.
修訂	日期	內容摘要	核對

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/980

SHEET 10 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, for any part, that less or more than this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH PROJECTS\60670882\DRAWING\REPORT\A34\A34_981.dgn



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 **土木工程拓展署**
 Civil Engineering and Development Department
 **規劃署**
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程顧問公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/981

SHEET 11 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, to any party, that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH PROJECTS/60670882/DRAWINGREPORT/A34/A34_982.dgn
 This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, for any part, that less or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.



NOTES:

1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT

FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT



CONSULTANT

AECOM Asia Company Ltd.
www.aecom.com

SUB-CONSULTANTS

ISSUE/REVISION

IR	DATE	DESCRIPTION	CHK.

STATUS

SCALE


A3 1 : 2000

DIMENSION UNIT

METRES

KEY PLAN

A3 1 : 160000



PROJECT NO.

60670882

AGREEMENT NO.

CE 20/2021

SHEET TITLE


BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER

60670882/A34/982

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:

Plot File by: RenS
 2023/11/8
 PATH: P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_983.dgn



NOTES:

1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT

FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT



CONSULTANT

AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS

ISSUE/REVISION


IR	DATE	DESCRIPTION	CHK.

STATUS

SCALE **DIMENSION UNIT**

A3 1 : 2000 METRES

KEY PLAN A3 1 : 160000



PROJECT NO. **AGREEMENT NO.**

60670882 CE 20/2021

SHEET TITLE

BROAD-BRUSH TREE SURVEY PLAN


SHEET NUMBER

60670882/A34/983

SHEET 13 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party, that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_984.dgn



NOTES:

1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT

FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT



CONSULTANT

AECOM Asia Company Ltd.
www.aecom.com

SUB-CONSULTANTS

ISSUE/REVISION


IR	DATE	DESCRIPTION	CHK.

STATUS

SCALE **DIMENSION UNIT**

A3 1 : 2000 METRES

KEY PLAN A3 1 : 160000



PROJECT NO. **AGREEMENT NO.**

60670882 CE 20/2021

SHEET TITLE

BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER


60670882/A34/984

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or released to any other party without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH PROJECTS/60670882/DRAWINGREPORT/A34/A34_985.dgn

NOTES:

- FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程顧問公司


ISSUE/REVISION

IR	DATE	DESCRIPTION	CHK.

STATUS
階段

SCALE
 比例
 A3 1 : 2000
DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN
 索引圖
 A3 1 : 160000



PROJECT NO.
 項目編號
 60670882
AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/985

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and disclaims any liability, whatsoever, for any part, that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:

Plot File by: RenS
 PATH: P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_986.dgn
 2023/11/8



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師/顧問公司

ISSUE/REVISION
 修訂


NO.	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882


AGREEMENT NO.
 協議編號
 CE 20/2021

SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/986

SHEET 16 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and disclaims any liability, whatsoever, for any part, that is used or relied on in this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.



NOTES:

- FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.

CUT LINE 20-20
SEE DRAWING NO. 60670882/A34/983

CUT LINE 28-28
SEE DRAWING NO. 60670882/A34/988

CUT LINE 27-27
SEE DRAWING NO. 60670882/A34/992



PROJECT
FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department


CONSULTANT
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS

ISSUE/REVISION

NO.	DATE	DESCRIPTION	CHK.

SCALE
A3 1 : 2000
DIMENSION UNIT
METRES




PROJECT NO. 60670882
AGREEMENT NO. CE 20/2021

SHEET TITLE
BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
60670882/A34/987

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, for any part, that is used or relied upon in this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.

CUT LINE 24-24
 SEE DRAWING NO. 60670882/A34/985

CUT LINE 32-32
 SEE DRAWING NO. 60670882/A34/990

CUT LINE 30-30
 SEE DRAWING NO. 60670882/A34/988

CUT LINE 31-31
 SEE DRAWING NO. 60670882/A34/994



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分包工程師公司


ISSUE/REVISION
 修訂

IR	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021

SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN


SHEET NUMBER
 圖紙編號
 60670882/A34/989

SHEET 19 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, for any part that is used or relied on in this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

Plot File by: RenS
 2023/11/8
 PATH: P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_989.dwg

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 Plot File by: RenS
 2023/11/8
 PATH: P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_990.dgn



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com


SUB-CONSULTANTS
 分判工程師/顧問公司

ISSUE/REVISION
 修訂

IR	DATE	DESCRIPTION	CHK.
修訂	日期	內容描述	校核

STATUS
 階段

SCALE
 比例
 A3 1 : 2000
KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021

SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN


SHEET NUMBER
 圖紙編號
 60670882/A34/990

SHEET 20 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, for any part, that is used or relied on in this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:



Plot File by: RenS
 PATH: P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_991.dgn
 2023/1/18



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.

AECOM

PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程顧問公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.
修訂	日期	內容摘要	核對

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/991

SHEET 21 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and disclaims any liability whatsoever, for any part, that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.


ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH PROJECTS\60670882\DRAWING\REPORT\A34\A34_992.dwg
 This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, for any part, that is or may be used, without AECOM's express written consent. All measurements must be obtained from the stated dimensions.



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程顧問公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1:2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN
 索引圖
 A3 1:160000



PROJECT NO.
 項目編號
 60670882


AGREEMENT NO.
 協議編號
 CE 20/2021

SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/992

SHEET 22 OF 29

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH PROJECTS\60670882\DRAWING\REPORT\A34\A34_995.dgn
 Plot File by: RenS



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分包工程師有限公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.
修訂	日期	內容描述	校核

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/995

SHEET 25 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party, that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 U
 838800 N
 838600 N
 CUT LINE 41-41
 SEE DRAWING NO. 60670882/A34/995
 2023/11/8
 PATH P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_995.dgn



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.

CUT LINE 35-35
 SEE DRAWING NO. 60670882/A34/991



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com


SUB-CONSULTANTS
 分判工程顧問公司

ISSUE/REVISION
 修訂

IR	DATE	DESCRIPTION	CHK.
修訂	日期	內容摘要	校核

STATUS
 階段

SCALE
 比例
 A3 1 : 2000
DIMENSION UNIT
 尺寸單位
 METRES



PROJECT NO.
 項目編號
 60670882


AGREEMENT NO.
 協議編號
 CE 20/2021

SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/996

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:
 2023/11/8
 PATH PROJECTS/60670882/DRAWING/REPORT/A34/A34_997.dwg



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師/顧問公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021


SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/997

SHEET 27 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, for any part, that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF
 THE NEW TERRITORIES NORTH –
 SAN TIN / LOK MA CHAU
 DEVELOPMENT NODE –
 INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and
 Development Department
 規劃署
 Planning Department

CONSULTANT
 顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師有限公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021

SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/999

NOTES:


- FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
- THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, for any part, that is used or relied on in this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

Plot File by: RenS
 2023/11/8
 PATH: P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_999.dgn

ISO A1 594mm x 841mm
 Approved:
 Checked:
 Designer:
 Project Management Initials:

2023/11/8
 Plot File by: RenS
 PATH: P:\PROJECTS\60670882\DRAWING\REPORT\A34\A34_998.dgn



NOTES:
 1. FOR NOTES AND LEGEND REFER TO DRAWING NO. 60670882/A34/971.
 2. THIS DRAWING TO BE READ IN CONJUNCTION WITH DRAWING NOS. 60670882/A34/971 TO 999.



PROJECT
 項目
 FIRST PHASE DEVELOPMENT OF THE NEW TERRITORIES NORTH – SAN TIN / LOK MA CHAU DEVELOPMENT NODE – INVESTIGATION

CLIENT
 業主
 土木工程拓展署
 Civil Engineering and Development Department
 規劃署
 Planning Department

CONSULTANT
 工程顧問公司
 AECOM Asia Company Ltd.
 www.aecom.com

SUB-CONSULTANTS
 分判工程師/顧問公司

ISSUE/REVISION
 修訂


IR	DATE	DESCRIPTION	CHK.
修訂	日期	內容摘要	校核

STATUS
 階段

SCALE
 比例
 A3 1 : 2000

DIMENSION UNIT
 尺寸單位
 METRES

KEY PLAN A3 1 : 160000
 索引圖



PROJECT NO.
 項目編號
 60670882

AGREEMENT NO.
 協議編號
 CE 20/2021

SHEET TITLE
 圖紙名稱
 BROAD-BRUSH TREE SURVEY PLAN

SHEET NUMBER
 圖紙編號
 60670882/A34/998

SHEET 28 OF 29

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, for any part, that less or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.