

B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-E1 Cumulative 1-year Dioxin Concentration (I-TEQ  $\text{pg}/\text{m}^3$ ) at 8.5MPD emitted from Source Location A4 (Mitigated Scenario 2)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-E2 Cumulative 1-year Dioxin Concentration (I-TEQ  $\text{pg}/\text{m}^3$ ) at 8.5MPD emitted from Source Location A6 (Mitigated Scenario 2)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-E3 Cumulative 1-year Dioxin Concentration (I-TEQ  $\text{pg}/\text{m}^3$ ) at 8.5MPD emitted from Source Location A8 (Mitigated Scenario 2)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-E4 Cumulative 1-Year Dioxin Concentration (I-TEQ  $\text{pg}/\text{m}^3$ ) at 22.5mPD emitted from Source Location A3 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-E5 Cumulative 1-year Dioxin Concentration (I-TEQ/m<sup>3</sup>) at 61.5mPD emitted from Source Location A2 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-E6 Cumulative 1-year Dioxin Concentration (I-TEQ  $\text{pg}/\text{m}^3$ ) at 61.5mPD emitted from Source Location A5 (Mitigated Scenario 2)