




Scale: As shown

Figure 7-11 Cumulative 1-year Cd Concentration ( $\mu\text{g}/\text{m}^3$ ) at Ground Level emitted from Source Location A4 (Mitigated Scenario 2)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown  
 Figure 7-I2 Cumulative 1-year Cd Concentration ( $\mu\text{g}/\text{m}^3$ ) at 8.5MPD emitted from Source Location A6 (Mitigated Scenario 2)



B (809800,826000)




500m Study Area

A (809800,824600)



Scale: As shown  
 Figure 7-I3 Cumulative 1-year Cd Concentration ( $\mu\text{g}/\text{m}^3$ ) at 8.5MPD emitted from Source Location A8 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown

Figure 7-I4 Cumulative 1 Year Cd Concentration ( $\mu\text{g}/\text{m}^3$ ) at 22.5mPD emitted from Source Location A3 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown  
 Figure 7-I5 Cumulative 1-year Cd Concentration ( $\mu\text{g}/\text{m}^3$ ) at 61.5mPD emitted from Source Location A2 (Mitigated Scenario 2)





B (809800,826000)



500m Study Area

A (809800,824600)



Scale: As shown  
Figure 7-I6 Cumulative 1-year Cd Concentration ( $\mu\text{g}/\text{m}^3$ ) at 61.5mPD emitted from Source Location A5 (Mitigated Scenario 2)