

B (809800,826000)



500m Study Area

TAPs include Cl, HCl, F, P, Be, As, Mo, Sb, Pt, Se and Rh


TAP concentration = Emission Rate of the TAP (as stated in Section 3 of EIA) x Contour Value + Background (as stated in Section 3 of EIA)

A (809800,824600)



Scale: As shown

Figure B7-Q1 Cumulative 1-year TAPs Concentration ( $\mu\text{g}/\text{m}^3$ ) (with Emission Rate of 1 g/s) at 8.5mPD emitted from Source Location A4 (Mitigated Scenario 2)



B (809800,826000)

500m Study Area


TAPs include Cl, HCl, F, P, Be, As, Mo, Sb, Pt, Se and Rh

TAP concentration = Emission Rate of the TAP (as stated in Section 3 of EIA) x Contour Value + Background (as stated in Section 3 of EIA)

A (809800,824600)

Scale: As shown

Figure 7-Q2 Cumulative 1-year TAPs Concentration ( $\mu\text{g}/\text{m}^3$ ) (with Emission Rate of 1 g/s) at 8.5mPD emitted from Source Location A6 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

TAPs include Cl, HCl, F, P, Be, As, Mo, Sb, Pt, Se and Rh


TAP concentration = Emission Rate of the TAP (as stated in Section 3 of EIA) x Contour Value + Background (as stated in Section 3 of EIA)

A (809800,824600)



Scale: As shown

Figure 7-Q3 Cumulative 1-year TAPs Concentration ( $\mu\text{g}/\text{m}^3$ ) (with Emission Rate of 1 g/s) at 8.5mPD emitted from Source Location A8 (Mitigated Scenario 2)



B (809800,826000)

500m Study Area


TAPs include Cl, HCl, F, P, Be, As, Mo, Sb, Pt, Se and Rh

TAP concentration = Emission Rate of the TAP (as stated in Section 3 of EIA) x Contour Value + Background (as stated in Section 3 of EIA)

A (809800,824600)

Scale: As shown

Figure 7-Q4 Cumulative 1 Year TAPs Concentration ( $\mu\text{g}/\text{m}^3$ ) at 22.5mPD emitted from Source Location A3 (Mitigated Scenario 2)



B (809800,826000)



500m Study Area

TAPs include Cl, HCl, F, P, Be, As, Mo, Sb, Pt, Se and Rh

TAP concentration = Emission Rate of the TAP (as stated in Section 3 of EIA) x Contour Value + Background (as stated in Section 3 of EIA)

A (809800,824600)



Scale: As shown

Figure 7-Q5 Cumulative 1-year TAPs Concentration ( $\mu\text{g}/\text{m}^3$ ) (with Emission Rate of 1 g/s) at 61.5mPD emitted from Source Location A2 (Mitigated Scenario 2)



B (809800,826000)

500m Study Area

TAPs include Cl, HCl, F, P, Be, As, Mo, Sb, Pt, Se and Rh

TAP concentration = Emission Rate of the TAP (as stated in Section 3 of EIA) x Contour Value + Background (as stated in Section 3 of EIA)

A (809800,824600)

Scale: As shown

Figure 7-Q6 Cumulative 1-year TAPs Concentration ( $\mu\text{g}/\text{m}^3$ ) (with Emission Rate of 1 g/s) at 61.5mPD emitted from Source Location A5 (Mitigated Scenario 2)