

Briefing on EMFAC-HK Update

Dr. Carol Wong

Senior Environmental Protection Officer (Mobile Source) 5

Mr. Louis Chan

Senior Environmental Protection Officer (Strategic Assessment) 5

Mr. CW Tsang

Senior Environmental Protection Officer (Air Science) 4

Environmental Protection Department

Hong Kong SAR Government

Dec 2020

Background

- * EPD has adapted the vehicle emission model, EMFAC, developed by California Air Resources Board (CARB) for use in Hong Kong since 2005.
- * EMFAC-HK model calculates emission rates[#] from all on-road vehicles.
- * For territory-wide emission inventories, emission factors in EMFAC-HK are multiplied by territory-wide vehicle activity data.
- * For other vehicle emission assessment like EIA, EMFAC-HK provides fleet average emission factors and the consultants will provide case specific activity data.
- * It was agreed to promulgate update every January, if needed, since 2013.

[#]Emission rate = Emission Factor (g/km) x Vehicle activity (km/day)

Outline

- * Application of EMFAC-HK
- * Timeline of EMFAC-HK updates
- * Changes made in EMFAC-HK update (V4.3)
- * Comparison of emissions and fleet average emission factors (FAEF)
- * Transitional Arrangement & Meeting Air Quality Objectives

Application of EMFAC-HK

- * EMFAC-HK is a tool for estimating vehicle emissions with default vehicle emission factors and assumptions[#].
- * Some default data may become outdated over time. Thus, we will issue a new version of EMFAC-HK in early part of the year when necessary.
- * When using EMFAC-HK, users can apply other appropriate assumptions in estimating vehicle emissions to suit their projects/purpose.
- * The users should judge whether the default values of EMFAC-HK are applicable to their case and how robust their assessments are.

Outline

- * Application of EMFAC-HK
- * **Timeline of EMFAC-HK updates**
- * Changes made in EMFAC-HK update (V4.2)
- * Comparison of emissions and fleet average emission factors (FAEF)
- * Transitional Arrangement & Meeting Air Quality Objectives

Timeline of EMFAC-HK updates

Planned changes:

- Incorporate appropriate changes from CARB's EMFAC
- Further updates due to Policy changes
- Further updates due to emission testing and other survey data

EMFAC-HK
V4.2
Released:
Jan 2020

EMFAC-HK
V4.3
To be
Released:
Jan 2021

EMFAC-HK
V?
Released:
Early 2022

Changes will be discussed
later

Outline

- * Application of EMFAC-HK
- * Timeline of EMFAC-HK updates
- * Changes made in EMFAC-HK update (V4.3)
- * Comparison of emissions and fleet average emission factors (FAEF)
- * Transitional Arrangement & Meeting Air Quality Objectives

Comparison of Current EMFAC-HK V4.1 & EMFAC-HK update(V4.2)

Activity Related

| Current | Update |
|--|---|
| 2016 vehicle population distribution from TD | 2018 vehicle population distribution from TD |
| 2016 VKT from TD | 2018 VKT from TD |
| 2016 survey on vehicle classification on 100 road segments (from 7 a.m. to 11 p.m.) from TD | 2018 survey on vehicle classification on 100 road segments (from 7 a.m. to 11 p.m.) from TD |
| EPD conducted surveys in 2012-16 on vehicle classifications to supplement TD's data (from 11 p.m. to 7 a.m.) and 64 additional road segments | EPD conducted surveys in 2014-18 on vehicle classifications to supplement TD's data (from 11 p.m. to 7 a.m.) and 64 additional road segments |
| 2016 speed limits from TD & HyD | 2018 speed limits from TD & HyD |
| 2016 speed surveys from TD | 2018 speed surveys from TD |
| 2016 ambient temperature & relative humidity from HKO | 2018 ambient temperature & relative humidity from HKO |

Changes highlighted in red.

Comparison of Current EMFAC-HK V4.2 & EMFAC-HK update (V4.3)

Emission Factor Related

| Current | Update |
|---|---|
| Real-world vehicle emission data are used to determine these factors or as references. International emission factors are used using local data as reference if few data are collected in some tech groups. | Updated NOx zero mile emission factors (ZMEF) and deterioration rates (DR) with the same approach but having more real-world vehicle emission data. |
| Estimated occurrence of normal, high and super emitters for petrol cars and LPG taxis based on 2016/17 remote sensing data. | Estimated occurrence of normal, high and super emitters for petrol cars and LPG taxis based on 2018 remote sensing data. |

Changes highlighted in red.

Comparison of Current EMFAC-HK V4.2 & EMFAC-HK update (V4.3)

Projection Related

| Current | Update |
|--|---|
| Project vehicle emissions up to 2040 | Project vehicle emissions up to 2060 |
| Contains actual population between 2002-2016. The remaining years are backward or forward projected. | Only retain actual 2018 population. The remaining years are backward or forward projected. |

Changes highlighted in red.

Split of Vehicle Classes

Two original classes are split into four classes by its gross vehicle weight

Current

| Vehicle Class Description | Gross Vehicle Weight (tonnes) | Symbol |
|--------------------------------------|-------------------------------|--------|
| Medium & Heavy Goods Vehicles (>15t) | >15t | HGV8 |
| Non-franchised Buses (>15t) | >15t | NFB8 |



Update

| Vehicle Class Description | Gross Vehicle Weight (tonnes) | Symbol |
|--------------------------------|-------------------------------|--------|
| Medium Goods Vehicles (15-24t) | >15-24t | HGV8 |
| Heavy Goods Vehicles (>24t) | >24t | HGV9 |
| Non-franchised Buses (15-24t) | >15-24t | NFB8 |
| Non-franchised Buses (>24t) | >24t | NFB9 |

New Class Symbols

Split of Vehicle Classes

Note: New classes are added at the end

| Index | Vehicle Class Description | Fuel | Gross Vehicle Weight (tonnes) | in executables | in csv output file | in INP input file and rti, bcd & bdn output files |
|-------|---------------------------------|------|-------------------------------|------------------------------|--------------------|---|
| 1 | Private Cars | ALL | ALL | Private Cars (PC) | PC | PC |
| 2 | Taxi | ALL | ALL | Taxi | TAXI | TAXI |
| 3 | Light Goods Vehicles (<=2.5t) | ALL | <=2.5t | Light Goods Vehicles<=2.5t | LGV<=2.5t | LGV3 |
| 4 | Light Goods Vehicles (2.5-3.5t) | ALL | >2.5-3.5t | Lt Goods Vehicles2.5-3.5t | LGV2.5-3.5t | LGV4 |
| 5 | Light Goods Vehicles (3.5-5.5t) | ALL | >3.5-5.5t | Light Goods Vehicles>3.5t | LGV>3.5t | LGV6 |
| 6 | Medium Goods Vehicles (5.5-15t) | ALL | >5.5-15t | Medium Goods Vehicles<=15t | HGV<=15t | HGV7 |
| 7 | Medium Goods Vehicles (15-24t) | ALL | >15-24t | Medium Goods Vehicles15-24t | HGV15-24t | HGV8 |
| 8 | Public Light Buses | ALL | ALL | Public Light Buses | PLB | PLB |
| 9 | Private Light Buses (<=3.5t) | ALL | <=3.5t | Private Light Buses<=3.5t | PrLB<=3.5t | PV4 |
| 10 | Private Light Buses (>3.5t) | ALL | >3.5t | Private Light Buses>3.5t | PrLB>3.5t | PV5 |
| 11 | Non-franchised Buses (<6.4t) | ALL | <=6.36t | Non-franchised Buses<=6.4t | NFB<=6.4t | NFB6 |
| 12 | Non-franchised Buses (6.4-15t) | ALL | >6.36-15t | Non-franchised Buses 6.4-15t | NFB6.4-15t | NFB7 |
| 13 | Non-franchised Buses (15-24t) | ALL | >15-24t | Non-franchised Buses15-24t | NFB15-24t | NFB8 |
| 14 | Single Deck Franchised Buses | ALL | ALL | Franchised Buses(SD) | FBSD | FBSD |
| 15 | Double Deck Franchised Buses | ALL | ALL | Franchised Buses(DD) | FBDD | FBDD |
| 16 | Motor Cycles | ALL | ALL | Motorcycles (MC) | MC | MC |
| 17 | Heavy Goods Vehicles (>24t) | ALL | >24t | Heavy Goods Vehicles>24t | HGV>24t | HGV9 |
| 18 | Non-franchised Buses (>24t) | ALL | >24t | Non-franchised Buses>24t | NFB>24t | NFB9 |
| 19 | Placeholder (P3) | -- | -- | Placeholder (P3) | P3 | P3 |
| 20 | Placeholder (P4) | -- | -- | Placeholder (P4) | P4 | P4 |
| 21 | Placeholder (P5) | -- | -- | Placeholder (P5) | P5 | P5 |

Re-define of Current Tech Groups and New Tech Groups

Due to splitting of class, these Tech Groups are redefined.

Diesel **Medium** Goods Vehicles with GVW **15-24 t** (HGV8)

| Vehicle Emission Standards | Technology Group Index |
|-------------------------------|------------------------|
| pre-Euro | 153 |
| pre-Euro with DOC Retrofitted | 155 |
| Euro I | 154 |
| Euro II | 157 |
| Euro III | 159 |
| Euro IV | 160 |
| Euro IV - DPF | 163 |
| Euro IV - SCR | 164 |
| Euro V | 161 |
| Euro V - DPF | 165 |
| Euro V - SCR | 166 |
| Euro VI | 162 |

Re-define of Current Tech Groups and New Tech Groups

Due to splitting of class, these Tech Groups are newly introduced.

Diesel Heavy Goods Vehicles with GVW >24 t (HGV9)

| Vehicle Emission Standards | Technology Group Index |
|-----------------------------------|-------------------------------|
| pre-Euro | 246 |
| pre-Euro with DOC Retrofitted | 248 |
| Euro I | 247 |
| Euro II | 250 |
| Euro III | 252 |
| Euro IV | 253 |
| Euro IV - DPF | 256 |
| Euro IV - SCR | 257 |
| Euro V | 254 |
| Euro V - DPF | 258 |
| Euro V - SCR | 259 |
| Euro VI | 255 |

Re-define of Current Tech Groups and New Tech Groups

Due to splitting of class, these Tech Groups are redefined.

Diesel Non-franchised Buses with GVW 15-24 t (NFB8)

| Vehicle Emission Standards | Technology Group Index |
|-----------------------------------|-------------------------------|
| pre-Euro | 53 |
| pre-Euro with DOC Retrofitted | 55 |
| Euro I | 54 |
| Euro II | 57 |
| Euro III | 59 |
| Euro IV | 60 |
| Euro IV - DPF | 63 |
| Euro IV - SCR | 64 |
| Euro V | 61 |
| Euro V - DPF | 65 |
| Euro V - SCR | 66 |
| Euro VI | 62 |

Re-define of Current Tech Groups and New Tech Groups

Due to splitting of class, these Tech Groups are newly introduced.

Diesel Non-franchised Buses with GVW >24 t (NFB9)

| Vehicle Emission Standards | Technology Group Index |
|-----------------------------------|-------------------------------|
| pre-Euro | 232 |
| pre-Euro with DOC Retrofitted | 234 |
| Euro I | 233 |
| Euro II | 236 |
| Euro III | 238 |
| Euro IV | 239 |
| Euro IV - DPF | 242 |
| Euro IV - SCR | 243 |
| Euro V | 240 |
| Euro V - DPF | 244 |
| Euro V - SCR | 245 |
| Euro VI | 241 |

Input Screen Revised

MAIN

No file or scenario

List of Available Scenarios

Current Scenario Data

Number: 0 of 0

Name:

Calendar Year:

Season:

Type:

IM Program Parameters

Save

Save As...

Run

Finish Editing

Cancel

Add New Scenario

Edit Scenario

Delete Scenario

Apply Regime Changes *

| Regime Size Change Data | | | |
|--------------------------------------|-------------|--------|------------|
| Category-Fuel | % Reduction | | Start Year |
| | Highs | Supers | |
| Private Car-Petrol: | 0 | 0 | 2020 |
| Taxi-LPG: | 0 | 0 | 2020 |
| Public Light Bus-LPG: | 0 | 0 | 2020 |
| Private Light Bus >3.5t-LPG: | 0 | 0 | 2020 |
| Motorcycle-Petrol: | 0 | 0 | 2020 |
| Public Light Bus-Diesel: | 0 | 0 | 2020 |
| Light Goods Vehicle <=3.5t-Diesel: | 0 | 0 | 2020 |
| Light Goods Vehicle 3.5-5.5t-Diesel: | 0 | 0 | 2020 |

| Regime Size Change Data | | | |
|--------------------------------------|-------------|--------|------------|
| Category-Fuel | % Reduction | | Start Year |
| | Highs | Supers | |
| Medium Goods Vehicle 6.4-15t-Diesel: | 0 | 0 | 2020 |
| Medium Goods Vehicle 15-24t-Diesel: | 0 | 0 | 2020 |
| Heavy Goods Vehicle >24t-Diesel: | 0 | 0 | 2020 |
| Non-Franchised Bus <=6.4t-Diesel: | 0 | 0 | 2020 |
| Non-Franchised Bus 6.4-15t-Diesel: | 0 | 0 | 2020 |
| Non-Franchised Bus 15-24t-Diesel: | 0 | 0 | 2020 |
| Non-Franchised Bus >24t-Diesel: | 0 | 0 | 2020 |

* The Model has taken into account the existing I/M Programs for PC-Petrol, Taxi-LPG, PLB-LPG and PrLB-LPB

New classes are added and the classes ordering are changed

Input Screen Revised

Vehicle Class Selection

- | | | |
|---|--|---|
| <input checked="" type="checkbox"/> Private Cars (PC) | <input checked="" type="checkbox"/> Public Light Buses | <input checked="" type="checkbox"/> Franchised Bus (DD) |
| <input checked="" type="checkbox"/> Taxi | <input checked="" type="checkbox"/> Private Light Bus <=3.5t | <input checked="" type="checkbox"/> Motorcycles (MC) |
| <input checked="" type="checkbox"/> Light Goods Vehicles<=2.5t | <input checked="" type="checkbox"/> Private Light Bus >3.5t | |
| <input checked="" type="checkbox"/> Lt Goods Vehicles 2.5-3.5t | <input checked="" type="checkbox"/> Non-franchised Bus<=6.4t | |
| <input checked="" type="checkbox"/> Light Goods Vehicles>3.5t | <input checked="" type="checkbox"/> Non-franchised Bus 6.4-15t | |
| <input checked="" type="checkbox"/> Medium Goods Vehicles<=15t | <input checked="" type="checkbox"/> Non-franchised Bus 15-24t | |
| <input checked="" type="checkbox"/> Medium Goods Vehicles15-24t | <input checked="" type="checkbox"/> Non-franchised Bus >24t | |
| <input checked="" type="checkbox"/> Heavy Goods Vehicles>24t | <input checked="" type="checkbox"/> Franchised Bus (SD) | |

Reset to All

MODIFIED: All vehicle classes selected

OK

Cancel

Input Screen Revised

Exhaust Technology Fractions

Edit Exhaust Technology Fractions by **17: Heavy Goods Vehicles (>24t) (HGV9)**

Vehicle Class

Model Year

EXHAUST Technology Groups Total: 100.0000% OK

of Tech Groups

| Group | % | Model years, vehicle classes, standards |
|----------------------------------|------------------------------------|---|
| <input type="text" value="255"/> | <input type="text" value="100.0"/> | Euro VI HGV > 24t diesel |
| <input type="text" value="1"/> | <input type="text"/> | |
| <input type="text" value="1"/> | <input type="text"/> | |
| <input type="text" value="1"/> | <input type="text"/> | |
| <input type="text" value="1"/> | <input type="text"/> | |
| <input type="text" value="1"/> | <input type="text"/> | |
| <input type="text" value="1"/> | <input type="text"/> | |
| <input type="text" value="1"/> | <input type="text"/> | |
| <input type="text" value="1"/> | <input type="text"/> | |
| <input type="text" value="1"/> | <input type="text"/> | |
| <input type="text" value="1"/> | <input type="text"/> | |

Apply Cancel **Done** Return Copy values to other years and Apply to Others

Note the changes due to splitting of classes in Tech Group Fractions, population, accrual rates, Trips, VKT and Speed Fractions

Input File Revised

For by-class block data types, e.g. VKT, Speed Fractions and Tech Group Fractions, users are reminded that the classes HGV8 and NFB8 are re-defined and the addition of new classes HGV9 and NFB9

```
Begin-Data-Item
  DataType 40 VKTVehicleFuelHour
  Applies-To CYr 2018
  Applies-To Area-Method One-County
  Applies-To Area-Type SAR
  Applies-To Area-Number 38 [Hong Kong SAR]
  Applies-To Vehicle HGV8
  Applies-To Fuel Diesel
  Begin-Real-Array
    Dims 24 1 1 1
    Data
      24944.09 20380.48 17182.58 16013.73 18385.63 25667.82 54428.
  End-Real-Array
End-Data-Item
```


Output File Revised

For bdn files (Burden mode), new rows are added for the new classes (and new tech groups). Also note that meaning of the rows of HGV8 and NFB8 are redefined.


New rows are added for HGV9 and NFB9 and the associated new tech groups

| | | | | | | | | | | | |
|---|----|---|------|-----------|------|--------|-------|-----|----------|----------|-----|
| 7 | Vh | 1 | 2030 | Hong Kong | MC | AllMyr | TOT | Day | 72695.09 | 1207852 | 4: |
| 8 | TG | 1 | 2030 | Hong Kong | HGV9 | 2012 | Ex254 | Day | 41.96804 | 3514.928 | 167 |
| 9 | TG | 1 | 2030 | Hong Kong | HGV9 | 2012 | Ex258 | Day | 45.72055 | 3829.209 | 182 |
| 0 | TG | 1 | 2030 | Hong Kong | HGV9 | 2012 | Ex259 | Day | 40.53642 | 3395.026 | 162 |
| 1 | TG | 1 | 2030 | Hong Kong | HGV9 | 2012 | Ev035 | Day | 0 | 0 | |
| 2 | MY | 1 | 2030 | Hong Kong | HGV9 | 2012 | GAS | Day | 0 | 0 | |
| 3 | MY | 1 | 2030 | Hong Kong | HGV9 | 2012 | DSL | Day | 128.225 | 10739.16 | 512 |
| 4 | MY | 1 | 2030 | Hong Kong | HGV9 | 2012 | LPG | Day | 0 | 0 | |
| 5 | MY | 1 | 2030 | Hong Kong | HGV9 | 2012 | TOT | Day | 128.225 | 10739.16 | 512 |
| 6 | TG | 1 | 2030 | Hong Kong | HGV9 | 2013 | Ex254 | Day | 85.62686 | 7179.771 | 342 |


Outline

- * Application of EMFAC-HK
- * Timeline of EMFAC-HK updates
- * Changes made in EMFAC-HK update (V4.3)
- * **Comparison of emissions and fleet average emission factors (FAEF)**
- * Transitional Arrangement & Meeting Air Quality Objectives


Comparison of Territory-wide NOx Emissions in Current (V4.2) and EMFAC-HK update (V4.3)



Comparison of Territory-wide PM₁₀ Emissions in Current (V4.2) and EMFAC-HK update (V4.3)




Comparison of NOx (Running Exhaust) FAEF (at 28km/hr)




Remark: "D-", "P-" and "L" mean Diesel, Petrol and LPG respectively.

Comparison of NOx (Running Exhaust) FAEF (at 28km/hr)




Remark: "D-", "P-" and "L" mean Diesel, Petrol and LPG respectively.

Comparison of NOx (Running Exhaust) FAEF (at 28km/hr)




Remark: "D-", "P-" and "L" mean Diesel, Petrol and LPG respectively.

Comparison of NOx (Running Exhaust) FAEF (at 28km/hr)




Remark: “D-”, “P-” and “L” mean Diesel, Petrol and LPG respectively.

Comparison of NOx (Running Exhaust) FAEF (at 28km/hr)




Remark: "D-", "P-" and "L" mean Diesel, Petrol and LPG respectively.

Comparison of NOx (Running Exhaust) FAEF (at 28km/hr)




Remark: "D-", "P-" and "L" mean Diesel, Petrol and LPG respectively.

Comparison of NOx (Running Exhaust) FAEF (at 28km/hr)




Remark: "D-", "P-" and "L" mean Diesel, Petrol and LPG respectively.

Comparison of PM10 (Running Exhaust) FAEF (at 28km/hr)




Remark: “D-”, “P-” and “L” mean Diesel, Petrol and LPG respectively.

Comparison of PM10 (Running Exhaust) FAEF (at 28km/hr)




Remark: "D-", "P-" and "L" mean Diesel, Petrol and LPG respectively.

Comparison of PM10 (Running Exhaust) FAEF (at 28km/hr)




Remark: "D-", "P-" and "L" mean Diesel, Petrol and LPG respectively.

Comparison of PM10 (Running Exhaust) FAEF (at 28km/hr)



Remark: "D-", "P-" and "L" mean Diesel, Petrol and LPG respectively.

Comparison of PM10 (Running Exhaust) FAEF (at 28km/hr)



Remark: "D-", "P-" and "L" mean Diesel, Petrol and LPG respectively.

Release of EMFAC-HK

- * Will release EMFAC-HK V4.3 in January 2021.

Outline

- * Application of EMFAC-HK
- * Timeline of EMFAC-HK updates
- * Changes made in EMFAC-HK update (V4.3)
- * Comparison of emissions and fleet average emission factors (FAEF)
- * **Transitional Arrangement & Meeting Air Quality Objectives**

Transitional Arrangement for Use of EMFAC-HK in EIA Studies

- * Provision of 6-month transition period for EIA studies being conducted for adaption to the new model and reduction of abortive work (same as the current arrangement)
- * During the transition period, EIA reports submitted under Section 6 of the EIAO may continue to use the previous old model version for the air quality impact assessment. After the transition period, all EIA report submissions must use the new model version

Meeting Air Quality Objectives

- * Air Quality Objectives (AQOs) are the principal air quality standards in determining the acceptability of air quality impacts of development projects
- * Annex 4 of the Technical Memorandum on EIA Process (TM) issued under the EIAO sets out the criteria for evaluating air quality impact in EIA studies. The key criterion is that AQOs and other standards established under the Air Pollution Control Ordinance have to be met. The same criterion applies to non-EIAO case.
- * Project proponents need to demonstrate that, by means of various mathematical air quality assessment models, upon inclusion of the impacts caused by the project, the **cumulative air pollutant concentration** at identified air sensitive receivers would **comply with the AQOs** during the **construction and operation phases** of the project.
- * Meeting the annual concentration standard of NO₂, i.e. 40ug/m³, is challenging in urban districts and at the vicinity of trunk roads
- * **Appropriate mitigation measures** have to be adopted to **control and prevent non-compliance**, if necessary.

Thank you.

