

### Plan for control on VOCs in architectural paints

Type of Products	Max. VOC Limits <sup>#</sup>	Implementation Date
(a) Bond Breakers	350	1 January 2008
Clear Wood Finishes		
(b) Varnishes	150	1 January 2010
(c) Sanding Sealers	150	1 January 2008
(d) Lacquers	550	1 January 2010
(e) Clear Brushing Lacquers	650	1 January 2008
(f) Concrete-Curing Compounds	350	1 January 2008
(g) Dry-Fog Coatings	400	1 January 2008
(h) Fire-Proofing Exterior Coatings	350	1 January 2008
Fire Retardant Coatings		
(i) Clear	650	1 January 2009
(j) Pigmented	350	1 January 2010
(k) Flat Coatings	50	1 January 2009
(l) Floor Coatings	250	1 January 2010
(m) Graphic Arts (Sign) Coatings	500	1 January 2008
(n) Industrial Maintenance Coatings	250	1 January 2010
(o) High-Temperature Industrial Maintenance Coatings	420	1 January 2010
(p) Zinc-Rich Industrial Maintenance Primers	250	1 January 2010
(q) Japans/Faux Finishing Coatings	350	1 January 2009
(r) Magnesite Cement Coatings	450	1 January 2008
(s) Mastic Coatings	300	1 January 2008
(t) Metallic Pigmented Coatings	500	1 January 2010
(u) Multi-Color Coatings	250	1 January 2009
(v) Non-Flat Coatings	150	1 January 2009
(w) Pigmented Lacquers	275	1 January 2008
(x) Pre-Treatment Wash Primers	420	1 January 2010
(y) Primers, Sealers and Undercoaters	200	1 January 2010
(z) Quick-Dry Enamels	250	1 January 2010

<sup>#</sup> Maximum VOC content of product in a 'ready to use' condition and expressed in grams per litre of coating, less water and less exempt compounds, and excluding any colorant added to tint bases.

(aa)	Quick-dry Primers, Sealers and Undercoaters	200	1 January 2010
(ab)	Recycled Coatings	250	1 January 2008
(ac)	Roof Coatings	50	1 January 2008
(ad)	Roofs Coatings, Aluminium	250	1 January 2008
(ae)	Roof Primers, Bituminous	350	1 January 2009
(af)	Rust Preventative Coatings Shellacs	400	1 January 2010
(ag)	Clear	730	1 January 2008
(ah)	Pigmented	550	1 January 2008
(ai)	Specialty Primers	350	1 January 2008
(aj)	Stains	100	1 January 2008
(ak)	Interior Stains	250	1 January 2008
Swimming Pool Coatings			
(al)	Repair	340	1 January 2008
(am)	Other	340	1 January 2008
(an)	Traffic Coatings	150	1 January 2010
(ao)	Waterproofing Sealers	250	1 January 2010
(ap)	Waterproofing Concrete/Masonry Sealers	400	1 January 2008
Wood Preservatives			
(aq)	Below- Ground	350	1 January 2008
(ar)	Other	350	1 January 2008
(as)	Low-Solids Coatings	120 <sup>@</sup>	1 January 2010
(at)	Superior Durability Solvent-borne Coatings for Metal	420	1 January 2010
(au)	Pre-Treatment Coatings for Metal	420	1 January 2010
(av)	Extreme High-Gloss Coatings for Metal	420	1 January 2010
(aw)	Granite Look-a-like Coating/ Textured Undercoaters	100	1 January 2009
(ax)	All Other Architectural Coatings Not Listed Above	250	1 January 2008

---

<sup>@</sup> Maximum VOC content of product in a 'ready to use' condition and expressed in grams per litre of material, and excluding any colorant added to tint bases.