Basic information on the PATH system

Horizontal Domains:

| Domain | Horizontal | WRF | CMAQ |
|------------|--------------|----------------|----------------|
| | Spacing (km) | | |
| D1 | 27 | 282 x 183 grid | 182 x 138 grid |
| D2 | 9 | 222 x 162 grid | 98 x 74 grid |
| D3 | 3 | 171 x 129 grid | 152 x 110 grid |
| D4 | 1 | 213 x 162 grid | 179 x 125 grid |
| D4 reduced | 1 | | 74 x 74 grid |

Vertical spacing assuming standard atmosphere:

| WRF Level | Location of Centre | WRF Level | Location of Centre |
|-----------|--------------------|-----------|--------------------|
| | (m above ground) | | (m above ground) |
| 1 | 9 | 20 | 1654 |
| 2 | 26 | 21 | 1968 |
| 3 | 45 | 22 | 2318 |
| 4 | 66 | 23 | 2711 |
| 5 | 89 | 24 | 3150 |
| 6 | 114 | 25 | 3642 |
| 7 | 141 | 26 | 4192 |
| 8 | 174 | 27 | 4809 |
| 9 | 213 | 28 | 5500 |
| 10 | 260 | 29 | 6273 |
| 11 | 316 | 30 | 7140 |
| 12 | 383 | 31 | 8111 |
| 13 | 462 | 32 | 9200 |
| 14 | 557 | 33 | 10462 |
| 15 | 669 | 34 | 11876 |
| 16 | 804 | 35 | 13422 |
| 17 | 964 | 36 | 15163 |
| 18 | 1155 | 37 | 17136 |
| 19 | 1383 | 38 | 19381 |

The twenty lowest vertical layers of the CMAQ grid (up to 1654m) coincide with those of WRF, while the remaining layers extend over two or more WRF layers, up to the common top of both models.

Vertical coordinates:

Terrain-following Sigma coordinate

Projection:

Lambert Conformal projection, central longitude of 114E, standard parallels 15N and 40N

Land use data:

1km: gridded distribution of the categories over HK from Lands Department with local adjustment

3, 9 and 27 km: 1 km-spacing land-use data set from the U.S. Geological Survey's EROS Data Centre with local adjustment

| Category | Description |
|----------|--|
| 1 | Urban |
| 2 | Dryland Cropland Pasture |
| 3 | Irrigated Cropland Pasture. |
| 4 | Mixed Dryland/Irrigated Cropland Pasture |
| 5 | Cropland/Grassland Mosaic |
| 6 | Cropland/Woodland Mosaic |
| 7 | Grassland |
| 8 | Shrubland |
| 9 | Mixed Shrubland/Grassland |
| 10 | Savanna |
| 11 | Deciduous Broadleaf Forest. |
| 12 | Deciduous Needle leaf Forest |
| 13 | Evergreen Broadleaf Forest |
| 14 | Evergreen Needle leaf Forest |
| 15 | Mixed Forest |
| 16 | Water Bodies |
| 17 | Herbaceous Wetland |
| 18 | Wooded wetland |
| 19 | Barren or Sparsely Vegetated |
| 20 | Herbaceous Tundra |
| 21 | Wooden Tundra |
| 22 | Mixed Tundra |
| 23 | Bare Ground Tundra |
| 24 | Snow or Ice |

Terrain data:

United States Geophysical Survey 1 km-spacing data

Emission processor:

SMOKE

consists of modules

- Grid Definition
- Area Based
- Motor Vehicles
- Biogenics
- Point Sources
- Speciation
- Growth and Control

Meteorological processor:

WRF Version3.4

Turbulence parameterisation:

- a local scheme, due to Blackadar, with four stability regimes
- a non-local approach based on a representation of the K profile in a well-mixed PBL and a countergradient transport scheme.

Cumulus parameterisation:

D1 and D2: Grell-Devenyi cumulus parameterisation scheme

D3 and D4: Warm Rain explicit moisture scheme

CTM: CB05

51 species represented in subclasses which include inorganic, organic explicit, organic carbon bond surrogate, organic molecular surrogate) in 156 reactions

Simulation period for EIA: 1 January, 2010 to 31 December, 2010