

The protocols for dangerous goods management do not cover those substances in Category 1 (explosives) & Category 9A (combustible goods exempted from section 6-11 of the Dangerous Goods Ordinance), as well as all categories of dangerous goods in freight containers and air cargo terminal.

Confirm manufacture, storage or use of the following goods at this premise -

Dangerous Goods Category	Dangerous Goods Type	Specify Activity Involved			Description of Dangerous Goods
		Mfg.	Store	Use	
1	Explosives				
2	Compressed Gases				
3	Corrosive Substances				
4	Poisonous Substances				
5	Substances Giving off Inflammable Vapour				
6	Substances become Dangerous by Interaction with Water				
7	Strong Supporters of Combustion				
8	Readily Combustible Substances				
9	Substances Liable to Spontaneous Combustion				
10	Other Dangerous Substances				

\* For definition of different types of dangerous goods, please refer to Schedule 1 of Cap.295 sub.leg.A.

This protocol does not cover the audit for filling and conveyance of Category 2 dangerous goods (Compressed Gases).

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

<b>Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 2 (Compressed Gases)</b>						
Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.62	<p><b>Licence</b>                      (1) Examine licence to manufacture/store compressed gases &amp; attach a copy</p> <p><i>Exempt if the quantity of such gas listed in the 1st column of table in S. 74 of sub.leg.B in Cap.295 not exceeding that specified in the 2nd column AND the total quantity of all gases in the same store &lt;5 cylinders (i.e. 25L)</i></p>					Registration No.: Business activity: Type of compressed Gases: Quantity:  Confirm with the table of section 74 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.63	<p><b>Licence Conditions</b>                      (a) Conformation of storage construction with the approved plan</p> <p>(b) Equipped with appropriate fire extinguisher</p>					Storage site: Material of construction: Means of ventilation: Method of fixing gas distributing pipeline:  Fire extinguisher type:
S.64	<p><b>Use of Approved Cylinders</b>                      Use of appropriate cylinders for specific gas</p>					
S.65	<p><b>Marking of Cylinders</b>                      Cylinders appropriately colour coded (i.e. red - inflammable; yellow - poisonous; half red &amp; half yellow - both)</p>					

\* N/A - not applicable; Unk - Unknown

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

<b>Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 2 (Compressed Gases)</b>						
Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.66 & S.67	<b>Cylinder Testing</b> Examine record of cylinder testing by Authority & attach a copy C Permanent & liquefied gases - every 5 years C Dissolved gases - every 12 months					
S.72	<b>Fire Precautions</b> (1) No smoking (2) No naked light and heating equipment in store (3) No unapproved electrical equipment (4) Sign prohibiting smoking and use of naked lights in English and Chinese outside store					
S.73	<b>Liquid Oxygen and Nitrogen Cylinder Storage</b> (1) Storage of liquid oxygen or nitrogen in approved place marked by bilingual notice(s) (2) Handling of liquid oxygen and nitrogen by experienced personnel					
S.74	<b>General Storage Provisions</b> (2) Cylinder labelled as prescribed in the Schedule 1 of sub.leg.B in Cap.295 (3) Segregated storage of such gases listed at 1st column which exceed the quantity specified in 2nd column of table in S.74 of sub.leg.B in Cap.295 (4)(a) Cool storage away from direct sun and any heat sources (4)(b) Cylinders located below or >600 mm from burner (4)(c) Licensed storage area (4)(d) No storage in common passageway, stairway or doorway (4)(e) Stored above ground levels, except with permission (4)(f) Provision of adequate ventilation					Confirm with the table of section 74 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)

\* N/A - not applicable; Unk - Unknown

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

<b>Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 3 (Corrosive Substances)</b>						
Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.81	<p><b>Licence</b>                      (1) Examine licence to manufacture/store corrosive substance &amp; attach a copy)</p> <p><i>Exempt if the quantity of such corrosive substances listed in the 1st column of table in S.84 of sub.leg.B in Cap.295 not exceeding that specified in the 7th column OR if the quantity of such corrosive substances listed in the 1st column not exceeding that specified in the 8th column stored solely for the use (i) in registered hospital or maternity home; (ii) in registered mental hospital; (iii) for practice of a registered medical practitioner; (iv) for practice of a registered dentist; (v) for business of an authorized poison seller; (vi) in any laboratory.</i></p>					Registration No.: Business activity: Type of corrosive substance: Quantity:  Confirm with the table of section 84 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.82	<p><b>Licence Conditions</b>                      (a) Conformation of storage area construction with the approved plan</p> <p>(b) impervious flooring and walls for total spill retention</p>					Storage site: Material of construction:

\* N/A - not applicable; Unk - Unknown

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

<b>Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 3 (Corrosive Substances)</b>						
Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.83	<b>Segregated Storage</b> (1) Segregated storage of corrosive substances (2) No co-storage of incompatible substances (Column 1 & Column 2)**					
S.84	<b>General Provisions</b> Storage or conveyance of substances relating to: (1) Packing type as specified in the 2nd column of table in S.84 of sub.leg.B in Cap.295 (2) Minimum Air Space as specified in the 3rd column of table in S.84 of sub.leg.B in Cap.295 (3) Maximum quantity/net weight as specified in the 4th column of table in S.84 of sub.leg.B in Cap.295 (4) Outer packing type as specified in the 5th column of table in S.84 of sub.leg.B in Cap.295 (5) Appropriate labelling (bilingual as specified in the 6th column of table in S.84 & Schedule 1 of sub.leg.B in Cap.295					Confirm with the table of section 84 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)

\* N/A - not applicable; Unk - Unknown

\*\*

**Column 1 Substances**

Acetic Anhydride  
 Hydrobromic Acid  
 Hydrochloric Acid  
 Hydrofluoric Acid  
 Perchloric Acid

**Column 2 Substances**

Chlorosulphonic Acid  
 Nitric Acid  
 Perchloric Acid  
 Sulphuric Acid (conc. or oleum)  
 Nitric Acid  
 Chlorosulphonic Acid  
 Sulphuric Acid (conc. or oleum)

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

<b>Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 4 (Poisonous Substances)</b>						
Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.87	<p><b>Licence</b>                      (1) Examine licence to manufacture/store poisonous substance &amp; attach a copy</p> <p><i>Exempt if the quantity of such poisonous substances listed in the 1st column of table in S.92 of sub.leg.B of sub.leg.B in Cap.295 not exceeding that specified in the 7th column OR if the quantity of such poisonous substances listed in the 1st column not exceeding that specified in the 8th column stored solely for the use (i) in registered hospital or maternity home; (ii) in registered mental hospital; (iii) for practice of a registered medical practitioner; (iv) for practice of a registered dentist; (v) for business of an authorized poison seller; (vi) in any laboratory.</i></p>					Registration No.: Business activity: Type of corrosive substance: Quantity:  Confirm with the table of section 92 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.88	<p><b>Licence Conditions</b>                      (a) Conformation of storage area construction with the approved plan</p> <p>(b) Provision of adequate ventilation</p>					Storage site: Material of construction: Means of ventilation:
S.89	<p><b>Store to be Kept Locked</b>                      Entrance kept securely closed and locked</p>					
S.90	No person under age of 14 & unauthorised persons permitted in store					

\* N/A - not applicable; Unk - Unknown

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) b \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

<b>Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 4 (Poisonous Substances)</b>						
Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.91	Segregated storage of poisonous substances					
S.92	<p><b>General Provisions</b>                      Storage or conveyance of substances relating to:</p> <p>(1) Packing type as specified in the 2nd column of table in S.92 of sub.leg.B in Cap.295                      (2) Minimum Air Space as specified in the 3rd column of table in S.92 of sub.leg.B in Cap.295                      (3) Maximum quantity/net weight as specified in the 4th column of table in S.92 of sub.leg.B in Cap.295                      (4) Outer packing type as specified in the 5th column of table in S.92 of sub.leg.B in Cap.295                      (5) Appropriate labelling (bilingual as specified in the 6th column of table in S.92 &amp; Schedule 1 of sub.leg.B in Cap.295</p>					Confirm with the table of section 92 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)

\* N/A - not applicable; Unk - Unknown

## ENVIRONMENTAL AUDIT PROTOCOL - DANGEROUS GOODS (CATEGORY 5) MANAGEMENT

This protocol does not cover the audit for conveyance and bulk storage of Category 5 dangerous goods (Substances Giving Off Inflammable Vapour).

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

<b>Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 5 (Substances Giving Off Inflammable Vapour )</b>						
Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.96	<b>Licence</b> (1) Licence to manufacture/store corrosive substance (Examine & attach a copy)  <b><i>Exempt if the quantity of such substances listed in the 1st column of table in S.99 of sub.leg.B in Cap.295 not exceeding that specified in the 7th column OR if the quantity of such substances listed in the 1st column not exceeding that specified in the 8th column stored solely for the use (i) in registered hospital or maternity home; (ii) in registered mental hospital; (iii) for practice of a registered medical practitioner; (iv) for practice of a registered dentist; (v) for business of an authorized poison seller; (vi) in any laboratory.</i></b>					Registration No.: Business activity: Type of corrosive substance: Quantity:  Confirm with the attached table of section 99 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.97	<b>Licence Conditions</b> (a) Conformation of storage construction with the approved plan (b) Floors, walls, ceiling/roofing constructed of fire resisting materials (c) Surface of any part of store for liquid storage constructed of impervious material to totally retain spill (d) Adequate ventilation equipped with flame traps (e) Proper fitting and insulation of all electrical equipment (f) Isolation of store from sewer or drain (g) Equipped with appropriate fire extinguishing equipment (h) Notice (bilingual) and prohibition of smoking and naked lights					Storage site: Material of construction: Means of ventilation:
S.98	Segregated storage of substances giving off inflammable vapour					

\* N/A - not applicable; Unk - Unknown

As of January 1997



Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

**Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 5 (Substances Giving Off Inflammable Vapour)**

Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.99	<b>General Provisions</b> Storage or conveyance of substances relating to: (1) Packing type as specified in the 2nd column of table in S.99 of sub.leg.B in Cap.295 (2) Minimum Air Space as specified in the 3rd column of table in S.99 of sub.leg.B in Cap.295 (3) Maximum quantity/net weight as specified in the 4th column of table in S.99 of sub.leg.B in Cap.295 (4) Outer packing type as specified in the 5th column of table in S.99 of sub.leg.B in Cap.295 (5) Appropriate labelling (bilingual as specified in the 6th column of table in S.99 & Schedule 1 of sub.leg.B in Cap.295					Confirm with the table of section 99 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.105	<b>Fire Sited Near Store</b> No fire or source of substantial heat within 6m of the store  <b>Exempt when it is approved by the Authority AND it is separated by an approved fire resisting wall</b> Examine & attach a copy of permission					
S.106	<b>Storage of Containers</b> Stored >600mm from any wall or the ceiling Free air space >600mm if stored in stacks					
S.113	No person under age of 14 & unauthorised persons permitted in store					
S.114	<b>Store to be Kept Locked</b> Entrance kept securely closed and locked					

\* N/A - not applicable; Unk - Unknown

This protocol is not applicable to the audit for storage of calcium carbide in Category 6 (Substances which become dangerous by interaction with water).

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

<b>Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 6 (Substances which become dangerous by interaction with water)</b>						
Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.136	<p><b>Licence</b>                      (1) Examine licence to manufacture/store substance which become dangerous by interaction with water &amp; attach a copy</p> <p><i>Exempt if the quantity of such substances listed in the 1st column of table in S.139 of sub.leg.B in Cap.295 not exceeding that specified in the 7th column OR if the quantity of such substances listed in the 1st column not exceeding that specified in the 8th column stored solely for the use (i) in registered hospital or maternity home; (ii) in registered mental hospital; (iii) for practice of a registered medical practitioner; (iv) for practice of a registered dentist; (v) for business of an authorized poison seller; (vi) in any laboratory.</i></p>					Registration No.: Business activity: Type of substance: Quantity:  Confirm with the attached table of section 139 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.137	<p><b>Licence Conditions</b>                      (a) Conformation of storage construction with the approved plan                      (b) Store secured against entry of water                      (c) Equipped with appropriate fire extinguishing equipment</p>					Storage site: Material of construction: Means of ventilation:
S.138	Segregated storage of substances which become dangerous by interaction with water					

\* N/A - not applicable; Unk - Unknown

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

<b>Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 6 (Substances which become dangerous by interaction with water)</b>						
Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.139	<b>General Provisions</b> Storage or conveyance of substances relating to: (1) Packing type as specified in the 2nd column of table in S.139 of sub.leg.B in Cap.295 (2) Minimum Air Space as specified in the 3rd column of table in S.139 of sub.leg.B in Cap.295 (3) Maximum quantity/net weight as specified in the 4th column of table in S.139 of sub.leg.B in Cap.295 (4) Outer packing type as specified in the 5th column of table in S.139 of sub.leg.B in Cap.295 (5) Appropriate labelling (bilingual as specified in the 6th column of table in S.139 & Schedule 1 of sub.leg.B in Cap.295					Confirm with the table of section 139 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.140	<b>Specific Provisions</b> Water not to be introduced into stores					
S.141	Containers to be kept closed					
S.142	Unauthorised persons not permitted in stores					

\* N/A - not applicable; Unk - Unknown

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

**Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 7 (Strong Supporters of Combustion)**

Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.150	<p><b>Licence</b>                      (1) Examine licence to manufacture/store strong supporters of combustion &amp; attach a copy</p> <p><i>Exempt if the quantity of such substances listed in the 1st column of table in S.153 of sub.leg.B in Cap.295 not exceeding that specified in the 7th column OR if the quantity of such substances listed in the 1st column not exceeding that specified in the 8th column of the table stored solely for the use (i) in registered hospital or maternity home; (ii) in registered mental hospital; (iii) for practice of a registered medical practitioner; (iv) for practice of a registered dentist; (v) for business of an authorized poison seller; (vi) in any laboratory.</i></p>					Registration No.: Business activity: Type of substance: Quantity:  Confirm with the attached table of section 153 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.151	<p><b>Licence Conditions</b>                      (a) Conformation of storage construction with the approved plan                      (b) Equipped with appropriate fire extinguishing equipment</p>					Storage site: Material of construction:
S.152	Segregated storage of strong supporters of combustion					

\* N/A - not applicable; Unk - Unknown

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

**Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 7 (Strong Supporters of Combustion)**

Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.153	<p><b>General Provisions</b>                      Storage or conveyance of substances relating to:</p> <p>(1) Packing type as specified in the 2nd column of table in S.153 of sub.leg.B in Cap.295                      (2) Minimum Air Space as specified in the 3rd column of table in S.153 of sub.leg.B in Cap.295                      (3) Maximum quantity/net weight as specified in the 4th column of table in S.153 of sub.leg.B in Cap.295                      (4) Outer packing type as specified in the 5th column of table in S.153 of sub.leg.B in Cap.295                      (5) Appropriate labelling (bilingual as specified in the 6th column of table in S.153 &amp; Schedule 1 of sub.leg.B in Cap.295</p>					Confirm with the table of section 153 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)

\* N/A - not applicable; Unk - Unknown

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

**Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 8 (Readily Combustible Substances)**

Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.156	<p><b>Licence</b>                      (1) Examine licence to manufacture/store readily combustible substance &amp; attach a copy</p> <p><b>Exempt if the quantity of such substances listed in the 1st column of table in S.159 of sub.leg.B in Cap.295 not exceeding that specified in the 6th column OR if the quantity of such substances listed in the 1st column not exceeding that specified in the 7th column stored solely for the use (i) in registered hospital or maternity home; (ii) in registered mental hospital; (iii) for practice of a registered medical practitioner; (iv) for practice of a registered dentist; (v) for business of an authorized poison seller; (vi) in any laboratory.</b></p>					Registration No.: Business activity: Type of substance: Quantity:  Confirm with the attached table of section 159 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.157	<p><b>Licence Conditions</b>                      (a) Conformation of storage construction with the approved plan                      (b) Store of celluloid or film</p> <p><b>If negative, skip (i) to (v) of S.157</b></p> <p>(i) Floors, walls, ceiling/roofing constructed of fire resisting materials                      (ii) Self closing and outward opening door OR sliding door of store                      (iii) Store with no windows but fitted with an efficient explosion hatch                      (iv) Adequate ventilation equipped with flame traps                      (v) Word Acelluloid@or Afilm@(bilingual) displayed on the outside door of store</p>					Storage site: Material of construction:

\* N/A - not applicable; Unk - Unknown

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

**Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 8 (Readily Combustible Substances)**

Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.158	(1) Segregated storage of readily combustible substances (2) Restriction on co-storage of incompatible substances**					
S.159	<b>General Provisions</b> Storage or conveyance of substances relating to: (1) Packing type as specified in the 2nd column of table in S.159 of sub.leg.B in Cap.295 (2) Maximum quantity/net weight as specified in the 3th column of table in S.159 of sub.leg.B in Cap.295 (3) Outer packing type as specified in the 4th column of table in S.159 of sub.leg.B in Cap.295 (4) Appropriate labelling (bilingual as specified in the 5th column of table in S.159 & Schedule 1 of sub.leg.B in Cap.295					Confirm with the table of section 159 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.161, S.163, S.164	No naked light, unprotected flame and smoking					
S.160	<b>Storage of Celluloid</b> (1) Store no more than 1 tone of celluloid or film					

\* N/A - not applicable; Unk - Unknown

\*\* Celluloid or nitrocellulose based film with any other goods

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

<b>Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 9 (Substances Liable to Spontaneous Combustion)</b>						
Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.167	<p><b>Licence</b>                      (1) Examine licence to manufacture/store substance liable to spontaneous combustion &amp; attach a copy</p> <p><i>Exempt if the quantity of such substances listed in the 1st column of table in S.170 of sub.leg.B in Cap.295 not exceeding that specified in the 6th column OR if the quantity of such substances listed in the 1st column not exceeding that specified in the 7th column stored solely for the use (i) in registered hospital or maternity home; (ii) in registered mental hospital; (iii) for practice of a registered medical practitioner; (iv) for practice of a registered dentist; (v) for business of an authorized poison seller; (vi) in any laboratory.</i></p>					Registration No.: Business activity: Type of substance: Quantity:  Confirm with the attached table of section 170 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.168	<p><b>Licence Conditions</b>                      (a) Conformation of storage construction with the approved plan                      (b) Store with fire extinguisher</p>					Storage site: Material of construction: Type of fire extinguisher:
S.169	<p><b>Storage</b>                      Segregated storage of substances liable to spontaneous combustion                      Segregated storage of cotton waste to any other dangerous goods in category 9</p>					

\* N/A - not applicable; Unk - Unknown



Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

**Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 9 (Substances Liable to Spontaneous Combustion)**

Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.170	<p><b>General Provisions</b></p> <p>(1) Packing type as specified in the 2nd column of table in S.170 of sub.leg.B in Cap.295</p> <p>(2) Maximum quantity/net weight as specified in the 3th column of table in S.170 of sub.leg.B in Cap.295</p> <p>(3) Outer packing type as specified in the 4th column of table in S.170 of sub.leg.B in Cap.295</p> <p>(4) Appropriate labelling (bilingual as specified in the 5th column of table in S.170 &amp; Schedule 1 of sub.leg.B in Cap.295</p>					Confirm with the table of section 170 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)

\* N/A - not applicable; Unk - Unknown

Audit Site \_\_\_\_\_  
 Audit Date \_\_\_\_\_  
 Auditor(s) \_\_\_\_\_  
 Site Personnel \_\_\_\_\_

**Legislation: Dangerous Goods (General) Regulation (Cap.295 sub.leg.B) - Category 10 (Other Dangerous Substances)**

Reference	Requirements	Activity Compliance*				Comments/Remarks
		Yes	No	N/A	Unk	
S.173	<p><b>Licence</b>                      (1) Examine licence to manufacture/store substance in category 10 &amp; attach a copy</p> <p><i>Exempt if the quantity of such substances listed in the 1st column of table in S.176 of sub.leg.B in Cap.295 not exceeding that specified in the 7th column OR if the quantity of such substances listed in the 1st column not exceeding that specified in the 8th column stored solely for the use (i) in registered hospital or maternity home; (ii) in registered mental hospital; (iii) for practice of a registered medical practitioner; (iv) for practice of a registered dentist; (v) for business of an authorized poison seller; (vi) in any laboratory.</i></p>					Registration No.: Business activity: Type of substance: Quantity:  Confirm with the attached table of section 176 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)
S.174	<p><b>Licence Conditions</b>                      (a) Conformation of storage construction with the approved plan                      (b) Equipped with appropriate fire extinguishing equipment</p>					Storage site: Material of construction:
S.175	Segregated storage of Category 10 (other dangerous substances) substances					
S.176	<p><b>General Provisions</b>                      Storage or conveyance of substances relating to:                      (1) Packing type as specified in the 2nd column of table in S.176 of sub.leg.B in Cap.295                      (2) Minimum Air Space as specified in the 3rd column of table in S.176 of sub.leg.B in Cap.295                      (3) Maximum quantity/net weight as specified in the 4th column of table in S.176 of sub.leg.B in Cap.295                      (4) Outer packing type as specified in the 5th column of table in S.176 of sub.leg.B in Cap.295                      (5) Appropriate labelling (bilingual as specified in the 6th column of table in S.176 &amp; Schedule 1 of sub.leg.B in Cap.295</p>					Confirm with the table of section 176 in Dangerous Good (General) Regulation (Cap.295 sub.leg.B)

\* N/A - not applicable; Unk - Unknown