# **Civil Engineering and Development Department**

# EP-337/2009 & EP-445/2013/A Contract No. KL/2014/01

# Kai Tak Development – Stage 2 Infrastructure works for Developments at Southern Part of the Former Runway

Monthly EM&A Report September 2021

(Version 1.1)

Approved By

(Environmental Team Leader)

#### REMARKS:

The information supplied and contained within this report is, to the best of our knowledge, correct at the time of printing.


CINOTECH accepts no responsibility for changes made to this report by third parties

# CINOTECH CONSULTANTS LTD

Room 1710, Technology Park, 18 On Lai Street, Shatin, NT, Hong Kong

Tel: (852) 2151 2083 Fax: (852) 3107 1388 Email: info@cinotech.com.hk

# 嘉誠管理顧問有限公司







Our ref: 14-10-2021

14-10-2021

By email: clive.cheng@aecom-ktd.com and By hand

Supervising Officer Representative

Aecom Asia Co Ltd.

8/F Grand Central Plaza Tower 2

138 Shatin Rural Committee Road

Sha Tin, N.T. Hong Kong

(Attn: Mr. Cheng Chi Hung)

Dear Mr. Cheng,

Re: Contract No. KL/2014/01 (Environmental Permit Nos. EP-337/2009 and EP-445/2013/A)

Kai Tak Development -Stage 2 Infrastructure Works for Developments at Southern Part of the Former Runway

Monthly EM&A report for September 2021 (version 1.1)

Reference is made to the Environmental Team's submission of the draft Monthly EM&A Report (version 1.1) for September 2021 provided to Independent Environmental Checker (IEC) via email dated on 14-10-2021 for review and comment.

Please be informed that IEC has no adverse comment on the captioned submission. IEC writes to verify the captioned submission in accordance with Specific Condition 2.2 of the Environmental Permit No. 337/2009 and 445/2013/A.

Thank you very much for your attention and please feel free to contact the undersigned should you require further information.

Yours faithfully,

For and on behalf of

Ka Shing Management Consultant Limited

Ir. Dr. Douglas WONG

Independent Environmental Checker

c.c. CEDD Mr. Patrick Lee (By email: patricksllee@cedd.gov.hk)

AECOM Mr. Anthony Lok (By email: anthony.lok@aecom-ktd.com)

CEC-CCC Mr. Eric Fong (By email: eric-cs-fong@continental-engineering.com)

Cinotech Mr. K.S Lee (By email: ks.lee@cinotech.com.hk)

Unit 2, 13/F Kai Yue Commercial Building, 2C Argyle St, Mong Kok, Kowloon 九龍旺角亞皆老街 2C 號啟如商業大廈 13 樓 2 室

Tel: (852) 2618 2166 電話: (852) 2618 2166

Fax: (852) 2120 7752 傳真: (852) 2120 7752 Web Site: www.ka-shing.net 網站: www.ka-shing.net



EMS 717625 OHS 717629

# TABLE OF CONTENTS

	EXECUTIVE SUMMARY  Introduction	
	Environmental Monitoring Works  Environmental Licenses and Permits  Key Information in the Reporting Month	1 2
	Future Key Issues	
1.	INTRODUCTION	4
	Background Project Organizations	5
	Construction Activities undertaken during the Reporting Month  Summary of EM&A Requirements	
2.	AIR QUALITY	7
	Monitoring Requirements Observations	
3.	NOISE	8
	Monitoring Requirements Observations	
4.	LANDSCAPE AND VISUAL	9
	Monitoring Requirements	
5.	ENVIRONMENTAL AUDIT	10
	Site Audits	11
	Summary of Mitigation Measures Implemented  Implementation Status of Event Action Plans  Summary of Complaint, Warning, Notification of any Summons and Successful Pros	13
	Summary of Complaint, warning, Nounceation of any Summons and Successful Fros	
6.	FUTURE KEY ISSUES	14
7.	CONCLUSIONS AND RECOMMENDATIONS	16
	Conclusions	16

# LIST OF TABLES

Table I	Non-compliance Recorded for the Project in the Reporting Month	
Table II	Summary Table for Key Information in the Reporting Month	
Table III	Key Project Contacts	
Table IV	Construction Programme Showing the Inter-Relationship with Environmental Protection/Mitigation	
	Measures	6
Table V	Summary of Environmental Licensing and Permit Status	11
Table VI	Observations and Recommendations of Site Inspections	

# LIST OF FIGURES

Figure 1 Site Layout Plan

# LIST OF APPENDICES

A	Action and Limit Levels
В	Summary of Exceedance
C	Site Audit Summary
D	Event Action Plans
E	Environmental Mitigation Implementation Schedule (EMIS)
F	Summaries of Environmental Complaint, Warning, Summon and Notification of
	Successful Prosecution
G	Waste Generated Quantity

### **EXECUTIVE SUMMARY**

#### Introduction

- 1. This is the 66<sup>th</sup> Monthly Environmental Monitoring and Audit Report prepared by Cinotech Consultants Ltd. for "Contract No. KL/2014/01 Kai Tak Development Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway" (Hereafter referred to as "the Project"). This contract work comprises two Schedule 2 designated projects (DP), namely the new distributor road D4 (part) and roads D3A & D4A serving the planned KTD. The DPs are part of the designated projects under Environmental Permits (EP) No.: EP-337/2009 ("New distributor roads serving the planned Kai Tak Development") and EP-445/2013/A ("Kai Tak Development Roads D3A & D4A") respectively. This report documents the findings of EM&A Works conducted in September 2021.
- 2. With reference to the same principle of EIA report of the Project, air quality monitoring station should be provided at the Air Sensitive Receivers (ASR) within 500 m from the boundary of this Project while construction noise monitoring station should be provided at the Noise Sensitive Receivers (NSR) within 300 m from the boundary of this Project. Since the opening of the Centre of Excellence in Paediatrics (Children's Hospital) on 18 December 2018, the hospital is considered as the only relevant monitoring location and therefore the monitoring is required.
- 3. The major site activities undertaken in the reporting month included:
  - Architectural features works at landscaped deck and ground floor open space;
  - Defect work of pedestrian streets;
  - E&M works;
  - Laying of paving blocks for footpath;
  - Planting works along footpath and at deck level, and;
  - TTA implementation, minor works at Shing Fung Road and Wang Chiu Road / Kai Cheung Road.

# **Environmental Monitoring Works**

- 4. Environmental monitoring for the Project was performed in accordance with the EM&A Manual and the monitoring results were checked and reviewed. Site Inspections/Audits were conducted once per week. The implementation of the environmental mitigation measures, Event Action Plans and environmental complaint handling procedures were also checked.
- 5. Summary of the non-compliance in the reporting month for the Project is tabulated in **Table** I.

 Table I
 Non-compliance Recorded for the Project in the Reporting Month

Parameter	No. of Project-rela	ted Exceedance	Action Taken
rarameter	Action Level	Limit Level	Action Taken
Noise	0	0	N/A

Environmental Monitoring for Air Quality and Construction Noise

6. No monitoring for air quality and construction noise is required. No Action/Limit Level exceedance was recorded.

# **Environmental Licenses and Permits**

- 7. Licenses/Permits granted to the Project include the Environmental Permits (EP) for the Project, EP-337/2009 issued on 23 April 2009 and EP-445/2013 issued on 3 May 2013 (Amended Environmental Permit (No.: EP-445/2013/A) issued on 13 August 2014).
- 8. Billing Account for Disposal of Construction Waste (A/C No. 7024073)
- 9. Registration of Chemical Waste Producer (License: 5213-247-C4004-01).
- 10. Water Discharge License (License: WT00023634-2016).
- 11. Construction Noise Permits (Permit: GW-RE0442-20, GW-RE0639-20, GW-RE0045-21, GW-RE0717-21 & GW-RE0656-21)

### **Key Information in the Reporting Month**

12. Summary of key information in the reporting month is tabulated in **Table II**.

Table II Summary Table for Key Information in the Reporting Month

Event	Event Details		Action Taken	Status	Remark
	Number	Nature			
Complaint received	0		N/A	N/A	
Reporting Changes	0		N/A	N/A	
Notifications of any summons & prosecutions received	0		N/A	N/A	

### **Future Key Issues**

- 13. The future key environmental issues in the coming month include:
  - Architectural features works at landscaped deck and ground floor open space;
  - Defect work of pedestrian streets;
  - E&M works;
  - Laying of paving blocks for footpath;

- Noise barrier modification
- Planting works along footpath and at deck level, and;
- TTA implementation, minor works at Shing Fung Road and Wang Chiu Road / Kai Cheung Road.

# **Reporting Changes**

14. Since the major parts of Works under Contract no. KL/2014/03 has been completed, the environmental monitoring works of EM&A monitoring station, KTD1a, was then handed over to the ET of Contract no. ED/2018/04 in August, 2020. In order to obtain the environmental impact monitoring data with higher representativeness based on several factors, such as distance between monitoring location and the sensitive receiver, non-project related interference, obstruction to the construction works on site and the power supply problem, the monitoring location KTD1a was relocated to the original location as proposed in the EM&A manual (AEIAR-174/2013), and renamed as KTD1 on 3 August 2020.

### 1. INTRODUCTION

# **Background**

- 1.1 The Kai Tak Development (KTD) is located in the south-eastern part of Kowloon Peninsula, comprising the apron and runway areas of the former Kai Tak Airport and existing waterfront areas at To Kwa Wan, Ma Tau Kok, Kowloon Bay, Kwun Tong and Cha Kwo Ling. It covers a land area of about 328 hectares. Stage 2 Infrastructure Works for Developments for Southern Part of the Former Runway is one of the construction stages of KTD. It contains two Schedule 2 DPs including new distributor roads serving the planned KTD and KTD Roads D3A & D4A. The general layout of the Project is shown in **Figure 1.**
- 1.2 One Environmental Permit (EP) No.: EP-337/2009 was issued on 23 April 2009 for new distributor roads serving the planned KTD and one Environmental Permit No.: EP-445/2013 was issued on 3 May 2013 for Kai Tak Development Roads D3A & D4A to Civil Engineering and Development Department (CEDD) as the Permit Holder. Pursuant to Section 13 of the EIAO, the Director of Environmental Protection Department amended the Environmental Permit No.: EP-445/2013 based on the Application No. VEP-449/2014 and the Environmental Permit (No.: EP-445/2013/A) was issued on 13 August 2014.
- 1.3 A study of environmental impact assessment (EIA) was undertaken to consider the key issues of air quality, noise, water quality, waste, land contamination, cultural heritage and landscape and visual impact, and identify possible mitigation measures associated with the works. EIA Reports (Register No. AEIAR-130/2009 and AEIAR-170/2013) were approved by the Environmental Protection Department (EPD) on 4 March 2009 and 3 May 2013 respectively.
- 1.4 Cinotech Consultants Limited (Cinotech) was commissioned by Civil Engineering and Development Department (CEDD) to undertake the role of the Environmental Team (ET) for the Contract No. KL/2014/01 Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway. The construction work under KL/2014/01 comprises the construction of part of the Road D4 under the EP (EP-337/2009) and the construction of Roads D3A & D4A under the EP (EP-445/2013/A).
- 1.5 Cinotech Consultants Limited was commissioned by Civil Engineering and Development Department (CEDD) to undertake the Environmental Monitoring and Audit (EM&A) works for the Project. The construction commencement of this Contract is on 13 April 2016. This is the 66<sup>th</sup> Monthly EM&A report summarizing the EM&A works for the Project in September 2021.
- 1.6 All project information since the commencement of work under EPs including Monthly EM&A Reports is made available to the public via internet access at the website: https://www.epd.gov.hk/eia/english/register/index8/vep4492014\_content.html

# **Project Organizations**

- 1.7 Different parties with different levels of involvement in the project organization include:
  - Project Proponent Civil Engineering and Development Department (CEDD).
  - The Supervising Officer and the Supervising Officer's Representative (SO) AECOM Asia Co. Ltd. (AECOM).
  - Environmental Team (ET) Cinotech Consultants Limited (CCL).
  - Independent Environmental Checker (IEC) Ka Shing Management Consultant Ltd. (KSMC).
  - Contractor Continental Engineering Corp. and Chit Cheung Construction Co. Ltd. Joint Venture (CCJV).
- 1.8 The key contacts of the Project are shown in **Table III.**

**Table III Key Project Contacts** 

Party	Role	Contact Person	Position	Phone No.	Fax No.
CEDD	Project	Mr. Keith Chu	Senior Engineer	3579 2450	3579
	Proponent	Ms. Adonia Yung	Engineer	3579 2124	4516
AECOM	Supervising Officer	Mr. Clive Cheng	CRE	3746 1801	2798 0783
G	Environmental Team	Mr. K S Lee	Environmental Team Leader	2151 2091	3107 1388
Cinotech		Ms. Betty Choi	Audit Team Leader	2151 2072	
KSMC Independent Environmental Checker		Dr. Douglas Wong	IEC	2618 2166	2120 7752
CCJV	Contractor	Mr. Jack Lai	Environmental Officer	2960 1398	2960 1399

# **Construction Activities undertaken during the Reporting Month**

- 1.9 The site activities undertaken in the reporting month included:
  - Architectural features works at landscaped deck and ground floor open space;
  - Defect work of pedestrian streets;
  - E&M works;
  - Laying of paving blocks for footpath;
  - Planting works along footpath and at deck level, and;
  - TTA implementation, minor works at Shing Fung Road and Wang Chiu Road / Kai Cheung Road.

1.10 The construction programme showing the inter-relationship with environmental protection/mitigation measures is presented in **Table IV**.

Table IV Construction Programme Showing the Inter-Relationship with Environmental Protection/Mitigation Measures

Construction Works	Major Environmental Impact	Control Measures
As mentioned in Section 1.8	Noise, dust impact, water quality and waste generation	Sufficient watering of the works site with active dust emitting activities; Properly cover the stockpiles; On-site waste sorting and implementation of trip ticket system; Appropriate desilting/sedimentation devices provided on site for treatment before discharge; Use of quiet plant and well-maintained construction plant; Well maintain the drainage system to prevent the spillage of wastewater during heavy rainfall; Provide mitigation measure to temporary use of chemicals; Provide sufficient mitigation measures as recommended in Approved EIA Report/Lease requirement.

# **Summary of EM&A Requirements**

- 1.11 The EM&A programme requires construction noise monitoring, air quality monitoring, landscape and visual monitoring and environmental site audit. The EM&A requirements for each parameter are described in the following sections, including:
  - All monitoring parameters;
  - Action and Limit levels for all environmental parameters;
  - Event Action Plans;
  - Environmental requirements and mitigation measures, as recommended in the EM&A Manual under the EP.
- 1.12 The advice on the implementation status of environmental protection and pollution control/mitigation measures is summarized in Section 5 of this report.

# 2. AIR QUALITY

### **Monitoring Requirements**

- 2.1 With reference to the same principle of EIA report of the Project, air quality monitoring station should be provided at the Air Sensitive Receivers (ASR) within 500 m from the boundary of this Project. Since the opening of the Centre of Excellence in Paediatrics (Children's Hospital) on 18 December 2018, the hospital is considered as the only relevant monitoring location and therefore the monitoring is required.
- 2.2 As the monitoring works for the hospital is covered by the Contract KL/2014/03 (Kai Tak Development Stage 3 Infrastructure Works for Developments at the Southern Part of the Former Runway) at the monitoring station (KTD1), the corresponding monitoring results for September 2021 should be accessed in the EM&A report for the reporting month. Appendix A shows the established Action and Limit Levels for the environmental monitoring works.

#### **Observations**

- 2.3 No monitoring for air quality is required for this report. No Action/Limit Level exceedance at KTD1 was recorded. The summary of exceedance record in reporting month is shown in **Appendix B**.
- 2.4 Site audits were carried out on a weekly basis to monitor and audit the timely implementation of air quality mitigation measures within the site boundaries of this Project. The summaries of site audits are attached in **Appendix C.**

### 3. NOISE

### **Monitoring Requirements**

- 3.1 With reference to the same principle of EIA report of the Project, construction noise monitoring station should be provided at the Noise Sensitive Receivers (NSR) within 300 m from the boundary of this Project. Since the opening of the Centre of Excellence in Paediatrics (Children's Hospital) on 18 December 2018, the hospital is considered as the only relevant monitoring location and therefore the monitoring is required.
- 3.2 As the monitoring works for the hospital is covered by the Contract KL/2014/03 (Kai Tak Development Stage 3 Infrastructure Works for Developments at the Southern Part of the Former Runway) at the monitoring station (KTD1), the corresponding monitoring results for September 2021 should be accessed in the EM&A report for the reporting month. Appendix A shows the established Action and Limit Levels for the environmental monitoring works.

### **Observations**

- 3.3 No monitoring for construction noise is required for this report. No Action/Limit Level exceedance at KTD1 was recorded. The summary of exceedance record in reporting month is shown in **Appendix B**.
- 3.4 Site audits were carried out on a weekly basis to monitor and audit the timely implementation of construction noise mitigation measures within the site boundaries of this Project. The summaries of site audits are attached in **Appendix C**.

# 4. LANDSCAPE AND VISUAL

# **Monitoring Requirements**

4.1 According to EM&A Manual of the Kai Tak Development EIA Study, ET shall monitor and audit the contractor's operation during the construction period on a weekly basis, and to report on the contractor's compliance.

# **Results and Observations**

- 4.2 Site audits were carried out on a weekly basis to monitor and audit the timely implementation of landscape and visual mitigation measures within the site boundaries of this Project. The summaries of site audits are attached in **Appendix C**.
- 4.3 No non-compliance of the landscape and visual impact was recorded in the reporting month.
- 4.4 Should non-compliance of the landscape and visual impact occur, action in accordance with the action plan presented in **Appendix D** shall be performed.

# 5. ENVIRONMENTAL AUDIT

### **Site Audits**

- 5.1 Site audits were carried out on a weekly basis to monitor the timely implementation of proper environmental management practices and mitigation measures in the Project site. The summaries of site audits are attached in **Appendix C**.
- 5.2 Site audits were conducted by representatives of the Contractor, Supervising Officer and ET on 2, 9, 16, 23, 29 September 2021 in the reporting month. No IEC joint site inspection was conducted on September (The scheduled IEC joint site inspection on 29<sup>th</sup> September was postponed to 6<sup>th</sup> October). No non-compliance was observed during the site audits.

# Status of Environmental Licensing and Permitting

5.3 All permits/licenses obtained for the Project are summarized in **Table V**.

Table V Summary of Environmental Licensing and Permit Status

Downit No	Valid	Period	Details	Status
Permit No.	From	To	<b>Details</b>	Status
<b>Environmental Po</b>	ermit (EP)			
EP-337/2009	23/04/09	N/A	Construction of new distributor roads serving the planned Kai Tak development.	Valid
EP-445/2013/A	13/08/14	N/A	Construction of Kai Tak Development roads D3A and D4A	Valid
Effluent Discharge	License		<u>,                                      </u>	
WT00023634- 2016	-1	31/03/21	Wastewater from the construction site including effluent treated by screen and sedimentation tank; There are no more need for the license after 31 March 2021 as the project is close to completion and no significant waste water is being generated from site.	Expired on 31 March 2021
Registration of Che	emical Waste			
5213-247-C4004- 01		N/A	Chemical Waste Types: Surplus paint, waste contaminated by paint, diesel, waste contaminated by diesel, spent lubricating oil and waste, soil contaminated by lubricating oil.	Valid
Construction Noise			T	
GW-RE0442-20	14/6/20	13/12/20		Expired on 13 December 2020
GW-RE0639-20	3/8/20	19/1/21	Construction Noise Permit for the use of powered mechanical equipment for carrying out construction work other than percussive pilling and performing	Expired on 19 February 2021
GW-RE0045-21	20/1/21	19/7/21	prescribed construction work. Construction Noise Permit for the use of powered mechanical equipment for carrying out	Expired on 19 July 2021
GW-RE0656-21	9/7/21	30/9/21	construction work other than percussive pilling and performing prescribed construction work.	Valid
GW-RE0717-21	30/7/2021	19/1/2022		Valid

# **Status of Waste Management**

- 5.4 The amount of wastes generated by the major site activities of this Project during the reporting month is shown in **Appendix G**.
- 5.5 In respect of the dump truck cover, the Contractor is reminded to take record photos and inspection to ensure that all dump trucks have fully covered the skip before leaving the site.

# **Implementation Status of Environmental Mitigation Measures**

5.6 During site inspections in the reporting month, no non-conformance was identified. ET weekly site inspections were carried out during the reporting month and the observations and recommendations are summarized in **Table VI**.

Table VI Observations and Recommendations of Site Inspections

Parameters	Date	Observations and Recommendations	Follow-up
Water Quality			
Air Quality			
Noise			
Waste/ Chemical Management			
Landscape and Visual			
Permits/ Licenses			

# **Summary of Mitigation Measures Implemented**

5.7 An updated summary of the EMIS is provided in **Appendix E**.

# **Implementation Status of Event Action Plans**

5.8 The Event Action Plans for noise and landscape and visual are presented in **Appendix D**. No Event Action Plan for air quality is considered necessary.

# **Construction Dust**

5.9 No Action/Limit Level exceedance was recorded in the reporting month.

# **Construction Noise**

5.10 No Action/Limit Level exceedance was recorded in the reporting month.

# Landscape and visual

5.11 No non-compliance was recorded in the reporting month.

# Summary of Complaint, Warning, Notification of any Summons and Successful Prosecution

5.12 The summaries of environmental complaint, warning, summon and notification of successful prosecution for the Project is presented in **Appendix F**.

### 6. FUTURE KEY ISSUES

- 6.1 Major site activities undertaken for the coming two months include:
  - Architectural features works at landscaped deck and ground floor open space;
  - Defect work of pedestrian streets;
  - E&M works;
  - Laying of paving blocks for footpath;
  - Noise barrier modification
  - Planting works along footpath and at deck level, and;
  - TTA implementation, minor works at Shing Fung Road and Wang Chiu Road / Kai Cheung Road.
- 6.2 Key environmental issues in the coming month include:
  - Wastewater and runoff discharge from site;
  - Silt, mud and sand along u-channels and sedimentation tanks;
  - Review and implementation of temporary drainage system for the surface runoff;
  - Noise from operation of the equipment, especially for rock-breaking activities, piling works and machinery on-site;
  - Dust generation from stockpiles of dusty materials, exposed site area, excavation works and rock breaking activities;
  - Dust generating activity and on haul road;
  - Storage of construction materials on site;
  - Storage of chemicals/fuel and chemical waste/waste oil on site;
  - Accumulation of general and construction waste on site

6.3 The tentative program of major site activities and the impact prediction and control measures for the coming two months, i.e. September and October 2021 are summarized as follows:

Construction Works	Major Impact Prediction	Control Measures
As mentioned in Section 6.1	Air quality impact (dust)  Water quality impact (surface run-off)	<ul> <li>a) Frequent watering of haul road and unpaved/exposed areas;</li> <li>b) Frequent watering or covering stockpiles with tarpaulin or similar means; and</li> <li>c) Watering of any earth moving activities.</li> <li>a) Diversion of the collected effluent to desilting facilities for treatment prior to discharge to public storm water drains;</li> <li>b) Provision of adequate de-silting facilities for treating surface run-off and other collected effluents prior to discharge;</li> <li>c) Provision of perimeter protection such as sealing of hoarding footings to avoid run-off from entering the existing storm water drainage system via public road; and</li> <li>d) Provision of measures to prevent discharge</li> </ul>
	Noise Impact	<ul> <li>into the stream.</li> <li>a) Scheduling of noisy construction activities if necessary to avoid persistent noisy operation;</li> <li>b) Controlling the number of plants use on site;</li> <li>c) Regular maintenance of machines; and</li> <li>d) Use of acoustic barriers if necessary.</li> </ul>
	Waste/ Chemical Management	<ul> <li>a) Maintenance involving activities with potential for leakage and spillage should only be undertaken within the areas appropriately equipped to control these discharges.</li> <li>b) Chemical wastes should be hold by suitable containers with clear label and stored at a safe location.</li> </ul>

# 7. CONCLUSIONS AND RECOMMENDATIONS

### **Conclusions**

7.1 The Environmental Monitoring and Audit (EM&A) Report presents the EM&A works undertaken in September 2021.

# Air Quality and Construction Noise

7.2 No regular monitoring air quality and noise monitoring is required for the Project. No Action/Limit Level exceedance was recorded.

# Landscape and visual

7.3 No non-compliance was recorded in the reporting month.

# Complaint and Prosecution

- 7.4 No environmental complaints and environmental prosecution were received in the reporting month.
- 7.5 The ET will keep track on the EM&A programme to ensure compliance of environmental requirements and the proper implementation of all necessary mitigation measures.


### **Recommendations**

7.6 According to the environmental audit performed in the reporting month, the following recommendations were made:

# Waste/ chemical management

• To avoid the accumulation of general refuse.

# **FIGURES**



# APPENDIX A ACTION AND LIMIT LEVELS

# **Appendix A - Action and Limit Levels**

**Table A-1** Action and Limit Levels for Air Quality Monitoring

Monitoring Station	Parameter	Action Level (μg/ m³)	Limit Level <sup>(1)(2)</sup> (μg/ m³)
KTD1	24-hr TSP	177	260
KTD1*	1-hr TSP	285	500

<sup>\* 1-</sup>hr TSP monitoring should be required in case of complaints.

**Table A-2** Action and Limit Levels for Construction Noise Monitoring

Time Period	Action Level	Limit Level <sup>(1)(2)</sup>
0700-1900 hrs on normal weekdays	When one documented complaint is received	75 dB(A) 70dB(A)/65dB(A)*

Remarks: (1) If works are to be carried out during restricted hours, the conditions stipulated in the Construction Noise Permit (CNP) issued by the Noise Control Authority have to be followed.

<sup>(2)</sup> No regular noise impact monitoring station for this Contract. It is subject to the noise sensitive receiver(s) and additional monitoring work.

<sup>(\*) 70</sup>dB(A) and 65dB(A) for schools during normal teaching periods and school examination periods respectively.

# APPENDIX B SUMMARY OF EXCEEDANCE

# Contract No. KL/2014/01 Kai Tak Development –Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

# Appendix B – Summary of Exceedance

Exceedance Record for Contract No. KL/2014/01

Reporting Month: September 2021

(A) Exceedance Record for Construction Dust

(NIL in the reporting month)

(B) Exceedance Record for Construction Noise

(NIL in the reporting month)

(C) Exceedance Record for Landscape and Visual

(NIL in the reporting month)

# APPENDIX C SITE AUDIT SUMMARY



# E-MAIL

Rm 1710, Technology Park, 18 On Lai Street, Shatin, N.T., Hong Kong Tel.: (852) 2151 2083

Fax: (852) 3107 1388

TO: **Distribution List** DATE 03 September 2021

**FROM** Mr. K. S Lee SHEET 1 OF 1 + 7

REF. NO. CCL/MA15046/Corres/Out/All cl210903 audit210902

Contract No. KL/2014/01

Kai Tak Development – Stage 2 Infrastructure Works for Developments at Southern

SUBJECT Part of the Former Runway

Weekly Environmental Site Inspection on 2 September 2021

Dear Sir/Madam,

We have conducted the environmental site inspection for the above contract on 2 September **2021**. Please find attached the completed checklist for your information and action.

Should you require any further information, please feel free to contact our Mr. Colman Wong at 2151 2068 or the undersigned at 2151 2091.

Yours faithfully, Cinotech Consultants Limited

Mr. K.S Lee

**Environmental Team Leader** 

Encl.

### **Distribution List (via E-mail):**

Mr. Keith Chu keithchchu@cedd.gov.hk **CEDD** 

Jack-Lai@continental-engineering.com **CCJV** Mr. Jack Lai

AECOM Mr. Anthony Lok anthony.lok@aecom-ktd.com Ka Shing

Dr. Douglas Wong drwong@ka-shing.net

# Contract No. KL/2014/01

# Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

EP-337/2009 & EP-445/2013/A

# Weekly Site Inspection Record Summary Inspection Information

Checklist Reference Number	210902
Date	2 Sep 2021 (Thursday)
Time	14:30 – 15:30

Dof No	Non Compliance	Related
Ref. No.	Non-Compliance	Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	B. Water Quality	
	No environmental deficiency was identified during site inspection	
	C. Air Quality	
	No environmental deficiency was identified during site inspection.	
	D. Noise	
	No environmental deficiency was identified during site inspection.	
	E. Waste / Chemical Management	
	No environmental deficiency was identified during site inspection.	
	• F. Visual and Landscape	
	No environmental deficiency was identified during site inspection.	
	G. Permits /Licenses	
	No environmental deficiency was identified during site inspection.	
	H. Others	
	No follow-up items are required from the previous site inspection (ref no.: 210825).	

	Name	Signature	Date
Recorded by	Chris Li	Bran li	2 Sep 2021
Checked by	Colman Wong	Colman	3 Sep 2021

CINOTECH MA15046 C-1 Summary\_210902

# Contract No. KL/2014/01 Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

# Environmental Observations Identified during the Environmental Site Inspection (02 September 2021)

No major environmental deficiency was identified during the site inspection.

CINOTECH MA15046 Fig210902

# Contract No. KL/2014/01 Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

# Environmental Observations Improved/Rectified during Previous Environmental <u>Site Inspections</u>

No major environmental deficiency was identified during the previous site inspections.

CINOTECH MA15046 Fig210902

# Environmental Monitoring and Audit Site Inspection Checklist Contract No. KL/2014/01

Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

1			Audit Ref. No.
Project	Contract No. KL/2014/01	Contractor	CEC - CCC JV
35	Kai Tak Development - Stage 2 Infrastructure	Env. Team	Cinotech Consultants Ltd.
	Works for Developments at the Southern	SO Rep.	AECOM
	Part of the Former Runway	IEC	Ka Shing Management Consultant
	Interim Construction Access		Ltd.
	•		
Inspected By	ET Auditor: Cheis Le	Inspection Date	2/9/2021
	SO Rep.	Time Period	1330
	IEC		
e self			
	ather		¬. ¬.
Condition	✓ Sunny Fine Overcast Drizzle	Rain	Storm Hazy
Temperature	<u> </u>		278
Humidity	High (RH>90%) Moderate (90%>RH>50%)	Low (RH<5	0%)
Wind	Calm Light Breeze Strong		190
	N/A or	not observed Y	es No Follow-up N/C Remarks
	ter Quality		
5	ge system adequate?	حا ليا	<u> </u>
2 i. Are there	temporary ditches for runoff discharge into appropriate watercourse?		4
	h silt retention pond?		4 U U U
<ol><li>Is ground</li></ol>	water pumped out discharged via sediment traps/tanks?		실 <u>닏</u> 닏 ㅡㅡ
3 i. Are there	sediment tanks for settling runoff prior to disposal?	<u> </u>	4
3 ii. Cor	nstructed from pre-formed individual cells?		4
3 iii. Add	equate capacity?		4
3 iv. Free	e from silt and sediment?		실 닏 닏 닏 ──
4. Is drainag	ge system well maintained?		⊈ ⊔ ⊔
<ol><li>Are expo</li></ol>	sed slope surfaces covered (by tarpaulin or other means)?		4 🖵 🖵 🖵 ——
<ol><li>Are open</li></ol>	stockpiles of more than 50 m 3covered during rainstorm?		실 ⊔ ⊔ ⊔
<ol><li>Are manh</li></ol>	noles covered and sealed?		<u> </u>
8. Is pondin	g/stand water avoided?		실 <u>니 니 니</u>
<ol><li>Are vehice</li></ol>	cles and plant cleaned of earth, mud and debris before leaving the site?		ļ <u>니</u> 니 니
10 i. Is wheel	washing bay provided at every site exit?	<u> </u>	<del>2</del>
10 ii. Ade	equately designed?		
10 iii. San	ad and silt settled out and removed at least weekly?		4 <b>-</b>
10 iv. Wa	ter cleared regularly?		
	cess road leading to and exiting from wheel wash bay paved?		<del>-</del>
10 vi. Acc	cess road sufficiently backfill toward wheel wash bay?		
11. Rainy sea			
	image system adequately designed for storm flow?		
	liment control measures inspected and maintained after rain storms?		<u> </u>
	bentonite slurries or grouts collected, reconditioned and reused?		
	ss roads protected by crushed stone or gravel?		
	hat connects to foul sewer or chemical toilets provided?		
	is and rubbish on site collected and disposed of properly?		
16. Are there	bunds to surround areas of earthworks for flood protection?	<u>~</u>	4 LJ LJ

# Environmental Monitoring and Audit Site Inspection Checklist Contract No. KL/2014/01

Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

	h	N/A or not observed	Yes	No	Follow-up	N/C	Remarks
Par	t C Air Quality						
1.	Are site vehicles travelling within speed limit of 10 km/hr?		$\checkmark$				
2.	Are site vehicle movements confined to designated haul roads?		$\checkmark$				
3.	Is the public road around the site entrance kept clean and free from dust?		~				
4.	Do areas of site with regular traffic movement have hard surface?		1				
5.	Are the haul roads watered regularly to avoid dust generation?	. 🔲	/				
6.	Are unpaved areas watered regularly to avoid dust generation?		<b>V</b>				
7.	Are the excavated dusty materials or stockpile of dusty meaterials covere impervious materials?	d by	$\checkmark$				a <del></del>
8.	Do the site vehicles use the wheel wash at the site exits?		/				-
9.	Are materials transported on trucks covered?		~				
10.	Are all trucks loaded to a level within the side and tail boards?		~				7 <u> </u>
11.	Is hoarding not less than 2.4 m tall provided beside roads or areas with p access?	ublic	$\overline{\checkmark}$				7
12.	Are there enclosures around the main dust-generating activities?		<b>V</b>				
13.	Are the site areas in which dust is likely to be generated sprayed with wa	ter?	$\checkmark$				
14.	Is open burning avoided?		$\sqrt{}$				
15.	Are completed earthworks sealed and hydroseeded and planted as soon a practicable?	s	$\checkmark$				2 m - 1
16.	Are vehicles and equipment switched off while not in use?						
17.	Is black smoke emission from plants/equipment avoided?						
18.	Are every stock of more than 20 bags of cement coverd or sheltered on to 3 sides?	op and					7 <del>1</del>
19.	Are proper labels displayed on NRMMs?						
20.	Observable dust sources Wind erosion	Vehicl	e/equipme	nt movem	ents		
	Loading/unloading of materials	Others		33			=
Part	t D Construction Noise Impact		n= n		Con process	***	
1.	Are the construction works scheduled to minimize noise nuisance?		$\checkmark$				
2.	Are the works or equipment sited to minimize noise nuisance?		/				
3.	Are all plant and equipment well maintained and in good operating cond	ition?	/				
4.	Is idle equipment turned off or throttled down?						
5.	Is powered mechanical equipment covered or shielded by appropriate materials?		✓				2 <del></del>
6	Is silenced equipment used where practicable?						1 <del>5</del>
7.	Are noise enclosures, noise barriers or portable noise barriers used where acoustic necessary?		$\square$				4
8.	Do air compressors have valid noise labels?		$\checkmark$				÷
9.	Do compressors operate with doors closed?						· 2
10.	Major noise source(s) Traffic		uction acti	vities insi	de of site		
	Construction activities outside of site	Others	l 10 <u></u>				

# Environmental Monitoring and Audit Site Inspection Checklist Contract No. KL/2014/01

Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

57		N/A or not observed	Yes	No	Follow-up N/C	Remarks
Part	E Waste/Chemical Management					(+)
1 i. 1 ii.	General refuse Accumulation avoided? Receptacles (e.g. rubbish bins) available?					51 5
1 iii. 2. 2 i. 2 ii.	Disposed of regularly and properly?  Chemical waste, waste oil  Stored properly in designated area?  Disposed of properly?					**************************************
	Chemical/fuel storage area Is storage area bunded? Adequate bund capacity? (>110% of the largest tank) Area storage areas provided with locks & located on sealed areas Is construction waste reused where practicable? Disposed of properly?	2				
5. 5 i. 5 ii. 6.	Excavated Material Appears uncontaminated? (colour, odour) If suspected contaminated, appropriate procedures followed? Is foam, oil, grease, litter or other objectionable matters in water of nedrain/sewer avoided? Is the site generally clean and tidy?	arby				
8. 9.	Is oil leakage from containers/ equipments avoided?  Are drip trays provided with adequate capacity and well maintained?					
Part  1.  2.  3.  4.	F Visual and Landscape  Are existing tress to be retained on site protected carefully?  Are the trees transplanted that may be affected by the works?  Are night-time lighting controlled?  Are the decorative screen hoarding erected?					
Part 1. 2.	Are Construction Noise Permits available for inspection/posted at site entrance?  Are wastewater discharge licences available for inspection?					
3. 4.	Are trip tickets for chemical waste disposal available for inspection?  Relevant licence/permit for disposal of construction waste or excavate materials available for inspection?  Is Environmental Permit displaced conspicuously on site?	d 🗀	A A			

CINOTECH

Form 001

# Environmental Monitoring and Audit

# Site Inspection Checklist Contract No. KL/2014/01

Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

	(100 dp. 104 ) 104 (105 dp. 105 dp. 10		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
art	H Follow-up for the Previo	us Site Audit on Date:	(Ref. No					
	Is the situation in item	improved/rectified?						70
	Is the situation in item	improved/rectified?						
	Is the situation in item	improved/rectified?						
	Is the situation in item	improved/rectified?						
	Is the situation in item	improved/rectified?						1
2	Is the situation in item	improved/rectified?						727
	Is the situation in item	improved/rectified?						
	Is the situation in item	improved/rectified?						
	Is the situation in item	improved/rectified?						
0.	Is the situation in item	improved/rectified?						100

### Remarks/Observations

Signatures:		928			80
ET Auditor		SO Rep		Contractor	A
(Name: Ckris L) (Date: 2/9/2/		(Name: Roy LAM) (Date:	)	(Name: Jan U	)
IEC Auditor			75	nxl21	
(Name:	<del></del> ,				
(Date:	)				



# E-MAIL

Rm 1710, Technology Park, 18 On Lai Street, Shatin, N.T., Hong Kong Tel.: (852) 2151 2083 Fax: (852) 3107 1388

TO: Distribution List DATE 10 September 2021

FROM Mr. K. S Lee SHEET 1 OF 1+7

REF. NO. CCL/MA15046/Corres/Out/All\_cl210910\_audit210909

Contract No. KL/2014/01

Kai Tak Development – Stage 2 Infrastructure Works for Developments at Southern

SUBJECT Part of the Former Runway

Weekly Environmental Site Inspection on 9 September 2021

Dear Sir/Madam,

We have conducted the environmental site inspection for the above contract on **9 September 2021**. Please find attached the completed checklist for your information and action.

Should you require any further information, please feel free to contact our Mr. Colman Wong at 2151 2068 or the undersigned at 2151 2091.

Yours faithfully, Cinotech Consultants Limited

Mr. K.S Lee

**Environmental Team Leader** 

Encl.

### **Distribution List (via E-mail):**

CEDD Mr. Keith Chu <u>keithchchu@cedd.gov.hk</u>

CCJV Mr. Jack Lai <u>Jack-Lai@continental-engineering.com</u>

AECOM Mr. Anthony Lok anthony.lok@aecom-ktd.com
Ka Shing Dr. Douglas Wong drwong@ka-shing.net

### Contract No. KL/2014/01

## Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

EP-337/2009 & EP-445/2013/A

### **Weekly Site Inspection Record Summary Inspection Information**

Checklist Reference Number	210909
Date	09 Sep 2021 (Thursday)
Time	14:30 – 15:30

D-C M-	Non Complemen	Related
Ref. No.	Non-Compliance	Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	B. Water Quality	
	No environmental deficiency was identified during site inspection	
	C. Air Quality	
	No environmental deficiency was identified during site inspection.	
	D. Noise	
	No environmental deficiency was identified during site inspection.	
	E. Waste / Chemical Management	
	No environmental deficiency was identified during site inspection.	
	• F. Visual and Landscape	
	No environmental deficiency was identified during site inspection.	
	G. Permits /Licenses	
	No environmental deficiency was identified during site inspection.	
	H. Others	
	No follow-up items are required from the previous site inspection (ref no.: 210902).	

	Name	Signature	Date
Recorded by	Chris Li	Bran li	09 Sep 2021
Checked by	Colman Wong	Colman	10 Sep 2021

## Environmental Observations Identified during the Environmental Site Inspection (09 September 2021)

No major environmental deficiency was identified during the site inspection.

## Environmental Observations Improved/Rectified during Previous Environmental <u>Site Inspections</u>

No major environmental deficiency was identified during the previous site inspections.

					Audit	Ref. No.	
Project	Contract No. KL/2014/01	Contractor	. (	CEC - CC	CC JV		40
5-15-150 <b>-</b> 5-15-75-7	Kai Tak Development - Stage 2 Infrastructure	Env. Team	(	Cinotech	Consultan	ts Ltd.	
	Works for Developments at the Southern	SO Rep.	7	AECOM			
	Part of the Former Runway	IEC	1	Ca Shing	Managem	ent Cons	ultant
	Interim Construction Access		1	.td.	81		
			24				
Inspected By	ET Auditor: (L/1)s	Inspection D	ate	910	1/21		
	SO Rep.	Time Period	100	143	0 - 153	0	
	IEC		_				*
			***				
	ather				<b>—</b>		
Condition	Sunny Fine Overcast Drizzle	Rain	Ш;	torm	Hazy		
Temperature	30.2 °C						
Humidity	High (RH>90%)  Moderate (90%>RH>50%)	Low (R	:H<50%)				
Wind	Calm Light Breeze Strong						- C
C007/05/4/020 000000		not observed	Yes	No	Follow-up	N/C	Remarks
	ter Quality		$\Box$			1	
Control of the Control	ge system adequate?			H			¥
	temporary ditches for runoff discharge into appropriate watercourse?			片	님	=	1 <del>1</del>
	h silt retention pond?			믐	믬		St
	water pumped out discharged via sediment traps/tanks?			$\vdash$		Н	at
	sediment tanks for settling runoff prior to disposal?			닏	님		
	astructed from pre-formed individual cells?			$\vdash$	- 🖳	=	8
	equate capacity?		$\angle$	님	닠	H	
2782 TOTAL SEC.	e from silt and sediment?		$\angle$	님			0
20 6753541003506	ge system well maintained?			H			
50	sed slope surfaces covered (by tarpaulin or other means)?		$\square$	닐		닐	
-	stockpiles of more than 50 m <sup>3</sup> covered during rainstorm?		$\square$				- 1. 1.1.
100 EG 200	noles covered and sealed?			닐			****
W DOMESTIC	g/stand water avoided?			Н		$\square$	
	eles and plant cleaned of earth, mud and debris before leaving the site?			Щ		$\sqsubseteq$	
	washing bay provided at every site exit?		4	님		=	
	equately designed?					$\vdash$	3
	d and silt settled out and removed at least weekly?				Щ	Щ	-
	ter cleared regularly?						2 2
	ess road leading to and exiting from wheel wash bay paved?					<u></u>	
	ess road sufficiently backfill toward wheel wash bay?				LJ		
<ol> <li>Rainy sea</li> <li>Dra</li> </ol>	ison inage system adequately designed for storm flow?					П	
	iment control measures inspected and maintained after rain storms?					Ħ	
	bentonite slurries or grouts collected, reconditioned and reused?	H		H	H	H	3
	is roads protected by crushed stone or gravel?	H			一		
	hat connects to foul sewer or chemical toilets provided?					$\exists$	W S
	s and rubbish on site collected and disposed of properly?	H		Ħ	$\exists$	Ħ	9 <sup>67</sup>
	bunds to surround areas of earthworks for flood protection?		=	<u> </u>	=	=	

### Environmental Monitoring and Audit Site Inspection Checklist

Contract No. KL/2014/01

			N/A or not observ	ed Yes	No	Follow-up	N/C	Remarks
Par	t C Air Quality							
1.	Are site vehicles travelling wi	ithin speed limit of 10 km/hr?						
2.	Are site vehicle movements of	onfined to designated haul roads?						<u></u>
3.	Is the public road around the	site entrance kept clean and free from du	st?					
4.	Do areas of site with regular t	raffic movement have hard surface?						×
5.	Are the haul roads watered re-	gularly to avoid dust generation?						
6.	Are unpaved areas watered re	gularly to avoid dust generation?						
7.	Are the excavated dusty materials?	rials or stockpile of dusty meaterials cove	ered by					
8.	Do the site vehicles use the w	heel wash at the site exits?						
9.	Are materials transported on t	rucks covered?						× × ×
10.	Are all trucks loaded to a leve	l within the side and tail boards?						
11.	Is hoarding not less than 2.4 maccess?	n tall provided beside roads or areas with	public					
12.	Are there enclosures around the	he main dust-generating activities?						
13.	Are the site areas in which du	st is likely to be generated sprayed with	vater?					
14.	Is open burning avoided?							
15.	Are completed earthworks sea practicable?	aled and hydroseeded and planted as soon	as					
16.	Are vehicles and equipment s	witched off while not in use?	100					
17.	Is black smoke emission from	plants/equipment avoided?						
18.	Are every stock of more than 3 sides?	20 bags of cement coverd or sheltered on	top and					
19.	Are proper labels displayed or	n NRMMs?						
20.	Observable dust sources	Wind erosion	Ve	nicle/equipm	ent mover	nents		
		Loading/unloading of materials	Ott	ers				
Par	t D Construction Noise Im	pact						
1.	Are the construction works so	heduled to minimize noise nuisance?						B
2.	Are the works or equipment s	ited to minimize noise nuisance?						
3.	Are all plant and equipment w	vell maintained and in good operating cor	idition?					95
4.	Is idle equipment turned off or	r throttled down?						18
5.	Is powered mechanical equiprimaterials?	nent covered or shielded by appropriate						
6	Is silenced equipment used wi	here practicable?		l Q				(
7.	Are noise enclosures, noise ba acoustic necessary?	arriers or portable noise barriers used who	рге					
8.	Do air compressors have valid	I noise labels?	E					13-2-2-2
9,	Do compressors operate with	doors closed?						( <del></del>
10.	Major noise source(s)	Traffic	Co	struction ac	tivities ins	ide of site		
	1	Construction activities outside of site	Otl	ers				

### Environmental Monitoring and Audit Site Inspection Checklist

Contract No. KL/2014/01

		N/A or not observed	Yes	No	Follow-up N/C	Remarks
Part	E Waste/Chemical Management					
1. 1 i. 1 ii. 1 iii.	General refuse Accumulation avoided? Receptacles (e.g. rubbish bins) available? Disposed of regularly and properly?					] ] 
2. 2 i. 2 ii.	Chemical waste, waste oil Stored properly in designated area? Disposed of properly?					]
3. 3 i. 3 ii. 3 iii. 4 i. 4 ii. 5.	Chemical/fuel storage area Is storage area bunded? Adequate bund capacity? (>110% of the largest tank) Area storage areas provided with locks & located on sealed areas! Is construction waste reused where practicable? Disposed of properly? Excavated Material	?				
5 i. 5 ii. 6,	Appears uncontaminated? (colour, odour)  If suspected contaminated, appropriate procedures followed?  Is foam, oil, grease, litter or other objectionable matters in water of nea drain/sewer avoided?	rby				]
7. 8. 9.	Is the site generally clean and tidy?  Is oil leakage from containers/ equipments avoided?  Are drip trays provided with adequate capacity and well maintained?					
Part 1, 2, 3, 4,	Are existing tress to be retained on site protected carefully?  Are the trees transplanted that may be affected by the works?  Are night-time lighting controlled?  Are the decorative screen hoarding erected?					
Pari	G Permits/Licences  Are Construction Noise Permits available for inspection/posted at site					
2. 3. 4.	entrance?  Are wastewater discharge licences available for inspection?  Are trip tickets for chemical waste disposal available for inspection?  Relevant licence/permit for disposal of construction waste or excavated materials available for inspection?					
5.	Is Environmental Permit displaced conspicuously on site?		$\square$			J

Environmental Monitoring and Audit
Site Inspection Checklist
Contract No. KL/2014/01
Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

		N/A	or not observed	Yes	No	Follow-up	N/C	Remarks
art			_ (Ref. No		)		25, 350000, 45,000	(4)
	Is the situation in item improved/rectified?							
	Is the situation in item improved/rectified?							
9	Is the situation in item improved/rectified?							
	Is the situation in item improved/rectified?							(E
Č.	Is the situation in itemimproved/rectified?							
	Is the situation in item improved/rectified?							
,	Is the situation in item improved/rectified?							
3.	Is the situation in item improved/rectified?							
).	Is the situation in item improved/rectified?							
0.	Is the situation in item improved/rectified?							25
	15 100 - 100							
lem	arks/Observations							
				3.				
	/24							
							35	
	ALL STATES OF THE STATES OF TH							
61								
(2)								
								ū.
	8							
	¥					59		
	· ·							
	a a							
								0
					λ.			
-	Signatures:							
				2000				
	ET Auditor SO Rep.	_/		C	ontractor	7		
	St On h	$\sim$			//	M		
	(Name: (Name:	Pou LAM	)		ارست الميد :lame	Took.	411	)
	(Date: 9/1/21 ) (Date:	1 3	, )		ate:	919	11	2/1
	IEC Auditor					111	10.	
	*							
	(Name:							
	(Date:		14.1					

CINOTECH

Form 001

Page 4 of 4

19/1/2016



### E-MAIL

Rm 1710, Technology Park, 18 On Lai Street, Shatin, N.T., Hong Kong Tel.: (852) 2151 2083

Fax: (852) 3107 1388

TO: **Distribution List** DATE 17 September 2021

**FROM** Mr. K. S Lee SHEET 1 OF 1 + 7

REF. NO. CCL/MA15046/Corres/Out/All\_cl210917\_audit210916

Contract No. KL/2014/01

Kai Tak Development – Stage 2 Infrastructure Works for Developments at Southern

SUBJECT Part of the Former Runway

Weekly Environmental Site Inspection on 16 September 2021

Dear Sir/Madam,

We have conducted the environmental site inspection for the above contract on 16 September **2021**. Please find attached the completed checklist for your information and action.

Should you require any further information, please feel free to contact our Mr. Colman Wong at 2151 2068 or the undersigned at 2151 2091.

Yours faithfully, Cinotech Consultants Limited

Mr. K.S Lee

**Environmental Team Leader** 

Encl.

### **Distribution List (via E-mail):**

Mr. Keith Chu keithchchu@cedd.gov.hk **CEDD** 

Jack-Lai@continental-engineering.com **CCJV** Mr. Jack Lai

AECOM Mr. Anthony Lok anthony.lok@aecom-ktd.com Ka Shing Dr. Douglas Wong drwong@ka-shing.net

### Contract No. KL/2014/01

## Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

EP-337/2009 & EP-445/2013/A

### Weekly Site Inspection Record Summary Inspection Information

Checklist Reference Number	210916
Date	16 Sep 2021 (Thursday)
Time	14:30 – 15:30

		Related
Ref. No.	Non-Compliance	Item No
-	None identified	-
		Related
Ref. No.	Remarks/Observations	Item No
	B. Water Quality	
	No environmental deficiency was identified during site inspection	
	C. Air Quality	
	No environmental deficiency was identified during site inspection.	
	D. Noise	
	No environmental deficiency was identified during site inspection.	
	E. Waste / Chemical Management	
	No environmental deficiency was identified during site inspection.	
	• F. Visual and Landscape	
	No environmental deficiency was identified during site inspection.	
	G. Permits /Licenses	
	No environmental deficiency was identified during site inspection.	
	H. Others	
	No follow-up items are required from the previous site inspection (ref no.: 210909).	

	Name	Signature	Date
Recorded by	Chris Li	Bran li	16 Sep 2021
Checked by	Colman Wong	Colman	17 Sep 2021

## Environmental Observations Identified during the Environmental Site Inspection (16 September 2021)

No major environmental deficiency was identified during the site inspection.

## Environmental Observations Improved/Rectified during Previous Environmental <u>Site Inspections</u>

No major environmental deficiency was identified during the previous site inspections.

Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

Audit Ref. No.

Project	Contract No. KL/2014/01	Contractor		CEC - CO	C JV		
•	Kai Tak Development - Stage 2 Infrastructure	Env. Team	-		Consultant	s Ltd.	
	Works for Developments at the Southern	SO Rep.		AECOM			
	Part of the Former Runway	IEC		Ka Shing	Manageme	ent Cons	ultant
	Interim Construction Access			Ltd.			
							176
Inspected By	ET Auditor: Chr.) Li	Inspection D	ate	16/6	1/21		
	SO Rep.	Time Period	l .	1430	- 1530		
	IEC						
Part A Wes	ather		<u> </u>				HANDE STATE OF THE
Condition	Sunny Fine Overcast Drizzle	Rain		Storm	Hazy		
Temperature		\$2.000 A	- 12	V 0			
Humidity	High (RH>90%) Moderate (90%>RH>50%)	Low (R	RH<50%	)			
Wind	Calm Light Breeze Strong						
19	N/A or	not observed	Yes	No	Follow-up	N/C	Remarks
Part B Wa	ter Quality			365			-C-111171-M
1. Is drainag	ge system adequate?						-
2 i. Are there	temporary ditches for runoff discharge into appropriate watercourse?		Z				
2 ii. Wit	h silt retention pond?		/				
3. Is ground	water pumped out discharged via sediment traps/tanks?						
3 i. Are there	sediment tanks for settling runoff prior to disposal?		1				
3 ii. Con	structed from pre-formed individual cells?		~				2
3 iii. Ade	equate capacity?		/				(t)
3 iv. Free	e from silt and sediment?						27
<ol><li>Is drainag</li></ol>	ge system well maintained?				Ш	Ш	10 <del>-</del>
<ol><li>Are expos</li></ol>	sed slope surfaces covered (by tarpaulin or other means)?				Ш		
6. Are open	stockpiles of more than 50 m <sup>3</sup> covered during rainstorm?		/				-
<ol><li>Are manh</li></ol>	oles covered and sealed?						X <del></del>
	g/stand water avoided?						
<ol><li>Are vehic</li></ol>	eles and plant cleaned of earth, mud and debris before leaving the site	· <u> </u>		Щ			3
	washing bay provided at every site exit?		$\square$		182		
	equately designed?		$ \angle $	닐			83
	d and sift settled out and removed at least weekly?						0
	ter cleared regularly?			님		닠	2 - 895
	ess road leading to and exiting from wheel wash bay paved?		$\Box$	H			ÿ <del></del>
	ess road sufficiently backfill toward wheel wash bay?			Ш			Vi)
<ol> <li>Rainy sea</li> <li>Drain</li> </ol>	son inage system adequately designed for storm flow?						2
11 ii. Sed	iment control measures inspected and maintained after rain storms?		/				g
12. Are used	bentonite slurries or grouts collected, reconditioned and reused?						
13. Are acces	s roads protected by crushed stone or gravel?		$\Box$				
14. Is toilet th	nat connects to foul sewer or chemical toilets provided?		$\Box$				
15. Are debris	s and rubbish on site collected and disposed of properly?		4				
16. Are there	bunds to surround areas of earthworks for flood protection?						

Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
Par	t C Air Quality						
1.	Are site vehicles travelling within speed limit of 10 km/hr?						
2.	Are site vehicle movements confined to designated haul roads?						
3.	Is the public road around the site entrance kept clean and free from dur	st?					
4.	Do areas of site with regular traffic movement have hard surface?						74 is
5.	Are the haul roads watered regularly to avoid dust generation?		$\square$				
6.	Are unpaved areas watered regularly to avoid dust generation?	50					
7.	Are the excavated dusty materials or stockpile of dusty meaterials cover impervious materials?	ered by					
8.	Do the site vehicles use the wheel wash at the site exits?						
9.	Are materials transported on trucks covered?						%
10.	Are all trucks loaded to a level within the side and tail boards?						3.
11.	Is hoarding not less than 2.4 m tall provided beside roads or areas with access?	public					8.
12.	Are there enclosures around the main dust-generating activities?						ini
13,	Are the site areas in which dust is likely to be generated sprayed with	water?					
14.	Is open burning avoided?						
15.	Are completed earthworks sealed and hydroseeded and planted as soon practicable?	ı as					2 = 2
16.	Are vehicles and equipment switched off while not in use?						7/
17.	Is black smoke emission from plants/equipment avoided?						
18.	Are every stock of more than 20 bags of cement coverd or sheltered on 3 sides?	top and					6.
19.	Are proper labels displayed on NRMMs?						
20.	Observable dust sources Wind erosion	Vehic	e/equipme	ent mover	ments		
	Loading/unloading of materials	Others	-				
Par	AD Contract Note Lond		NAME OF THE STREET	5000			
1.	t D Construction Noise Impact  Are the construction works scheduled to minimize noise nuisance?						
2.	Are the works or equipment sited to minimize noise nuisance?			퓜	Ħ		£6
3.	Are all plant and equipment well maintained and in good operating co	ndition?	H			H	39—————————————————————————————————————
4.	Is idle equipment turned off or throttled down?			Ħ	Ħ	Ħ	
5.	Is powered mechanical equipment covered or shielded by appropriate materials?			□	目		
6	Is silenced equipment used where practicable?		$\Box$				1
7.	Are noise enclosures, noise barriers or portable noise barriers used who acoustic necessary?	ere	$\overline{\square}$				3.
8.	Do air compressors have valid noise labels?						
9.	Do compressors operate with doors closed?						
10.	Major noise source(s) Traffic	Constr	uction act	ivities ins	side of site	18 87	3,000
	Construction activities outside of site	Others					

Page 2 of 4

### Environmental Monitoring and Audit Site Inspection Checklist

### Contract No. KL/2014/01

_		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
Part	t E Waste/Chemical Management						
1. 1 i. 1 ii. 1 iii.	General refuse Accumulation avoided? Receptacles (e.g. rubbish bins) available? Disposed of regularly and properly?						
2. 2 i. 2 ii.	Chemical waste, waste oil Stored properly in designated area? Disposed of properly?					$\exists$	R
3. 3 i. 3 ii. 3 iii. 4 i. 4 ii.	Chemical/fuel storage area Is storage area bunded? Adequate bund capacity? (>110% of the largest tank) Area storage areas provided with locks & located on sealed area Is construction waste reused where practicable? Disposed of properly?	s?	NONDO D				
<ul><li>5.</li><li>5 i.</li><li>ii.</li><li>6.</li></ul>	Excavated Material Appears uncontaminated? (colour, odour) If suspected contaminated, appropriate procedures followed? Is feam, oil, grease, litter or other objectionable matters in water of ne drain/sewer avoided? Is the site generally clean and tidy?	earby					\$ <del>\big  \big  \big</del>
8. 9.	Is oil leakage from containers/ equipments avoided?  Are drip trays provided with adequate capacity and well maintained?						
Part 1. 2. 3. 4.	Are existing tress to be retained on site protected carefully?  Are the trees transplanted that may be affected by the works?  Are night-time lighting controlled?  Are the decorative screen hoarding erected?						SE S
Pari	t G Permits/Licences  Are Construction Noise Permits available for inspection/posted at site entrance?		ď				:
<ol> <li>3.</li> <li>4.</li> </ol>	Are wastewater discharge licences available for inspection?  Are trip tickets for chemical waste disposal available for inspection?  Relevant licence/permit for disposal of construction waste or excavate materials available for inspection?	ed					G 9
5.	Is Environmental Permit displaced conspicuously on site?						

Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

+	8 8	X	N/A or not observed	Yes	No	Follow-up	N/C	Remarks
Part	H Follow-up for the Previo	us Site Audit on Date:	(Ref. No	¥0	)			
1.	Is the situation in item	improved/rectified?						
2.	Is the situation in item	improved/rectified?						
3.	Is the situation in item	improved/rectified?						
4.	Is the situation in item	improved/rectified?						
5.	Is the situation in item	improved/rectified?				12		77
S.	Is the situation in item	improved/rectified?						34
7.	Is the situation in item	improved/rectified?						0.5
3.	Is the situation in item	improved/rectified?						20 2200000 1000
).	Is the situation in item	improved/rectified?						25
10.	Is the situation in item	improved/rectified?						(4
				40				

Remarks/Observations

Cianatuuss						
Signatures:				10		
ET Auditor		SO Rep.	1		Contractor	
South.			><		a dal	
(Name: Chris U	<del>-</del> )	(Name:	COY LAM	— <sub>)</sub>	(Name: Feet Lan)	<b>—</b> )
(Date: 16/9/21	)	(Date:	J ,	)	(Date: SQ)	)
IEC Auditor					2011 [2]	(0
\$(20)	(*)					
(Name:	<del>_</del> ,					
(Date:	)					



### E-MAIL

Rm 1710, Technology Park, 18 On Lai Street, Shatin, N.T., Hong Kong Tel.: (852) 2151 2083

Fax: (852) 3107 1388

TO: **Distribution List** DATE 24 September 2021

FROM Mr. K. S Lee SHEET 1 OF 1 + 7

REF. NO. CCL/MA15046/Corres/Out/All\_cl210924\_audit210923

Contract No. KL/2014/01

Kai Tak Development – Stage 2 Infrastructure Works for Developments at Southern

SUBJECT Part of the Former Runway

Weekly Environmental Site Inspection on 23 September 2021

Dear Sir/Madam,

We have conducted the environmental site inspection for the above contract on 23 September **2021**. Please find attached the completed checklist for your information and action.

Should you require any further information, please feel free to contact our Mr. Colman Wong at 2151 2068 or the undersigned at 2151 2091.

Yours faithfully, Cinotech Consultants Limited

Mr. K.S Lee

**Environmental Team Leader** 

Encl.

### **Distribution List (via E-mail):**

Mr. Keith Chu keithchchu@cedd.gov.hk **CEDD** 

Jack-Lai@continental-engineering.com **CCJV** Mr. Jack Lai

AECOM Mr. Anthony Lok anthony.lok@aecom-ktd.com Ka Shing

Dr. Douglas Wong drwong@ka-shing.net

### Contract No. KL/2014/01

## Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

EP-337/2009 & EP-445/2013/A

### Weekly Site Inspection Record Summary Inspection Information

Checklist Reference Number	210923
Date	23 Sep 2021 (Thursday)
Time	14:30 – 15:30

D-C M-	Non Complemen	Related
Ref. No.	Non-Compliance	Item No.
-	None identified	-
D 0 N	T 1 (0)	Related
Ref. No.	Remarks/Observations	Item No.
	B. Water Quality	
	No environmental deficiency was identified during site inspection	
	C. Air Quality	
	No environmental deficiency was identified during site inspection.	
	D. Noise	
	No environmental deficiency was identified during site inspection.	
	E. Waste / Chemical Management	
	No environmental deficiency was identified during site inspection.	
	• F. Visual and Landscape	
	No environmental deficiency was identified during site inspection.	
	G. Permits /Licenses	
	No environmental deficiency was identified during site inspection.	
	H. Others	
	No follow-up items are required from the previous site inspection (ref no.: 210916).	

	Name	Signature	Date
Recorded by	Chris Li	Bran li	23 Sep 2021
Checked by	Colman Wong	Colman	24 Sep 2021

CINOTECH MA15046 Summary\_210923

## Environmental Observations Identified during the Environmental Site Inspection (23 September 2021)

No major environmental deficiency was identified during the site inspection.

## Environmental Observations Improved/Rectified during Previous Environmental <u>Site Inspections</u>

No major environmental deficiency was identified during the previous site inspections.

	9			Audit Ref. No.	
Project	Contract No. KL/2014/01	Contractor	CEC - CC	C JV	
	Kai Tak Development - Stage 2 Infrastructure	Env. Team	Cinotech (	Consultants Ltd.	
	Works for Developments at the Southern	SO Rep.	AECOM		
	Part of the Former Runway	IEC	Ka Shing	Management Cons	sultant
	Interim Construction Access		Ltd.		
	2				
Inspected By	ET Auditor: / h/)5 4	Inspection Date	23/9	121	
	SO Rep.	Time Period	(Ann.)	0-1530	2.5
2	IEC				
Part A Wes	ather				-
Condition	Sunny Fine Overcast Drizzle	Rain	Storm	Hazy	
	79.1°C	Kan		IIazy	
Temperature Humidity	High (RH>90%)   Moderate (90%>RH>50%)	Low (RH<	50%)		
Wind	Calm Light Breeze Strong	Low (Idir	3070)		
- THU	Cann Breeze Surving	505			VI.
Part B Wa		not observed	Yes No	Follow-up N/C	Remarks
	ter Quality ge system adequate?		a 🗆	$\Box$	
THE RESIDENCE OF THE PARTY OF T	temporary ditches for runoff discharge into appropriate watercourse?		$\exists \exists$		E E
	h silt retention pond?	H	$\exists \exists$	日吊	
	water pumped out discharged via sediment traps/tanks?	H F	$\exists \exists$	======================================	-
	sediment tanks for settling runoff prior to disposal?		$\exists$		-
	istructed from pre-formed individual cells?	H	$\exists \ \exists$		
+	equate capacity?		4 7		
	e from silt and sediment?	一一一	<del>1</del>	HH	
	ge system well maintained?	H	<del> </del>		-
	sed slope surfaces covered (by tarpaulin or other means)?				-
	stockpiles of more than 50 m³ covered during rainstorm?				
200 VIII VIII VIII VIII VIII VIII VIII V	noles covered and secled?	H F	<del> </del>	FF	
	g/stand water avoided?	一 三 三	a H	H H	-
8 3	eles and plant cleaned of earth, mud and debris before leaving the site?			百百	
	washing bay provided at every site exit?	一一	f	FF	
	equately designed?		7 7		7
	d and silt settled out and removed at least weekly?		7 N		
	ter cleared regularly?	一百百	5 5		Te
10 v. Acc	ess road leading to and exiting from wheel wash bay paved?		5 5	百百	
10 vi. Acc	ess road sufficiently backfill toward wheel wash bay?	<b>三</b> 百	$\overline{a} \overline{\Box}$	百百	-
11. Rainy sea	son				
11 i. Dra	inage system adequately designed for storm flow?				
11 ii. Sed	iment control measures inspected and maintained after rain storms?				
12. Are used	bentonite slurries or grouts collected, reconditioned and reused?		$\supseteq$		
	s roads protected by crushed stone or gravel?		$\supseteq$		
14. Is toilet th	nat connects to foul sewer or chemical toilets provided?				
15. Are debri	s and rubbish on site collected and disposed of properly?				
16. Are there	bunds to surround areas of earthworks for flood protection?		$\supset$		

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
Par	t C Air Quality						
1.	Are site vehicles travelling within speed limit of 10 km/hr?		Z				
2.	Are site vehicle movements confined to designated haul roads?		/				
3.	Is the public road around the site entrance kept clean and free from dus	it?	/				
4.	Do areas of site with regular traffic movement have hard surface?						
5.	Are the haul roads watered regularly to avoid dust generation?	. $\square$	/				
6.	Are unpaved areas watered regularly to avoid dust generation?						
7.	Are the excavated dusty materials or stockpile of dusty meaterials cover impervious materials?	ered by	$\mathbb{Z}$				
8.	Do the site vehicles use the wheel wash at the site exits?						
9,	Are materials transported on trucks covered?						44.
10.	Are all trucks loaded to a level within the side and tail boards?						
11.	Is hoarding not less than 2.4 m tall provided beside roads or areas with access?	public					×
12.	Are there enclosures around the main dust-generating activities?						s:
13.	Are the site areas in which dust is likely to be generated sprayed with v	vater?					
14.	Is open burning avoided?						
15.	Are completed earthworks sealed and hydroseeded and planted as soon practicable?	as					5) <del></del>
16.	Are vehicles and equipment switched off while not in use?						
17.	Is black smoke emission from plants/equipment avoided?						
18.	Are every stock of more than 20 bags of cement coverd or sheltered on 3 sides?	top and					( <del></del>
19.	Are proper labels displayed on NRMMs?						
20.	Observable dust sources Wind erosion	Vehicle	e/equipme	nt moven	nents		
·	Loading/unloading of materials	Others					
Par	t D Construction Noise Impact				712		-
1.	Are the construction works scheduled to minimize noise nuisance?						
2.	Are the works or equipment sited to minimize noise nuisance?		$\square$				
3.	Are all plant and equipment well maintained and in good operating con	idition?					a <del></del>
4.	Is idle equipment turned off or throttled down?						G - X
5.	Is powered mechanical equipment covered or shielded by appropriate materials?						0
6	Is silenced equipment used where practicable?						- CI
7.	Are noise enclosures, noise barriers or portable noise barriers used who acoustic necessary?	ere					\$ <del></del>
8.	Do air compressors have valid noise labels?		Ŋ				
9.	Do compressors operate with doors closed?						<u> </u>
10.	Major noise source(s)  Traffic  Construction activities outside of site	4	uction acti	vities ins	ide of site		
	Construction activities outside of site	LOulers					

### Environmental Monitoring and Audit

### Site Inspection Checklist Contract No. KL/2014/01

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
Part	t E Waste/Chemical Management						
1. 1 i. 1 ii. 1 iii.	General refuse Accumulation avoided? Receptacles (e.g. rubbish bins) available? Disposed of regularly and properly?						
2. 2 i. 2 ii.	Chemical waste, waste oil Stored properly in designated area? Disposed of properly?						
3. 3 i. 3 ii. 3 iii. 4 i. 4 ii.	Is construction waste reused where practicable?	7	NUNNN				
5. 5 i. 5 ii. 6.	Excavated Material Appears uncontaminated? (colour, odour) If suspected contaminated, appropriate procedures followed? Is foam, oil, grease, litter or other objectionable matters in water of neadrain/sewer avoided? Is the site generally clean and tidy?	urby					
8. 9.	Is oil leakage from containers/ equipments avoided?  Are drip trays provided with adequate capacity and well maintained?						
Part 1. 2. 3. 4.	F Visual and Landscape  Are existing tress to be retained on site protected carefully?  Are the trees transplanted that may be affected by the works?  Are night-time lighting controlled?  Are the decorative screen hoarding erected?						
Part	G Permits/Licences			-14 EC - AV	100 100	224	
1. 2. 3. 4.	Are Construction Noise Permits available for inspection/posted at site entrance?  Are wastewater discharge licences available for inspection?  Are trip tickets for chemical waste disposal available for inspection?  Relevant licence/permit for disposal of construction waste or excavated materials available for inspection?						
5.	Is Environmental Permit displaced conspicuously on site?						

	,p .			N/A or not	observed	Yes	No	Follow-up	N/C	Remarks
art				(Re	. No		)			
	Is the situation in item	- CONTRACTOR	ved/rectified?							<u> </u>
e V	Is the situation in item		/ed/rectified?	62						<u></u>
l.	Is the situation in item	improv	ved/rectified?							
l.	Is the situation in item	improv	ved/rectified?							J <del>.</del>
i.	Is the situation in item	improv	ved/rectified?							
j.	Is the situation in item	improv	/ed/rectified?							
١,	Is the situation in item	improv	ved/rectified?							2
8,	Is the situation in item	improv	ved/rectified?	86						14
i,	Is the situation in item	improv	/ed/rectified?							
0.	Is the situation in item	improv	ved/rectified?							
• 20.00										
em	arks/Observations									
	,									
			13							¥
	6									
								19		100 100
	373									
				92					8	
	<b>1</b>									
		40.								
	E									
	Signatures:									
				38						
	ET Auditor		SO Rep.	_ /		C	ontractor	J		
	Buch		C	$\times$				No.	1	
	(Name: 'Chels L1	)	(Name:	by LAM	)	4)	lame:	July 1	N	)
	(Date: 23/9/21	)	(Date:	7	)	(E	Date:	1/12	1	)
	IEC Auditor						8	$\mathcal{V}^{g}U$	10	(
								~ (/	1/	5

CINOTECH

Form 001



### E-MAIL

Rm 1710, Technology Park, 18 On Lai Street, Shatin, N.T., Hong Kong Tel.: (852) 2151 2083

Fax: (852) 3107 1388

TO: **Distribution List** DATE 30 September 2021

**FROM** Mr. K. S Lee SHEET 1 OF 1 + 7

REF. NO. CCL/MA15046/Corres/Out/All cl210930 audit210929

Contract No. KL/2014/01

Kai Tak Development – Stage 2 Infrastructure Works for Developments at Southern

SUBJECT Part of the Former Runway

Weekly Environmental Site Inspection on 29 September 2021

Dear Sir/Madam,

We have conducted the environmental site inspection for the above contract on 29 September **2021**. Please find attached the completed checklist for your information and action.

Should you require any further information, please feel free to contact our Mr. Colman Wong at 2151 2068 or the undersigned at 2151 2091.

Yours faithfully, Cinotech Consultants Limited

Mr. K.S Lee

**Environmental Team Leader** 

Encl.

### **Distribution List (via E-mail):**

Mr. Keith Chu keithchchu@cedd.gov.hk **CEDD** 

Jack-Lai@continental-engineering.com **CCJV** Mr. Jack Lai

AECOM Mr. Anthony Lok anthony.lok@aecom-ktd.com Ka Shing

Dr. Douglas Wong drwong@ka-shing.net

### Contract No. KL/2014/01

## Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

EP-337/2009 & EP-445/2013/A

### Weekly Site Inspection Record Summary Inspection Information

Checklist Reference Number	210923
Date	29 Sep 2021 (Friday)
Time	14:30 – 15:30

Ref. No.	Non-Compliance	Related Item No.
-	None identified	-
Ref. No.	Remarks/Observations	Related Item No.
	B. Water Quality	
	No environmental deficiency was identified during site inspection	
	C. Air Quality	
	No environmental deficiency was identified during site inspection.	
	D. Noise	
	No environmental deficiency was identified during site inspection.	
	E. Waste / Chemical Management	
	No environmental deficiency was identified during site inspection.	
	• F. Visual and Landscape	
	No environmental deficiency was identified during site inspection.	
	G. Permits /Licenses	
	No environmental deficiency was identified during site inspection.	
	H. Others	
	No follow-up items are required from the previous site inspection (ref no.: 210923).	

	Name	Signature	Date
Recorded by	Chris Li	Bran li	29 Sep 2021
Checked by	Colman Wong	Colman	30 Sep 2021

CINOTECH MA15046 Summary\_210929

## Environmental Observations Identified during the Environmental Site Inspection (29 September 2021)

No major environmental deficiency was identified during the site inspection.

## Environmental Observations Improved/Rectified during Previous Environmental <u>Site Inspections</u>

No major environmental deficiency was identified during the previous site inspections.

				Audit !	Ref. No	
Project	Contract No. KL/2014/01	Contractor	CEC -	CCC JV		
	Kai Tak Development - Stage 2 Infrastructure	Env. Team	Cinote	ch Consultant	s Ltd.	
	Works for Developments at the Southern	SO Rep.	AECO	М		
	Part of the Former Runway	IEC	Ka Shi	ng Managem	ent Consu	lltant
	Interim Construction Access		Ltd.			
	J					
Inspected By	ET Auditor: Ade &	Inspection Dat	te	2919		
	SO Rep.	Time Period	116	00 - 1	200	
	IEC			7.		
Part A Wes	ather					
Condition	Sunny Fine Overcast Drizzle	Rain	Storm	Hazy		
Temperature	in the second se	Dust a				
Humidity	High (RH>90%)   Moderate (90%>RH>50%)	Low (RH	<50%)	6		
Wind	Calm Light Breeze Strong					
				F. II	2110	D l-
Part B Wa	ter Quality	not observed	Yes No	Follow-up	N/C	Remarks
1. Is drainag	ge system adequate?					
2 i Are there	temporary ditches for runoff discharge into appropriate watercourse?					Te
2 ii. Wit	h silt retention pond?					
3. Is ground	water pumped out discharged via sediment traps/tanks?					
3 i. Are there	sediment tanks for settling runoff prior to disposal?					
3 ii. Con	structed from pre-formed individual cells?					75
3 iii. Ade	equate capacity?					- N
3 iv. Free	e from silt and sediment?					
4. Is drainag	ge system well maintained?					76
5. Are expos	sed slope surfaces covered (by tarpaulin or other means)?		a c			۵ <del> </del>
6. Are open	stockpiles of more than 50 m³ covered during rainstorm?					
7. Are manh	noles covered and sealed?		<b>P</b> -			
8. Is ponding	g/stand water avoided?					0
9. Are vehic	les and plant cleaned of earth, mud and debris before leaving the site?					8 <del>7</del>
10 i. Is wheel v	washing bay provided at every site exit?					(
10 ii. Ade	equately designed?					31 <u> </u>
10 iii. San	d and silt settled out and removed at least weekly?					87
10 iv. Wat	ter cleared regularly?					
10 v. Acc	ess road leading to and exiting from wheel wash bay paved?					-2-
10 vi. Acc	ess road sufficiently backfill toward wheel wash bay?		$oxedsymbol{eta}$ $oxedsymbol{eta}$			10 <u></u>
<ol> <li>Rainy sea</li> <li>Drain</li> </ol>	son inage system adequately designed for storm flow?					
	iment control measures inspected and maintained after rain storms?	H	<del> </del>	i	$\equiv$	ÿ <u> </u>
	bentonite slurries or grouts collected, reconditioned and reused?	H		1 =	$\exists$	2)
	is roads protected by crushed stone or gravel?					3
	nat connects to foul sewer or chemical toilets provided?			1 =		( <del></del>
	s and rubbish on site collected and disposed of properly?	Ħ	F F		$\exists$	
	bunds to surround areas of earthworks for flood protection?	<b>一</b>				3) <del></del>

### Environmental Monitoring and Audit Site Inspection Checklist

### Contract No. KL/2014/01

Kai Tak Development - Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

			N/A or not	observed	Yes	No	Follow-up	N/C	Remarks
Par	t C Air Quality	€							
1.	Are site vehicles travelling w	ithin speed limit of 10 km/hr?							
2.	Are site vehicle movements of	onfined to designated haul roads?			$\square$				
3.	Is the public road around the	site entrance kept clean and free from du	st?						
4.	Do areas of site with regular t	raffic movement have hard surface?							
5.	Are the haul roads watered re	gularly to avoid dust generation?							Pi
6.	Are unpaved areas watered re	gularly to avoid dust generation?							
7,	Are the excavated dusty mate impervious materials?	rials or stockpile of dusty meaterials cov	ered by						<u> </u>
8.	Do the site vehicles use the w	heel wash at the site exits?							
9.	Are materials transported on	trucks covered?							
10.	Are all trucks loaded to a leve	el within the side and tail boards?							
11.	Is hoarding not less than 2.4 raccess?	n tall provided beside roads or areas with	h public						
12.	Are there enclosures around t	he main dust-generating activities?			1				
13.	Are the site areas in which du	ist is likely to be generated sprayed with	water?		7				
14.	Is open burning avoided?								- W
15.	Are completed earthworks sea practicable?	aled and hydroseeded and planted as soo	n as						***************************************
16.	Are vehicles and equipment s	witched off while not in use?			1				
17.	Is black smoke emission from	plants/equipment avoided?			/				
18.	Are every stock of more than 3 sides?	20 bags of cement coverd or sheltered or	n top and						
19.	Are proper labels displayed or	n NRMMs?							
20.	Observable dust sources	Wind erosion		Vehicle	equipme/	nt moven	nents	40	
		Loading/unloading of materials		Others				- T	
Par	t D Construction Noise Im	pact		Zn					
1.	Are the construction works so	heduled to minimize noise nuisance?		1				(100)	
2.	Are the works or equipment s	ited to minimize noise nuisance?							-
3.	Are all plant and equipment v	vell maintained and in good operating co	ndition?						<u> </u>
4.	Is idle equipment turned off of	r throtfled down?				•			
5.	Is powered mechanical equipmaterials?	ment covered or shielded by appropriate							
6	Is silenced equipment used w	here practicable?							
7.	Are noise enclosures, noise be acoustic necessary?	arriers or portable noise barriers used wh	еге				П		
8.	Do air compressors have valid	d noise labels?							
9.	Do compressors operate with	doors closed?							
10.	Major noise source(s)	Traffic		Constru	iction acti	vities ins	ide of site		
9		Construction activities outside of sit	e	Others		-			

CINOTECH

Form 001

### Environmental Monitoring and Audit Site Inspection Checklist

### Contract No. KL/2014/01

		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
Par	t E Waste/Chemical Management						
1. 1 i. 1 ii. 1 iii							
2. 2 i. 2 ii.	Chemical waste, waste oil Stored properly in designated area? Disposed of properly?		4				
3. 3 ii. 3 iii. 4 ii. 4 ii. 5.	Area storage areas provided with locks & located on sealed areas Is construction waste reused where practicable?	57					
5 i. 5 ii. 6, 7, 8.	Appears uncontaminated? (colour, odour)	arby					
9.	Are drip trays provided with adequate capacity and well maintained?						
Par 1. 2. 3. 4.	Are the trees transplanted that may be affected by the works?  Are night-time lighting controlled?  Are the decorative screen hearding erected?						
Par	t G Permits/Licences		2000	100			
1.	Are Construction Noise Permits available for inspection/posted at site entrance?						¥10
<ol> <li>3.</li> </ol>	Are wastewater discharge licences available for inspection?  Are trip tickets for chemical waste disposal available for inspection?						80 - 400 80
4.	Relevant licence/permit for disposal of construction waste or excavate materials available for inspection?	d 🗀					5
5.	Is Environmental Permit displaced conspicuously on site?					ш	<u> </u>

	29		N/A or not observed	Yes	No	Follow-up	N/C	Remarks
Par	t H Follow-up for the Pre	evious Site Audit on Date:	(Ref. No			-14000000000000000000000000000000000000		
1.	Is the situation in item	improved/rectified?						75 TW T 000000000000000000000000000000000
2.	Is the situation in item	improved/rectified?						0.7
3.	Is the situation in item	improved/rectified?						8
4.	Is the situation in item	improved/rectified?		插				
5.	Is the situation in item	improved/rectified?		插			目	
6.	Is the situation in item	improved/rectified?		油				
7.	Is the situation in item	improved/rectified?		M				**
8.	Is the situation in item	improved/rectified?		一				8
9.	Is the situation in item	improved/rectified?		一				
10.	Is the situation in item	improved/rectified?		$\Box$			$\Box$	STATE OF THE STATE
Rer	narks/Observations	9	_	G.	- h			

Signatures:		W 900 000 000	
ET Auditor	- 6	SO Rep.	Contractor
	29/9	(Name: Picy Yeng (Date: 29/9/22)	(Name: ) (Date: )
IEC Auditor	39	P. ( d - v	2011
(Name:	-)		
(Date:	)		

### APPENDIX D EVENT ACTION PLANS

### **Appendix D - Event Action Plans**

### Event/Action Plan for Construction Noise

EVENT	ACTION						
	ET	IEC	CONTRACTOR				
Action Level being exceeded	<ol> <li>Notify ER, IEC and Contractor;</li> <li>Carry out investigation;</li> <li>Report the results of investigation to the IEC, ER and Contractor;</li> <li>Discuss with the IEC and Contractor on remedial measures required;</li> <li>Increase monitoring frequency to check mitigation effectiveness.</li> <li>(The above actions should be taken within 2 working days after the exceedance is identified)</li> </ol>	Review the investigation results submitted by the ET;     Review the proposed remedial measures by the Contractor and advise the ER accordingly;     Advise the ER on the effectiveness of the proposed remedial measures.  (The above actions should be taken within 2 working days after the exceedance is identified)	Confirm receipt of notification of failure in writing;     Notify Contractor;     In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented;     Supervise the implementation of remedial measures.  (The above actions should be taken within 2 working days after the exceedance is identified)	Submit noise mitigation proposals to IEC and ER;     Implement noise mitigation proposals.     (The above actions should be taken within 2 working days after the exceedance is identified)			
Limit Level being exceeded	<ol> <li>Inform IEC, ER, Contractor and EPD;</li> <li>Repeat measurements to confirm findings;</li> <li>Increase monitoring frequency;</li> <li>Identify source and investigate the cause of exceedance;</li> <li>Carry out analysis of Contractor's working procedures;</li> <li>Discuss with the IEC, Contractor and ER on remedial measures required;</li> <li>Assess effectiveness of Contractor's remedial actions and keep IEC, EPD and ER informed of the results;</li> <li>If exceedance stops, cease additional monitoring.</li> <li>(The above actions should be taken within 2 working days after the exceedance is identified)</li> </ol>	Discuss amongst ER, ET, and Contractor on the potential remedial actions;     Review Contractor's remedial actions whenever necessary to assure their effectiveness and advise the ER accordingly.     (The above actions should be taken within 2 working days after the exceedance is identified)	Confirm receipt of notification of failure in writing;     Notify Contractor;     In consolidation with the IEC, agree with the Contractor on the remedial measures to be implemented;     Supervise the implementation of remedial measures;     If exceedance continues, consider stopping the Contractor to continue working on that portion of work which causes the exceedance until the exceedance is abated.  (The above actions should be taken within 2 working days after the exceedance is identified)	<ol> <li>Take immediate action to avoid further exceedance;</li> <li>Submit proposals for remedial actions to IEC and ER within 3 working days of notification;</li> <li>Implement the agreed proposals;</li> <li>Submit further proposal if problem still not under control;</li> <li>Stop the relevant portion of works as instructed by the ER until the exceedance is abated.</li> <li>(The above actions should be taken within 2 working days after the exceedance is identified)</li> </ol>			

### **Appendix D - Event Action Plans**

### Event/Action Plan for Landscape and Visual

EVENT ACTION						
LEVEL	ET	IEC	ER	CONTRACTOR		
Design Check	Check final design conforms to the requirements of EP and prepare report.	Check report.     Recommend remedial design if necessary	Undertake remedial design if necessary			
Non- conformity on one occasion	Identify     Source     Inform IEC     and ER     Discuss     remedial     actions with     IEC, ER and     Contractor     Monitor     remedial     actions until     rectification     has been     completed	Check report Check Contractor's working method Discuss with ET and Contractor on possible remedial measures Advise ER on effectiveness of proposed remedial measures. Check implementatio n of remedial measures.	Notify     Contractor     Ensure     remedial     measures are     properly     implemented	Amend working methods     Rectify damage and undertake any necessary replacement		
Repeated Non- conformity	Identify Source Inform IEC and ER Increase monitoring frequency Discuss remedial actions with IEC, ER and Contractor Monitor remedial actions until rectification has been completed If non- conformity stops, cease additional monitoring	Check monitoring report Check Contractor's working method Discuss with ET and Contractor on possible remedial measures Advise ER on effectiveness of proposed remedial measures Supervise implementatio n of remedial measures.	Notify     Contractor     Ensure     remedial     measures are     properly     implemented	Amend working methods     Rectify damage and undertake any necessary replacement		

APPENDIX E ENVIRONMENTAL MITIGATION IMPLEMENTATION SCHEDULE (EMIS)

Appendix E - Summary of Implementation Schedule of Mitigation Measures for Construction Phase

EIA Ref. Mitigation Measures					
Construction Air Qu	ıality				
S3.2 (AEIAR-130/2009)	8 times daily watering of the work site with active dust emitting activities.	٨			
S4.8 (AEIAR-170/2013)	Control measures stipulated in the approved KTD Schedule 3 EIA Report should be strictly followed.	٨			
S3.2 (AEIAR-130/2009) and S4.8 (AEIAR-170/2013)	Implementation of dust suppression measures stipulated in Air Pollution Control (Construction Dust) Regulation. The following mitigation measures, good site practices and a comprehensive dust monitoring and audit programme are recommended to minimize cumulative dust impacts.  • Stockpiling site(s) should be lined with impermeable sheeting and bunded. Stockpiles	^			
(ALIMIC 170/2013)	<ul> <li>stockpring site(s) should be fined with imperincable sheeting and builded. Stockpries should be fully covered by impermeable sheeting to reduce dust emission.</li> <li>Misting for the dusty material should be carried out before being loaded into the vehicle.</li> <li>Any vehicle with an open load carrying area should have properly fitted side and tail</li> </ul>	^			
	<ul> <li>Any vehicle with all open load earlying area should have properly fitted side and tail boards.</li> <li>Material having the potential to create dust should not be loaded from a level higher than the side and tail boards and should be dampened and covered by a clean tarpaulin.</li> </ul>				
	• The tarpaulin should be properly secured and should extent at least 300 mm over the edges of the sides and tailboards. The material should also be dampened if necessary before transportation.	^			
	• The vehicles should be restricted to maximum speed of 10 km per hour and confined haulage and delivery vehicle to designated roadways insider the site. Onsite unpaved roads should be compacted and kept free of lose materials.	۸			
	Vehicle washing facilities should be provided at every vehicle exit point.	۸			

EIA Ref.	Mitigation Measures	Status
	<ul> <li>The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores.</li> <li>Every main haul road should be scaled with concrete and kept clear of dusty materials or sprayed with water so as to maintain the entire road surface wet.</li> <li>Every stock of more than 20 bags of cement should be covered entirely by impervious sheeting placed in an area sheltered on the top and the three sides; and</li> <li>Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving the construction sites.</li> </ul>	
<b>Construction Noise</b>		
S3.3 (AEIAR-130/2009)	Use of quiet PME, movable barriers barrier for Asphalt Paver, Breaker, Excavator and Hand-held breaker and full enclosure for Air Compressor, Bar Bender, Concrete Pump, Generator and Water Pump.	^
S3.3 (AEIAR-130/2009)	Good Site Practice:	
(ALIAK-130/2009)	• Only well-maintained plant should be operated on-site and plant should be serviced regularly during the construction program.	^
	• Silencers or mufflers on construction equipment should be utilized and should be properly maintained during the construction program.	٨
	<ul> <li>Mobile plant, if any, should be sited as far away from NSRs as possible.</li> </ul>	٨
	• Machines and plant (such as trucks) that may be in intermittent use should be shut down between works periods or should be throttled down to a minimum.	۸
	Plant known to emit noise strongly in one direction should, wherever possible, be orientated so that the noise is directed away from the nearby NSRs.	۸
	Material stockpiles and other structures should be effectively utilized, wherever	۸

EIA Ref.	Mitigation Measures	Status
	practicable, in screening noise from on-site construction activities.	
S3.3 (AEIAR-130/2009)	Scheduling of Construction Works during School Examination Period	N/A
S3.8 (AEIAR-170/2013)	Provision of a landscaped deck along Roads D3A & D4A.	N/A
S3.8 (AEIAR-170/2013)	<ul> <li>Provision of about 1090 m length of vertical noise barrier (connected to the deck) at Roads D3A &amp; D4A;</li> <li>Provision of about 60 m length of overhang vertical noise barrier (connected to the deck) at Road D4A; and</li> <li>Provision of staircases with noise barriers next to Sites 4A1 and 4B1</li> <li>It should be noted that the exact length of the mitigation measures would be subject to minor refinement during the detailed design stage.</li> </ul>	N/A N/A N/A
S3.8 (AEIAR-170/2013)	Non-noise sensitive use areas within Sites 4A1 and 4B1.	N/A
S3.8 (AEIAR-170/2013)	Avoid sensitive façade with openable window facing Road D3A.	N/A
<b>Construction Water</b>	Quality	•
S3.4 (AEIAR-130/2009) and S5.8 (AEIAR-170/2013)	Construction Runoff  Exposed soil areas should be minimised to reduce the potential for increased siltation, contamination of runoff, and erosion. Construction runoff related impacts associated with the above ground construction activities can be readily controlled through the use of appropriate mitigation measures which include:  • use of sediment traps  • adequate maintenance of drainage systems to prevent flooding and overflow	^ ^

EIA Ref.	Mitigation Measures	Status
	Construction site should be provided with adequately designed perimeter channel and pretreatment facilities and proper maintenance. The boundaries of critical areas of earthworks should be marked and surrounded by dykes or embankments for flood protection. Temporary ditches should be provided to facilitate runoff discharge into the appropriate watercourses, via a silt retention pond. Permanent drainage channels should incorporate sediment basins or traps and baffles to enhance deposition rates. The design of efficient silt removal facilities should be based on the guidelines in Appendix A1 of ProPECC PN 1/94.	^
	Ideally, construction works should be programmed to minimise surface excavation works during the rainy season (April to September). All exposed earth areas should be completed as soon as possible after earthworks have been completed, or alternatively, within 14 days of the cessation of earthworks where practicable. If excavation of soil cannot be avoided during the rainy season, or at any time of year when rainstorms are likely, exposed slope surfaces should be covered by tarpaulin or other means.	^
S5.8 (AEIAR-170/2013)	Earthworks final surfaces should be well compacted and the subsequent permanent work or surface protection should be carried out immediately after the final surfaces are formed to prevent erosion caused by rainstorms. Appropriate drainage like intercepting channels should be provided where necessary.	٨
	Measures should be taken to minimize the ingress of rainwater into trenches. If excavation of trenches in wet seasons is necessary, they should be dug and backfilled in short sections. Rainwater pumped out from trenches or foundation excavations should be discharged into storm drains via silt removal facilities.	^
S3.4 (AEIAR-130/2009)	Sediment tanks of sufficient capacity, constructed from pre-formed individual cells of approximately 6 to 8 m <sup>3</sup> capacity, are recommended as a general mitigation measure	۸

EIA Ref.	Mitigation Measures	Status
	which can be used for settling surface runoff prior to disposal. The system capacity is flexible and able to handle multiple inputs from a variety of sources and particularly suited to applications where the influent is pumped.	
S3.4 (AEIAR-130/2009) and S5.8 (AEIAR-170/2013)	Open stockpiles of construction materials (for examples, aggregates, sand and fill material) of more than 50 m <sup>3</sup> should be covered with tarpaulin or similar fabric during rainstorms. Measures should be taken to prevent the washing away of construction materials, soil, silt or debris into any drainage system.	٨
()	Manholes (including newly constructed ones) should always be adequately covered and temporarily sealed so as to prevent silt, construction materials or debris being washed into the drainage system and storm runoff being directed into foul sewers.	٨
S3.4 (AEIAR-130/2009)	Precautions to be taken at any time of year when rainstorms are likely, actions to be taken when a rainstorm is imminent or forecast, and actions to be taken during or after rainstorms are summarised in Appendix A2 of ProPECC PN 1/94. Particular attention should be paid to the control of silty surface runoff during storm events.	٨
	Oil interceptors should be provided in the drainage system and regularly cleaned to prevent the release of oils and grease into the storm water drainage system after accidental spillages. The interceptor should have a bypass to prevent flushing during periods of heavy rain.	٨
S3.4 (AEIAR-130/2009) and S5.8 (AEIAR-170/2013)	All vehicles and plant should be cleaned before leaving a construction site to ensure no earth, mud, debris and the like is deposited by them on roads. An adequately designed and located wheel washing bay should be provided at every site exit, and wash-water should have sand and silt settled out and removed at least on a weekly basis to ensure the continued efficiency of the process. The section of access road leading to, and exiting	٨

EIA Ref.	Mitigation Measures	Status
	from, the wheel-wash bay to the public road should be paved with sufficient backfall toward the wheel-wash bay to prevent vehicle tracking of soil and silty water to public roads and drains.	
S5.8 (AEIAR-170/2013)	Boring and Drilling Water Water used in ground boring and drilling for site investigation or rock / soil anchoring should as far as practicable be re-circulated after sedimentation. When there is a need for final disposal, the wastewater should be discharged into storm drains via silt removal facilities.	۸
	Acid Cleaning, Etching and Pickling Wastewater Acidic wastewater generated from acid cleaning, etching, pickling and similar activities should be neutralized to within the pH range of 6 to 10 before discharging into foul sewers	^
S3.4 (AEIAR-130/2009)	Drainage  It is recommended that on-site drainage system should be installed prior to the commencement of other construction activities. Sediment traps should be installed in order to minimise the sediment loading of the effluent prior to discharge into foul sewers. There should be no direct discharge of effluent from the site into the sea.	٨
S3.4 (AEIAR-130/2009)	All temporary and permanent drainage pipes and culverts provided to facilitate runoff discharge should be adequately designed for the controlled release of storm flows. All sediment control measures should be regularly inspected and maintained to ensure proper and efficient operation at all times and particularly following rain storms. The temporarily diverted drainage should be reinstated to its original condition when the construction work has finished or the temporary diversion is no longer required.	٨

EIA Ref.	Mitigation Measures	Status
S3.4 (AEIAR-130/2009)	All fuel tanks and storage areas should be provided with locks and be located on sealed areas, within bunds of a capacity equal to 110% of the storage capacity of the largest tank, to prevent spilled fuel oils from reaching the coastal waters of the Victoria Harbour WCZ.	^
S5.8 (AEIAR-170/2013)	There is a need to apply to EPD for a discharge licence for discharge of effluent from the construction site under the WPCO. The discharge quality must meet the requirements specified in the discharge licence. All the runoff and wastewater generated from the works areas should be treated so that it satisfies all the standards listed in the TM-DSS. Minimum distance of 100 m should be maintained between the discharge points of construction site effluent and the existing seawater intakes and the planned WSR mentioned in S5.3.1 as appropriate. The beneficial uses of the treated effluent for other on-site activities such as dust suppression, wheel washing and general cleaning etc., can minimise water consumption and reduce the effluent discharge volume. If monitoring of the treated effluent quality from the works areas is required during the construction phase of the Project, the monitoring should be carried out in accordance with the relevant WPCO licence which is under the ambit of regional office (RO) of EPD.	^
S3.4 (AEIAR-130/2009) and S5.8 (AEIAR-170/2013)	Sewage Effluent  Construction work force sewage discharges on site are expected to be connected to the existing trunk sewer or sewage treatment facilities. The construction sewage may need to be handled by portable chemical toilets prior to the commission of the on-site sewer system. Appropriate numbers of portable toilets should be provided by a licensed contractor to serve the large number of construction workers over the construction site. The Contractor should also be responsible for waste disposal and maintenance practices.	٨
S5.8	Notices should be posted at conspicuous locations to remind the workers not to discharge	۸

EIA Ref.	Mitigation Measures	Status
(AEIAR-170/2013)	any sewage or wastewater into the surrounding environment. Regular environmental audit of the construction site will provide an effective control of any malpractices and can encourage continual improvement of environmental performance on site. It is anticipated that sewage generation during the construction phase of the project would not cause water pollution problem after undertaking all required measures.	
S3.4 (AEIAR-130/2009) and S5.8 (AEIAR-170/2013)	Stormwater Discharges  Minimum distances of 100 m should be maintained between the existing or planned stormwater discharges and the existing or planned seawater intakes.	٨
	Debris and Litter  In order to maintain water quality in acceptable conditions with regard to aesthetic quality, contractors should be required, under conditions of contract, to ensure that site management is optimised and that disposal of any solid materials, litter or wastes to marine waters does not occur.	٨
S5.8 (AEIAR-170/2013)	Accidental Spillage  Contractor must register as a chemical waste producer if chemical wastes would be produced from the construction activities. The Waste Disposal Ordinance (Cap 354) and its subsidiary regulations in particular the Waste Disposal (Chemical Waste) (General) Regulation, should be observed and complied with for control of chemical wastes. Any service shop and maintenance facilities should be located on hard standings within a bunded area, and sumps and oil interceptors should be provided. Maintenance of vehicles and equipment involving activities with potential for leakage and spillage should only be undertaken within the areas appropriately equipped to control these discharges.	^

EIA Ref.	Mitigation Measures	Status
	Disposal of chemical wastes should be carried out in compliance with the Waste Disposal Ordinance. The Code of Practice on the Packaging, Labelling and Storage of Chemical Wastes published under the Waste Disposal Ordinance details the requirements to deal with chemical wastes. General requirements are given as follows:  Suitable containers should be used to hold the chemical wastes to avoid leakage or	^
	<ul> <li>spillage during storage, handling and transport.</li> <li>Chemical waste containers should be suitably labelled, to notify and warn the personnel who are handling the wastes, to avoid accidents.</li> </ul>	^
	• Storage area should be selected at a safe location on site and adequate space should be allocated to the storage area.	۸
<b>Construction Waste</b>	Management	
S6.7 (AEIAR-170/2013)	Prepare a Waste Management Plan, which becomes a part of the Environmental Management Plan, in accordance with the requirements stipulated in ETWB TC (W) No. 19/2005, approved by the Engineer/Supervising Officer of the Project based on current practices on construction sites.	٨
S3.5 (AEIAR-130/2009) and S6.7 (AEIAR-170/2013)	<ul> <li>Good Site Practices</li> <li>It is not anticipated that adverse waste management related impacts would arise, provided that good site practices are adhered to. Recommendations for good site practices during construction activities include:         <ul> <li>Nomination of an approved person, such as a site manager, to be responsible for good site practices, arrangements for collection and effective disposal to an appropriate facility, of all wastes generated at the site</li> <li>Training of site personnel in proper waste management and chemical waste handling procedures</li> </ul> </li> </ul>	^
	<ul> <li>Provision of sufficient waste disposal points and regular collection for disposal</li> </ul>	٨

EIA Ref.	Mitigation Measures	Status
	Appropriate measures to minimise windblown litter and dust during transportation of	۸
	waste by either covering trucks or by transporting wastes in enclosed containers	
	<ul> <li>A recording system for the amount of wastes generated, recycled and disposed of (including the disposal sites)</li> </ul>	^
	<ul> <li>Regular cleaning and maintenance systems, sumps and oil interceptors</li> </ul>	٨
	Separation of chemical wastes for special handling and appropriate treatment	^
	Waste Reduction Measures	
	Good management and control can prevent the generation of a significant amount of	
	waste. Waste reduction is best achieved at the planning and design stage, as well as by	
	ensuring the implementation of good site practices. Recommendations to achieve waste reduction include:	
	<ul> <li>Sort C&amp;D waste from demolition of the remaining structures to recover recyclable portions such as metals</li> </ul>	^
	<ul> <li>Segregation and storage of different types of waste in different containers, skips or</li> </ul>	٨
	stockpiles to enhance reuse or recycling of materials and their proper disposal	
	<ul> <li>Encourage collection of aluminium cans, PET bottles and paper by providing separate</li> </ul>	٨
	labelled bins to enable these wastes to be segregated from other general refuse generated by the work force	
	<ul> <li>Any unused chemicals or those with remaining functional capacity should be recycled</li> </ul>	٨
	<ul> <li>Proper storage and site practices to minimise the potential for damage or</li> </ul>	٨
	contamination of construction materials	
	Plan and stock construction materials carefully to minimize amount of waste generated and avoid unnecessary generation of waste	۸
	<ul> <li>Training should be provided to workers about the concepts of site cleanliness and appropriate waste management procedures, including waste reduction, reuse and recycle.</li> </ul>	۸

EIA Ref.	Mitigation Measures	Status
S3.5 (AEIAR-130/2009)	Construction and Demolition Materials  Mitigation measures and good site practices should be incorporated in the contract document to control potential environmental impact from handling and transportation of C&D material. The mitigation measures include:  • Where it is unavoidable to have transient stockpiles of C&D material within the Project work site pending collection for disposal, the transient stockpiles shall be located away from waterfront or storm drains as far as possible.	^
	Open stockpiles of construction materials or construction wastes on-site should be covered with tarpaulin or similar fabric.	٨
	• Skip hoist for material transport should be totally enclosed by impervious sheeting.	٨
	• Every vehicle should be washed to remove any dusty materials from its body and wheels before leaving a construction site.	٨
	• The area where vehicle washing takes place and the section of the road between the washing facilities and the exit point should be paved with concrete, bituminous materials or hardcores.	٨
	• The load of dusty materials carried by vehicle leaving a construction site should be covered entirely by clean impervious sheeting to ensure dust materials do not leak from the vehicle.	۸
	• All dusty materials should be sprayed with water prior to any loading, unloading or transfer operation so as to maintain the dusty materials wet.	٨
	• The height from which excavated materials are dropped should be controlled to a minimum practical height to limit fugitive dust generation from unloading.	٨
	When delivering inert C&D material to public fill reception facilities, the material should consist entirely of inert construction waste and of size less than 250mm or other sizes as agreed with the Secretary of the Public Fill Committee. In order to monitor the disposal of the surplus C&D material at the designed public fill reception facility and to control fly tipping, a trip-ticket system as stipulated in the ETWB TCW No. 31/2004 "Trip Ticket"	۸

EIA Ref.	Mitigation Measures	Status
	System for Disposal of Construction and Demolition Materials" should be included as one of the contractual requirement sand implemented by an Environmental Team undertaking the Environmental Monitoring and Audit work. An Independent Environmental Checker should be responsible for auditing the results of the system.	
S3.5 (AEIAR-130/2009)	General Refuse General refuse should be stored in enclosed bins or compaction units separate from C&D material. A licensed waste collector should be employed by the contractor to remove general refuse from the site, separately from C&D material. Effective collection and storage methods (including enclosed and covered area) of site wastes would be required to prevent waste materials from being blown around by wind, wastewater discharge by flushing or leaching into the marine environment, or creating odour nuisance or pest and vermin problem	٨
<b>Construction Lands</b>	cape and Visual	
S3.8.12	Minimized construction area and contractor's temporary works areas.	٨
(AEIAR-130/2009)	• All existing trees should be carefully protected during construction.	٨
and	• Trees unavoidably affected by the works should be transplanted where practical.	٨
S7.9 (AEIAR-170/2013)	Detailed transplanting proposal will be submitted to relevant government departments for approval in accordance with ETWBC 2/2004 and 3/2006. Final locations of transplanted trees should be agreed prior to commencement of the work.	
	• Control of night-time lighting.	٨
	<ul> <li>Erection of decorative screen hoarding.</li> </ul>	٨
	Reduction of construction period to practical minimum.	٨
	• Limitation of / Ensuring no run-off into surrounding landscape and adjacent seawater areas.	٨
	• Temporary or advance landscape should be provided along the temporary access roads to the Cruise Terminal until such time as road D3 is open.	٨

Remarks:	EIA Report (AEIAR-130/2009) – Kai Tak Development		
	EIA Report (AEIAR-170/2013) – Kai Tak Development – Roads D3A & D4A		
	^ Compliance of mitigation measure; X Non-compliance of mitigation measure; N/A Not Applicable at this stage; • Non-compliance but rectified by the		
	N/A(1) Not observed;	contractor;	
	* Recommendation was made during site audit	# Recommendation was made during site	
	but improved/rectified by the contractor.	audit but not yet improved/rectified by the contractor.	

APPENDIX F
SUMMARIES OF ENVIRONMENTAL
COMPLAINT, WARNING, SUMMON
AND NOTIFICATION OF SUCCESSFUL
PROSECUTION

### Contract No. KL/2014/01

# Kai Tak Development –Stage 2 Infrastructure Works for Developments at the Southern Part of the Former Runway

 $\label{eq:complaint} \textbf{Appendix} \ \textbf{F} - \textbf{Summary} \ \textbf{of} \ \textbf{environmental} \ \textbf{complaint}, \ \textbf{warning}, \ \textbf{summon} \ \textbf{and} \ \textbf{notification} \ \textbf{of} \ \textbf{successful} \ \textbf{prosecution}$ 

**Reporting Month**: Sep 2021

## Contract No. KL/2014/01

Log Ref.	Location	Received Date	Details of Complaint/warning/summon and prosecution	Investigation/Mitigation Action	Status
N/A	N/A	N/A	N/A	N/A	N/A

**Remarks**: No environmental complaint/warning/summon and prosecution were received in the reporting period.

## APPENDIX G WASTE GENERATED QUANTITY

## Appendix G. Monthly Summary Waste Flow Table

Name of Department:	CEDD		Contract No:	KL/2014/01
---------------------	------	--	--------------	------------

#### **Monthly Summary Waste Flow Table for 2021**

Month	Actual Quantities of Inert C&D Materials Generated Monthly					Actual Quantities of C&D Wastes Generated Monthly					
	Total Quantity Generated	Hard Rock and Large Broken Concrete	Reused in the Contract	Reused in other Projects *	Disposed as Public Fill	Imported Fill	Metals	Paper/ cardboard packaging	Plastics	Chemical Waste	Others, e.g. general refuse
	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in tonne)	(in '000 kg)	(in '000kg)	(in '000kg)	(in '000kg)	(in tonne)
Jan	35.46	0	0	0	35.46	0	0	0	0	0	212.30
Feb	5.63	0	0	0	5.63	0	0	0	0	0	4.18
Mar	0.00	0	0	0	0.00	0	0	0	0	0	2.50
Apr	0.00	0	0	0	0.00	0	0	0	0	0	9.65
May	0.00	0	0	0	0.00	0	0	0	0	0	17.89
June	0.00	0	0	0	0.00	0	0	0	0	0	13.55
Sub-total	41.09	0	0	0	41.09	0	0	0	0	0	260.07
July	0	0	0	0	0.00	0	0	0	0	0	11.6
Aug	8.16	0	0	0	0.00	0	0	0	0	0	8.16
Sept	12.60	0	0	0	0.00	0	0	0	0	0	12.6
Oct		0	0	0		0	0	0	0	0	
Nov		0	0	0		0	0	0	0	0	
Dec											
Total	61.85	0	0	0	41.09	0	0	0	0	0	292.43

<sup>\*</sup> Transfer to alterative disposal ground at Lung Kwu Sheung Tan EPD approved recycler